

# Anthony W Russell

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1382881/anthony-w-russell-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

2,656  
citations

30  
h-index

45  
g-index

138  
ext. papers

3,213  
ext. citations

4.1  
avg, IF

5.01  
L-index

#	Paper	IF	Citations
127	Measurement of salivary cortisol in 2012 - laboratory techniques and clinical indications. <i>Clinical Endocrinology</i> , <b>2012</b> , 77, 645-51	3.4	116
126	Corneal confocal microscopy predicts 4-year incident peripheral neuropathy in type 1 diabetes. <i>Diabetes Care</i> , <b>2015</b> , 38, 671-5	14.6	101
125	Utility of corneal confocal microscopy for assessing mild diabetic neuropathy: baseline findings of the LANDMark study. <i>Australasian journal of optometry, The</i> , <b>2012</b> , 95, 348-54	2.7	96
124	Optimal image sample size for corneal nerve morphometry. <i>Optometry and Vision Science</i> , <b>2012</b> , 89, 812-21	7.1	78
123	Corneal confocal microscopy for identification of diabetic sensorimotor polyneuropathy: a pooled multinational consortium study. <i>Diabetologia</i> , <b>2018</b> , 61, 1856-1861	10.3	71
122	Repeatability of measuring corneal subbasal nerve fiber length in individuals with type 2 diabetes. <i>Eye and Contact Lens</i> , <b>2010</b> , 36, 245-8	3.2	70
121	Fully automated, semiautomated, and manual morphometric analysis of corneal subbasal nerve plexus in individuals with and without diabetes. <i>Cornea</i> , <b>2014</b> , 33, 696-702	3.1	68
120	Trial of a mobile phone method for recording dietary intake in adults with type 2 diabetes: evaluation and implications for future applications. <i>Journal of Telemedicine and Telecare</i> , <b>2011</b> , 17, 318-23	6.8	64
119	Longitudinal assessment of neuropathy in type 1 diabetes using novel ophthalmic markers (LANDMark): study design and baseline characteristics. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 104, 248-56	7.4	62
118	Glucose uptake and insulin action in human adipose tissue--influence of BMI, anatomical depot and body fat distribution. <i>International Journal of Obesity</i> , <b>2002</b> , 26, 17-23	5.5	60
117	Metformin for Clozapine Associated Obesity: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156208	3.7	58
116	Randomised controlled trial of an automated, interactive telephone intervention (TLC Diabetes) to improve type 2 diabetes management: baseline findings and six-month outcomes. <i>BMC Public Health</i> , <b>2012</b> , 12, 602	4.1	57
115	Retinal nerve fibre layer thinning associated with diabetic peripheral neuropathy. <i>Diabetic Medicine</i> , <b>2012</b> , 29, e106-11	3.5	55
114	Underappreciation of non-alcoholic fatty liver disease by primary care clinicians: limited awareness of surrogate markers of fibrosis. <i>Internal Medicine Journal</i> , <b>2018</b> , 48, 144-151	1.6	53
113	Evaluation of a Mobile Phone Image-Based Dietary Assessment Method in Adults with Type 2 Diabetes. <i>Nutrients</i> , <b>2015</b> , 7, 4897-910	6.7	52
112	Reduced Incidence of Foot-Related Hospitalisation and Amputation amongst Persons with Diabetes in Queensland, Australia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0130609	3.7	52
111	Patient satisfaction with video teleconsultation in a virtual diabetes outreach clinic. <i>Diabetes Technology and Therapeutics</i> , <b>2015</b> , 17, 43-8	8.1	49

110	Wide-field assessment of the human corneal subbasal nerve plexus in diabetic neuropathy using a novel mapping technique. <i>Cornea</i> , <b>2012</b> , 31, 1078-82	3.1	48
109	Morphometric stability of the corneal subbasal nerve plexus in healthy individuals: a 3-year longitudinal study using corneal confocal microscopy <b>2014</b> , 55, 3195-9		46
108	Corneal markers of diabetic neuropathy. <i>Ocular Surface</i> , <b>2011</b> , 9, 17-28	6.5	42
107	Living Well with Diabetes: a randomized controlled trial of a telephone-delivered intervention for maintenance of weight loss, physical activity and glycaemic control in adults with type 2 diabetes. <i>BMC Public Health</i> , <b>2010</b> , 10, 452	4.1	41
106	Natural history of corneal nerve morphology in mild neuropathy associated with type 1 diabetes: development of a potential measure of diabetic peripheral neuropathy. <i>Investigative Ophthalmology and Visual Science</i> , <b>2014</b> , 55, 7982-90		40
105	Glucagon-like peptide-1 receptor agonists for antipsychotic-associated cardio-metabolic risk factors: A systematic review and individual participant data meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , <b>2019</b> , 21, 293-302	6.7	40
104	Model of care for the management of complex Type 2 diabetes managed in the community by primary care physicians with specialist support: an open controlled trial. <i>Diabetic Medicine</i> , <b>2013</b> , 30, 1112-21	3.5	39
103	Aging per se does not influence glucose homeostasis: in vivo and in vitro evidence. <i>Diabetes Care</i> , <b>2003</b> , 26, 480-4	14.6	39
102	Cancer risk after medical exposure to radioactive iodine in benign thyroid diseases: a meta-analysis. <i>Endocrine-Related Cancer</i> , <b>2012</b> , 19, 645-55	5.7	38
101	Corneal sensitivity as an ophthalmic marker of diabetic neuropathy. <i>Optometry and Vision Science</i> , <b>2010</b> , 87, 1003-8	2.1	32
100	A Pragmatic Approach Identifies a High Rate of Nonalcoholic Fatty Liver Disease With Advanced Fibrosis in Diabetes Clinics and At-Risk Populations in Primary Care. <i>Hepatology Communications</i> , <b>2018</b> , 2, 893-905	6	32
99	What are the key conditions associated with lower limb amputations in a major Australian teaching hospital?. <i>Journal of Foot and Ankle Research</i> , <b>2012</b> , 5, 12	3.2	30
98	Risk Factors Associated With Corneal Nerve Alteration in Type 1 Diabetes in the Absence of Neuropathy: A Longitudinal In Vivo Corneal Confocal Microscopy Study. <i>Cornea</i> , <b>2016</b> , 35, 847-52	3.1	30
97	Glucagon-like peptide-1 agonists combating clozapine-associated obesity and diabetes. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 227-36	4.6	29
96	Corneal and Retinal Neuronal Degeneration in Early Stages of Diabetic Retinopathy <b>2017</b> , 58, 6365-6373		29
95	Utility of Assessing Nerve Morphology in Central Cornea Versus Whorl Area for Diagnosing Diabetic Peripheral Neuropathy. <i>Cornea</i> , <b>2015</b> , 34, 756-61	3.1	29
94	Standardizing corneal nerve fibre length for nerve tortuosity increases its association with measures of diabetic neuropathy. <i>Diabetic Medicine</i> , <b>2014</b> , 31, 1205-9	3.5	26
93	Treatment of clozapine-associated obesity and diabetes with exenatide in adults with schizophrenia: A randomized controlled trial (CODEX). <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1050-1055	6.7	26

92	Regulation of placental growth hormone secretion in a human trophoblast model--the effects of hormones and adipokines. <i>Pediatric Research</i> , <b>2008</b> , 63, 353-7	3.2	25
91	Corneal confocal microscopy best identifies the development and progression of neuropathy in patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 1325-1327	3.2	23
90	Making sense of change: patients' views of diabetes and GP-led integrated diabetes care. <i>Health Expectations</i> , <b>2016</b> , 19, 74-86	3.7	23
89	Multimorbidity and polypharmacy in diabetic patients with NAFLD: Implications for disease severity and management. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6761	1.8	23
88	How do Australian podiatrists manage patients with diabetes? The Australian diabetic foot management survey. <i>Journal of Foot and Ankle Research</i> , <b>2015</b> , 8, 16	3.2	22
87	Impact of an integrated model of care on potentially preventable hospitalizations for people with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , <b>2015</b> , 32, 872-80	3.5	22
86	Glucose meters: evaluation of the new formulation measuring strips from Roche (Accu-Chek) and Abbott (MediSense). <i>Annals of Clinical Biochemistry</i> , <b>2010</b> , 47, 358-65	2.2	21
85	GPs with special interests - impacting on complex diabetes care. <i>Australian Family Physician</i> , <b>2010</b> , 39, 972-4		21
84	Mobile Health (mHealth) for Diabetes Care: Opportunities and Challenges. <i>Diabetes Technology and Therapeutics</i> , <b>2017</b> , 19, 1-3	8.1	20
83	Estrogen and selective estrogen receptor modulators (SERMs) for the treatment of acromegaly: a meta-analysis of published observational studies. <i>Pituitary</i> , <b>2014</b> , 17, 284-95	4.3	20
82	Placental growth hormone, fetal growth and the IGF axis in normal and diabetic pregnancy. <i>Current Diabetes Reviews</i> , <b>2009</b> , 5, 185-9	2.7	20
81	Focal loss volume of ganglion cell complex in diabetic neuropathy. <i>Australasian journal of optometry, The</i> , <b>2016</b> , 99, 526-534	2.7	19
80	Telemedicine for clinical management of diabetes - a process analysis of video consultations. <i>Journal of Telemedicine and Telecare</i> , <b>2013</b> , 19, 379-82	6.8	18
79	Corneal sensitivity is related to established measures of diabetic peripheral neuropathy. <i>Australasian journal of optometry, The</i> , <b>2012</b> , 95, 355-61	2.7	17
78	Concordance of the late night salivary cortisol in patients with Cushing's syndrome and elevated urine-free cortisol. <i>Endocrine</i> , <b>2013</b> , 43, 327-33	4	17
77	Longitudinal evaluation of the natural history of conservatively managed nonfunctioning pituitary adenomas. <i>Clinical Endocrinology</i> , <b>2016</b> , 84, 222-228	3.4	17
76	Retinal thickness profile of individuals with diabetes. <i>Ophthalmic and Physiological Optics</i> , <b>2016</b> , 36, 158-66	4.6	16
75	'Working with the team': an exploratory study of improved type 2 diabetes management in a new model of integrated primary/secondary care. <i>Australian Journal of Primary Health</i> , <b>2013</b> , 19, 207-12	1.4	16

74	The effect of acute hyperglycaemia on appetite and food intake in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , <b>2001</b> , 18, 718-25	3.5	15
73	Urea treatment in fluid restriction-refractory hyponatraemia. <i>Clinical Endocrinology</i> , <b>2019</b> , 90, 630-636	3.4	15
72	Development of a Novel Technique to Measure Corneal Nerve Migration Rate. <i>Cornea</i> , <b>2016</b> , 35, 700-5	3.1	14
71	Retinal Tissue Thickness is Reduced in Diabetic Peripheral Neuropathy. <i>Current Eye Research</i> , <b>2016</b> , 41, 1359-1366	2.9	14
70	A cost-effectiveness analysis of a telephone-linked care intervention for individuals with Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 104, 103-11	7.4	14
69	Standardising practices improves clinical diabetic foot management: the Queensland Diabetic Foot Innovation Project, 2006-09. <i>Australian Health Review</i> , <b>2012</b> , 36, 8-15	1.8	14
68	A rapid decline in corneal small fibers and occurrence of foot ulceration and Charcot foot. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 1437-1439	3.2	14
67	Clinical outcomes of an integrated primary-secondary model of care for individuals with complex type 2 diabetes: a non-inferiority randomised controlled trial. <i>Diabetologia</i> , <b>2019</b> , 62, 41-52	10.3	14
66	User Experience of an Innovative Mobile Health Program to Assist in Insulin Dose Adjustment: Outcomes of a Proof-Of-Concept Trial. <i>Telemedicine Journal and E-Health</i> , <b>2018</b> , 24, 536-543	5.9	13
65	A new model of integrated primary-secondary care for complex diabetes in the community: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2013</b> , 14, 382	2.8	13
64	Placental growth hormone is not suppressed by oral glucose loading in normal human pregnancy. <i>Hormone and Metabolic Research</i> , <b>2002</b> , 34, 250-3	3.1	13
63	Exploring retinal and functional markers of diabetic neuropathy. <i>Australasian journal of optometry, The</i> , <b>2010</b> , 93, 309-23	2.7	12
62	Randomised controlled trial of an automated, interactive telephone intervention to improve type 2 diabetes self-management (Telephone-Linked Care Diabetes Project): study protocol. <i>BMC Public Health</i> , <b>2010</b> , 10, 599	4.1	12
61	Ophthalmic and clinical factors that predict four-year development and worsening of diabetic retinopathy in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 67-74	3.2	11
60	Abnormal Anterior Corneal Morphology in Diabetes Observed Using InVivo Laser-scanning Confocal Microscopy. <i>Ocular Surface</i> , <b>2016</b> , 14, 507-514	6.5	11
59	Presence of Peripheral Neuropathy Is Associated With Progressive Thinning of Retinal Nerve Fiber Layer in Type 1 Diabetes <b>2017</b> , 58, BIO234-BIO239		11
58	"I wish they could be in my shoes": patients' insights into tertiary health care for type 2 diabetes mellitus. <i>Patient Preference and Adherence</i> , <b>2015</b> , 9, 1647-55	2.4	11
57	Protocol and baseline data from The Inala Chronic Disease Management Service evaluation study: a health services intervention study for diabetes care. <i>BMC Health Services Research</i> , <b>2010</b> , 10, 134	2.9	11

56	Corneal Confocal Microscopy Predicts the Development of Diabetic Neuropathy: A Longitudinal Diagnostic Multinational Consortium Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 2107-2114	14.6	11
55	Predictors for secondary therapy after surgical resection of nonfunctioning pituitary adenomas. <i>Clinical Endocrinology</i> , <b>2017</b> , 87, 717-724	3.4	10
54	CoMET: a protocol for a randomised controlled trial of co-commencement of METformin as an adjunctive treatment to attenuate weight gain and metabolic syndrome in patients with schizophrenia newly commenced on clozapine. <i>BMJ Open</i> , <b>2018</b> , 8, e021000	3	10
53	Retinal tissue thickness in type 1 and type 2 diabetes. <i>Australasian journal of optometry, The</i> , <b>2016</b> , 99, 78-83	2.7	10
52	Validation of the QTNM staging system for cancer-specific survival in patients with differentiated thyroid cancer. <i>Endocrine</i> , <b>2014</b> , 46, 300-8	4	10
51	Diagnostic capability of retinal thickness measures in diabetic peripheral neuropathy. <i>Journal of Optometry</i> , <b>2017</b> , 10, 215-225	2.6	10
50	Alcohol Consumption in Diabetic Patients with Nonalcoholic Fatty Liver Disease. <i>Canadian Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 2017, 7927685	2.8	10
49	My Diabetes Coach, a Mobile App-Based Interactive Conversational Agent to Support Type 2 Diabetes Self-Management: Randomized Effectiveness-Implementation Trial. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e20322	7.6	10
48	A qualitative follow-up study of diabetes patients' appraisal of an integrated diabetes service in primary care. <i>Health and Social Care in the Community</i> , <b>2017</b> , 25, 1031-1040	2.6	9
47	Visual sensitivity loss in the central 30° of visual field is associated with diabetic peripheral neuropathy. <i>Diabetologia</i> , <b>2012</b> , 55, 1179-85	10.3	9
46	Queensland's high risk foot database: tracking the length and width of Queensland's foot ulcers. <i>Journal of Foot and Ankle Research</i> , <b>2013</b> , 6,	3.2	9
45	Treatment of clozapine-associated obesity and diabetes with exenatide (CODEX) in adults with schizophrenia: study protocol for a pilot randomised controlled trial. <i>BJPsych Open</i> , <b>2015</b> , 1, 67-73	5	9
44	A clinimetric study of outpatient diabetes consultations: the potential for telemedicine substitution. <i>Diabetes Technology and Therapeutics</i> , <b>2014</b> , 16, 8-14	8.1	9
43	Should patients with type 2 diabetes and raised liver enzymes be referred for further evaluation of liver disease?. <i>Diabetes Research and Clinical Practice</i> , <b>2008</b> , 80, e10-2	7.4	9
42	Design of a randomized, non-inferiority trial to evaluate the reliability of videoconferencing for remote consultation of diabetes. <i>BMC Medical Informatics and Decision Making</i> , <b>2014</b> , 14, 11	3.6	8
41	Validity Study of Video Teleconsultation for the Management of Diabetes: A Pilot Randomized Controlled Trial. <i>Diabetes Technology and Therapeutics</i> , <b>2015</b> , 17, 717-25	8.1	8
40	Impact of a general practitioner-led integrated model of care on the cost of potentially preventable diabetes-related hospitalisations. <i>Primary Care Diabetes</i> , <b>2017</b> , 11, 344-347	2.4	6
39	A comparison of characteristics of patients seen in a tertiary hospital diabetes telehealth service versus specialist face-to-face outpatients. <i>Journal of Telemedicine and Telecare</i> , <b>2017</b> , 23, 842-849	6.8	6



38	Type 2 Diabetes: A Risk Factor for Hospital Readmissions and Mortality in Australian Patients With Cirrhosis. <i>Hepatology Communications</i> , <b>2020</b> , 4, 1279-1292	6	6
37	Clinically Significant Fibrosis Is Associated With Longitudinal Increases in Fibrosis-4 and Nonalcoholic Fatty Liver Disease Fibrosis Scores. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 710-718.e4	6.9	6
36	Prospective evaluation of a week one overnight metyrapone test with subsequent dynamic assessments of hypothalamic-pituitary-adrenal axis function after pituitary surgery. <i>Clinical Endocrinology</i> , <b>2017</b> , 87, 35-43	3.4	5
35	Exploratory study of total and free prednisolone plasma exposure and cushingoid appearance, quality of life and biochemical toxicity in adult male kidney transplant recipients. <i>Clinical Drug Investigation</i> , <b>2015</b> , 35, 743-50	3.2	5
34	Repeatability of Measuring Corneal Nerve Migration Rate in Individuals With and Without Diabetes. <i>Cornea</i> , <b>2016</b> , 35, 1355-61	3.1	5
33	Optical coherence tomography predicts 4-year incident diabetic neuropathy. <i>Ophthalmic and Physiological Optics</i> , <b>2017</b> , 37, 451-459	4.1	5
32	Controlled attenuation parameter in NAFLD identifies risk of suboptimal glycaemic and metabolic control. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 799-804	3.2	5
31	Metabolic measures 12 months after a randomised controlled trial of treatment of clozapine associated obesity and diabetes with exenatide (CODEX). <i>Journal of Psychiatric Research</i> , <b>2020</b> , 124, 9-12 <sup>5.2</sup>	5.2	4
30	Reduction in the incidence of diabetes lower extremity amputations in Queensland: 2005-2010. <i>Journal of Foot and Ankle Research</i> , <b>2013</b> , 6,	3.2	4
29	Standardising practices improves ambulatory diabetic foot management and reduces amputations: the Queensland Diabetic Foot Innovation Project, 2006-2009. <i>Journal of Foot and Ankle Research</i> , <b>2011</b> , 4,	3.2	4
28	A mixed-methods retrospective study: 10 years of diabetic retinopathy screening in urban Aboriginal and Torres Strait Islander primary care. <i>Australian Journal of Primary Health</i> , <b>2019</b> , 25, 24-30	1.4	4
27	Toilet Paper, Minced Meat and Diabetes Medicines: Australian Panic Buying Induced by COVID-19. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	4
26	Corneal Nerve Migration Rate in a Healthy Control Population. <i>Optometry and Vision Science</i> , <b>2018</b> , 95, 672-677	2.1	4
25	Investigation and management of moderate to severe inpatient hyponatraemia in an Australian tertiary hospital. <i>BMC Endocrine Disorders</i> , <b>2018</b> , 18, 93	3.3	4
24	Rethinking Models of Outpatient Specialist Care in Type 2 Diabetes Using eHealth: Study Protocol for a Pilot Randomised Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	3
23	Mobile-based insulin dose adjustment for type 2 diabetes in community and rural populations: study protocol for a pilot randomized controlled trial. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2019</b> , 10, 2042018819836647	4.5	3
22	Establishing a new model of integrated primary and secondary care based around general practice: a case study of lessons learned and challenges. <i>Australian Health Review</i> , <b>2018</b> , 42, 299-302	1.8	3
21	Adipose tissue from pregnant women with and without gestational diabetes mellitus: insulin-sensitive but resistant to hyperosmolarity. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 193, 2017-23	6.4	3

20	T-Cell Expression and Release of Kidney Injury Molecule-1 in Response to Glucose Variations Initiates Kidney Injury in Early Diabetes. <i>Diabetes</i> , <b>2021</b> , 70, 1754-1766	0.9	3
19	Serum matrix metalloproteinase 7 (MMP7) is a biomarker of fibrosis in patients with non-alcoholic fatty liver disease. <i>Scientific Reports</i> , <b>2021</b> , 11, 2858	4.9	3
18	A case of discordant HbA(1c): a method-dependent error. <i>Medical Journal of Australia</i> , <b>2009</b> , 191, 347-9	4	2
17	An exploration of barriers and facilitators to implementing a nonalcoholic fatty liver disease pathway for people with type 2 diabetes in primary care.. <i>Diabetic Medicine</i> , <b>2022</b> , e14799	3.5	2
16	Depressive symptoms in non-alcoholic fatty liver disease are identified by perturbed lipid and lipoprotein metabolism.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0261555	3.7	2
15	Weight loss associated with exenatide in an obese man with diabetes commenced on clozapine. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2016</b> , 50, 702-3	2.6	2
14	Outcomes of a feasibility trial using an innovative mobile health programme to assist in insulin dose adjustment. <i>BMJ Health and Care Informatics</i> , <b>2019</b> , 26,	2.6	2
13	Data timelines as paths of expression for organizational reflection in healthcare participatory design <b>2018</b> ,		1
12	A Study of Mechanical Properties of Human Femoral Heads Using Nanoindentation. <i>Advanced Materials Research</i> , <b>2010</b> , 126-128, 957-962	0.5	1
11	Pituitary metastases from papillary carcinoma of thyroid: a case report and literature review. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2013</b> , 2013, 130024	1.4	1
10	Same goals, different challenges: A systematic review of perspectives of people with diabetes and healthcare professionals on Type 2 diabetes care. <i>Diabetic Medicine</i> , <b>2021</b> , 38, e14625	3.5	1
9	Community-based integrated care versus hospital outpatient care for managing patients with complex type 2 diabetes: costing analysis. <i>Australian Health Review</i> , <b>2021</b> , 45, 42-50	1.8	1
8	CoMET: a randomised controlled trial of co-commencement of metformin versus placebo as an adjunctive treatment to attenuate weight gain in patients with schizophrenia newly commenced on clozapine. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2021</b> , 11, 20451253211045248	4.9	0
7	Digital interventions to improve safety and quality of inpatient diabetes management: A systematic review. <i>International Journal of Medical Informatics</i> , <b>2022</b> , 157, 104596	5.3	0
6	Outcomes of a co-located approach for metabolic health care for people with schizophrenia.. <i>Australasian Psychiatry</i> , <b>2022</b> , 10398562221080742	1.7	0
5	Implementing the right care in the right place at the right time for non-alcoholic fatty liver disease (NAFLD-RRR study): a study protocol for a community care pathway for people with type 2 diabetes.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 487	2.9	0
4	A qualitative analysis of the needs and wishes of people with type 2 diabetes and healthcare professionals for optimal diabetes care.. <i>Diabetic Medicine</i> , <b>2022</b> , e14886	3.5	0
3	PO229 A 4-YEAR NATURAL HISTORY STUDY OF CORNEAL NERVE MORPHOLOGY IN MILD NEUROPATHY ASSOCIATED WITH TYPE 1 DIABETES: DEVELOPMENT OF A POTENTIAL MEASURE OF DIABETIC PERIPHERAL NEUROPATHY. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 106, S165-S166	7.4	



- 2 Reply: To PMID 16303938. *Cornea*, **2013**, 32, e179-80 3.1
- 1 An Experimental Series Investigating the Effects of Hyperinsulinemic Euglycemia on Myocardial Blood Flow Reserve in Healthy Individuals and on Myocardial Perfusion Defect Size following ST-Segment Elevation Myocardial Infarction. *Journal of the American Society of Echocardiography*, **2020**, 33, 868-877.e6 5.8