

Eduardo Angles-Cano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1385031/publications.pdf>

Version: 2024-02-01

123
papers

5,989
citations

117625

34
h-index

74163

75
g-index

128
all docs

128
docs citations

128
times ranked

9826
citing authors

#	ARTICLE	IF	CITATIONS
1	Higher anticoagulation targets and risk of thrombotic events in severe COVID-19 patients: bi-center cohort study. <i>Annals of Intensive Care</i> , 2021, 11, 14.	4.6	35
2	Lipoprotein(a): Pathophysiology, measurement, indication and treatment in cardiovascular disease. A consensus statement from the Nouvelle Soci�t� Francophone d'ath�roscl�rose (NSFA). <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 828-847.	1.6	9
3	Neutrophil Extracellular Traps Associate with Clinical Stages in Breast Cancer. <i>Pathology and Oncology Research</i> , 2020, 26, 1781-1785.	1.9	21
4	High risk of thrombosis in patients with severe SARS-CoV-2 infection: a multicenter prospective cohort study. <i>Intensive Care Medicine</i> , 2020, 46, 1089-1098.	8.2	2,244
5	Lipoprotein(a) concentration, genetic variants, apo(a) isoform size, and cellular cholesterol efflux in patients with elevated Lp(a) and coronary heart disease submitted or not to lipoprotein apheresis: An Italian case-control multicenter study on Lp(a). <i>Journal of Clinical Lipidology</i> , 2020, 14, 487-497.e1.	1.5	17
6	<i>Porphyromonas gingivalis</i> triggers the shedding of inflammatory endothelial microvesicles that act as autocrine effectors of endothelial dysfunction. <i>Scientific Reports</i> , 2020, 10, 1778.	3.3	19
7	Prothrombotic phenotype in COVID-19 severe patients. <i>Intensive Care Medicine</i> , 2020, 46, 1502-1503.	8.2	39
8	Fibrinolytic Activity of Circulating Microvesicles Is Associated with Progression of Breast Cancer. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 250, 121-128.	1.2	2
9	DNA-bound elastase of neutrophil extracellular traps degrades plasminogen, reduces plasmin formation, and decreases fibrinolysis: proof of concept in septic shock plasma. <i>FASEB Journal</i> , 2019, 33, 14270-14280.	0.5	52
10	Small size apolipoprotein(a) isoforms enhance inflammatory and proteolytic potential of collagen-primed monocytes. <i>Lipids in Health and Disease</i> , 2019, 18, 166.	3.0	8
11	Fibrin β ' influences the secretion of fibrinolytic components and clot structure. <i>BMC Molecular and Cell Biology</i> , 2019, 20, 47.	2.0	5
12	New Copper Compounds with Antiplatelet Aggregation Activity. <i>Medicinal Chemistry</i> , 2019, 15, 850-862.	1.5	1
13	Endothelial Microparticles are Associated to Pathogenesis of Idiopathic Pulmonary Fibrosis. <i>Stem Cell Reviews and Reports</i> , 2018, 14, 223-235.	5.6	31
14	Evidence of Netosis in Septic Shock-Induced Disseminated Intravascular Coagulation. <i>Shock</i> , 2017, 47, 313-317.	2.1	81
15	Exome Sequencing and Clot Lysis Experiments Demonstrate the R458C Mutation of the Alpha Chain of Fibrinogen to be Associated with Impaired Fibrinolysis in a Family with Thrombophilia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 431-440.	2.0	6
16	Endothelial fibrinolytic response onto an evolving matrix of fibrin. <i>BMC Hematology</i> , 2016, 16, 9.	2.6	4
17	Promising pharmacological profile of a Kunitz-type inhibitor in murine renal cell carcinoma model. <i>Oncotarget</i> , 2016, 7, 62255-62266.	1.8	20
18	Evidence for several independent genetic variants affecting lipoprotein (a) cholesterol levels. <i>Human Molecular Genetics</i> , 2015, 24, 2390-2400.	2.9	47

#	ARTICLE	IF	CITATIONS
19	Increased fibrinolytic mediators in IPF as potential contributors to pulmonary fibrosis and vascular remodeling. , 2015, , .		0
20	Plasminogen in cerebrospinal fluid originates from circulating blood. Journal of Neuroinflammation, 2014, 11, 154.	7.2	4
21	Molecular requirements for safer generation of thrombolytics by bioengineering the tissue-type plasminogen activator A-chain. Journal of Thrombosis and Haemostasis, 2013, 11, 539-546.	3.8	22
22	Membrane microvesicles: a circulating source for fibrinolysis, new antithrombotic messengers. Haematologica, 2013, 98, e75-e76.	3.5	3
23	Fibrinolytic microvesicles. Sang Thrombose Vaisseaux, 2013, 25, 100-110.	0.1	0
24	Unveiling an exceptional zymogen: the single-chain form of tPA is a selective activator of NMDA receptor-dependent signaling and neurotoxicity. Cell Death and Differentiation, 2012, 19, 1983-1991.	11.2	60
25	Synergistic Effect of Thrombin and CD40 Ligand on Endothelial Matrix Metalloproteinase-10 Expression and Microparticle Generation In Vitro and In Vivo. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 1477-1487.	2.4	53
26	Leukocyte- and endothelial-derived microparticles: a circulating source for fibrinolysis. Haematologica, 2012, 97, 1864-1872.	3.5	102
27	Lipoprotein(a) and Homocysteine Potentiate the Risk of Coronary Artery Disease in Male Subjects. Circulation Journal, 2012, 76, 1953-1957.	1.6	22
28	C0082 Circulating leukocyte- and endothelial-derived microparticles support a fibrinolytic activity. Thrombosis Research, 2012, 130, S115-S116.	1.7	0
29	Sizing Nanomatter in Biological Fluids by Fluorescence Single Particle Tracking. Biophysical Journal, 2011, 100, 315a-316a.	0.5	0
30	Fibrinolysis, new concepts: fibrinolytic microvesicles and cross-talk. Hematologie, 2011, 17, 423-434.	0.0	0
31	Fluorescence single particle tracking for sizing of nanoparticles in undiluted biological fluids. , 2011, , .		0
32	Matrix Metalloproteinase-10 Effectively Reduces Infarct Size in Experimental Stroke by Enhancing Fibrinolysis via a Thrombin-Activatable Fibrinolysis Inhibitor-Mediated Mechanism. Circulation, 2011, 124, 2909-2919.	1.6	54
33	Plasmin on adherent cells: from microvesiculation to apoptosis. Biochemical Journal, 2010, 432, 365-373.	3.7	31
34	Apo(a) phenotyping and long-term prognosis for coronary artery disease. Clinical Biochemistry, 2010, 43, 640-644.	1.9	7
35	Plasmin induces apoptosis of aortic valvular myofibroblasts. Journal of Pathology, 2010, 221, 37-48.	4.5	28
36	Sizing Nanomatter in Biological Fluids by Fluorescence Single Particle Tracking. Nano Letters, 2010, 10, 4435-4442.	9.1	144

#	ARTICLE	IF	CITATIONS
37	Fibrinolytic cross-talk: a new mechanism for plasmin formation. <i>Blood</i> , 2010, 115, 2048-2056.	1.4	77
38	Cell-derived microparticles: a new challenge in neuroscience. <i>Journal of Neurochemistry</i> , 2009, 110, 457-468.	3.9	89
39	Role of plasminogen activation in neuronal organization and survival. <i>Molecular and Cellular Neurosciences</i> , 2009, 42, 288-295.	2.2	21
40	Relationship between apo(a) length polymorphism and lipoprotein(a) concentration in healthy Ivorian subjects with single or double apo(a) isoforms. <i>Clinical Biochemistry</i> , 2008, 41, 1039-1043.	1.9	1
41	Mouse Model of In Situ Thromboembolic Stroke and Reperfusion. <i>Stroke</i> , 2007, 38, 2771-2778.	2.0	176
42	A case of afibrinogenemia associated with A-alpha chain gene compound heterozygosity (HUMFIBRA). <i>Journal of Thrombosis and Haemostasis</i> , 2007, 7, 1079-1081.	1.0	9
43	Prothrombotic markers and early spontaneous recanalization in ST-segment elevation myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2007, 98, 420-426.	3.4	33
44	Activation of plasminogen into plasmin at the surface of endothelial microparticles: a mechanism that modulates angiogenic properties of endothelial progenitor cells in vitro. <i>Blood</i> , 2007, 110, 2432-2439.	1.4	181
45	Prothrombotic markers and early spontaneous recanalization in ST-segment elevation myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2007, 98, 420-6.	3.4	16
46	Interaction of Fibrin(ogen) with Apolipoprotein(a): Further Characterization and Identification of a Novel Lysine-Dependent Apolipoprotein(a)-Binding Site within the Î³ Chain 287-411 Region. <i>Biochemistry</i> , 2006, 45, 10624-10632.	2.5	9
47	Plasminogen activator inhibitor-1 impairs plasminogen activation-mediated vascular smooth muscle cell apoptosis. <i>Thrombosis and Haemostasis</i> , 2006, 96, 665-670.	3.4	21
48	Functional characterization of fibrinogen BÎ±-II: a Î³ 308 Asnâ†’Lys mutation located near the fibrin D:D interaction sites. <i>Blood Coagulation and Fibrinolysis</i> , 2006, 17, 193-201.	1.0	7
49	Plasminogen activation: a mediator of vascular smooth muscle cell apoptosis in atherosclerotic plaques. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 664-670.	3.8	45
50	Lipoprotein(a) in the Cerebrospinal Fluid of Neurological Patients with Blood-Cerebrospinal Fluid Barrier Dysfunction. <i>Clinical Chemistry</i> , 2006, 52, 2043-2048.	3.2	11
51	Ethnicity and lipoprotein(a) polymorphism in Native Mexican populations. <i>Annals of Human Biology</i> , 2006, 33, 202-212.	1.0	6
52	Dual effect of apolipoprotein(a) on plasmin(ogen)-induced apoptosis through modulation of cell detachment of adherent cells. <i>Thrombosis and Haemostasis</i> , 2006, 95, 142-150.	3.4	4
53	Functional hierarchy of plasminogen kringles 1 and 4 in fibrinolysis and plasmin-induced cell detachment and apoptosis. <i>FEBS Journal</i> , 2005, 272, 3387-3400.	4.7	27
54	Mechanism for the homocysteine-enhanced antifibrinolytic potential of lipoprotein(a) in human plasma. <i>Thrombosis and Haemostasis</i> , 2005, 94, 75-81.	3.4	9

#	ARTICLE	IF	CITATIONS
55	The plasminogen?MMP system is more activated in the scar than in viable myocardium 3i½months post-MI in the rat. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 193-204.	1.9	27
56	Neutrophils stimulated by apolipoprotein(a) generate fragments that are stronger inhibitors of plasmin formation than apo(a). <i>Thrombosis and Haemostasis</i> , 2004, 92, 1066-1075.	3.4	12
57	Protease Nexin-1 Inhibits Plasminogen Activation-induced Apoptosis of Adherent Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 10346-10356.	3.4	90
58	How statins and fibrates lower CRP. <i>Blood</i> , 2004, 103, 3996-3997.	1.4	3
59	VASCULAR SMOOTH MUSCLE CELL APOPTOSIS IN ATHEROSCLEROTIC PLAQUES IS MEDIATED BY PLASMINOGEN ACTIVATION. <i>Journal of Hypertension</i> , 2004, 22, S13.	0.5	0
60	Functional approach to investigate Lp(a) in ischaemic heart and cerebral diseases. <i>European Journal of Clinical Investigation</i> , 2003, 33, 99-105.	3.4	8
61	Pericellular plasmin induces smooth muscle cell anoikis. <i>FASEB Journal</i> , 2003, 17, 1301-1303.	0.5	97
62	Identification and Characterization of Novel Lysine-independent Apolipoprotein(a)-binding Sites in Fibrin(ogen) I±C-domains. <i>Journal of Biological Chemistry</i> , 2003, 278, 37154-37159.	3.4	24
63	Lp(a) Particles Mold Fibrin-Binding Properties of Apo(a) in Size-Dependent Manner. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1232-1238.	2.4	47
64	Apolipoprotein(a): Structure-Function Relationship at the Lysine-Binding Site and Plasminogen Activator Cleavage Site. <i>Biological Chemistry</i> , 2002, 383, 93-9.	2.5	20
65	Plasminogen activation by blood monocytes and alveolar macrophages in primary pulmonary hypertension. <i>Blood Coagulation and Fibrinolysis</i> , 2002, 13, 417-422.	1.0	9
66	Involvement of the Mural Thrombus as a Site of Protease Release and Activation in Human Aortic Aneurysms. <i>American Journal of Pathology</i> , 2002, 161, 1701-1710.	3.8	285
67	Hemostasis Imbalance in Experimental Hypertension. <i>Molecular Medicine</i> , 2002, 8, 169-178.	4.4	17
68	Bivalency of plasminogen monoclonal antibodies is required for plasminogen bridging to fibrin and enhanced plasmin formation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2002, 1598, 165-176.	2.3	5
69	ANTIPHOSPHOLIPID ANTIBODIES AND THE COAGULATION CASCADE. <i>Rheumatic Disease Clinics of North America</i> , 2001, 27, 573-586.	1.9	12
70	Binding of Recombinant Apolipoprotein(a) to Human Platelets and Effect on Platelet Aggregation. <i>Thrombosis and Haemostasis</i> , 2001, 85, 686-693.	3.4	44
71	Experimental Study of Fibrin/Fibrin-Specific Molecular Interactions Using a Sphere/Plane Adhesion Model. <i>Journal of Colloid and Interface Science</i> , 2001, 241, 52-62.	9.4	35
72	Elevated plasma tissue plasminogen activator and anti-THP-1 antibodies are independently associated with decreased graft survival in cardiac transplant recipients. <i>American Journal of Cardiology</i> , 2001, 88, 30-34.	1.6	5

#	ARTICLE	IF	CITATIONS
73	Kringles of the plasminogen-prothrombin gene family share conformational epitopes with recombinant apolipoprotein (a): specificity of the fibrin-binding site. <i>BBA - Proteins and Proteomics</i> , 2001, 1548, 72-80.	2.1	13
74	Inhibition of Fibrinolysis by Lipoprotein(a). <i>Annals of the New York Academy of Sciences</i> , 2001, 936, 261-275.	3.8	94
75	Antibodies to tissue-type plasminogen activator in plasma from patients with primary antiphospholipid syndrome. <i>British Journal of Haematology</i> , 2000, 108, 871-875.	2.5	35
76	Lipoprotein Lp(a) and Atherothrombotic Disease. <i>Archives of Medical Research</i> , 2000, 31, 353-359.	3.3	45
77	High Antifibrinolytic Activity of Lipoprotein(a) Containing Small Apolipoprotein(a) Isoforms. <i>Circulation</i> , 2000, 102, E184-5.	1.6	1
78	Experimental Study of Fibrin Embolization Under Shear Flow. <i>Journal of Adhesion</i> , 2000, 72, 229-239.	3.0	7
79	Effect of Individual Plasma Lipoprotein(a) Variations In Vivo on Its Competition With Plasminogen for Fibrin and Cell Binding. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 575-584.	2.4	29
80	Evidence that Modifications of Lp(a) In Vivo Inhibit Plasmin Formation on Fibrin. <i>Thrombosis and Haemostasis</i> , 1999, 82, 121-127.	3.4	20
81	Effect of plasminogen activators on human recombinant apolipoprotein(a) having the plasminogen activation cleavage site. <i>BBA - Proteins and Proteomics</i> , 1999, 1434, 124-134.	2.1	7
82	Immobilisation of Monocytes to a Solid Support. <i>Thrombosis Research</i> , 1999, 96, 473-480.	1.7	3
83	Advances in autoantibodies in SLE. <i>Lupus</i> , 1998, 7, 507-514.	1.6	14
84	Fibrino(geno)lytic Properties of Purified Hementerin, a Metalloproteinase from the Leech <i>Haementeria depressa</i> . <i>Thrombosis and Haemostasis</i> , 1998, 80, 155-160.	3.4	26
85	Primary pulmonary hypertension, tissue plasminogen activator antibodies, and HLA-DQ7.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 155, 274-278.	5.6	56
86	2.P.99 A novel kringle-4 number-based recombinant apo(a) standard for human Lp(a) phenotyping. <i>Atherosclerosis</i> , 1997, 134, 137.	0.8	0
87	2.P.120 Identification of kringles of apolipoprotein(a) that enable its binding to fibrin and monocytic cells. <i>Atherosclerosis</i> , 1997, 134, 141.	0.8	0
88	2.P.121 Binding of apo(a) isoforms to fibrin is modified by their incorporation into an LDL lipoparticle. <i>Atherosclerosis</i> , 1997, 134, 142.	0.8	2
89	2.P.132 A fibrin-binding method for the functional identification of lipoprotein(a) in plasma from patients with cardiovascular disease. <i>Atherosclerosis</i> , 1997, 134, 144.	0.8	0
90	Structural basis for the pathophysiology of lipoprotein(a) in the athero-thrombotic process. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 1271-1280.	1.5	19

#	ARTICLE	IF	CITATIONS
91	Lipoprotein(a) Isoforms Display Differences in Affinity for Plasminogen-Like Binding to Human Mononuclear Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2036-2043.	2.4	34
92	Development and clinical application of a new ELISA assay to determine plasminogen-2-antiplasmin complexes in plasma. <i>British Journal of Haematology</i> , 1996, 92, 979-985.	2.5	48
93	The antifibrinolytic effect of lipoprotein(a) in heterozygous subjects is modulated by the relative concentration of each of the apolipoprotein(a) isoforms and their affinity for fibrin. <i>European Journal of Clinical Investigation</i> , 1996, 26, 411-417.	3.4	37
94	Review : Antibodies to fibrin-bound tissue-type plasminogen activator in systemic lupus erythematosus are associated with Raynaud's phenomenon and thrombosis. <i>Lupus</i> , 1996, 5, 275-278.	1.6	26
95	Serum antibodies to distinct epitopes of the tissue-type plasminogen activator (t-PA) in patients with systemic lupus erythematosus. <i>American Journal of Hematology</i> , 1995, 49, 109-114.	4.1	14
96	Multiple Binding with Identical Linkage: A Mechanism That Explains the Effect of Lipoprotein(a) on Fibrinolysis. <i>Biochemistry</i> , 1995, 34, 13353-13358.	2.5	48
97	Limited Proteolysis of Human $\hat{1}\pm$ -Thrombin by Urokinase Yields a Non-Clotting Enzyme. <i>Thrombosis and Haemostasis</i> , 1995, 73, 275-280.	3.4	4
98	Continuous Infusion of Prostacyclin Decreases Plasma Levels of t-PA and PAI-1 in Primary Pulmonary Hypertension. <i>Thrombosis and Haemostasis</i> , 1995, 73, 735-736.	3.4	32
99	Overview on fibrinolysis: Plasminogen activation pathways on fibrin and cell surfaces. <i>Chemistry and Physics of Lipids</i> , 1994, 67-68, 353-362.	3.2	74
100	Effects of lipoprotein(a) on the binding of plasminogen to fibrin and its activation by fibrin-bound tissue-type plasminogen activator. <i>Chemistry and Physics of Lipids</i> , 1994, 67-68, 369-380.	3.2	35
101	Study of tissue-type plasminogen activator binding sites on fibrin using distinct fragments of fibrinogen. <i>FEBS Journal</i> , 1994, 219, 961-967.	0.2	31
102	Endothelial Cell Markers (vWF, t-PA and PAI-1) in the Elderly. <i>Thrombosis and Haemostasis</i> , 1994, 72, 164-165.	3.4	3
103	Molecular assembly of plasminogen and tissue-type plasminogen activator on an evolving fibrin surface. <i>FEBS Journal</i> , 1993, 216, 549-556.	0.2	44
104	A study of the activation of fibrin-bound plasminogen by tissue-type plasminogen activator, single chain urokinase and sequential combinations of the activators. <i>Fibrinolysis</i> , 1993, 7, 87-96.	0.5	22
105	Neutralization of plasminogen activator inhibitor-1 (PAI-1) by activated protein C is species-dependent. <i>Fibrinolysis</i> , 1993, 7, 123-133.	0.5	3
106	Relevance of lipoprotein (a) in cardiovascular disease: Methodological approaches. <i>Fibrinolysis</i> , 1993, 7, 66-68.	0.5	5
107	The mutation in fibrinogen Bic ³ re II ($\hat{1}^3$ Asn308 $\hat{1}^+$ Lys) does not affect the binding of t-PA and plasminogen to fibrin. <i>Blood Coagulation and Fibrinolysis</i> , 1993, 4, 679-687.	1.0	4
108	Plasminogen binding by $\hat{1}\pm$ 2-antiplasmin and histidine-rich glycoprotein does not inhibit plasmiogen activation at the surface of fibrin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1992, 1156, 34-42.	2.4	22

#	ARTICLE	IF	CITATIONS
109	Plasma levels of single-chain urokinase in the elderly. <i>Fibrinolysis</i> , 1992, 6, 66-67.	0.5	3
110	Apolipoprotein(a) and plasminogen interactions with fibrin: a study with recombinant apolipoprotein(a) and isolated plasminogen fragments. <i>Biochemistry</i> , 1992, 31, 6333-6339.	2.5	95
111	The activation of plasminogen by tissue plasminogen activator is not enhanced by different heparin species as assessed in vitro with a solid-phase fibrin method. <i>Fibrinolysis</i> , 1991, 5, 61-69.	0.5	4
112	Characterization of the binding of plasminogen to fibrin surfaces: The role of carboxy-terminal lysines. <i>Biochemistry</i> , 1991, 30, 7630-7638.	2.5	186
113	The formation of complexes between human plasminogen activator inhibitor-1 (PAI-1) and sodium dodecyl sulfate: possible implication in the functional properties of PAI-1. <i>BBA - Proteins and Proteomics</i> , 1991, 1079, 321-329.	2.1	7
114	Development of an internal standard for plasminogen activator inhibitor-1 PAI-1 and its use in a simplified assay for measuring pai-1 activity in human plasma. <i>Fibrinolysis</i> , 1990, 4, 127-129.	0.5	2
115	Relationship Between Plasminogen Activators and Regeneration Capacities of Rat Skeletal Muscles. , 1990, , 229-241.		3
116	The pH Dependence of the Binding of Pro-Urokinase to Fibrin/Celite. <i>Thrombosis and Haemostasis</i> , 1990, 64, 556-558.	3.4	3
117	A method for the determination of the affinity constant of antibodies to tissue plasminogen activator. <i>Thrombosis Research</i> , 1988, 50, 687-694.	1.7	0
118	Solid-phase fibrin-tissue-plasminogen-activator activity assay (sofia-TPA): TPA but not uk is specifically detected. <i>Thrombosis Research</i> , 1986, 43, 129-132.	1.7	4
119	Polyunsaturated fatty acids increase fibrinolytic activity of human isolated glomeruli. <i>Kidney International</i> , 1986, 30, 701-705.	5.2	13
120	A spectrophotometric solid-phase fibrin-tissue plasminogen activator activity assay (SOFIA-TPA) for high-fibrin-affinity tissue plasminogen activator. <i>Analytical Biochemistry</i> , 1986, 153, 201-210.	2.4	89
121	Heterogeneity of plasminogen activator expression in various moloney virus-induced tumor cell lines. Lack of correlation with tumor growth and cell phenotype. <i>International Journal of Cancer</i> , 1984, 33, 277-280.	5.1	19
122	A solid-phase fibrin immunoassay for the specific detection of monoclonal antibodies against different epitopic determinants of tissue-plasminogen activators. <i>Journal of Immunological Methods</i> , 1984, 69, 115-127.	1.4	15
123	Release of VIII R:Ag and VIII R:WF during thrombin and collagen induced aggregation. <i>Thrombosis Research</i> , 1979, 15, 415-425.	1.7	14