

# Salvatore Pucciarelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/138711/publications.pdf>

Version: 2024-02-01

213  
papers

7,312  
citations

71097

41  
h-index

66906

78  
g-index

223  
all docs

223  
docs citations

223  
times ranked

8897  
citing authors

#	ARTICLE	IF	CITATIONS
1	MMR profile and microsatellite instability status in colorectal mucinous adenocarcinoma with synchronous metastasis: a new clue for the clinical practice. <i>Journal of Clinical Pathology</i> , 2023, 76, 492-496.	2.0	5
2	Prognostic significance of pathological sub-classification of pT3 rectal cancer. <i>International Journal of Colorectal Disease</i> , 2022, 37, 131-139.	2.2	0
3	Epstein-Barr virus associated gastric dysplasia: a new rare entity?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 939-944.	2.8	3
4	Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. <i>Annals of Surgical Oncology</i> , 2022, 29, 1880-1889.	1.5	19
5	Metachronous colorectal cancer have a similar microsatellite instability frequency but a lower infiltration of lymphomononuclear cells than primary lesions. <i>Surgery</i> , 2022, 171, 1605-1611.	1.9	1
6	Crohn's Disease-Related Stoma Complications and Their Impact on Postsurgical Course. <i>Digestive Surgery</i> , 2022, 39, 83-91.	1.2	2
7	A method for assessing plasma free fatty acids from C2 to C18 and its application for the early detection of colorectal cancer. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 215, 114762.	2.8	5
8	ASO Author Reflections: Rectal Preservation After Major or Complete Clinical Response to Neoadjuvant Therapy—The Safety of Integrated Approaches. <i>Annals of Surgical Oncology</i> , 2022, 29, 1890-1891.	1.5	0
9	18F-FDG-PET/MRI texture analysis in rectal cancer after neoadjuvant chemoradiotherapy. <i>Nuclear Medicine Communications</i> , 2022, 43, 815-822.	1.1	9
10	Predictors of Metastatic Lymph Nodes at Preoperative Staging CT in Gastric Adenocarcinoma. <i>Tomography</i> , 2022, 8, 1196-1207.	1.8	1
11	Prognostic significance of additional histologic features for subclassification of pathological T3 colon cancer. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1428-1438.	2.2	1
12	The impact of anastomotic leak on long-term oncological outcomes after low anterior resection for mid-low rectal cancer: extended follow-up of a randomised controlled trial. <i>International Journal of Colorectal Disease</i> , 2022, 37, 1689-1698.	2.2	7
13	Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 2801-2808.	1.5	14
14	ASO Author Reflections: Local Excision Following Neoadjuvant Therapy for Rectal Cancer: A Compromise Between TME and Watch-and-Wait in Patients with Major Response. <i>Annals of Surgical Oncology</i> , 2021, 28, 2809-2810.	1.5	1
15	Spotlight on Circadian Genes and Colorectal Cancer Crosstalk. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2021, 21, 4-11.	1.2	3
16	More Favorable Short and Long-Term Outcomes for Screen-Detected Colorectal Cancer Patients. <i>Frontiers in Oncology</i> , 2021, 11, 620644.	2.8	8
17	Molecular profiling of appendiceal serrated lesions, polyps and mucinous neoplasms: a single-centre experience. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1897-1904.	2.5	7
18	Definition and management of colorectal polyposis not associated with APC/MUTYH germline pathogenic variants: AIFEG consensus statement. <i>Digestive and Liver Disease</i> , 2021, 53, 409-417.	0.9	9

#	ARTICLE	IF	CITATIONS
19	T2-weighted, apparent diffusion coefficient and 18F-FDG PET histogram analysis of rectal cancer after preoperative chemoradiotherapy. <i>Techniques in Coloproctology</i> , 2021, 25, 569-577.	1.8	2
20	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021, 64, e476-e476.	1.3	0
21	A nomogram to predict overall survival and disease-free survival after curative-intent gastrectomy for gastric cancer. <i>Updates in Surgery</i> , 2021, 73, 1879-1890.	2.0	9
22	Prevalence of nodal involvement in rectal cancer after chemoradiotherapy. <i>British Journal of Surgery</i> , 2021, 108, 1251-1258.	0.3	11
23	Intratumor morphologic and transcriptomic heterogeneity in V600EBRAF-mutated metastatic colorectal adenocarcinomas. <i>ESMO Open</i> , 2021, 6, 100211.	4.5	4
24	Segmental transverse colectomy. Minimally invasive versus open approach: results from a multicenter collaborative study. <i>Updates in Surgery</i> , 2021, , 1.	2.0	3
25	Association of Delayed Surgery With Oncologic Long-term Outcomes in Patients With Locally Advanced Rectal Cancer Not Responding to Preoperative Chemoradiation. <i>JAMA Surgery</i> , 2021, 156, 1141.	4.3	33
26	[18F]FDG PET/MRI in rectal cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 281-290.	2.2	20
27	Insulin/IGF-1 Signaling Is Downregulated in Barrett's Esophagus Patients Undergoing a Moderate Calorie and Protein Restriction Program: A Randomized 2-Year Trial. <i>Nutrients</i> , 2021, 13, 3638.	4.1	6
28	Tumor Cells and the Extracellular Matrix Dictate the Pro-Tumoral Profile of Macrophages in CRC. <i>Cancers</i> , 2021, 13, 5199.	3.7	6
29	Association of CLDN18 Protein Expression with Clinicopathological Features and Prognosis in Advanced Gastric and Gastroesophageal Junction Adenocarcinomas. <i>Journal of Personalized Medicine</i> , 2021, 11, 1095.	2.5	42
30	SMAD3 Host and Tumor Profiling to Identify Locally Advanced Rectal Cancer Patients at High Risk of Poor Response to Neoadjuvant Chemoradiotherapy. <i>Frontiers in Pharmacology</i> , 2021, 12, 778781.	3.5	4
31	Impact of laparoscopic approach on the short-term outcomes of elderly patients with colorectal cancer: a nationwide Italian experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4305-4314.	2.4	4
32	BTK inhibitors synergise with 5-FU to treat drug-resistant TP53-null colon cancers. <i>Journal of Pathology</i> , 2020, 250, 134-147.	4.5	23
33	PD-L1 expression in gastroesophageal dysplastic lesions. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 151-156.	2.8	24
34	18F-FDG PET/MRI for Rectal Cancer TNM Restaging After Preoperative Chemoradiotherapy: Initial Experience. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 310-318.	1.3	27
35	Colonic J-Pouch or Straight Colorectal Reconstruction After Low Anterior Resection For Rectal Cancer: Impact on Quality of Life and Bowel Function: A Multicenter Prospective Randomized Study. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1511-1523.	1.3	21
36	Intrinsic and Extrinsic Modulators of the Epithelial to Mesenchymal Transition: Driving the Fate of Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2020, 10, 1122.	2.8	18

#	ARTICLE	IF	CITATIONS
37	Tryptophan Catabolism and Response to Therapy in Locally Advanced Rectal Cancer (LARC) Patients. <i>Frontiers in Oncology</i> , 2020, 10, 583228.	2.8	6
38	Genetic Variants of the TERT Gene, Telomere Length, and Circulating TERT as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3115.	3.7	12
39	Non-Operative Management Versus Total Mesorectal Excision for Locally Advanced Rectal Cancer with Clinical Complete Response After Neoadjuvant Chemoradiotherapy: a GRADE Approach by the Rectal Cancer Guidelines Writing Group of the Italian Association of Medical Oncology (AIOM). <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 2150-2159.	1.7	15
40	MRI T2-weighted sequences-based texture analysis (TA) as a predictor of response to neoadjuvant chemo-radiotherapy (nCRT) in patients with locally advanced rectal cancer (LARC). <i>Radiologia Medica</i> , 2020, 125, 1216-1224.	7.7	44
41	Immunogenetic markers in IL17F predict the risk of metastases spread and overall survival in rectal cancer patients treated with neoadjuvant chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2020, 149, 30-37.	0.6	6
42	The management of surgical patients during the coronavirus disease 2019 (COVID-19) pandemic. <i>Surgery</i> , 2020, 168, 4-10.	1.9	23
43	Recellularized Colorectal Cancer Patient-Derived Scaffolds as In Vitro Pre-Clinical 3D Model for Drug Screening. <i>Cancers</i> , 2020, 12, 681.	3.7	32
44	Mid-transverse colon cancer and extended versus transverse colectomy: Results of the Italian society of surgical oncology colorectal cancer network (SICO CCN) multicenter collaborative study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1683-1688.	1.0	24
45	miR-27a is a master regulator of metabolic reprogramming and chemoresistance in colorectal cancer. <i>British Journal of Cancer</i> , 2020, 122, 1354-1366.	6.4	38
46	Italian multi-society modified Delphi consensus on the definition and management of anastomotic leakage in colorectal surgery. <i>Updates in Surgery</i> , 2020, 72, 781-792.	2.0	32
47	Analysis of morbidity and mortality, quality of life and bowel function after total colectomy with ileorectal anastomosis versus right and left hemicolectomy: A study to optimise the treatment of lynch syndrome and attenuated polyposis coli. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1613-1619.	1.0	6
48	Predictors of Early Distant Relapse in Rectal Cancer Patients Submitted to Preoperative Chemoradiotherapy. <i>Oncology Research and Treatment</i> , 2020, 43, 146-152.	1.2	15
49	Recent Advances in Understanding the Protein Corona of Nanoparticles and in the Formulation of "Stealthy" Nanomaterials. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 166.	4.1	212
50	Italian society of colorectal surgery recommendations for good clinical practice in colorectal surgery during the novel coronavirus pandemic. <i>Techniques in Coloproctology</i> , 2020, 24, 501-505.	1.8	41
51	Gene and protein expression of mTOR and LC3 in hepatocellular carcinoma, colorectal liver metastasis and "normal" liver tissues. <i>PLoS ONE</i> , 2020, 15, e0244356.	2.5	3
52	Circulating Biomarkers for Response Prediction of Rectal Cancer to Neoadjuvant Chemoradiotherapy. <i>Current Medicinal Chemistry</i> , 2020, 27, 4274-4294.	2.4	10
53	Isoperistaltic Jejunal Loop Interposition after Total Gastrectomy for Gastric Cancer in Patients with Familial Adenomatous Polyposis. <i>Journal of Gastric Cancer</i> , 2020, 20, 225.	2.5	1
54	Title is missing!. , 2020, 15, e0244356.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0244356.		0
56	Title is missing!. , 2020, 15, e0244356.		0
57	Title is missing!. , 2020, 15, e0244356.		0
58	Defunctioning stoma in young patients affected by rectal cancer: a delicate balance. British Journal of Surgery, 2020, 107, e639.	0.3	0
59	Pathological Tumor Regression Grade Classifications in Gastrointestinal Cancers: Role on Patients's™ Prognosis. International Journal of Surgical Pathology, 2019, 27, 816-835.	0.8	8
60	PV-0627 IL17F-rs641701 polymorphism as prognostic factor in rectal cancer after preoperative chemoradiation. Radiotherapy and Oncology, 2019, 133, S333-S334.	0.6	0
61	Invite comment on Pucciarelli and Spolverato: The fate of the rectum after organ sparing approach to rectal cancer. Techniques in Coloproctology, 2019, 23, 807-808.	1.8	1
62	Nanovectors Design for Theranostic Applications in Colorectal Cancer. Journal of Oncology, 2019, 2019, 1-27.	1.3	20
63	Local excision in rectal cancer patients with major or complete clinical response after neoadjuvant therapy: a case-matched study. International Journal of Colorectal Disease, 2019, 34, 2129-2136.	2.2	9
64	Multicentre randomized clinical trial of colonic J pouch or straight stapled colorectal reconstruction after low anterior resection for rectal cancer. British Journal of Surgery, 2019, 106, 1147-1155.	0.3	27
65	Claudin-18 expression in oesophagogastric adenocarcinomas: a tissue microarray study of 523 molecularly profiled cases. British Journal of Cancer, 2019, 121, 257-263.	6.4	53
66	Failure to rescue as a source of variation in hospital mortality after rectal surgery: The Italian experience. European Journal of Surgical Oncology, 2019, 45, 1219-1224.	1.0	8
67	The INTERACT Trial: Long-term results of a randomised trial on preoperative capecitabine-based radiochemotherapy intensified by concomitant boost or oxaliplatin, for cT2 (distal)â€cT3 rectal cancer. Radiotherapy and Oncology, 2019, 134, 110-118.	0.6	48
68	miR-224 Is Significantly Upregulated and Targets Caspase-3 and Caspase-7 During Colorectal Carcinogenesis. Translational Oncology, 2019, 12, 282-291.	3.7	14
69	Colorectal cancer screening: The surgery rates they are a-changing. A nationwide study on surgical resections in Italy. Digestive and Liver Disease, 2019, 51, 304-309.	0.9	4
70	Neoadjuvant epirubicin, oxaliplatin, capecitabine and radiation therapy (NEOX-RT) followed by surgery for locally advanced gastric cancer (LAGC): A phase II multicentric study.. Journal of Clinical Oncology, 2019, 37, 4066-4066.	1.6	2
71	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. British Journal of Cancer, 2018, 118, 878-886.	6.4	20
72	Number of lymph nodes assessed has no prognostic impact in node-negative rectal cancers after neoadjuvant therapy. Results of the â€œItalian Society of Surgical Oncology (S.I.C.O.) Colorectal Cancer Networkâ€(SICO-CCN) multicentre collaborative study. European Journal of Surgical Oncology, 2018, 44, 1233-1240.	1.0	15

#	ARTICLE	IF	CITATIONS
73	Authors'™ reply to "Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: potential pitfalls of a multicentre observational study". Techniques in Coloproctology, 2018, 22, 143-144.	1.8	0
74	miR-194 as predictive biomarker of responsiveness to neoadjuvant chemoradiotherapy in patients with locally advanced rectal adenocarcinoma. Journal of Clinical Pathology, 2018, 71, 344-350.	2.0	29
75	Decellularized colorectal cancer matrix as bioactive microenvironment for in vitro 3D cancer research. Journal of Cellular Physiology, 2018, 233, 5937-5948.	4.1	61
76	Failure-to-Rescue as a Source of Variation in Hospital Mortality after Rectal Surgery: the Italian Experience. Journal of the American College of Surgeons, 2018, 227, e106-e107.	0.5	0
77	Elevated platelet count is a negative predictive and prognostic marker in locally advanced rectal cancer undergoing neoadjuvant chemoradiation: a retrospective multi-institutional study on 965 patients. BMC Cancer, 2018, 18, 1094.	2.6	19
78	Predictors of Early Distant Relapse in Rectal Cancer Patients Submitted to Preoperative Chemo Radiotherapy. Journal of the American College of Surgeons, 2018, 227, e12-e13.	0.5	0
79	Metastatic pattern and new primary tumours after neoadjuvant therapy and surgery in rectal cancer. Colorectal Disease, 2018, 20, O326-O334.	1.4	17
80	Assessment of intratumor immune-microenvironment in colorectal cancers with extranodal extension of nodal metastases. Cancer Cell International, 2018, 18, 131.	4.1	7
81	Relationship between hospital volume and short-term outcomes: a nationwide population-based study including 75,280 rectal cancer surgical procedures. Oncotarget, 2018, 9, 17149-17159.	1.8	11
82	Gene and MicroRNA Expression Are Predictive of Tumor Response in Rectal Adenocarcinoma Patients Treated With Preoperative Chemoradiotherapy. Journal of Cellular Physiology, 2017, 232, 426-435.	4.1	54
83	T1 colon cancer in the era of screening: risk factors and treatment. Techniques in Coloproctology, 2017, 21, 139-147.	1.8	8
84	In-hospital mortality, 30-day readmission, and length of hospital stay after surgery for primary colorectal cancer: A national population-based study. European Journal of Surgical Oncology, 2017, 43, 1312-1323.	1.0	38
85	Diagnostic and prognostic role of cell-free DNA testing for colorectal cancer patients. International Journal of Cancer, 2017, 140, 1888-1898.	5.1	96
86	Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: a multicentre observational study. Techniques in Coloproctology, 2017, 21, 633-640.	1.8	31
87	Tryptophan metabolism along the kynurenine and serotonin pathways reveals substantial differences in colon and rectal cancer. Metabolomics, 2017, 13, 1.	3.0	20
88	SerpB3 upregulates the Cyclooxygenase-2 / $\beta$ -Catenin positive loop in colorectal cancer. Oncotarget, 2017, 8, 15732-15743.	1.8	15
89	Pharmacogenetics Biomarkers and Their Specific Role in Neoadjuvant Chemoradiotherapy Treatments: An Exploratory Study on Rectal Cancer Patients. International Journal of Molecular Sciences, 2016, 17, 1482.	4.1	12
90	Altered plasma levels of decanoic acid in colorectal cancer as a new diagnostic biomarker. Analytical and Bioanalytical Chemistry, 2016, 408, 6321-6328.	3.7	37

#	ARTICLE	IF	CITATIONS
91	Alterations of the Plasma Peptidome Profiling in Colorectal Cancer Progression. Journal of Cellular Physiology, 2016, 231, 915-925.	4.1	15
92	Surgical Unit volume and 30-day reoperation rate following primary resection for colorectal cancer in the Veneto Region (Italy). Techniques in Coloproctology, 2016, 20, 31-40.	1.8	7
93	Bowel function and quality of life after local excision or total mesorectal excision following chemoradiotherapy for rectal cancer. British Journal of Surgery, 2016, 104, 138-147.	0.3	42
94	Second St. Gallen European Organisation for Research and Treatment of Cancer Gastrointestinal Cancer Conference: consensus recommendations on controversial issues in the primary treatment of rectal cancer. European Journal of Cancer, 2016, 63, 11-24.	2.8	73
95	Peptide Patterns as Discriminating Biomarkers in Plasma of Patients With Familial Adenomatous Polyposis. Clinical Colorectal Cancer, 2016, 15, e75-e92.	2.3	7
96	Predictive role of microRNA-related genetic polymorphisms in the pathological complete response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer patients. Oncotarget, 2016, 7, 19781-19793.	1.8	14
97	Serum miR-125b is a non-invasive predictive biomarker of the pre-operative chemoradiotherapy responsiveness in patients with rectal adenocarcinoma. Oncotarget, 2016, 7, 28647-28657.	1.8	61
98	Local Failure After Conservative Treatment of Rectal Cancer. Updates in Surgery Series, 2016, , 169-178.	0.1	0
99	Abstract 1420: IL17F-rs9463772 independently predicts long-term outcome in locally advanced rectal cancer. , 2016, , .		0
100	An integrative approach for the identification of prognostic and predictive biomarkers in rectal cancer. Oncotarget, 2015, 6, 32561-32574.	1.8	45
101	Incidence and risk factors for venous thromboembolism after laparoscopic surgery for colorectal cancer. Haematologica, 2015, 100, e35-e38.	3.5	20
102	A rise in NAD precursor nicotinamide mononucleotide (NMN) after injury promotes axon degeneration. Cell Death and Differentiation, 2015, 22, 731-742.	11.2	202
103	Colorectal polyposis: clinical presentation and surgical treatment. Colorectal Disease, 2015, 17, 61-66.	1.4	7
104	Outcome and prognostic factors of local recurrent rectal cancer: a pooled analysis of 150 patients. Techniques in Coloproctology, 2015, 19, 135-144.	1.8	31
105	A functional biological network centered on XRCC3: a new possible marker of chemoradiotherapy resistance in rectal cancer patients. Cancer Biology and Therapy, 2015, 16, 1160-1171.	3.4	49
106	Clinical Predictive Circulating Peptides in Rectal Cancer Patients Treated with Neoadjuvant Chemoradiotherapy. Journal of Cellular Physiology, 2015, 230, 1822-1828.	4.1	17
107	Quality of life after surgery for rectal cancer: a systematic review of comparisons with the general population. Expert Review of Gastroenterology and Hepatology, 2015, 9, 1227-1242.	3.0	28
108	The impact of colorectal screening program on the detection of right-sided colorectal cancer. A 5-year cohort study in the Mantua District. International Journal of Colorectal Disease, 2015, 30, 1627-1637.	2.2	8



#	ARTICLE	IF	CITATIONS
109	Adjuvant chemotherapy in rectal cancer: Defining subgroups who may benefit after neoadjuvant chemoradiation and resection: A pooled analysis of 3,313 patients. <i>International Journal of Cancer</i> , 2015, 137, 212-220.	5.1	94
110	Are circulating tumor cells (CTCs) a feasible tool for predicting disease recurrence and survival in nonmetastatic (M0) colorectal cancer (CRC)?. <i>Journal of Clinical Oncology</i> , 2015, 33, 650-650.	1.6	0
111	Patient-reported outcomes after neoadjuvant therapy for rectal cancer: a systematic review. <i>Expert Review of Anticancer Therapy</i> , 2014, 14, 901-918.	2.4	17
112	A Randomized Study on 1-Week Versus 4-Week Prophylaxis for Venous Thromboembolism After Laparoscopic Surgery for Colorectal Cancer. <i>Annals of Surgery</i> , 2014, 259, 665-669.	4.2	162
113	Large-scale phylogenomic analysis reveals the phylogenetic position of the problematic taxon <i>Protocruzia</i> and unravels the deep phylogenetic affinities of the ciliate lineages. <i>Molecular Phylogenetics and Evolution</i> , 2014, 78, 36-42.	2.7	71
114	Predicting response to neoadjuvant therapy for rectal cancer. <i>Techniques in Coloproctology</i> , 2014, 18, 683-684.	1.8	0
115	PG 5.2 Quality of life after surgery for rectal cancer. <i>European Journal of Cancer</i> , 2014, 50, S5.	2.8	0
116	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2014, 57, e360-e361.	1.3	0
117	Quality of Life After Surgery for Rectal Cancer. <i>Recent Results in Cancer Research</i> , 2014, 203, 117-149.	1.8	8
118	Predictive response biomarkers in rectal cancer neoadjuvant treatment. <i>Frontiers in Bioscience - Scholar</i> , 2014, S6, 110-119.	2.1	26
119	Telomeres, telomerase and colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 1940.	3.3	59
120	Factors affecting the treatment of multiple colorectal adenomas. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 207-213.	2.4	5
121	Quality of Life and Functions After Chemoradiation for Rectal Cancer: A Review of Recent Publications. <i>Current Colorectal Cancer Reports</i> , 2013, 9, 157-167.	0.5	7
122	Which is the best surgical approach for anorectal gastrointestinal stromal tumors in the post-imatinib era?. <i>Techniques in Coloproctology</i> , 2013, 17, 477-478.	1.8	0
123	PDCD4/miR-21 dysregulation in inflammatory bowel disease-associated carcinogenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 57-63.	2.8	55
124	Clinical and molecular features of attenuated adenomatous polyposis in northern Italy. <i>Techniques in Coloproctology</i> , 2013, 17, 79-87.	1.8	12
125	Local Excision After Preoperative Chemoradiotherapy for Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1349-1356.	1.3	157
126	Telomerase is an independent prognostic marker of overall survival in patients with colorectal cancer. <i>British Journal of Cancer</i> , 2013, 108, 278-284.	6.4	56



#	ARTICLE	IF	CITATIONS
127	High Risk of Rectal Cancer and of Metachronous Colorectal Cancer in Probands of Families Fulfilling the Amsterdam Criteria. <i>Annals of Surgery</i> , 2013, 257, 900-904.	4.2	27
128	Isolated Tumor Cells in Regional Lymph Nodes as Relapse Predictors in Stage I and II Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 965-971.	1.6	47
129	Hypoxia-Related Proteins in Patients With Rectal Cancer Undergoing Neoadjuvant Combined Modality Therapy. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 990-995.	1.3	23
130	APC1307K Mutations and Forkhead Box Gene (FOXO1A): Another Piece of an Interesting Correlation. <i>International Journal of Biological Markers</i> , 2012, 27, 13-19.	1.8	4
131	Telomere-Specific Reverse Transcriptase (hTERT) and Cell-free RNA in Plasma as Predictors of Pathologic Tumor Response in Rectal Cancer Patients Receiving Neoadjuvant Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2012, 19, 3089-3096.	1.5	61
132	Comparison between CT volume measurement and histopathological assessment of response to neoadjuvant therapy in rectal cancer. <i>European Journal of Radiology</i> , 2012, 81, 3918-3924.	2.6	11
133	Serum seleno-proteins status for colorectal cancer screening explored by data mining techniques - a multidisciplinary pilot study. <i>Microchemical Journal</i> , 2012, 105, 124-132.	4.5	17
134	Multiplexed Protein Signal Pathway Mapping Identifies Patients With Rectal Cancer That Responds to Neoadjuvant Treatment. <i>Clinical Colorectal Cancer</i> , 2012, 11, 268-274.	2.3	6
135	Soft tissue sarcoma and the hereditary non-polyposis colorectal cancer (HNPCC) syndrome: formulation of an hypothesis. <i>Molecular Biology Reports</i> , 2012, 39, 9307-9310.	2.3	13
136	Clinical and molecular detection of inherited colorectal cancers in northeast Italy. <i>Tumor Biology</i> , 2012, 33, 857-864.	1.8	3
137	Significance of pulmonary nodules in patients with colorectal cancer. <i>European Radiology</i> , 2012, 22, 1680-1686.	4.5	16
138	Isolated Tumor Cells (ITC) in Regional Lymph Nodes Predict Colorectal Cancer (CRC) Relapse. <i>Gastroenterology</i> , 2011, 140, S-338.	1.3	0
139	Tumor response is predicted by patient genetic profile in rectal cancer patients treated with neo-adjuvant chemo-radiotherapy. <i>Pharmacogenomics Journal</i> , 2011, 11, 214-226.	2.0	63
140	Validity and reliability of the MSKCC Bowel Function instrument in a sample of Italian rectal cancer patients. <i>European Journal of Surgical Oncology</i> , 2011, 37, 589-596.	1.0	18
141	Patient-Reported Outcomes After Neoadjuvant Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgery</i> , 2011, 253, 71-77.	4.2	95
142	Development of a questionnaire (EORTC module) to measure quality of life in patients with cholangiocarcinoma and gallbladder cancer, the EORTC QLQ-BIL21. <i>British Journal of Cancer</i> , 2011, 104, 587-592.	6.4	23
143	Prospective assessment of imaging after preoperative chemoradiotherapy for rectal cancer. <i>Surgery</i> , 2011, 149, 56-64.	1.9	63
144	Circulating Cell-Free DNA: A Promising Marker of Pathologic Tumor Response in Rectal Cancer Patients Receiving Preoperative Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2011, 18, 2461-2468.	1.5	114

#	ARTICLE	IF	CITATIONS
145	PDCD4 nuclear loss inversely correlates with miR-21 levels in colon carcinogenesis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 413-419.	2.8	72
146	Psychological well-being outcomes in disease-free survivors of mid- to low rectal cancer following curative surgery. Psycho-Oncology, 2011, 20, 706-714.	2.3	21
147	Predictive Factors of the Response of Rectal Cancer to Neoadjuvant Radiochemotherapy. Cancers, 2011, 3, 2176-2194.	3.7	30
148	Clinical significance of magnetic resonance imaging findings in rectal cancer. World Journal of Radiology, 2011, 3, 92.	1.1	17
149	Abstract 3219: Isolated tumor cells (ITC) in regional lymph nodes predict colorectal cancer (CRC) relapse. , 2011, , .		0
150	Rectum-Sparing Surgery May be Appropriate for Biallelic MutYH-Associated Polyposis. Diseases of the Colon and Rectum, 2010, 53, 1670-1675.	1.3	13
151	A nationwide audit of the use of radiotherapy for rectal cancer in Italy. Techniques in Coloproctology, 2010, 14, 229-235.	1.8	19
152	Health-related quality of life, faecal continence and bowel function in rectal cancer patients after chemoradiotherapy followed by radical surgery. Supportive Care in Cancer, 2010, 18, 601-608.	2.2	50
153	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. British Journal of Cancer, 2010, 102, 1300-1305.	6.4	110
154	A ten markers panel provides a more accurate and complete microsatellite instability analysis in mismatch repair-deficient colorectal tumors. Cancer Biomarkers, 2010, 6, 49-61.	1.7	22
155	OC.10.3 LONG-TERM PROGNOSTIC IMPACT OF ISOLATED TUMOUR CELLS IN PNO COLORECTAL CANCER: A PROSPECTIVE MONOINSTITUTIONAL STUDY. Digestive and Liver Disease, 2010, 42, S93-S94.	0.9	0
156	miRNAs in colon and rectal cancer: A consensus for their true clinical value. Clinica Chimica Acta, 2010, 411, 1181-1186.	1.1	40
157	Long-term outcome in patients with a pathological complete response after chemoradiation for rectal cancer: a pooled analysis of individual patient data. Lancet Oncology, The, 2010, 11, 835-844.	10.7	1,532
158	M30 Neoepitope Expression in Epithelial Cancer: Quantification of Apoptosis in Circulating Tumor Cells by CellSearch Analysis. Clinical Cancer Research, 2010, 16, 5233-5243.	7.0	124
159	Plasma levels of total RNA and hTERT mRNA as biomarkers of response in rectal cancer patients receiving preoperative chemoradiotherapy.. Journal of Clinical Oncology, 2010, 28, 3648-3648.	1.6	1
160	Abstract LB-214: Identification of patients with adenomas or early- and late-stage colon carcinomas using nanoporous silica chips for protein profiling. , 2010, , .		0
161	MALDI-MS/NIST library approach for colorectal cancer diagnosis. Rapid Communications in Mass Spectrometry, 2009, 23, 2839-2845.	1.5	13
162	Long-Term Oncologic Results and Complications After Preoperative Chemoradiotherapy for Rectal Cancer: A Single-Institution Experience After a Median Follow-Up of 95 Months. Annals of Surgical Oncology, 2009, 16, 893-899.	1.5	26

#	ARTICLE	IF	CITATIONS
163	Prediction of rectal lymph node metastasis by pelvic computed tomography measurement. <i>European Journal of Surgical Oncology</i> , 2009, 35, 168-173.	1.0	29
164	Anastomotic leaks after anterior resection for mid and low rectal cancer: survey of the Italian Society of Colorectal Surgery. <i>Techniques in Coloproctology</i> , 2008, 12, 103-110.	1.8	44
165	Proximal colon cancer in patients aged 51-60 years of age should be tested for microsatellites instability. A comment on the Revised Bethesda Guidelines. <i>International Journal of Colorectal Disease</i> , 2008, 23, 801-806.	2.2	17
166	Health-Related Quality of Life Outcomes in Disease-Free Survivors of Mid-Low Rectal Cancer After Curative Surgery. <i>Annals of Surgical Oncology</i> , 2008, 15, 1846-1854.	1.5	50
167	Glutathione S-Transferase P1??ile105Val Polymorphism is Associated??with Haematological Toxicity in Elderly Rectal Cancer??Patients Receiving Preoperative Chemoradiotherapy. <i>Drugs and Aging</i> , 2008, 25, 531-539.	2.7	14
168	The role of MYH gene in genetic predisposition to colorectal cancer: Another piece of the puzzle. <i>Cancer Letters</i> , 2008, 268, 308-313.	7.2	23
169	Relationship Between Tumor and Plasma Levels of hTERT mRNA in Patients with Colorectal Cancer: Implications for Monitoring of Neoplastic Disease. <i>Clinical Cancer Research</i> , 2008, 14, 7444-7451.	7.0	82
170	cT3N0 Rectal Cancer: Potential Overtreatment With Preoperative Chemoradiotherapy Is Warranted. <i>Journal of Clinical Oncology</i> , 2008, 26, 368-373.	1.6	214
171	Multidisciplinary management is strongly suggested in elderly patients with rectal carcinoma. <i>Aging Health</i> , 2008, 4, 287-298.	0.3	0
172	Long-term follow-up after endoscopic forceps biopsies for early stage duodenal carcinoid: case report and review of endoscopic treatments. <i>Endoscopy</i> , 2007, 39, E128-E128.	1.8	4
173	P72 FOXO1A and plasma low molecular weight proteins determination: a promising diagnostic approach and biomarker for colorectal tumors. <i>European Journal of Cancer, Supplement</i> , 2007, 5, 19.	2.2	0
174	Determining Therapeutic Approaches in the Elderly with Rectal Cancer. <i>Drugs and Aging</i> , 2007, 24, 781-790.	2.7	9
175	An investigation on the nature of the peptide atm/z 904, overexpressed in plasma of patients with colorectal cancer and familial adenomatous polyposis. <i>Journal of Mass Spectrometry</i> , 2007, 42, 1606-1612.	1.6	7
176	The Potential of Restaging in the Prediction of Pathologic Response After Preoperative Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2007, 14, 455-461.	1.5	125
177	Complications, functional outcome and quality of life after intensive preoperative chemoradiotherapy for rectal cancer. <i>European Journal of Surgical Oncology</i> , 2006, 32, 1201-1208.	1.0	36
178	A haplotype of the methylenetetrahydrofolate reductase gene predicts poor tumor response in rectal cancer patients receiving preoperative chemoradiation. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 817-824.	1.5	54
179	5-Fluorouracil and Weekly Oxaliplatin Combined with Radiotherapy for Locally Advanced Rectal Cancer: Surgical Complications and Long-term Results. <i>Archives of Medical Research</i> , 2006, 37, 860-865.	3.3	10
180	Multivariate analysis approach to the plasma protein profile of patients with advanced colorectal cancer. <i>Journal of Mass Spectrometry</i> , 2006, 41, 1546-1553.	1.6	25

#	ARTICLE	IF	CITATIONS
181	High prevalence of isolated tumour cells in regional lymph nodes from pN0 colorectal cancer. <i>Journal of Clinical Pathology</i> , 2006, 59, 870-874.	2.0	12
182	Reply to Letter to the Editor "Weekly oxaliplatin and pre-operative radiotherapy as a new neoadjuvant therapy for locally advanced rectal cancer"™, by T. Watanabe et al. ( <i>Ann Oncol</i> 2006; 17: 1173). <i>Annals of Oncology</i> , 2006, 17, 1173-1174.	1.2	0
183	Rectal cancer neoadjuvant treatment in elderly patients. <i>Anticancer Research</i> , 2006, 26, 3913-23.	1.1	24
184	Relationship Between Pathologic T-Stage and Nodal Metastasis After Preoperative Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2005, 12, 111-116.	1.5	92
185	Modulation of tumor hypoxia proteins in rectal cancer undergoing preoperative chemoradiation. <i>Journal of the American College of Surgeons</i> , 2005, 201, S18-S19.	0.5	0
186	Search of plasma markers for colorectal cancer by matrix-assisted laser desorption/ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2005, 40, 123-126.	1.6	15
187	Two PMS2 Mutations in a Turcot Syndrome Family with Small Bowel Cancers. <i>American Journal of Gastroenterology</i> , 2005, 100, 1886-1891.	0.4	65
188	A phase I&II study of weekly oxaliplatin, 5-fluorouracil continuous infusion and preoperative radiotherapy in locally advanced rectal cancer. <i>Annals of Oncology</i> , 2005, 16, 1140-1146.	1.2	133
189	Insufficient evidence to compare clinical effectiveness and safety of self-expanding metal stents with other treatments for malignant colorectal obstruction. <i>Cancer Treatment Reviews</i> , 2005, 31, 226-229.	7.7	0
190	Genetic Heterogeneity of Variable Number Tandem Repeats in Thymidylate Synthase Gene in Colorectal Cancer Patients. <i>International Journal of Biological Markers</i> , 2004, 19, 332-336.	1.8	4
191	Complete Pathologic Response Following Preoperative Chemoradiation Therapy for Middle to Lower Rectal Cancer Is Not a Prognostic Factor for a Better Outcome. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1798-1807.	1.3	149
192	Neoadjuvant treatment for locally advanced rectal carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2004, 52, 61-71.	4.4	11
193	Curative surgery for obstruction from primary left colorectal carcinoma: Primary or staged resection?. <i>The Cochrane Library</i> , 2004, , CD002101.	2.8	67
194	Genetic heterogeneity of variable number tandem repeats in thymidylate synthase gene in colorectal cancer patients. <i>International Journal of Biological Markers</i> , 2004, 19, 332-336.	1.8	4
195	Early-Age-at-Onset Colorectal Cancer and Microsatellite Instability as Markers of Hereditary Nonpolyposis Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2003, 46, 305-312.	1.3	22
196	Effect of antiadhesive agents on peritoneal carcinomatosis in an experimental model. <i>British Journal of Surgery</i> , 2003, 90, 66-71.	0.3	33
197	Multimodality Management of Recurrent Rectal Cancer. <i>Clinics in Colon and Rectal Surgery</i> , 2002, 15, 063-070.	1.1	6
198	Different molecular mechanisms underlie genomic deletions in the MLH1 Gene. <i>Human Mutation</i> , 2002, 20, 368-374.	2.5	34

#	ARTICLE	IF	CITATIONS
199	Curative Surgery for Obstruction from Primary Left Colorectal Carcinoma: Primary or Staged Resection?. , 2001, , CD002101.		5
200	Rectal cancer: CT local staging with histopathologic correlation. Abdominal Imaging, 2001, 26, 134-138.	2.0	69
201	p27kip1 Expression Is Associated With Tumor Response to Preoperative Chemoradiotherapy in Rectal Cancer. Annals of Surgical Oncology, 2001, 8, 311-318.	1.5	60
202	Four novelMSH2 andMLH1 frameshift mutations and occurrence of a breast cancer phenocopy in hereditary nonpolyposis colorectal cancer. Human Mutation, 2001, 17, 521-521.	2.5	17
203	p27kip1 Expression Is Associated With Tumor Response to Preoperative Chemoradiotherapy in Rectal Cancer. Annals of Surgical Oncology, 2001, 8, 311-318.	1.5	3
204	Preoperative Combined Radiotherapy and Chemotherapy for Middle and Lower Rectal Cancer: Preliminary Results. Annals of Surgical Oncology, 2000, 7, 38-44.	1.5	57
205	Late morbidity following neoadjuvant chemoradiotherapy for middle and lower rectal cancer: A prospective study. Gastroenterology, 2000, 118, A1527.	1.3	0
206	Long-term functional results of low anterior resection following preoperative radiochemoterapy for rectal cancer. Gastroenterology, 2000, 118, A1028.	1.3	3
207	p27kip1 protein expression: an independent prognostic factor in rectal carcinoma stages I-III. Colorectal Disease, 1999, 1, 315-323.	1.4	1
208	Preoperative combined radiotherapy and chemotherapy for rectal cancer does not affect early postoperative morbidity and mortality in low anterior resection. Diseases of the Colon and Rectum, 1999, 42, 1276-1283.	1.3	43
209	Preoperative chemoradiation for T3â€”T4 rectal cancer acute toxicity and tumor response our experience. European Journal of Cancer, 1999, 35, S76.	2.8	0
210	Percutaneous Endoscopic Gastrostomy for Feeding. Orl, 1996, 58, 253-257.	1.1	4
211	Efficacy of dilatations for anastomotic colorectal stenoses: prognostic factors. International Journal of Colorectal Disease, 1994, 9, 149-152.	2.2	12
212	Feasibility of Outpatient Surgery in the Tropics. Tropical Doctor, 1990, 20, 18-20.	0.5	0
213	Temporary occlusion of the hepatic artery plus infusion and systemic chemotherapy for inoperable cancer of the liver. International Surgery, 1980, 65, 315-23.	0.1	9