

Alexander Buchner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1387118/alexander-buchner-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

3,227
citations

32
h-index

48
g-index

181
ext. papers

3,942
ext. citations

3.8
avg, IF

4.87
L-index

#	Paper	IF	Citations
162	A new concept for early recovery after surgery for patients undergoing radical cystectomy for bladder cancer: results of a prospective randomized study. <i>Journal of Urology</i> , 2014 , 191, 335-40	2.5	132
161	Expression of indoleamine 2,3-dioxygenase in tumor endothelial cells correlates with long-term survival of patients with renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 6993-7002	12.9	124
160	Prospective evaluation of the functional sling suspension for male postprostatectomy stress urinary incontinence: results after 1 year. <i>European Urology</i> , 2009 , 56, 928-33	10.2	93
159	Transcript signature predicts tissue NK cell content and defines renal cell carcinoma subgroups independent of TNM staging. <i>Journal of Molecular Medicine</i> , 2012 , 90, 55-66	5.5	90
158	Association between the number of dissected lymph nodes during pelvic lymphadenectomy and cancer-specific survival in patients with lymph node-negative urothelial carcinoma of the bladder undergoing radical cystectomy. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2018-25	3.1	85
157	Complications of the AdVance transobturator male sling in the treatment of male stress urinary incontinence. <i>Urology</i> , 2010 , 75, 1494-8	1.6	84
156	CXC chemokine receptor 4 is essential for maintenance of renal cell carcinoma-initiating cells and predicts metastasis. <i>Stem Cells</i> , 2013 , 31, 1467-76	5.8	81
155	Lysis of prostate carcinoma cells by trifunctional bispecific antibodies (alpha EpCAM x alpha CD3). <i>Journal of Histochemistry and Cytochemistry</i> , 2001 , 49, 911-7	3.4	81
154	Results of the AdVance transobturator male sling after radical prostatectomy and adjuvant radiotherapy. <i>Urology</i> , 2011 , 77, 474-9	1.6	64
153	External validation of postoperative nomograms for prediction of all-cause mortality, cancer-specific mortality, and recurrence in patients with urothelial carcinoma of the bladder. <i>European Urology</i> , 2012 , 61, 58-64	10.2	60
152	Lymph node density affects cancer-specific survival in patients with lymph node-positive urothelial bladder cancer following radical cystectomy. <i>European Urology</i> , 2011 , 59, 712-8	10.2	60
151	BAP1 immunohistochemistry predicts outcomes in a multi-institutional cohort with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 603-10	2.5	58
150	Analysis of sex differences in cancer-specific survival and perioperative mortality following radical cystectomy: results of a large German multicenter study of nearly 2500 patients with urothelial carcinoma of the bladder. <i>Gender Medicine</i> , 2012 , 9, 481-9		58
149	Dominance of CD4+ lymphocytic infiltrates with disturbed effector cell characteristics in the tumor microenvironment of prostate carcinoma. <i>Prostate</i> , 2008 , 68, 1-10	4.2	55
148	Prospective assessment of malnutrition in urologic patients. <i>Urology</i> , 2009 , 73, 1072-6	1.6	54
147	Lymphovascular invasion is an independent predictor of oncological outcomes in patients with lymph node-negative urothelial bladder cancer treated by radical cystectomy: a multicentre validation trial. <i>BJU International</i> , 2010 , 106, 493-9	5.6	51
146	Optical coherence tomography for bladder cancer -- ready as a surrogate for optical biopsy? Results of a prospective mono-centre study. <i>European Journal of Medical Research</i> , 2010 , 15, 131-4	4.8	51

145	Clinical and pathologic predictors of Gleason sum upgrading in patients after radical prostatectomy: results from a single institution series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 508-14	2.8	49
144	Contrast-enhanced transrectal ultrasound (CE-TRUS) with cadence-contrast pulse sequence (CPS) technology for the identification of prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 295-301	2.8	46
143	Mesenchymal stem cells and glioma cells form a structural as well as a functional syncytium in vitro. <i>Experimental Neurology</i> , 2012 , 234, 208-19	5.7	45
142	Gender-specific differences in cancer-specific survival after radical cystectomy for patients with urothelial carcinoma of the urinary bladder in pathologic tumor stage T4a. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1141-7	2.8	45
141	Expression and prognostic significance of a comprehensive epithelial-mesenchymal transition gene set in renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 479-86	2.5	43
140	Staging of muscle-invasive bladder cancer: can computerized tomography help us to decide on local treatment?. <i>World Journal of Urology</i> , 2012 , 30, 827-31	4	42
139	Perioperative and oncologic outcomes of robot-assisted vs. open radical cystectomy in bladder cancer patients: A comparison of two high-volume referral centers. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1736-1743	3.6	40
138	Outcome after PSMA PET/CT based radiotherapy in patients with biochemical persistence or recurrence after radical prostatectomy. <i>Radiation Oncology</i> , 2018 , 13, 37	4.2	39
137	Induction of immune mediators in glioma and prostate cancer cells by non-lethal photodynamic therapy. <i>PLoS ONE</i> , 2011 , 6, e21834	3.7	38
136	Impact of preoperative hemoglobin and CRP levels on cancer-specific survival in patients undergoing radical cystectomy for transitional cell carcinoma of the bladder: results of a single-center study. <i>World Journal of Urology</i> , 2016 , 34, 703-8	4	36
135	Human renal cell carcinoma induces a dendritic cell subset that uses T-cell crosstalk for tumor-permissive milieu alterations. <i>American Journal of Pathology</i> , 2011 , 179, 436-51	5.8	36
134	CEACAM1: a novel urinary marker for bladder cancer detection. <i>European Urology</i> , 2010 , 57, 648-54	10.2	36
133	Risk factors for artificial urinary sphincter failure. <i>World Journal of Urology</i> , 2016 , 34, 595-602	4	35
132	Papillary vs clear cell renal cell carcinoma. Differentiation and grading by iodine concentration using DECT-correlation with microvascular density. <i>European Radiology</i> , 2020 , 30, 1-10	8	35
131	Risk factors for pelvic lymphoceles post-radical prostatectomy. <i>International Journal of Urology</i> , 2011 , 18, 638-43	2.3	33
130	Salvage lymph node dissection after Ga-PSMA or F-FEC PET/CT for nodal recurrence in prostate cancer patients. <i>Oncotarget</i> , 2017 , 8, 84180-84192	3.3	31
129	Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>European Urology</i> , 2020 , 78, 661-669	10.2	30
128	Clustering and optimal arrangement of enzymes in reaction-diffusion systems. <i>Physical Review Letters</i> , 2013 , 110, 208104	7.4	30

127	GDNF-transduced Schwann cell grafts enhance regeneration of erectile nerves. <i>European Urology</i> , 2008 , 54, 1179-87	10.2	30
126	Differential radioactive proteomic analysis of microdissected renal cell carcinoma tissue by 54 cm isoelectric focusing in serial immobilized pH gradient gels. <i>Journal of Proteome Research</i> , 2005 , 4, 2117-25	5.6	30
125	A Novel Gene Signature-Based Model Predicts Biochemical Recurrence-Free Survival in Prostate Cancer Patients after Radical Prostatectomy. <i>Cancers</i> , 2019 , 12,	6.6	30
124	TOP2A, HELLS, ATAD2, and TET3 Are Novel Prognostic Markers in Renal Cell Carcinoma. <i>Urology</i> , 2017 , 102, 265.e1-265.e7	1.6	28
123	Malnutrition and clinical outcome in urological patients. <i>European Journal of Medical Research</i> , 2011 , 16, 469-72	4.8	28
122	Downregulation of HNF-1B in renal cell carcinoma is associated with tumor progression and poor prognosis. <i>Urology</i> , 2010 , 76, 507.e6-11	1.6	28
121	Cell-based vaccines for renal cell carcinoma: genetically-engineered tumor cells and monocyte-derived dendritic cells. <i>World Journal of Urology</i> , 2005 , 23, 166-74	4	28
120	Detection level and pattern of positive lesions using PSMA PET/CT for staging prior to radiation therapy. <i>Radiation Oncology</i> , 2017 , 12, 176	4.2	27
119	Telehealth in Uro-oncology Beyond the Pandemic: Toll or Lifesaver?. <i>European Urology Focus</i> , 2020 , 6, 1097-1103	5.1	26
118	Interobserver variability limits exact preoperative staging by computed tomography in bladder cancer. <i>Urology</i> , 2012 , 79, 1317-21	1.6	26
117	Shear-wave elastography of the testis in the healthy man - determination of standard values. <i>Clinical Hemorheology and Microcirculation</i> , 2016 , 62, 273-81	2.5	26
116	Impact of Ga-PSMA PET/CT on the Radiotherapeutic Approach to Prostate Cancer in Comparison to CT: A Retrospective Analysis. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 963-970	8.9	25
115	"Finding the needle in a haystack": oncologic evaluation of patients treated for LUTS with holmium laser enucleation of the prostate (HoLEP) versus transurethral resection of the prostate (TURP). <i>World Journal of Urology</i> , 2017 , 35, 1777-1782	4	24
114	Patient-reported side effects of intradetrusor botulinum toxin type a for idiopathic overactive bladder syndrome. <i>Urologia Internationalis</i> , 2011 , 86, 68-72	1.9	23
113	Radical cystectomy in the elderly patient: a contemporary comparison of perioperative complications in a single institution series. <i>World Journal of Urology</i> , 2010 , 28, 445-50	4	23
112	Dramatic impact of blood transfusion on cancer-specific survival after radical cystectomy irrespective of tumor stage. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 130-136	1.6	22
111	Risk stratification for locoregional recurrence after radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015 , 33, 1753-61	4	22
110	Tissue Phenomics for prognostic biomarker discovery in low- and intermediate-risk prostate cancer. <i>Scientific Reports</i> , 2018 , 8, 4470	4.9	21

109	The effect of BMI on clinicopathologic and functional outcomes after open radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 297-302	2.8	21
108	Prognostic features for quality of life after radical cystectomy and orthotopic neobladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 1109-1120	2	21
107	Validation of mammalian target of rapamycin biomarker panel in patients with clear cell renal cell carcinoma. <i>Cancer</i> , 2015 , 121, 43-50	6.4	18
106	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e809-e817	3.3	17
105	Schwann cell-mediated delivery of glial cell line-derived neurotrophic factor restores erectile function after cavernous nerve injury. <i>International Journal of Urology</i> , 2013 , 20, 344-8	2.3	17
104	Therapeutic vaccination with an interleukin-2-interferon-gamma-secreting allogeneic tumor vaccine in patients with progressive castration-resistant prostate cancer: a phase I/II trial. <i>Human Gene Therapy</i> , 2009 , 20, 1641-51	4.8	17
103	Underestimation of Positron Emission Tomography/Computerized Tomography in Assessing Tumor Burden in Prostate Cancer Nodal Recurrence: Head-to-Head Comparison of Ga-PSMA and C-Choline in a Large, Multi-Institutional Series of Extended Salvage Lymph Node Dissections. <i>Journal of Urology</i> , 2020 , 204, 296-302	2.5	17
102	Preoperative mp-MRI of the prostate provides little information about staging of prostate carcinoma in daily clinical practice. <i>World Journal of Urology</i> , 2015 , 33, 923-8	4	16
101	Efficacy and safety of the ZSI375 artificial urinary sphincter for male stress urinary incontinence: lessons learned. <i>World Journal of Urology</i> , 2016 , 34, 1457-63	4	16
100	Surgical High-risk Patients With ASAIII Undergoing Radical Cystectomy: Morbidity, Mortality, and Predictors for Major Complications in a High-volume Tertiary Center. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1141-e1149	3.3	16
99	Optimization of collective enzyme activity via spatial localization. <i>Journal of Chemical Physics</i> , 2013 , 139, 135101	3.9	16
98	Phase 1 trial of allogeneic gene-modified tumor cell vaccine RCC-26/CD80/IL-2 in patients with metastatic renal cell carcinoma. <i>Human Gene Therapy</i> , 2010 , 21, 285-97	4.8	16
97	Prospective evaluation of health-related quality of life after radical cystectomy: focus on peri- and postoperative complications. <i>World Journal of Urology</i> , 2017 , 35, 1223-1231	4	15
96	Open complete intrafascial nerve-sparing retropubic radical prostatectomy: technique and initial experience. <i>Urology</i> , 2012 , 79, 717-21	1.6	15
95	High immune response rates and decreased frequencies of regulatory T cells in metastatic renal cell carcinoma patients after tumor cell vaccination. <i>Molecular Medicine</i> , 2013 , 18, 1499-508	6.2	15
94	Risk and timing of biochemical recurrence in pT3aN0/Nx prostate cancer with positive surgical margin - A multicenter study. <i>Radiotherapy and Oncology</i> , 2015 , 116, 119-24	5.3	14
93	Virtual reality systems in urologic surgery: an evaluation of the GreenLight simulator. <i>European Urology</i> , 2013 , 64, 687-8	10.2	14
92	Prognostic Features for Objectively Defined Urinary Continence after Radical Cystectomy and Ileal Orthotopic Neobladder in a Contemporary Cohort. <i>Journal of Urology</i> , 2017 , 197, 210-215	2.5	14

91	An unrandomized prospective comparison of urinary continence, bowel symptoms and the need for further procedures in patients with and with no adjuvant radiation after radical prostatectomy. <i>BJU International</i> , 2003 , 92, 360-4	5.6	14
90	Long-term Outcome of the Retrourethral Transobturator Male Sling After Transurethral Resection of the Prostate. <i>International Neurourology Journal</i> , 2016 , 20, 335-341	2.6	14
89	Validation of a High-End Virtual Reality Simulator for Training Transurethral Resection of Bladder Tumors. <i>Journal of Surgical Education</i> , 2019 , 76, 568-577	3.4	14
88	Perioperative patient education improves long-term satisfaction rates of low-risk prostate cancer patients after radical prostatectomy. <i>World Journal of Urology</i> , 2017 , 35, 1205-1212	4	13
87	Surgical learning curve for open radical prostatectomy: Is there an end to the learning curve?. <i>World Journal of Urology</i> , 2015 , 33, 1721-7	4	13
86	Postoperative upgrading of prostate cancer in men ≥ 5 years: a propensity score-matched analysis. <i>World Journal of Urology</i> , 2017 , 35, 1517-1524	4	12
85	Prognostic Value of the Preoperative Platelet-to-leukocyte Ratio for Oncologic Outcomes in Patients Undergoing Radical Cystectomy for Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e915-e921 ¹²	3.3	12
84	Pathological upstaging detected in radical cystectomy procedures is associated with a significantly worse tumour-specific survival rate for patients with clinical T1 urothelial carcinoma of the urinary bladder. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 251-7		12
83	Do we need the nerve sparing radical prostatectomy techniques (intrafascial vs. interfascial) in men with erectile dysfunction? Results of a single-centre study. <i>World Journal of Urology</i> , 2015 , 33, 301-7	4	11
82	Prediction of outcome in patients with urothelial carcinoma of the bladder following radical cystectomy using artificial neural networks. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 372-9	3.6	11
81	Individual learning curve reduces the clinical value of urinary cytology. <i>Clinical Genitourinary Cancer</i> , 2011 , 9, 22-6	3.3	11
80	Disseminated tumor cells in bone marrow of patients with transitional cell carcinoma: immunocytochemical detection and correlation with established prognostic indicators. <i>Journal of Urology</i> , 2003 , 169, 1303-7	2.5	11
79	Long-term functional outcome analysis in a large cohort of patients after radical prostatectomy. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2263-2270	2.3	10
78	Expression profiling of metastatic renal cell carcinoma using gene set enrichment analysis. <i>International Journal of Urology</i> , 2014 , 21, 46-51	2.3	10
77	Multicenter evaluation of the prognostic value of pT0 stage after radical cystectomy due to urothelial carcinoma of the bladder. <i>BJU International</i> , 2011 , 108, E278-83	5.6	10
76	Detection of urinary leakage after radical retropubic prostatectomy by contrast enhanced ultrasound - do we still need conventional retrograde cystography?. <i>BJU International</i> , 2010 , 106, 1632-7 ^{5.6}	5.6	10
75	Long-Term Follow-Up and Oncological Outcome of Patients Undergoing Radical Cystectomy for Bladder Cancer following an Enhanced Recovery after Surgery (ERAS) Protocol: Results of a Large Randomized, Prospective, Single-Center Study. <i>Urologia Internationalis</i> , 2020 , 104, 55-61	1.9	10
74	Radiotherapy of oligometastatic prostate cancer: a systematic review. <i>Radiation Oncology</i> , 2021 , 16, 50	4.2	10

73	The natural course of pT2 prostate cancer with positive surgical margin: predicting biochemical recurrence. <i>World Journal of Urology</i> , 2015 , 33, 973-9	4	9
72	Prospective comparison of one year follow-up outcomes for the open complete intrafascial retropubic versus interfascial nerve-sparing radical prostatectomy. <i>SpringerPlus</i> , 2014 , 3, 335		9
71	Risks and benefits of pelvic lymphadenectomy in octogenarians undergoing radical cystectomy due to urothelial carcinoma of the bladder. <i>International Urology and Nephrology</i> , 2017 , 49, 2137-2142	2.3	9
70	External validation of disease-free survival at 2 or 3 years as a surrogate and new primary endpoint for patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>European Journal of Surgical Oncology</i> , 2012 , 38, 637-42	3.6	9
69	MRI-TRUS fusion biopsy of the prostate: Quality of image fusion in a clinical setting. <i>Clinical Hemorheology and Microcirculation</i> , 2018 , 70, 433-440	2.5	9
68	Midterm Health-related Quality of Life After Radical Cystectomy: A Propensity Score-matched Analysis. <i>European Urology Focus</i> , 2020 , 6, 704-710	5.1	9
67	Methadone enhances the effectiveness of 5-aminolevulinic acid-based photodynamic therapy for squamous cell carcinoma and glioblastoma in vitro. <i>Journal of Biophotonics</i> , 2019 , 12, e201800468	3.1	8
66	Outcome assessment of patients with metastatic renal cell carcinoma under systemic therapy using artificial neural networks. <i>Clinical Genitourinary Cancer</i> , 2012 , 10, 37-42	3.3	8
65	Frequency and prognostic relevance of disseminated tumor cells in bone marrow of patients with metastatic renal cell carcinoma. <i>Cancer</i> , 2006 , 106, 1514-20	6.4	8
64	External validation of a risk model to predict recurrence-free survival after radical cystectomy in patients with pathological tumor stage T3N0 urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2012 , 187, 1210-4	2.5	7
63	Detection and prognostic value of cytokeratin positive tumor cells in bone marrow of patients with renal cell carcinoma. <i>Journal of Urology</i> , 2003 , 170, 1747-51	2.5	7
62	Integrative clinical transcriptome analysis reveals TMPRSS2-ERG dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 2036-2046	7.5	7
61	Expression of plakoglobin in renal cell carcinoma. <i>Anticancer Research</i> , 1998 , 18, 4231-5	2.3	7
60	Health-related quality of life after radical cystectomy and ileal orthotopic neobladder: effect of detailed continence outcomes. <i>World Journal of Urology</i> , 2019 , 37, 2385-2392	4	6
59	Impact of Routine Laboratory Parameters in Patients Undergoing Radical Cystectomy for Urothelial Carcinoma of the Bladder: A Long-Term Follow-Up. <i>Urologia Internationalis</i> , 2020 , 104, 551-558	1.9	6
58	Assessing the Best Surgical Template at Salvage Pelvic Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: When Can Bilateral Dissection be Omitted? Results from a Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 779-782	10.2	6
57	Recovery of erectile function comparing autologous nerve grafts, unseeded conduits, Schwann-cell-seeded guidance tubes and GDNF-overexpressing Schwann cell grafts. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 1507-1511	4.1	6
56	Long-term follow-up of bladder cancer patients with disseminated tumour cells in bone marrow. <i>European Urology</i> , 2011 , 60, 231-8	10.2	6

55	Preoperative Thrombocytosis in Patients Undergoing Radical Cystectomy for Urothelial Cancer of the Bladder: An Independent Prognostic Parameter for an Impaired Oncological Outcome. <i>Urologia Internationalis</i> , 2020 , 104, 36-41	1.9	6
54	Establishment and Validation of an Individualized Cell Cycle Process-Related Gene Signature to Predict Cancer-Specific Survival in Patients with Bladder Cancer. <i>Cancers</i> , 2020 , 12,	6.6	5
53	Epidemiology and Treatment Barriers of Patients With Erectile Dysfunction Using an Online Prescription Platform: A Cross-Sectional Study. <i>Sexual Medicine</i> , 2020 , 8, 370-377	2.7	5
52	Bladder Cancer Stage Development, 2004-2014 in Europe Compared With the United States: Analysis of European Population-based Cancer Registries, the United States SEER Database, and a Large Tertiary Institutional Cohort. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 162-170.e4	3.3	5
51	The increase of stage, grading, and metastases in patients undergoing radical prostatectomy during the last decade. <i>World Journal of Urology</i> , 2019 , 37, 1103-1109	4	5
50	Patients' Perspective on Digital Technologies in Advanced Genitourinary Cancers. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 76-82.e6	3.3	5
49	Health-related quality of life after open and robot-assisted radical prostatectomy in low- and intermediate-risk prostate cancer patients: a propensity score-matched analysis. <i>World Journal of Urology</i> , 2020 , 38, 3075-3083	4	4
48	Safety, efficacy and prognostic impact of immune checkpoint inhibitors in older patients with genitourinary cancers. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 1061-1066	3.6	4
47	PSMA-positive nodal recurrence in prostate cancer : Salvage radiotherapy is superior to salvage lymph node dissection in retrospective analysis. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 637-646	4.3	4
46	Poor standard mp-MRI and routine biopsy fail to precisely predict intraprostatic tumor localization. <i>World Journal of Urology</i> , 2016 , 34, 1383-8	4	4
45	Follow-up of high-risk bladder cancer-Is it safe to perform fluorescence endoscopy multiple times in the same patient?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 602.e19-602.e23	2.8	4
44	Impact of previous mesh hernia repair on the performance of open radical prostatectomy - complications and functional outcome. <i>BJU International</i> , 2010 , 106, 1628-31	5.6	4
43	Prognostic relevance of disseminated tumour cells in bone marrow of patients with transitional cell carcinoma. <i>European Journal of Cancer</i> , 2007 , 43, 2678-84	7.5	4
42	Shikonin enhances the antitumor effect of cabazitaxel in prostate cancer stem cells and reverses cabazitaxel resistance by inhibiting ABCG2 and ALDH3A1. <i>American Journal of Cancer Research</i> , 2020 , 10, 3784-3800	4.4	4
41	Prognostic value of pretreatment inflammatory markers in variant histologies of the bladder: is inflammation linked to survival after radical cystectomy?. <i>World Journal of Urology</i> , 2021 , 39, 2537-2543	4	4
40	Outcome After 68Ga-PSMA-11 versus Choline PET-Based Salvage Radiotherapy in Patients with Biochemical Recurrence of Prostate Cancer: A Matched-Pair Analysis. <i>Cancers</i> , 2020 , 12,	6.6	4
39	Detection of Gleason 6 prostate cancer in patients with clinically significant prostate cancer on multiparametric magnetic resonance imaging. <i>Clinical Hemorheology and Microcirculation</i> , 2019 , 73, 105-111	2.5	3
38	Risk of biochemical recurrence and timing of radiotherapy in pT3aN0 prostate cancer with positive surgical margin : A single center experience. <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 440-8	4.3	3

37	The molecular basis of prostate cancer cell escape from protoporphyrin IX-based photodynamic therapy. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2009 , 24, 237-246		3
36	Partial Nephrectomy in pT3a Tumors Less Than 7 cm in Diameter Has a Superior Overall Survival Compared to Radical Nephrectomy. <i>Cureus</i> , 2019 , 11, e5781	1.2	3
35	Postoperative change in Gleason score of prostate cancer in fusion targeted biopsy: a matched pair analysis. <i>Scandinavian Journal of Urology</i> , 2021 , 55, 27-32	1.6	3
34	MOP-dependent enhancement of methadone on the effectiveness of ALA-PDT for A172 cells by upregulating phosphorylated JNK and BCL2. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 30, 101657-5	3.5	2
33	Urine colour after radical prostatectomy predicts urinary leakage at the vesicourethral anastomosis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012 , 46, 337-42		2
32	Is It Safe to Offer Radical Cystectomy to Patients above 85 Years of Age? A Long-Term Follow-Up in a Single-Center Institution. <i>Urologia Internationalis</i> , 2020 , 104, 975-981	1.9	2
31	Co-occurrence features characterizing gland distribution patterns as new prognostic markers in prostate cancer whole-slide images 2016 ,		2
30	Prognostic impact of perioperative blood transfusions on oncological outcomes of patients with bladder cancer undergoing radical cystectomy: A systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 24-30	1.7	2
29	Benefits and Complications during the Stay at an Early Rehabilitation Facility after Radical Cystectomy and Orthotopic Ileum Neobladder Reconstruction. <i>Urologia Internationalis</i> , 2019 , 103, 350-358	1.9	1
28	The impact of bladder neck mucosal eversion during open radical prostatectomy on bladder neck stricture and urinary extravasation. <i>International Urology and Nephrology</i> , 2012 , 44, 1403-10	2.3	1
27	Prospective evaluation of 4-D contrast-enhanced-ultrasound (CEUS) imaging in bladder tumors. <i>Clinical Hemorheology and Microcirculation</i> , 2020 , 74, 1-12	2.5	1
26	Initial Experience with Radical Prostatectomy Following Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 1247-1253	5.1	1
25	Can we define reliable risk factors for anastomotic strictures following radical prostatectomy?. <i>Urologia</i> , 2020 , 87, 170-174	1.2	1
24	A matter of size? Health-related quality of life after radical prostatectomy for patients with giant prostates. <i>Prostate</i> , 2021 , 81, 443-451	4.2	1
23	Salvage cystectomy and ileal conduit urinary diversion as a last-line option for benign diseases-perioperative safety and postoperative health-related quality of life. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1154-1164	2.3	1
22	Digital Real-world Data Suggest Patient Preference for Tadalafil over Sildenafil in Patients with Erectile Dysfunction. <i>European Urology Focus</i> , 2021 ,	5.1	1
21	Patient-Reported and Oncological Outcomes of Salvage Therapies for PSMA-Positive Nodal Recurrent Prostate Cancer: Real-Life Experiences and Implications for Future Trial Design. <i>Frontiers in Oncology</i> , 2021 , 11, 708595	5.3	1
20	Impact of previous transurethral prostate surgery on health-related quality of life after radical prostatectomy: Does the interval between surgeries matter?. <i>World Journal of Urology</i> , 2021 , 39, 1431-1438	4.38	1

19	Does Pandemic Anxiety Affect Urology Health Care Workers?. <i>Urologia Internationalis</i> , 2021 , 105, 192-198	1.9	1
18	PD-L1 expression in bladder cancer: Which scoring algorithm in what tissue?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 734.e1-734.e10	2.8	1
17	Choosing a Specialist: An Explanatory Study of Factors Influencing Patients in Choosing a Urologist. <i>Urologia Internationalis</i> , 2021 , 105, 749-756	1.9	1
16	Trade-offs and design principles in the spatial organization of catalytic particles. <i>Nature Physics</i> , 2022 , 18, 203-211	16.2	1
15	Computed-tomography based scoring system predicts outcome for clinical lymph node-positive patients undergoing radical cystectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2022 , 48, 89-98	2	0
14	Retrospective evaluation of the impact of non-oncologic chronic drug therapy on the survival in patients with bladder cancer. <i>International Journal of Clinical Pharmacy</i> , 2021 , 1	2.3	0
13	Mapping Telemedicine in German Private Practice Urological Care: Implications for Transitioning beyond the COVID-19 Pandemic. <i>Urologia Internationalis</i> , 2021 , 105, 650-656	1.9	0
12	Predictive clinical features for negative histopathology of MRI/Ultrasound-fusion-guided prostate biopsy in patients with high likelihood of cancer at prostate MRI: Analysis from a urologic outpatient clinic1. <i>Clinical Hemorheology and Microcirculation</i> , 2020 , 76, 503-511	2.5	0
11	Diagnostic and Prognostic Role of miR-192 in Different Cancers: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2021 , 2021, 8851035	3	0
10	Age and ECOG Performance Status as Predictors of Survival of Patients with Upper Urinary Tract Urothelial Carcinoma Undergoing Radical Nephroureterectomy.. <i>Urologia Internationalis</i> , 2022 , 1-8	1.9	0
9	Accuracy and prognostic value of radiological lymph node features in variant histologies of bladder cancer.. <i>World Journal of Urology</i> , 2022 , 1	4	0
8	Occurrence of symptomatic lymphocele after open and robot-assisted radical prostatectomy. <i>Central European Journal of Urology</i> , 2021 , 74, 341-347	0.9	0
7	Clinical Implication of Borderline CT-Morphological Metastatic Spread in Bladder Cancer: What You See Is Not Always What You Got.. <i>Urologia Internationalis</i> , 2022 , 1-10	1.9	
6	Prognostic Value of Pretreatment Inflammatory Markers in Patients Receiving Radical Cystectomy for Urothelial Bladder Cancer: Does Age Matter?. <i>Urologia Internationalis</i> , 2022 , 1-8	1.9	
5	Combined Open Prostatectomy and Kidney Surgery: Feasibility and 12-Month Outcome. <i>Research and Reports in Urology</i> , 2021 , 13, 815-821	1.3	
4	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 302	2.5	
3	Age at surgery is not a prognostic factor for the AdVance-XP male sling efficacy: A post-hoc analysis of a prospective 7-year multicentric study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1616-1624	2.3	
2	Health-related quality of life as a prognostic indicator of biochemical recurrence free survival in high-risk prostate cancer patients following radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 235-235	2.2	

- 1 The prognostic impact of preoperative health-related quality life on bladder cancer-specific survival in patients treated with radical cystectomy.. *Journal of Clinical Oncology*, **2022**, 40, 475-475 2.2