

Alexander Buchner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1387118/alexander-buchner-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

3,227
citations

32
h-index

48
g-index

181
ext. papers

3,942
ext. citations

3.8
avg, IF

4.87
L-index

#	Paper	IF	Citations
162	Computed-tomography based scoring system predicts outcome for clinical lymph node-positive patients undergoing radical cystectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2022 , 48, 89-98	2	0
161	Clinical Implication of Borderline CT-Morphological Metastatic Spread in Bladder Cancer: What You See Is Not Always What You Got.. <i>Urologia Internationalis</i> , 2022 , 1-10	1.9	
160	Prognostic Value of Pretreatment Inflammatory Markers in Patients Receiving Radical Cystectomy for Urothelial Bladder Cancer: Does Age Matter?. <i>Urologia Internationalis</i> , 2022 , 1-8	1.9	
159	Health-related quality of life as a prognostic indicator of biochemical recurrence free survival in high-risk prostate cancer patients following radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 235-235	2.2	
158	The prognostic impact of preoperative health-related quality life on bladder cancer-specific survival in patients treated with radical cystectomy.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 475-475	2.2	
157	Age and ECOG Performance Status as Predictors of Survival of Patients with Upper Urinary Tract Urothelial Carcinoma Undergoing Radical Nephroureterectomy.. <i>Urologia Internationalis</i> , 2022 , 1-8	1.9	0
156	Trade-offs and design principles in the spatial organization of catalytic particles. <i>Nature Physics</i> , 2022 , 18, 203-211	16.2	1
155	Accuracy and prognostic value of radiological lymph node features in variant histologies of bladder cancer.. <i>World Journal of Urology</i> , 2022 , 1	4	0
154	Combined Open Prostatectomy and Kidney Surgery: Feasibility and 12-Month Outcome. <i>Research and Reports in Urology</i> , 2021 , 13, 815-821	1.3	
153	Retrospective evaluation of the impact of non-oncologic chronic drug therapy on the survival in patients with bladder cancer. <i>International Journal of Clinical Pharmacy</i> , 2021 , 1	2.3	0
152	Postoperative change in Gleason score of prostate cancer in fusion targeted biopsy: a matched pair analysis. <i>Scandinavian Journal of Urology</i> , 2021 , 55, 27-32	1.6	3
151	Prognostic value of pretreatment inflammatory markers in variant histologies of the bladder: is inflammation linked to survival after radical cystectomy?. <i>World Journal of Urology</i> , 2021 , 39, 2537-2543	4	4
150	Initial Experience with Radical Prostatectomy Following Holmium Laser Enucleation of the Prostate. <i>European Urology Focus</i> , 2021 , 7, 1247-1253	5.1	1
149	Radiotherapy of oligometastatic prostate cancer: a systematic review. <i>Radiation Oncology</i> , 2021 , 16, 50	4.2	10
148	A matter of size? Health-related quality of life after radical prostatectomy for patients with giant prostates. <i>Prostate</i> , 2021 , 81, 443-451	4.2	1
147	Salvage cystectomy and ileal conduit urinary diversion as a last-line option for benign diseases-perioperative safety and postoperative health-related quality of life. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1154-1164	2.3	1
146	Mapping Telemedicine in German Private Practice Urological Care: Implications for Transitioning beyond the COVID-19 Pandemic. <i>Urologia Internationalis</i> , 2021 , 105, 650-656	1.9	0

145	Digital Real-world Data Suggest Patient Preference for Tadalafil over Sildenafil in Patients with Erectile Dysfunction. <i>European Urology Focus</i> , 2021 ,	5.1	1
144	Age at surgery is not a prognostic factor for the AdVance-XP male sling efficacy: A post-hoc analysis of a prospective 7-year multicentric study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1616-1624	2.3	
143	Patient-Reported and Oncological Outcomes of Salvage Therapies for PSMA-Positive Nodal Recurrent Prostate Cancer: Real-Life Experiences and Implications for Future Trial Design. <i>Frontiers in Oncology</i> , 2021 , 11, 708595	5.3	1
142	Patients' Perspective on Digital Technologies in Advanced Genitourinary Cancers. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 76-82.e6	3.3	5
141	Impact of previous transurethral prostate surgery on health-related quality of life after radical prostatectomy: Does the interval between surgeries matter?. <i>World Journal of Urology</i> , 2021 , 39, 1431-1438	4.38	1
140	Does Pandemic Anxiety Affect Urology Health Care Workers?. <i>Urologia Internationalis</i> , 2021 , 105, 192-198	9	1
139	Diagnostic and Prognostic Role of miR-192 in Different Cancers: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2021 , 2021, 8851035	3	0
138	PD-L1 expression in bladder cancer: Which scoring algorithm in what tissue?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 734.e1-734.e10	2.8	1
137	Choosing a Specialist: An Explanatory Study of Factors Influencing Patients in Choosing a Urologist. <i>Urologia Internationalis</i> , 2021 , 105, 749-756	1.9	1
136	Occurrence of symptomatic lymphocele after open and robot-assisted radical prostatectomy. <i>Central European Journal of Urology</i> , 2021 , 74, 341-347	0.9	0
135	Establishment and Validation of an Individualized Cell Cycle Process-Related Gene Signature to Predict Cancer-Specific Survival in Patients with Bladder Cancer. <i>Cancers</i> , 2020 , 12,	6.6	5
134	Epidemiology and Treatment Barriers of Patients With Erectile Dysfunction Using an Online Prescription Platform: A Cross-Sectional Study. <i>Sexual Medicine</i> , 2020 , 8, 370-377	2.7	5
133	Telehealth in Uro-oncology Beyond the Pandemic: Toll or Lifesaver?. <i>European Urology Focus</i> , 2020 , 6, 1097-1103	5.1	26
132	Impact of Routine Laboratory Parameters in Patients Undergoing Radical Cystectomy for Urothelial Carcinoma of the Bladder: A Long-Term Follow-Up. <i>Urologia Internationalis</i> , 2020 , 104, 551-558	1.9	6
131	Health-related quality of life after open and robot-assisted radical prostatectomy in low- and intermediate-risk prostate cancer patients: a propensity score-matched analysis. <i>World Journal of Urology</i> , 2020 , 38, 3075-3083	4	4
130	Long-term Outcomes of Salvage Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: Not as Good as Previously Thought. <i>European Urology</i> , 2020 , 78, 661-669	10.2	30
129	Assessing the Best Surgical Template at Salvage Pelvic Lymph Node Dissection for Nodal Recurrence of Prostate Cancer After Radical Prostatectomy: When Can Bilateral Dissection be Omitted? Results from a Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 779-782	10.2	6
128	Safety, efficacy and prognostic impact of immune checkpoint inhibitors in older patients with genitourinary cancers. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 1061-1066	3.6	4

127	MOP-dependent enhancement of methadone on the effectiveness of ALA-PDT for A172 cells by upregulating phosphorylated JNK and BCL2. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 30, 101657-5	3.5	2
126	PSMA-positive nodal recurrence in prostate cancer : Salvage radiotherapy is superior to salvage lymph node dissection in retrospective analysis. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 637-646	4.3	4
125	Shikonin enhances the antitumor effect of cabazitaxel in prostate cancer stem cells and reverses cabazitaxel resistance by inhibiting ABCG2 and ALDH3A1. <i>American Journal of Cancer Research</i> , 2020 , 10, 3784-3800	4.4	4
124	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 302	2.5	
123	Underestimation of Positron Emission Tomography/Computerized Tomography in Assessing Tumor Burden in Prostate Cancer Nodal Recurrence: Head-to-Head Comparison of Ga-PSMA and C-Choline in a Large, Multi-Institutional Series of Extended Salvage Lymph Node Dissections. <i>Journal of Urology</i> , 2020 , 204, 296-302	2.5	17
122	Integrative clinical transcriptome analysis reveals TMPRSS2-ERG dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 2036-2046	7.5	7
121	Prospective evaluation of 4-D contrast-enhanced-ultrasound (CEUS) imaging in bladder tumors. <i>Clinical Hemorheology and Microcirculation</i> , 2020 , 74, 1-12	2.5	1
120	Bladder Cancer Stage Development, 2004-2014 in Europe Compared With the United States: Analysis of European Population-based Cancer Registries, the United States SEER Database, and a Large Tertiary Institutional Cohort. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 162-170.e4	3.3	5
119	Long-Term Follow-Up and Oncological Outcome of Patients Undergoing Radical Cystectomy for Bladder Cancer following an Enhanced Recovery after Surgery (ERAS) Protocol: Results of a Large Randomized, Prospective, Single-Center Study. <i>Urologia Internationalis</i> , 2020 , 104, 55-61	1.9	10
118	Outcome After 68Ga-PSMA-11 versus Choline PET-Based Salvage Radiotherapy in Patients with Biochemical Recurrence of Prostate Cancer: A Matched-Pair Analysis. <i>Cancers</i> , 2020 , 12,	6.6	4
117	Can we define reliable risk factors for anastomotic strictures following radical prostatectomy?. <i>Urologia</i> , 2020 , 87, 170-174	1.2	1
116	Is It Safe to Offer Radical Cystectomy to Patients above 85 Years of Age? A Long-Term Follow-Up in a Single-Center Institution. <i>Urologia Internationalis</i> , 2020 , 104, 975-981	1.9	2
115	Midterm Health-related Quality of Life After Radical Cystectomy: A Propensity Score-matched Analysis. <i>European Urology Focus</i> , 2020 , 6, 704-710	5.1	9
114	Preoperative Thrombocytosis in Patients Undergoing Radical Cystectomy for Urothelial Cancer of the Bladder: An Independent Prognostic Parameter for an Impaired Oncological Outcome. <i>Urologia Internationalis</i> , 2020 , 104, 36-41	1.9	6
113	Papillary vs clear cell renal cell carcinoma. Differentiation and grading by iodine concentration using DECT-correlation with microvascular density. <i>European Radiology</i> , 2020 , 30, 1-10	8	35
112	Prognostic impact of perioperative blood transfusions on oncological outcomes of patients with bladder cancer undergoing radical cystectomy: A systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 24-30	1.7	2
111	Predictive clinical features for negative histopathology of MRI/Ultrasound-fusion-guided prostate biopsy in patients with high likelihood of cancer at prostate MRI: Analysis from a urologic outpatient clinic1. <i>Clinical Hemorheology and Microcirculation</i> , 2020 , 76, 503-511	2.5	0
110	Benefits and Complications during the Stay at an Early Rehabilitation Facility after Radical Cystectomy and Orthotopic Ileum Neobladder Reconstruction. <i>Urologia Internationalis</i> , 2019 , 103, 350-356	1.9	1

109	Detection of Gleason 6 prostate cancer in patients with clinically significant prostate cancer on multiparametric magnetic resonance imaging. <i>Clinical Hemorheology and Microcirculation</i> , 2019 , 73, 105-111	2.5	3
108	Health-related quality of life after radical cystectomy and ileal orthotopic neobladder: effect of detailed continence outcomes. <i>World Journal of Urology</i> , 2019 , 37, 2385-2392	4	6
107	Methadone enhances the effectiveness of 5-aminolevulinic acid-based photodynamic therapy for squamous cell carcinoma and glioblastoma in vitro. <i>Journal of Biophotonics</i> , 2019 , 12, e201800468	3.1	8
106	Partial Nephrectomy in pT3a Tumors Less Than 7 cm in Diameter Has a Superior Overall Survival Compared to Radical Nephrectomy. <i>Cureus</i> , 2019 , 11, e5781	1.2	3
105	A Novel Gene Signature-Based Model Predicts Biochemical Recurrence-Free Survival in Prostate Cancer Patients after Radical Prostatectomy. <i>Cancers</i> , 2019 , 12,	6.6	30
104	Validation of a High-End Virtual Reality Simulator for Training Transurethral Resection of Bladder Tumors. <i>Journal of Surgical Education</i> , 2019 , 76, 568-577	3.4	14
103	Impact of Ga-PSMA PET/CT on the Radiotherapeutic Approach to Prostate Cancer in Comparison to CT: A Retrospective Analysis. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 963-970	8.9	25
102	The increase of stage, grading, and metastases in patients undergoing radical prostatectomy during the last decade. <i>World Journal of Urology</i> , 2019 , 37, 1103-1109	4	5
101	Long-term functional outcome analysis in a large cohort of patients after radical prostatectomy. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2263-2270	2.3	10
100	Tissue Phenomics for prognostic biomarker discovery in low- and intermediate-risk prostate cancer. <i>Scientific Reports</i> , 2018 , 8, 4470	4.9	21
99	Surgical High-risk Patients With ASAIII Undergoing Radical Cystectomy: Morbidity, Mortality, and Predictors for Major Complications in a High-volume Tertiary Center. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1141-e1149	3.3	16
98	Outcome after PSMA PET/CT based radiotherapy in patients with biochemical persistence or recurrence after radical prostatectomy. <i>Radiation Oncology</i> , 2018 , 13, 37	4.2	39
97	MRI-TRUS fusion biopsy of the prostate: Quality of image fusion in a clinical setting. <i>Clinical Hemorheology and Microcirculation</i> , 2018 , 70, 433-440	2.5	9
96	Perioperative patient education improves long-term satisfaction rates of low-risk prostate cancer patients after radical prostatectomy. <i>World Journal of Urology</i> , 2017 , 35, 1205-1212	4	13
95	TOP2A, HELLS, ATAD2, and TET3 Are Novel Prognostic Markers in Renal Cell Carcinoma. <i>Urology</i> , 2017 , 102, 265.e1-265.e7	1.6	28
94	Postoperative upgrading of prostate cancer in men ≥ 5 years: a propensity score-matched analysis. <i>World Journal of Urology</i> , 2017 , 35, 1517-1524	4	12
93	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e809-e817	3.3	17
92	Prognostic Value of the Preoperative Platelet-to-leukocyte Ratio for Oncologic Outcomes in Patients Undergoing Radical Cystectomy for Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e913-e921	3.3	12

91	"Finding the needle in a haystack": oncologic evaluation of patients treated for LUTS with holmium laser enucleation of the prostate (HoLEP) versus transurethral resection of the prostate (TURP). <i>World Journal of Urology</i> , 2017 , 35, 1777-1782	4	24
90	Dramatic impact of blood transfusion on cancer-specific survival after radical cystectomy irrespective of tumor stage. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 130-136	1.6	22
89	Prospective evaluation of health-related quality of life after radical cystectomy: focus on peri- and postoperative complications. <i>World Journal of Urology</i> , 2017 , 35, 1223-1231	4	15
88	Detection level and pattern of positive lesions using PSMA PET/CT for staging prior to radiation therapy. <i>Radiation Oncology</i> , 2017 , 12, 176	4.2	27
87	Risks and benefits of pelvic lymphadenectomy in octogenarians undergoing radical cystectomy due to urothelial carcinoma of the bladder. <i>International Urology and Nephrology</i> , 2017 , 49, 2137-2142	2.3	9
86	Follow-up of high-risk bladder cancer-Is it safe to perform fluorescence endoscopy multiple times in the same patient?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 602.e19-602.e23	2.8	4
85	Prognostic Features for Objectively Defined Urinary Continence after Radical Cystectomy and Ileal Orthotopic Neobladder in a Contemporary Cohort. <i>Journal of Urology</i> , 2017 , 197, 210-215	2.5	14
84	Salvage lymph node dissection after Ga-PSMA or F-FEC PET/CT for nodal recurrence in prostate cancer patients. <i>Oncotarget</i> , 2017 , 8, 84180-84192	3.3	31
83	Impact of preoperative hemoglobin and CRP levels on cancer-specific survival in patients undergoing radical cystectomy for transitional cell carcinoma of the bladder: results of a single-center study. <i>World Journal of Urology</i> , 2016 , 34, 703-8	4	36
82	Recovery of erectile function comparing autologous nerve grafts, unseeded conduits, Schwann-cell-seeded guidance tubes and GDNF-overexpressing Schwann cell grafts. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 1507-1511	4.1	6
81	Risk of biochemical recurrence and timing of radiotherapy in pT3aN0 prostate cancer with positive surgical margin : A single center experience. <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 440-8	4.3	3
80	Efficacy and safety of the ZSI375 artificial urinary sphincter for male stress urinary incontinence: lessons learned. <i>World Journal of Urology</i> , 2016 , 34, 1457-63	4	16
79	Poor standard mp-MRI and routine biopsy fail to precisely predict intraprostatic tumor localization. <i>World Journal of Urology</i> , 2016 , 34, 1383-8	4	4
78	Risk factors for artificial urinary sphincter failure. <i>World Journal of Urology</i> , 2016 , 34, 595-602	4	35
77	Long-term Outcome of the Retrourethral Transobturator Male Sling After Transurethral Resection of the Prostate. <i>International Neurourology Journal</i> , 2016 , 20, 335-341	2.6	14
76	Prognostic features for quality of life after radical cystectomy and orthotopic neobladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 1109-1120	2	21
75	Shear-wave elastography of the testis in the healthy man - determination of standard values. <i>Clinical Hemorheology and Microcirculation</i> , 2016 , 62, 273-81	2.5	26
74	Perioperative and oncologic outcomes of robot-assisted vs. open radical cystectomy in bladder cancer patients: A comparison of two high-volume referral centers. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1736-1743	3.6	40

73	Co-occurrence features characterizing gland distribution patterns as new prognostic markers in prostate cancer whole-slide images 2016 ,		2
72	Validation of mammalian target of rapamycin biomarker panel in patients with clear cell renal cell carcinoma. <i>Cancer</i> , 2015 , 121, 43-50	6.4	18
71	Risk stratification for locoregional recurrence after radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015 , 33, 1753-61	4	22
70	Risk and timing of biochemical recurrence in pT3aN0/Nx prostate cancer with positive surgical margin - A multicenter study. <i>Radiotherapy and Oncology</i> , 2015 , 116, 119-24	5.3	14
69	The natural course of pT2 prostate cancer with positive surgical margin: predicting biochemical recurrence. <i>World Journal of Urology</i> , 2015 , 33, 973-9	4	9
68	Surgical learning curve for open radical prostatectomy: Is there an end to the learning curve?. <i>World Journal of Urology</i> , 2015 , 33, 1721-7	4	13
67	Preoperative mp-MRI of the prostate provides little information about staging of prostate carcinoma in daily clinical practice. <i>World Journal of Urology</i> , 2015 , 33, 923-8	4	16
66	Do we need the nerve sparing radical prostatectomy techniques (intrafascial vs. interfascial) in men with erectile dysfunction? Results of a single-centre study. <i>World Journal of Urology</i> , 2015 , 33, 301-7	4	11
65	A new concept for early recovery after surgery for patients undergoing radical cystectomy for bladder cancer: results of a prospective randomized study. <i>Journal of Urology</i> , 2014 , 191, 335-40	2.5	132
64	Prospective comparison of one year follow-up outcomes for the open complete intrafascial retropubic versus interfascial nerve-sparing radical prostatectomy. <i>SpringerPlus</i> , 2014 , 3, 335		9
63	Expression and prognostic significance of a comprehensive epithelial-mesenchymal transition gene set in renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 479-86	2.5	43
62	BAP1 immunohistochemistry predicts outcomes in a multi-institutional cohort with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 603-10	2.5	58
61	Expression profiling of metastatic renal cell carcinoma using gene set enrichment analysis. <i>International Journal of Urology</i> , 2014 , 21, 46-51	2.3	10
60	The effect of BMI on clinicopathologic and functional outcomes after open radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 297-302	2.8	21
59	Schwann cell-mediated delivery of glial cell line-derived neurotrophic factor restores erectile function after cavernous nerve injury. <i>International Journal of Urology</i> , 2013 , 20, 344-8	2.3	17
58	Virtual reality systems in urologic surgery: an evaluation of the GreenLight simulator. <i>European Urology</i> , 2013 , 64, 687-8	10.2	14
57	Optimization of collective enzyme activity via spatial localization. <i>Journal of Chemical Physics</i> , 2013 , 139, 135101	3.9	16
56	CXC chemokine receptor 4 is essential for maintenance of renal cell carcinoma-initiating cells and predicts metastasis. <i>Stem Cells</i> , 2013 , 31, 1467-76	5.8	81

55	Prediction of outcome in patients with urothelial carcinoma of the bladder following radical cystectomy using artificial neural networks. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 372-9	3.6	11
54	High immune response rates and decreased frequencies of regulatory T cells in metastatic renal cell carcinoma patients after tumor cell vaccination. <i>Molecular Medicine</i> , 2013 , 18, 1499-508	6.2	15
53	Clustering and optimal arrangement of enzymes in reaction-diffusion systems. <i>Physical Review Letters</i> , 2013 , 110, 208104	7.4	30
52	Gender-specific differences in cancer-specific survival after radical cystectomy for patients with urothelial carcinoma of the urinary bladder in pathologic tumor stage T4a. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1141-7	2.8	45
51	External validation of postoperative nomograms for prediction of all-cause mortality, cancer-specific mortality, and recurrence in patients with urothelial carcinoma of the bladder. <i>European Urology</i> , 2012 , 61, 58-64	10.2	60
50	Transcript signature predicts tissue NK cell content and defines renal cell carcinoma subgroups independent of TNM staging. <i>Journal of Molecular Medicine</i> , 2012 , 90, 55-66	5.5	90
49	Staging of muscle-invasive bladder cancer: can computerized tomography help us to decide on local treatment?. <i>World Journal of Urology</i> , 2012 , 30, 827-31	4	42
48	The impact of bladder neck mucosal eversion during open radical prostatectomy on bladder neck stricture and urinary extravasation. <i>International Urology and Nephrology</i> , 2012 , 44, 1403-10	2.3	1
47	External validation of a risk model to predict recurrence-free survival after radical cystectomy in patients with pathological tumor stage T3N0 urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2012 , 187, 1210-4	2.5	7
46	Open complete intrafascial nerve-sparing retropubic radical prostatectomy: technique and initial experience. <i>Urology</i> , 2012 , 79, 717-21	1.6	15
45	External validation of disease-free survival at 2 or 3 years as a surrogate and new primary endpoint for patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>European Journal of Surgical Oncology</i> , 2012 , 38, 637-42	3.6	9
44	Analysis of sex differences in cancer-specific survival and perioperative mortality following radical cystectomy: results of a large German multicenter study of nearly 2500 patients with urothelial carcinoma of the bladder. <i>Gender Medicine</i> , 2012 , 9, 481-9		58
43	Interobserver variability limits exact preoperative staging by computed tomography in bladder cancer. <i>Urology</i> , 2012 , 79, 1317-21	1.6	26
42	Outcome assessment of patients with metastatic renal cell carcinoma under systemic therapy using artificial neural networks. <i>Clinical Genitourinary Cancer</i> , 2012 , 10, 37-42	3.3	8
41	Mesenchymal stem cells and glioma cells form a structural as well as a functional syncytium in vitro. <i>Experimental Neurology</i> , 2012 , 234, 208-19	5.7	45
40	Urine colour after radical prostatectomy predicts urinary leakage at the vesicourethral anastomosis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012 , 46, 337-42		2
39	Human renal cell carcinoma induces a dendritic cell subset that uses T-cell crosstalk for tumor-permissive milieu alterations. <i>American Journal of Pathology</i> , 2011 , 179, 436-51	5.8	36
38	Results of the AdVance transobturator male sling after radical prostatectomy and adjuvant radiotherapy. <i>Urology</i> , 2011 , 77, 474-9	1.6	64

37	Contrast-enhanced transrectal ultrasound (CE-TRUS) with cadence-contrast pulse sequence (CPS) technology for the identification of prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 295-301	2.8	46
36	Clinical and pathologic predictors of Gleason sum upgrading in patients after radical prostatectomy: results from a single institution series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 508-14	2.8	49
35	Induction of immune mediators in glioma and prostate cancer cells by non-lethal photodynamic therapy. <i>PLoS ONE</i> , 2011 , 6, e21834	3.7	38
34	Malnutrition and clinical outcome in urological patients. <i>European Journal of Medical Research</i> , 2011 , 16, 469-72	4.8	28
33	Multicenter evaluation of the prognostic value of pT0 stage after radical cystectomy due to urothelial carcinoma of the bladder. <i>BJU International</i> , 2011 , 108, E278-83	5.6	10
32	Risk factors for pelvic lymphoceles post-radical prostatectomy. <i>International Journal of Urology</i> , 2011 , 18, 638-43	2.3	33
31	Long-term follow-up of bladder cancer patients with disseminated tumour cells in bone marrow. <i>European Urology</i> , 2011 , 60, 231-8	10.2	6
30	Lymph node density affects cancer-specific survival in patients with lymph node-positive urothelial bladder cancer following radical cystectomy. <i>European Urology</i> , 2011 , 59, 712-8	10.2	60
29	Individual learning curve reduces the clinical value of urinary cytology. <i>Clinical Genitourinary Cancer</i> , 2011 , 9, 22-6	3.3	11
28	Association between the number of dissected lymph nodes during pelvic lymphadenectomy and cancer-specific survival in patients with lymph node-negative urothelial carcinoma of the bladder undergoing radical cystectomy. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2018-25	3.1	85
27	Patient-reported side effects of intradetrusor botulinum toxin type a for idiopathic overactive bladder syndrome. <i>Urologia Internationalis</i> , 2011 , 86, 68-72	1.9	23
26	Pathological upstaging detected in radical cystectomy procedures is associated with a significantly worse tumour-specific survival rate for patients with clinical T1 urothelial carcinoma of the urinary bladder. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 251-7		12
25	Lymphovascular invasion is an independent predictor of oncological outcomes in patients with lymph node-negative urothelial bladder cancer treated by radical cystectomy: a multicentre validation trial. <i>BJU International</i> , 2010 , 106, 493-9	5.6	51
24	Impact of previous mesh hernia repair on the performance of open radical prostatectomy - complications and functional outcome. <i>BJU International</i> , 2010 , 106, 1628-31	5.6	4
23	Detection of urinary leakage after radical retropubic prostatectomy by contrast enhanced ultrasound - do we still need conventional retrograde cystography?. <i>BJU International</i> , 2010 , 106, 1632-7	5.6	10
22	Phase 1 trial of allogeneic gene-modified tumor cell vaccine RCC-26/CD80/IL-2 in patients with metastatic renal cell carcinoma. <i>Human Gene Therapy</i> , 2010 , 21, 285-97	4.8	16
21	Complications of the AdVance transobturator male sling in the treatment of male stress urinary incontinence. <i>Urology</i> , 2010 , 75, 1494-8	1.6	84
20	Downregulation of HNF-1B in renal cell carcinoma is associated with tumor progression and poor prognosis. <i>Urology</i> , 2010 , 76, 507.e6-11	1.6	28

19	Optical coherence tomography for bladder cancer -- ready as a surrogate for optical biopsy? Results of a prospective mono-centre study. <i>European Journal of Medical Research</i> , 2010 , 15, 131-4	4.8	51
18	Radical cystectomy in the elderly patient: a contemporary comparison of perioperative complications in a single institution series. <i>World Journal of Urology</i> , 2010 , 28, 445-50	4	23
17	CEACAM1: a novel urinary marker for bladder cancer detection. <i>European Urology</i> , 2010 , 57, 648-54	10.2	36
16	Prospective evaluation of the functional sling suspension for male postprostatectomy stress urinary incontinence: results after 1 year. <i>European Urology</i> , 2009 , 56, 928-33	10.2	93
15	The molecular basis of prostate cancer cell escape from protoporphyrin IX-based photodynamic therapy. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2009 , 24, 237-246		3
14	Prospective assessment of malnutrition in urologic patients. <i>Urology</i> , 2009 , 73, 1072-6	1.6	54
13	Therapeutic vaccination with an interleukin-2-interferon-gamma-secreting allogeneic tumor vaccine in patients with progressive castration-resistant prostate cancer: a phase I/II trial. <i>Human Gene Therapy</i> , 2009 , 20, 1641-51	4.8	17
12	GDNF-transduced Schwann cell grafts enhance regeneration of erectile nerves. <i>European Urology</i> , 2008 , 54, 1179-87	10.2	30
11	Dominance of CD4+ lymphocytic infiltrates with disturbed effector cell characteristics in the tumor microenvironment of prostate carcinoma. <i>Prostate</i> , 2008 , 68, 1-10	4.2	55
10	Expression of indoleamine 2,3-dioxygenase in tumor endothelial cells correlates with long-term survival of patients with renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 6993-7002	12.9	124
9	Prognostic relevance of disseminated tumour cells in bone marrow of patients with transitional cell carcinoma. <i>European Journal of Cancer</i> , 2007 , 43, 2678-84	7.5	4
8	Frequency and prognostic relevance of disseminated tumor cells in bone marrow of patients with metastatic renal cell carcinoma. <i>Cancer</i> , 2006 , 106, 1514-20	6.4	8
7	Differential radioactive proteomic analysis of microdissected renal cell carcinoma tissue by 54 cm isoelectric focusing in serial immobilized pH gradient gels. <i>Journal of Proteome Research</i> , 2005 , 4, 2117-25	5.6	30
6	Cell-based vaccines for renal cell carcinoma: genetically-engineered tumor cells and monocyte-derived dendritic cells. <i>World Journal of Urology</i> , 2005 , 23, 166-74	4	28
5	An unrandomized prospective comparison of urinary continence, bowel symptoms and the need for further procedures in patients with and with no adjuvant radiation after radical prostatectomy. <i>BJU International</i> , 2003 , 92, 360-4	5.6	14
4	Detection and prognostic value of cytokeratin positive tumor cells in bone marrow of patients with renal cell carcinoma. <i>Journal of Urology</i> , 2003 , 170, 1747-51	2.5	7
3	Disseminated tumor cells in bone marrow of patients with transitional cell carcinoma: immunocytochemical detection and correlation with established prognostic indicators. <i>Journal of Urology</i> , 2003 , 169, 1303-7	2.5	11
2	Lysis of prostate carcinoma cells by trifunctional bispecific antibodies (alpha EpCAM x alpha CD3). <i>Journal of Histochemistry and Cytochemistry</i> , 2001 , 49, 911-7	3.4	81

1 Expression of plakoglobin in renal cell carcinoma. *Anticancer Research*, **1998**, 18, 4231-5

2.3 7