Michael T Tetzlaff

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1388900/publications.pdf

Version: 2024-02-01

168 papers 15,409 citations

43 h-index 20343 116 g-index

173 all docs

173 docs citations

times ranked

173

22194 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Gut microbiome modulates response to anti–PD-1 immunotherapy in melanoma patients. Science, 2018, 359, 97-103. | 6.0 | 3,126 |
| 2 | B cells and tertiary lymphoid structures promote immunotherapy response. Nature, 2020, 577, 549-555. | 13.7 | 1,421 |
| 3 | Loss of PTEN Promotes Resistance to T Cell–Mediated Immunotherapy. Cancer Discovery, 2016, 6, 202-216. | 7.7 | 1,158 |
| 4 | Analysis of Immune Signatures in Longitudinal Tumor Samples Yields Insight into Biomarkers of Response and Mechanisms of Resistance to Immune Checkpoint Blockade. Cancer Discovery, 2016, 6, 827-837. | 7.7 | 785 |
| 5 | Integrated molecular analysis of tumor biopsies on sequential CTLA-4 and PD-1 blockade reveals markers of response and resistance. Science Translational Medicine, 2017, 9, . | 5.8 | 689 |
| 6 | Neoadjuvant immune checkpoint blockade in high-risk resectable melanoma. Nature Medicine, 2018, 24, 1649-1654. | 15.2 | 592 |
| 7 | Fecal microbiota transplantation for refractory immune checkpoint inhibitor-associated colitis. Nature Medicine, 2018, 24, 1804-1808. | 15.2 | 521 |
| 8 | Mutational Landscape of Aggressive Cutaneous Squamous Cell Carcinoma. Clinical Cancer Research, 2014, 20, 6582-6592. | 3.2 | 493 |
| 9 | Dietary fiber and probiotics influence the gut microbiome and melanoma immunotherapy response. Science, 2021, 374, 1632-1640. | 6.0 | 369 |
| 10 | sFRP2 in the aged microenvironment drives melanoma metastasis and therapy resistance. Nature, 2016, 532, 250-254. | 13.7 | 290 |
| 11 | Comparison of immune infiltrates in melanoma and pancreatic cancer highlights VISTA as a potential target in pancreatic cancer. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 1692-1697. | 3.3 | 237 |
| 12 | Neoadjuvant plus adjuvant dabrafenib and trametinib versus standard of care in patients with high-risk, surgically resectable melanoma: a single-centre, open-label, randomised, phase 2 trial. Lancet Oncology, The, 2018, 19, 181-193. | 5.1 | 233 |
| 13 | Molecular Profiling Reveals Unique Immune and Metabolic Features of Melanoma Brain Metastases. Cancer Discovery, 2019, 9, 628-645. | 7.7 | 231 |
| 14 | Cobomarsen, an oligonucleotide inhibitor of miRâ€155, coâ€ordinately regulates multiple survival pathways to reduce cellular proliferation and survival in cutaneous Tâ€cell lymphoma. British Journal of Haematology, 2018, 183, 428-444. | 1.2 | 219 |
| 15 | Gut microbiota signatures are associated with toxicity to combined CTLA-4 and PD-1 blockade. Nature Medicine, 2021, 27, 1432-1441. | 15.2 | 216 |
| 16 | Diverse types of dermatologic toxicities from immune checkpoint blockade therapy. Journal of Cutaneous Pathology, 2017, 44, 158-176. | 0.7 | 186 |
| 17 | Molecular Profiling of Patient-Matched Brain and Extracranial Melanoma Metastases Implicates the PI3K Pathway as a Therapeutic Target. Clinical Cancer Research, 2014, 20, 5537-5546. | 3.2 | 169 |
| 18 | Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. Lancet Oncology, The, 2019, 20, e378-e389. | 5.1 | 155 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Complete Loss of PTEN Protein Expression Correlates with Shorter Time to Brain Metastasis and Survival in Stage IIIB/C Melanoma Patients with <i>BRAF</i> V600 Mutations. Clinical Cancer Research, 2014, 20, 5527-5536. | 3.2 | 145 |
| 20 | The Society for Immunotherapy of Cancer statement on best practices for multiplex immunohistochemistry (IHC) and immunofluorescence (IF) staining and validation. , 2020, 8, e000155. | | 140 |
| 21 | Beyond BRAF V600 : Clinical Mutation Panel Testing by Next-Generation Sequencing in Advanced Melanoma. Journal of Investigative Dermatology, 2015, 135, 508-515. | 0.3 | 138 |
| 22 | Pathological assessment of resection specimens after neoadjuvant therapy for metastatic melanoma. Annals of Oncology, 2018, 29, 1861-1868. | 0.6 | 135 |
| 23 | Autoimmune dermatologic toxicities from immune checkpoint blockade with antiâ€∢scp>PDâ€↓ antibody therapy: a report on bullous skin eruptions. Journal of Cutaneous Pathology, 2016, 43, 688-696. | 0.7 | 126 |
| 24 | Genomic and immune heterogeneity are associated with differential responses to therapy in melanoma. Npj Genomic Medicine, 2017, 2, . | 1.7 | 120 |
| 25 | Granulomatous/sarcoid-like lesions associated with checkpoint inhibitors: a marker of therapy response in a subset of melanoma patients. , 2018, 6, 14. | | 118 |
| 26 | Tumor-associated B-cells induce tumor heterogeneity and therapy resistance. Nature Communications, 2017, 8, 607. | 5.8 | 109 |
| 27 | Novel algorithmic approach predicts tumor mutation load and correlates with immunotherapy clinical outcomes using a defined gene mutation set. BMC Medicine, 2016, 14, 168. | 2.3 | 106 |
| 28 | Density, Distribution, and Composition of Immune Infiltrates Correlate with Survival in Merkel Cell Carcinoma. Clinical Cancer Research, 2016, 22, 5553-5563. | 3.2 | 96 |
| 29 | Lichenoid Dermatologic Toxicity From Immune Checkpoint Blockade Therapy: A Detailed Examination of the Clinicopathologic Features. American Journal of Dermatopathology, 2017, 39, 121-129. | 0.3 | 96 |
| 30 | Gene expression analysis in Cutaneous T-Cell Lymphomas (CTCL) highlights disease heterogeneity and potential diagnostic and prognostic indicators. Oncolmmunology, 2017, 6, e1306618. | 2.1 | 78 |
| 31 | IL17A Blockade Successfully Treated Psoriasiform Dermatologic Toxicity from Immunotherapy. Cancer Immunology Research, 2019, 7, 860-865. | 1.6 | 76 |
| 32 | Poor Response to Neoadjuvant Chemotherapy Correlates with Mast Cell Infiltration in Inflammatory Breast Cancer. Cancer Immunology Research, 2019, 7, 1025-1035. | 1.6 | 70 |
| 33 | Immunodetection of phosphohistone H3 as a surrogate of mitotic figure count and clinical outcome in cutaneous melanoma. Modern Pathology, 2013, 26, 1153-1160. | 2.9 | 67 |
| 34 | Nextâ€generation sequencing identifies high frequency of mutations in potentially clinically actionable genes in sebaceous carcinoma. Journal of Pathology, 2016, 240, 84-95. | 2.1 | 63 |
| 35 | Dermatologic toxicities to targeted cancer therapy: shared clinical and histologic adverse skin reactions. International Journal of Dermatology, 2014, 53, 376-384. | 0.5 | 62 |
| 36 | A Novel Mitochondrial Inhibitor Blocks MAPK Pathway and Overcomes MAPK Inhibitor Resistance in Melanoma. Clinical Cancer Research, 2019, 25, 6429-6442. | 3.2 | 61 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Comparison between melanoma gene expression score and fluorescence in situ hybridization for the classification of melanocytic lesions. Modern Pathology, 2016, 29, 832-843. | 2.9 | 55 |
| 38 | Distinct clinical patterns and immune infiltrates are observed at time of progression on targeted therapy versus immune checkpoint blockade for melanoma. Oncolmmunology, 2016, 5, e1136044. | 2.1 | 55 |
| 39 | Melanoma arising in association with blue nevus: a clinical and pathologic study of 24 cases and comprehensive review of the literature. Modern Pathology, 2014, 27, 1468-1478. | 2.9 | 54 |
| 40 | A case report of Grover's disease from immunotherapy-a skin toxicity induced by inhibition of CTLA-4 but not PD-1., 2016, 4, 55. | | 50 |
| 41 | Comparative immunologic characterization of autoimmune giant cell myocarditis with ipilimumab. Oncolmmunology, 2017, 6, e1361097. | 2.1 | 50 |
| 42 | PARP Inhibition Suppresses GR–MYCN–CDK5–RB1–E2F1 Signaling and Neuroendocrine Differentiation in Castration-Resistant Prostate Cancer. Clinical Cancer Research, 2019, 25, 6839-6851. | 3.2 | 50 |
| 43 | Tumor Thickness and Mitotic Rate Robustly Predict Melanoma-Specific Survival in Patients with Primary Vulvar Melanoma: A Retrospective Review of 100 Cases. Clinical Cancer Research, 2017, 23, 2093-2104. | 3.2 | 48 |
| 44 | Erythema nodosumâ€like panniculitis mimicking disease recurrence: A novel toxicity from immune checkpoint blockade therapy—Report of 2 patients. Journal of Cutaneous Pathology, 2017, 44, 1080-1086. | 0.7 | 48 |
| 45 | Metastatic Melanoma Patient Had a Complete Response with Clonal Expansion after Whole Brain Radiation and PD-1 Blockade. Cancer Immunology Research, 2017, 5, 100-105. | 1.6 | 46 |
| 46 | Prognostic factors for local recurrence, metastasis and survival for sebaceous carcinoma of the eyelid: observations in 100 patients. British Journal of Ophthalmology, 2019, 103, 980-984. | 2.1 | 46 |
| 47 | Identification of geographic clustering and regions spared by cutaneous Tâ€cell lymphoma in Texas using 2 distinct cancer registries. Cancer, 2015, 121, 1993-2003. | 2.0 | 45 |
| 48 | Parallel profiling of immune infiltrate subsets in uveal melanoma versus cutaneous melanoma unveils similarities and differences: A pilot study. Oncolmmunology, 2017, 6, e1321187. | 2.1 | 45 |
| 49 | Demographic patterns of cutaneous Tâ€cell lymphoma incidence in Texas based on two different cancer registries. Cancer Medicine, 2015, 4, 1440-1447. | 1.3 | 44 |
| 50 | Multiplex Immunofluorescence Assays. Methods in Molecular Biology, 2020, 2055, 467-495. | 0.4 | 44 |
| 51 | Shared clonality in distinctive lesions of lymphomatoid papulosis and mycosis fungoides occurring in the same patients suggests a common origin. Human Pathology, 2015, 46, 558-569. | 1.1 | 43 |
| 52 | Utility of BRAF V600E Immunohistochemistry Expression Pattern as a Surrogate of BRAF Mutation Status in 154 Patients with Advanced Melanoma. Human Pathology, 2015, 46, 1101-1110. | 1.1 | 43 |
| 53 | miRâ€200c/Bmi1 axis and epithelial–mesenchymal transition contribute to acquired resistance to <scp>BRAF</scp> inhibitor treatment. Pigment Cell and Melanoma Research, 2015, 28, 431-441. | 1.5 | 41 |
| 54 | Clinical, Molecular, and Immune Analysis of Dabrafenib-Trametinib Combination Treatment for BRAF Inhibitor–Refractory Metastatic Melanoma. JAMA Oncology, 2016, 2, 1056. | 3.4 | 41 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Identification of a subset of microsatellite-stable endometrial carcinoma with high PD-L1 and CD8+ lymphocytes. Modern Pathology, 2019, 32, 396-404. | 2.9 | 41 |
| 56 | Loss of <scp>CD30</scp> expression after treatment with brentuximab vedotin in a patient with anaplastic large cell lymphoma: a novel finding. Journal of Cutaneous Pathology, 2016, 43, 1161-1166. | 0.7 | 40 |
| 57 | Distinct Biological Types of Ocular Adnexal Sebaceous Carcinoma: HPV-Driven and Virus-Negative Tumors Arise through Nonoverlapping Molecular-Genetic Alterations. Clinical Cancer Research, 2019, 25, 1280-1290. | 3.2 | 39 |
| 58 | Assessment of <i>BRAF</i> V600E Status in Colorectal Carcinoma: Tissue-Specific Discordances between Immunohistochemistry and Sequencing. Molecular Cancer Therapeutics, 2015, 14, 2887-2895. | 1.9 | 38 |
| 59 | Suprabasal acantholytic dermatologic toxicities associated checkpoint inhibitor therapy: A spectrum of immune reactions from paraneoplastic pemphigusâ€like to Groverâ€like lesions. Journal of Cutaneous Pathology, 2018, 45, 764-773. | 0.7 | 38 |
| 60 | Clinicopathological features and clinical outcomes associated with <i>TP53</i> and <i>BRAF</i> ^{<i>N</i> (i> (sup> ^{<i>V</i> (i> (sup> ^{<i>I) (sup> ^{<i>I) (sup> ^{<i>I) (sup> ^{<i>I) (sup> ^{<i>I) (sup> <i <br=""></i> (sup> <i>I) (sup> <isup> <is< td=""><td>2.0</td><td>36</td></is<></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></isup></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i>}</i>}</i>}</i>}</i>}</i>}</i>}</i></sup></i></sup></i></sup></i></sup></i></sup></i></sup></i></sup></i></sup></br></i></sup></br></i></sup></i></sup></i></sup></sup></sup> | 2.0 | 36 |
| 61 | Targeting USP7 Identifies a Metastasis-Competent State within Bone Marrow–Resident Melanoma CTCs. Cancer Research, 2018, 78, 5349-5362. | 0.4 | 36 |
| 62 | Distinct Pathways in the Pathogenesis of Sebaceous Carcinomas Implicated by Differentially Expressed MicroRNAs. JAMA Ophthalmology, 2015, 133, 1109. | 1.4 | 33 |
| 63 | Predictors of survival in metastatic melanoma patients with leptomeningeal disease (LMD). Journal of Neuro-Oncology, 2019, 142, 499-509. | 1.4 | 33 |
| 64 | Tilsotolimod with Ipilimumab Drives Tumor Responses in Anti–PD-1 Refractory Melanoma. Cancer Discovery, 2021, 11, 1996-2013. | 7.7 | 32 |
| 65 | Ambiguous Melanocytic Tumors in a Tertiary Referral Center. American Journal of Surgical Pathology, 2013, 37, 1783-1796. | 2.1 | 31 |
| 66 | Immune profiling of uveal melanoma identifies a potential signature associated with response to immunotherapy., 2020, 8, e000960. | | 31 |
| 67 | Update on Merkel Cell Carcinoma. Head and Neck Pathology, 2018, 12, 31-43. | 1.3 | 30 |
| 68 | PD-L1/PD1 Expression, Composition of Tumor-Associated Immune Infiltrate, and HPV Status in Conjunctival Squamous Cell Carcinoma., 2019, 60, 2388. | | 30 |
| 69 | Danger is only skin deep: aggressive epidermal carcinomas. An overview of the diagnosis, demographics, molecular-genetics, staging, prognostic biomarkers, and therapeutic advances in Merkel cell carcinoma. Modern Pathology, 2020, 33, 42-55. | 2.9 | 30 |
| 70 | Toward a Molecular-Genetic Classification of Spitzoid Neoplasms. Clinics in Laboratory Medicine, 2017, 37, 431-448. | 0.7 | 29 |
| 71 | Brentuximab Vedotin for Patients With Refractory Lymphomatoid Papulosis. JAMA Dermatology, 2017, 153, 1302. | 2.0 | 28 |
| 72 | Chronic myelomonocytic leukemia masquerading as cutaneous indeterminate dendritic cell tumor: Expanding the spectrum of skin lesions in chronic myelomonocytic leukemia. Journal of Cutaneous Pathology, 2017, 44, 1075-1079. | 0.7 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Gene expression profiling of lichenoid dermatitis immuneâ€related adverse event from immune checkpoint inhibitors reveals increased CD14 ⁺ and CD16 ⁺ monocytes driving an innate immune response. Journal of Cutaneous Pathology, 2019, 46, 627-636. | 0.7 | 27 |
| 74 | Validation Study of the <i>AJCC Cancer Staging Manual </i> , Eighth Edition, Staging System for Eyelid and Periocular Squamous Cell Carcinoma. JAMA Ophthalmology, 2019, 137, 537. | 1.4 | 27 |
| 75 | Dermatologic toxicity from immune checkpoint blockade therapy with an interstitial granulomatous pattern. Journal of Cutaneous Pathology, 2018, 45, 504-507. | 0.7 | 25 |
| 76 | Gene expression profiling and immune cell-type deconvolution highlight robust disease progression and survival markers in multiple cohorts of CTCL patients. Oncolmmunology, 2018, 7, e1467856. | 2.1 | 24 |
| 77 | B7-H3 Expression in Merkel Cell Carcinoma–Associated Endothelial Cells Correlates with Locally Aggressive Primary Tumor Features and Increased Vascular Density. Clinical Cancer Research, 2019, 25, 3455-3467. | 3.2 | 24 |
| 78 | Aberrant DNA Methylation Predicts Melanoma-Specific Survival in Patients with Acral Melanoma. Cancers, 2019, 11, 2031. | 1.7 | 23 |
| 79 | Cumulative Incidence and Predictors of CNS Metastasis for Patients With American Joint Committee on Cancer 8th Edition Stage III Melanoma. Journal of Clinical Oncology, 2020, 38, 1429-1441. | 0.8 | 23 |
| 80 | Expression of PD-1 and PD-L1 in Extramammary Paget Disease: Implications for Immune-Targeted Therapy. Cancers, 2019, 11, 754. | 1.7 | 21 |
| 81 | DNA Sequencing of Small Bowel Adenocarcinomas Identifies Targetable Recurrent Mutations in the ERBB2 Signaling Pathway. Clinical Cancer Research, 2019, 25, 641-651. | 3.2 | 21 |
| 82 | Resolution of tissue signatures of therapy response in patients with recurrent GBM treated with neoadjuvant anti-PD1. Nature Communications, 2021, 12, 4031. | 5.8 | 21 |
| 83 | High expression of PD-1 and PD-L1 in ocular adnexal sebaceous carcinoma. Oncolmmunology, 2018, 7, e1475874. | 2.1 | 20 |
| 84 | Molecular characteristics and potential therapeutic targets in Merkel cell carcinoma. Journal of Clinical Pathology, 2016, 69, 382-390. | 1.0 | 19 |
| 85 | Biological Validation of RNA Sequencing Data From Formalin-Fixed Paraffin-Embedded Primary Melanomas. JCO Precision Oncology, 2018, 2018, 1-19. | 1.5 | 19 |
| 86 | Prognostic model for patient survival in primary anorectal mucosal melanoma: stage at presentation determines relevance of histopathologic features. Modern Pathology, 2020, 33, 496-513. | 2.9 | 19 |
| 87 | BRAF inhibitor therapy–associated melanocytic lesions lack the BRAF V600E mutation and show increased levels of cyclin D1 expression. Human Pathology, 2016, 50, 79-89. | 1.1 | 18 |
| 88 | Calcinosis cutis dermatologic toxicity associated with fibroblast growth factor receptor inhibitor for the treatment of Wilms tumor. Journal of Cutaneous Pathology, 2018, 45, 786-790. | 0.7 | 18 |
| 89 | Histological Features Associated With Vemurafenib-Induced Skin Toxicities. American Journal of Dermatopathology, 2014, 36, 557-561. | 0.3 | 17 |
| 90 | Histopathologic and mutational analysis of a case of blue nevusâ€like melanoma. Journal of Cutaneous Pathology, 2016, 43, 776-780. | 0.7 | 17 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Correlation of Tumor Burden in Sentinel Lymph Nodes with Tumor Burden in Nonsentinel Lymph Nodes and Survival in Cutaneous Melanoma. Clinical Cancer Research, 2019, 25, 7585-7593. | 3.2 | 17 |
| 92 | Postâ€radiation vascular lesions of the breast. Journal of Cutaneous Pathology, 2019, 46, 52-58. | 0.7 | 17 |
| 93 | Detection of mitotic figures and <scp>G2</scp> + tumor nuclei with histone markers correlates with worse overall survival in patients with Merkel cell carcinoma. Journal of Cutaneous Pathology, 2014, 41, 846-852. | 0.7 | 16 |
| 94 | Reed syndrome presenting with leiomyosarcoma. JAAD Case Reports, 2015, 1, 150-152. | 0.4 | 16 |
| 95 | Epithelial, non-melanocytic and melanocytic proliferations of the ocular surface. Seminars in Diagnostic Pathology, 2016, 33, 122-132. | 1.0 | 16 |
| 96 | TruSeq-Based Gene Expression Analysis of Formalin-Fixed Paraffin-Embedded (FFPE) Cutaneous T-Cell Lymphoma Samples: Subgroup Analysis Results and Elucidation of Biases from FFPE Sample Processing on the TruSeq Platform. Frontiers in Medicine, 2017, 4, 153. | 1.2 | 16 |
| 97 | Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. American Journal of Surgical Pathology, 2021, 45, 1597-1605. | 2.1 | 16 |
| 98 | Impact of the 2009 (7th Edition) AJCC Melanoma Staging System in the Classification of Thin Cutaneous Melanomas. BioMed Research International, 2013, 2013, 1-7. | 0.9 | 15 |
| 99 | The evolving landscape of HPV-related neoplasia in the head and neck. Human Pathology, 2019, 94, 29-39. | 1.1 | 15 |
| 100 | Spatially resolved analyses link genomic and immune diversity and reveal unfavorable neutrophil activation in melanoma. Nature Communications, 2020, 11 , 1839 . | 5.8 | 15 |
| 101 | Identification of biomarkers of immune checkpoint blockade efficacy in recurrent or refractory solid tumor malignancies. Oncotarget, 2020, 11, 600-618. | 0.8 | 15 |
| 102 | T-Cell Receptor-Î ³ in Gamma-Delta Phenotype Cutaneous T-Cell Lymphoma Can Be Accompanied by Atypical Expression of CD30, CD4, or TCRÎ ² F1 and an Indolent Clinical Course. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, e195-e200. | 0.2 | 14 |
| 103 | Melanoma With Loss of BAP1 Expression in Patients With No Family History of BAP1-Associated Cancer Susceptibility Syndrome: A Case Series. American Journal of Dermatopathology, 2019, 41, 167-179. | 0.3 | 14 |
| 104 | T-Cell Repertoire in Combination with T-Cell Density Predicts Clinical Outcomes in Patients with Merkel Cell Carcinoma. Journal of Investigative Dermatology, 2020, 140, 2146-2156.e4. | 0.3 | 14 |
| 105 | Dermatologic toxicity from novel therapy using antimicrobial peptide LLâ€37 in melanoma: A detailed examination of the clinicopathologic features. Journal of Cutaneous Pathology, 2018, 45, 539-544. | 0.7 | 13 |
| 106 | Differential expression of CCR4 in primary cutaneous gamma/delta ($\hat{l}^3\hat{a}_{,}\hat{l}$) T cell lymphomas and mycosis fungoides: Significance for diagnosis and therapy. Journal of Dermatological Science, 2018, 89, 88-91. | 1.0 | 13 |
| 107 | High sensitivity sanger sequencing detection of BRAF mutations in metastatic melanoma FFPE tissue specimens. Scientific Reports, 2021, 11, 9043. | 1.6 | 13 |
| 108 | Primary cutaneous CD30 ⁺ lymphoproliferative disorders. JDDG - Journal of the German Society of Dermatology, 2016, 14, 767-782. | 0.4 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Whole-exome sequencing for ocular adnexal sebaceous carcinoma suggests PCDH15 as a novel mutation associated with metastasis. Modern Pathology, 2020, 33, 1256-1263. | 2.9 | 12 |
| 110 | Clinical, molecular, metabolic, and immune features associated with oxidative phosphorylation in melanoma brain metastases. Neuro-Oncology Advances, 2021, 3, vdaa177. | 0.4 | 12 |
| 111 | Use of clinical nextâ€generation sequencing to identify melanomas harboring <i><scp>SMARCB1</scp></i> mutations. Journal of Cutaneous Pathology, 2015, 42, 308-317. | 0.7 | 11 |
| 112 | HTLV-1-associated infective dermatitis demonstrates low frequency of FOXP3-positive T-regulatory lymphocytes. Journal of Dermatological Science, 2015, 77, 150-155. | 1.0 | 11 |
| 113 | Proliferation indices correlate with diagnosis and metastasis in diagnostically challenging melanocytic tumors. Human Pathology, 2016, 53, 73-81. | 1.1 | 11 |
| 114 | Merkel cell carcinoma with fingolimod treatment for multiple sclerosis: A case report. Multiple Sclerosis and Related Disorders, 2017, 17, 12-14. | 0.9 | 11 |
| 115 | Clinical validity of a gene expression signature in diagnostically uncertain neoplasms. Personalized Medicine, 2020, 17, 361-371. | 0.8 | 11 |
| 116 | Molecular and immunological associations of elevated serum lactate dehydrogenase in metastatic melanoma patients: A fresh look at an old biomarker. Cancer Medicine, 2020, 9, 8650-8661. | 1.3 | 11 |
| 117 | Immune Checkpoint Inhibitor Therapy as an Eye-Preserving Treatment for Locally Advanced Conjunctival Melanoma. Ophthalmic Plastic and Reconstructive Surgery, 2021, 37, e9-e13. | 0.4 | 11 |
| 118 | Regressed melanocytic nevi secondary to pembrolizumab therapy: an emerging melanocytic dermatologic effect from immune checkpoint antibody blockade. International Journal of Dermatology, 2019, 58, 1045-1052. | 0.5 | 11 |
| 119 | Immunohistochemical markers informing the diagnosis of sebaceous carcinoma and its distinction from its mimics: Adipophilin and factor XIIIa to the rescue?. Journal of Cutaneous Pathology, 2018, 45, 29-32. | 0.7 | 10 |
| 120 | Unusual cutaneous metastatic carcinoma. Annals of Diagnostic Pathology, 2019, 43, 151399. | 0.6 | 10 |
| 121 | BAP-1 Expression Status by Immunohistochemistry in Cellular Blue Nevus and Blue Nevus–like Melanoma. American Journal of Dermatopathology, 2020, 42, 313-321. | 0.3 | 10 |
| 122 | iNOS Associates With Poor Survival in Melanoma: A Role for Nitric Oxide in the PI3K-AKT Pathway Stimulation and PTEN S-Nitrosylation. Frontiers in Oncology, 2021, 11, 631766. | 1.3 | 10 |
| 123 | The tumor immune contexture of salivary duct carcinoma. Head and Neck, 2021, 43, 1213-1219. | 0.9 | 10 |
| 124 | Multiplex Tissue Imaging Harmonization: A Multicenter Experience from CIMAC-CIDC Immuno-Oncology Biomarkers Network. Clinical Cancer Research, 2021, 27, 5072-5083. | 3.2 | 10 |
| 125 | Giemsa is the optimal counterstain for immunohistochemical detection of <scp>BRAF V600E</scp> mutation status in pigmented melanomas. Journal of Cutaneous Pathology, 2016, 43, 722-724. | 0.7 | 9 |
| 126 | Hypoxia-activated prodrug enhances therapeutic effect of sunitinib in melanoma. Oncotarget, 2017, 8, 115140-115152. | 0.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Predictors of Local Recurrence for Eyelid Sebaceous Carcinoma: Questionable Value of Routine Conjunctival Map Biopsies for Detection of Pagetoid Spread. Ophthalmic Plastic and Reconstructive Surgery, 2019, 35, 419-425. | 0.4 | 9 |
| 128 | Measurement of Tumor Thickness in Cutaneous Squamous Cell Carcinomas: Do the Different Methods Provide Better Prognostic Data?. American Journal of Dermatopathology, 2020, 42, 337-342. | 0.3 | 9 |
| 129 | Cutaneous metastasis from anaplastic thyroid carcinoma exhibiting exclusively a spindle cell morphology. A case report and review of literature. Journal of Cutaneous Pathology, 2016, 43, 252-257. | 0.7 | 8 |
| 130 | Clinical significance of BRAF V600E mutational status in capsular nevi of sentinel lymph nodes in patients with primary cutaneous melanoma. Human Pathology, 2017, 59, 48-54. | 1.1 | 8 |
| 131 | Intratumoral and peritumoral lymphovascular invasion detected by D2-40 immunohistochemistry correlates with metastasis in primary cutaneous Merkel cell carcinoma. Human Pathology, 2018, 77, 98-107. | 1.1 | 8 |
| 132 | Hypertrophic lichenoid dermatitis immuneâ€related adverse event during combined immune checkpoint and exportin inhibitor therapy: A diagnostic pitfall for superficially invasive squamous cell carcinoma. Journal of Cutaneous Pathology, 2020, 47, 954-959. | 0.7 | 8 |
| 133 | Prognostic significance of acral lentiginous histologic type in T1 melanoma. Modern Pathology, 2021, 34, 572-583. | 2.9 | 8 |
| 134 | Cutaneous histoplasmosis with prominent parasitization of epidermal keratinocytes: report of a case. Journal of Cutaneous Pathology, 2016, 43, 1155-1160. | 0.7 | 7 |
| 135 | Short-term treatment with multi-drug regimens combining BRAF/MEK-targeted therapy and immunotherapy results in durable responses in <i>Braf</i> -mutated melanoma. Oncolmmunology, 2021, 10, 1992880. | 2.1 | 7 |
| 136 | Granulomatous changes associated with pigmented purpuric dermatosis. Cutis, 2014, 94, 197-202. | 0.4 | 7 |
| 137 | Middle cerebral artery territory infarct due to <scp><i>C</i></scp> <i>ryptococcus</i> infection <scp>stitle</scp> . Diagnostic Cytopathology, 2015, 43, 632-634. | 0.5 | 6 |
| 138 | Osteonecrosis of the jaw induced by treatment with anti-PD-1 immunotherapy: a case report. Immunotherapy, 2020, 12, 1213-1219. | 1.0 | 6 |
| 139 | TERT amplification but not activation of canonical Wnt/ \hat{l}^2 -catenin pathway is involved in acral lentiginous melanoma progression to metastasis. Modern Pathology, 2020, 33, 2067-2074. | 2.9 | 6 |
| 140 | Targeting cyclin-dependent kinase 9 by a novel inhibitor enhances radiosensitization and identifies Axl as a novel downstream target in esophageal adenocarcinoma. Oncotarget, 2019, 10, 4703-4718. | 0.8 | 6 |
| 141 | Primary orbital melanoma in association with cellular blue nevus. Digital Journal of Ophthalmology: DJO, 2014, 20, 35-40. | 0.2 | 6 |
| 142 | Aberrant expression of <scp>FLI</scp> â€1 in melanoma. Journal of Cutaneous Pathology, 2017, 44, 790-793. | 0.7 | 5 |
| 143 | Metastatic melanoma with balloon/histiocytoid cytomorphology after treatment with immunotherapy: A histologic mimic and diagnostic pitfall. Journal of Cutaneous Pathology, 2018, 45, 545-549. | 0.7 | 5 |
| 144 | Angiotropism in recurrent cutaneous squamous cell carcinoma: Implications for regional tumor recurrence and extravascular migratory spread. Journal of Cutaneous Pathology, 2018, 46, 152-158. | 0.7 | 5 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Spitzoid melanoma with histopathological features of <i> <scp>ALK</scp> </i> gene rearrangement exhibiting <i> <scp>ALK</scp> </i> copy number gain: a novel mechanism of <scp>ALK</scp> activation in spitzoid neoplasia. British Journal of Dermatology, 2019, 180, 404-408. | 1.4 | 5 |
| 146 | Immunohistochemical and Molecular Features of Melanomas Exhibiting Intratumor and Intertumor Histomorphologic Heterogeneity. Cancers, 2019, 11, 1714. | 1.7 | 5 |
| 147 | Association of T and N Categories of the American Joint Commission on Cancer, 8th Edition, With Metastasis and Survival in Patients With Orbital Sarcoma. JAMA Ophthalmology, 2020, 138, 374. | 1.4 | 5 |
| 148 | Is immunohistochemical expression of GATA3 helpful in the differential diagnosis of transformed mycosis fungoides and primary cutaneous CD30-positive T cell lymphoproliferative disorders?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 377-383. | 1.4 | 5 |
| 149 | Role of Radiotherapy in Aggressive Digital Papillary Adenocarcinoma. Annals of Clinical and Laboratory Science, 2016, 46, 222-4. | 0.2 | 5 |
| 150 | Lichenoid dermatitis from immune checkpoint inhibitor therapy: An immuneâ€related adverse event with mycosisâ€fungoidesâ€like morphologic and molecular features. Journal of Cutaneous Pathology, 2019, 46, 872-877. | 0.7 | 4 |
| 151 | Lichen planus related to transforming growth factor beta inhibitor in a patient with metastatic chondrosarcoma: a case report. Journal of Cutaneous Pathology, 2020, 47, 490-493. | 0.7 | 4 |
| 152 | Tertiary lymphoid structures with overlapping histopathologic features of cutaneous marginal zone lymphoma during neoadjuvant cemiplimab therapy are associated with antitumor response. Journal of Cutaneous Pathology, 2021, 48, 674-679. | 0.7 | 4 |
| 153 | Capecitabine-induced leukocytoclastic vasculitis under neoadjuvant chemotherapy for locally advanced colorectal cancer. Journal of Gastrointestinal Oncology, 2015, 6, E40-3. | 0.6 | 4 |
| 154 | Summary of expression of SPARC protein in cutaneous vascular neoplasms and mimickers. Annals of Diagnostic Pathology, 2018, 34, 151-154. | 0.6 | 3 |
| 155 | Melanoma coexisting with solar elastosis: a potential pitfall in the differential diagnosis between nevus and melanoma. Human Pathology, 2019, 84, 270-274. | 1.1 | 3 |
| 156 | Langerhans cell sarcoma involving skin and showing epidermotropism: A comprehensive review. Journal of Cutaneous Pathology, 2021, 48, 547-557. | 0.7 | 3 |
| 157 | Loss of dimethylated H3K27 (H3K27me2) expression is not a specific marker of malignant peripheral nerve sheath tumor (MPNST): An immunohistochemical study of 137 cases, with emphasis on MPNST and melanocytic tumors. Annals of Diagnostic Pathology, 2022, 59, 151967. | 0.6 | 3 |
| 158 | Resistant mechanisms to BRAF inhibitor PLX4032 in melanoma. Expert Review of Dermatology, 2011, 6, 355-357. | 0.3 | 2 |
| 159 | Pruritic arthropod bite-like papules in T-cell large granular lymphocytic leukaemia and chronic myelomonocytic leukaemia. Clinical and Experimental Dermatology, 2018, 43, 449-453. | 0.6 | 2 |
| 160 | Update on sebaceous neoplasia: the morphologic spectrum and molecular genetic drivers of carcinoma. Diagnostic Histopathology, 2019, 25, 102-109. | 0.2 | 2 |
| 161 | Prognostic Significance of "Nonsolid―Microscopic Metastasis in Merkel Cell Carcinoma Sentinel Lymph Nodes. American Journal of Surgical Pathology, 2019, 43, 907-919. | 2.1 | 2 |
| 162 | Cutaneous neoplasms composed of melanoma and carcinoma: A rare but important diagnostic pitfall and review of the literature. Journal of Cutaneous Pathology, 2020, 47, 36-46. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Perianal condylomata lata mimicking carcinoma. Journal of Cutaneous Pathology, 2022, 49, 209-214. | 0.7 | 2 |
| 164 | A 60-year-old woman with an asymptomatic left lacrimal gland mass found incidentally. Digital Journal of Ophthalmology: DJO, 2017, 23, 118-120. | 0.2 | 2 |
| 165 | Primary Cutaneous Peripheral T-Cell Lymphoma in a Sporotrichoid Pattern: A Case Report. Journal of Cutaneous Medicine and Surgery, 2017, 21, 568-571. | 0.6 | 1 |
| 166 | Without Missing a Beat: Absence of Cilia Informs the Diagnosis of Histopathologically Challenging Spitzoid Melanocytic Neoplasms. Journal of Investigative Dermatology, 2020, 140, 1320-1323. | 0.3 | 1 |
| 167 | BAP1â€inactivated melanocytic tumor with preserved BAP1 expression? Morphology to the rescue!. Journal of Cutaneous Pathology, 2020, 47, 459-461. | 0.7 | 1 |
| 168 | Cutaneous adnexal carcinosarcoma: Immunohistochemical and molecular evidence of epithelial mesenchymal transition. Journal of Cutaneous Pathology, 2021, 48, 526-534. | 0.7 | 1 |