

Kathryn E Greenwood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1389146/publications.pdf>

Version: 2024-02-01

92
papers

3,287
citations

185998

28
h-index

161609

54
g-index

103
all docs

103
docs citations

103
times ranked

4792
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical insight in first episode psychosis: the role of metacognition. <i>Journal of Mental Health</i> , 2023, 32, 78-86.	1.0	4
2	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. <i>Psychological Medicine</i> , 2023, 53, 1565-1575.	2.7	15
3	Associations between responses to voices, distress and appraisals during daily life: an ecological validation of the cognitive behavioural model. <i>Psychological Medicine</i> , 2022, 52, 538-547.	2.7	5
4	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	1.1	8
5	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2022, 220, 154-162.	1.7	5
6	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.	1.3	3
7	Translational framework for implementation evaluation and research: a normalisation process theory coding manual for qualitative research and instrument development. <i>Implementation Science</i> , 2022, 17, 19.	2.5	50
8	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	1.3	3
9	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	1.0	4
10	Multisite randomised controlled trial of trauma-focused cognitive behaviour therapy for psychosis to reduce post-traumatic stress symptoms in people with co-morbid post-traumatic stress disorder and psychosis, compared to treatment as usual: study protocol for the STAR (Study of Trauma And) Tj ETQq0 0 0 rgt /Overl8ck 10 Tf 5	0.7	8
11	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHoice of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. <i>Schizophrenia Bulletin</i> , 2021, 47, 653-661.	2.3	8
12	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272.	0.7	5
13	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	6.0	41
14	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.9	4
15	Statistical analysis plan for the Early Youth Engagement in first episode psychosis (EYE-2) study: a pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 732.	0.7	0
16	Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2021, 298, 95-103.	2.0	2
17	Social recovery therapy for young people with emerging severe mental illness: the Prodigy RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-98.	1.3	1
18	A meta-analytic review of the relationship between neurocognition, metacognition and functional outcome in schizophrenia. <i>Journal of Mental Health</i> , 2020, 29, 496-505.	1.0	41

#	ARTICLE	IF	CITATIONS
19	Cognitive and metacognitive factors predict engagement in employment in individuals with first episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2020, 19, 100141.	0.7	7
20	Influences on functional outcome and subjective recovery in individuals with and without First Episode Psychosis: A metacognitive model. <i>Psychiatry Research</i> , 2020, 284, 112643.	1.7	7
21	Perceptual biases and metacognition and their association with anomalous self experiences in first episode psychosis. <i>Consciousness and Cognition</i> , 2020, 77, 102847.	0.8	14
22	Brain Structural Correlates of Metacognition in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 552-561.	2.3	23
23	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	6
24	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	0.7	5
25	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-124.	0.4	3
26	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. <i>British Journal of Psychiatry</i> , 2019, 215, 712-719.	1.7	25
27	Tobacco smoking and nicotine dependence in first episode and established psychosis. <i>Asian Journal of Psychiatry</i> , 2019, 43, 125-131.	0.9	25
28	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). <i>Schizophrenia Research</i> , 2019, 208, 138-144.	1.1	6
29	Three-Year Follow-Up Study Exploring Metacognition and Function in Individuals With First Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 182.	1.3	9
30	Self-defining Memories Predict Engagement in Structured Activity in First Episode Psychosis, Independent of Neurocognition and Metacognition. <i>Schizophrenia Bulletin</i> , 2019, 45, 1081-1091.	2.3	10
31	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 63-73.	1.7	77
32	Impairment of perceptual metacognitive accuracy and reduced prefrontal grey matter volume in first-episode psychosis. <i>Cognitive Neuropsychiatry</i> , 2018, 23, 165-179.	0.7	19
33	Direct and indirect associations between dysfunctional attitudes, self-stigma, hopefulness and social inclusion in young people experiencing psychosis. <i>Schizophrenia Research</i> , 2018, 193, 197-203.	1.1	22
34	Beliefs in social inclusion: Invariance in associations among hope, dysfunctional attitudes, and social inclusion across adolescence and young adulthood. <i>Development and Psychopathology</i> , 2018, 30, 1403-1419.	1.4	5
35	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S87-S87.	2.3	0
36	T244. SELF-DEFINING MEMORIES PREDICT ENGAGEMENT IN STRUCTURED ACTIVITY IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S212-S212.	2.3	0

#	ARTICLE	IF	CITATIONS
37	Developing a dynamic model of anomalous experiences and function in young people with or without psychosis: a cross-sectional and longitudinal study protocol. <i>BMJ Open</i> , 2018, 8, e022546.	0.8	6
38	The U&I study: study protocol for a feasibility randomised controlled trial of a pre-cognitive behavioural therapy digital "informed choice"™ intervention to improve attitudes towards uptake and implementation of CBT for psychosis. <i>Trials</i> , 2018, 19, 644.	0.7	10
39	Understanding the Barriers to Accessing Symptom-Specific Cognitive Behavior Therapy (CBT) for Distressing Voices: Reflecting on and Extending the Lessons Learnt From the CBT for Psychosis Literature. <i>Frontiers in Psychology</i> , 2018, 9, 727.	1.1	17
40	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-160.	1.3	39
41	Metacognition as a Mediating Variable Between Neurocognition and Functional Outcome in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw128.	2.3	36
42	Psychological treatments for psychosis. <i>BJ Psych Advances</i> , 2017, 23, 24-26.	0.5	2
43	Deficits in Neurite Density Underlie White Matter Structure Abnormalities in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2017, 82, 716-725.	0.7	59
44	Sexual dysfunction and central obesity in patients with first episode psychosis. <i>European Psychiatry</i> , 2017, 42, 1-7.	0.1	8
45	Increasing engagement with an occupational digital stress management program through the use of an online facilitated discussion group: Results of a pilot randomised controlled trial. <i>Internet Interventions</i> , 2017, 10, 1-11.	1.4	40
46	A new generation computerised metacognitive cognitive remediation programme for schizophrenia (CIRCuiTS): a randomised controlled trial. <i>Psychological Medicine</i> , 2017, 47, 2720-2730.	2.7	80
47	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. <i>Schizophrenia Research</i> , 2017, 189, 117-125.	1.1	28
48	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2017, 81, 470-477.	0.7	176
49	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 315.	0.7	14
50	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	0.7	44
51	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPACT): cost-effectiveness of integrated psychosocial health promotion. <i>BMC Psychiatry</i> , 2017, 17, 407.	1.1	10
52	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPACT). <i>BMC Psychiatry</i> , 2017, 17, 413.	1.1	39
53	Self-reflection and set-shifting mediate awareness in cognitively preserved schizophrenia patients. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 185-196.	0.7	19
54	Early intervention for stigma towards mental illness? Promoting positive attitudes towards severe mental illness in primary school children. <i>Journal of Public Mental Health</i> , 2016, 15, 188-199.	0.8	16

#	ARTICLE	IF	CITATIONS
55	“We could end up in a lot of trouble” teachers’™ communications with young children about mental health. <i>Journal of Public Mental Health</i> , 2016, 15, 103-114.	0.8	4
56	STEPWISE “ STructured lifestyle Education for People With SchizophrEnia: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 475.	0.7	12
57	Increasing engagement with, and effectiveness of, an online CBT-based stress management intervention for employees through the use of an online facilitated bulletin board: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2016, 17, 598.	0.7	7
58	Clinical correlates of vitamin D deficiency in established psychosis. <i>BMC Psychiatry</i> , 2016, 16, 76.	1.1	44
59	Communications to children about mental illness and their role in stigma development: an integrative review. <i>Journal of Mental Health</i> , 2016, 25, 62-70.	1.0	15
60	The relevance of professionals’™ attachment style, expectations and job attitudes for therapeutic relationships with young people who experience psychosis. <i>European Psychiatry</i> , 2016, 34, 1-8.	0.1	5
61	Virtual shopping: A viable alternative to direct assessment of real life function?. <i>Schizophrenia Research</i> , 2016, 172, 206-210.	1.1	34
62	Pain is independently associated with reduced health related quality of life in people with psychosis. <i>Psychiatry Research</i> , 2015, 230, 585-591.	1.7	15
63	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. <i>Frontiers in Psychology</i> , 2015, 6, 1658.	1.1	26
64	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. <i>Schizophrenia Research</i> , 2015, 168, 461-464.	1.1	48
65	Reasons for cannabis use in first-episode psychosis: Does strength of endorsement change over 12 months?. <i>European Psychiatry</i> , 2015, 30, 152-159.	0.1	21
66	Cardiovascular risk factors and metabolic syndrome in people with established psychotic illnesses: baseline data from the IMPaCT randomized controlled trial. <i>Psychological Medicine</i> , 2015, 45, 2619-2629.	2.7	110
67	Hope-inspiring therapeutic relationships, professional expectations and social inclusion for young people with psychosis. <i>Schizophrenia Research</i> , 2015, 168, 153-160.	1.1	21
68	The role of memory in awareness of memory deficits in Alzheimer’s™s disease, schizophrenia, and brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 43-57.	0.8	11
69	Provision of health promotion programmes to people with serious mental illness: a mapping exercise of four <sc>S</sc>outh <sc>L</sc>ondon boroughs. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 121-127.	1.2	16
70	Cognitive Biases Questionnaire for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 300-313.	2.3	66
71	Parents’ communication to primary school-aged children about mental health and ill-health: a grounded theory study. <i>Journal of Public Mental Health</i> , 2014, 13, 13-19.	0.8	5
72	Hearing the voices of service user researchers in collaborative qualitative data analysis: the case for multiple coding. <i>Health Expectations</i> , 2013, 16, e89-99.	1.1	121

#	ARTICLE	IF	CITATIONS
73	Improving physical health and reducing substance use in psychosis â€” randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 263.	1.1	28
74	The role of premorbid personality and cognitive factors in awareness of illness, memory, and behavioural functioning in Alzheimer's disease. Cognitive Neuropsychiatry, 2012, 17, 227-245.	0.7	13
75	Holding blame at bay? â€”Gene talkâ€” in family membersâ€” accounts of schizophrenia aetiology. BioSocieties, 2012, 7, 273-293.	0.8	15
76	Appraisals, psychotic symptoms and affect in daily life. Psychological Medicine, 2012, 42, 1013-1023.	2.7	41
77	Domains of Awareness in Schizophrenia. Schizophrenia Bulletin, 2011, 37, 61-72.	2.3	77
78	No association between the Catechol-O-Methyltransferase (COMT) val158met polymorphism and cognitive improvement following cognitive remediation therapy (CRT) in schizophrenia. Neuroscience Letters, 2011, 496, 65-69.	1.0	40
79	Tower of London<i>versus</i>Real Life Analogue Planning in Schizophrenia with Disorganization and Psychomotor Poverty Symptoms. Journal of the International Neuropsychological Society, 2011, 17, 474-484.	1.2	9
80	Choice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service Userâ€”Led Outcome Measure of CBT for Psychosis. Schizophrenia Bulletin, 2010, 36, 126-135.	2.3	107
81	Lack of Insight and Awareness in Schizophrenia and Neuropsychiatric Disorders. , 2010, , 33-50.		8
82	Executive functioning in schizophrenia and the relationship with symptom profile and chronicity. Journal of the International Neuropsychological Society, 2008, 14, 782-792.	1.2	19
83	Insight in psychosis: influence of cognitive ability and self-esteem. British Journal of Psychiatry, 2007, 191, 234-237.	1.7	56
84	Negative Symptoms and Specific Cognitive Impairments as Combined Targets for Improved Functional Outcome Within Cognitive Remediation Therapy. Schizophrenia Bulletin, 2005, 31, 910-921.	2.3	95
85	Frontal lobe N-acetylaspartate correlates with psychopathology in schizophrenia: a proton magnetic resonance spectroscopy study. Schizophrenia Research, 2003, 64, 63-71.	1.1	69
86	The functional outcome of executive impairments in the psychomotor poverty syndrome: Verbal working memory may mediate the relationship between memory and real-life skills. Schizophrenia Research, 2003, 60, 137.	1.1	0
87	Brain anatomy and sensorimotor gating in Asperger's syndrome. Brain, 2002, 125, 1594-1606.	3.7	394
88	Structural Abnormalities in Frontal, Temporal, and Limbic Regions and Interconnecting White Matter Tracts in Schizophrenic Patients With Prominent Negative Symptoms. American Journal of Psychiatry, 2001, 158, 234-243.	4.0	451
89	Structural correlates of spatial working memory deficits in schizophrenia. Schizophrenia Research, 2000, 41, 277-278.	1.1	0
90	A modified fuzzy clustering algorithm for operator independent brain tissue classification of dual echo MR images. Magnetic Resonance Imaging, 1999, 17, 1065-1076.	1.0	148

#	ARTICLE	IF	CITATIONS
91	Frontal lobe in vivo proton magnetic resonance spectroscopy in schizophrenic patients with negative symptoms. <i>Schizophrenia Research</i> , 1997, 24, 182.	1.1	1
92	Methodological considerations in nicotine research: the use of "denicotinised" cigarettes as the control condition in smoking studies. <i>Psychopharmacology</i> , 1996, 125, 176-178.	1.5	5