

Pedro Carrasco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1389486/publications.pdf>

Version: 2024-02-01

49
papers

3,030
citations

279798

23
h-index

214800

47
g-index

53
all docs

53
docs citations

53
times ranked

3485
citing authors

#	ARTICLE	IF	CITATIONS
1	Chloroplast morphology and pyrenoid ultrastructural analyses reappraise the diversity of the lichen phycobiont genus <i>Trebouxia</i> (Chlorophyta). <i>Algal Research</i> , 2022, 61, 102561.	4.6	16
2	Plant virus evolution under strong drought conditions results in a transition from parasitism to mutualism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	58
3	A genetic approach reveals different modes of action of prefoldins. <i>Plant Physiology</i> , 2021, 187, 1534-1550.	4.8	10
4	Metabolic Profiling and Metabolite Correlation Network Analysis Reveal That <i>Fusarium solani</i> Induces Differential Metabolic Responses in <i>Lotus japonicus</i> and <i>Lotus tenuis</i> against Severe Phosphate Starvation. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 765.	3.5	7
5	Prefoldins contribute to maintaining the levels of the spliceosome LSM2â€“8 complex through Hsp90 in <i>Arabidopsis</i> . <i>Nucleic Acids Research</i> , 2020, 48, 6280-6293.	14.5	20
6	Multidisciplinary approach to describe <i>Trebouxia</i> diversity within lichenized fungi <i>Buellia zoharyi</i> from the Canary Islands. <i>Symbiosis</i> , 2020, 82, 19-34.	2.3	11
7	Spermine Confers Stress Resilience by Modulating Abscisic Acid Biosynthesis and Stress Responses in <i>Arabidopsis</i> Plants. <i>Frontiers in Plant Science</i> , 2019, 10, 972.	3.6	20
8	Interspecific hybridization improves the performance of <i>Lotus</i> spp. under saline stress. <i>Plant Science</i> , 2019, 283, 202-210.	3.6	7
9	A Bacterial Endophyte from Apoplast Fluids Protects Canola Plants from Different Phytopathogens via Antibiosis and Induction of Host Resistance. <i>Phytopathology</i> , 2019, 109, 375-383.	2.2	36
10	The increase of photosynthetic carbon assimilation as a mechanism of adaptation to low temperature in <i>Lotus japonicus</i> . <i>Scientific Reports</i> , 2019, 9, 863.	3.3	23
11	Transcriptome Analysis of PA Gain and Loss of Function Mutants. <i>Methods in Molecular Biology</i> , 2018, 1694, 347-371.	0.9	0
12	Characterization of the responses to saline stress in the symbiotic green microalga <i>Trebouxia</i> sp. TR9. <i>Planta</i> , 2018, 248, 1473-1486.	3.2	18
13	<i>Polyamine oxidase 5</i> loss-of-function mutations in <i>Arabidopsis thaliana</i> trigger metabolic and transcriptional reprogramming and promote salt stress tolerance. <i>Plant, Cell and Environment</i> , 2017, 40, 527-542.	5.7	66
14	Characterization of the primary metabolome during the long-term response to NaHCO ₃ -derived alkalinity in <i>Lotus japonicus</i> ecotypes Gifu B-129 and Miyakojima MG-20. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1.	2.1	5
15	LOTUS spp: BIOTECHNOLOGICAL STRATEGIES TO IMPROVE THE BIOECONOMY OF LOWLANDS IN THE SALADO RIVER BASIN (ARGENTINA). <i>Agrofor</i> , 2016, 1, .	0.1	4
16	Polyamine Biosynthesis Engineering as a Tool to Improve Plant Resistance to Abiotic Stress. , 2015, , 103-116.		9
17	Genetic Engineering Strategies for Abiotic Stress Tolerance in Plants. , 2015, , 579-609.		42
18	Response to Long-Term NaHCO ₃ -Derived Alkalinity in Model <i>Lotus japonicus</i> Ecotypes Gifu B-129 and Miyakojima MG-20: Transcriptomic Profiling and Physiological Characterization. <i>PLoS ONE</i> , 2014, 9, e97106.	2.5	23

#	ARTICLE	IF	CITATIONS
19	Overexpression of SAMDC1 gene in <i>Arabidopsis thaliana</i> increases expression of defense-related genes as well as resistance to <i>Pseudomonas syringae</i> and <i>Hyaloperonospora arabidopsidis</i> . <i>Frontiers in Plant Science</i> , 2014, 5, 115.	3.6	32
20	<i>Lotus tenuis</i> x <i>L. corniculatus</i> interspecific hybridization as a means to breed bloat-safe pastures and gain insight into the genetic control of proanthocyanidin biosynthesis in legumes. <i>BMC Plant Biology</i> , 2014, 14, 40.	3.6	27
21	Defense Responses in Two Ecotypes of <i>Lotus japonicus</i> against Non-Pathogenic <i>Pseudomonas syringae</i> . <i>PLoS ONE</i> , 2013, 8, e83199.	2.5	32
22	New insights into the role of spermine in <i>Arabidopsis thaliana</i> under long-term salt stress. <i>Plant Science</i> , 2012, 182, 94-100.	3.6	80
23	Ecological and agronomic importance of the plant genus <i>Lotus</i> . Its application in grassland sustainability and the amelioration of constrained and contaminated soils. <i>Plant Science</i> , 2012, 182, 121-133.	3.6	108
24	Aminopropyltransferases Involved in Polyamine Biosynthesis Localize Preferentially in the Nucleus of Plant Cells. <i>PLoS ONE</i> , 2012, 7, e46907.	2.5	106
25	The proanthocyanidin content as a tool to differentiate between <i>Lotus tenuis</i> and <i>L. corniculatus</i> individuals. <i>Phytochemistry Letters</i> , 2012, 5, 37-40.	1.2	7
26	Interactions between Polyamines and Abiotic Stress Pathway Responses Unraveled by Transcriptome Analysis of Polyamine Overproducers. <i>OMICS A Journal of Integrative Biology</i> , 2011, 15, 775-781.	2.0	93
27	Integration of polyamines in the cold acclimation response. <i>Plant Science</i> , 2011, 180, 31-38.	3.6	140
28	Homeostatic control of polyamine levels under long-term salt stress in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 237-242.	2.4	7
29	Perturbation of spermine synthase Gene Expression and Transcript Profiling Provide New Insights on the Role of the Tetraamine Spermine in <i>Arabidopsis</i> Defense against <i>Pseudomonas viridiflava</i> . <i>Plant Physiology</i> , 2011, 156, 2266-2277.	4.8	93
30	Putrescine accumulation in <i>Arabidopsis thaliana</i> transgenic lines enhances tolerance to dehydration and freezing stress. <i>Plant Signaling and Behavior</i> , 2011, 6, 278-286.	2.4	78
31	Polyamines: molecules with regulatory functions in plant abiotic stress tolerance. <i>Planta</i> , 2010, 231, 1237-1249.	3.2	931
32	Evaluation of a technical revegetation action performed on foredunes at Devesa de la Albufera, Valencia, Spain. <i>Land Degradation and Development</i> , 2010, 21, 239-247.	3.9	8
33	Analysis of molecular markers in three different tomato cultivars exposed to ozone stress. <i>Plant Cell Reports</i> , 2007, 27, 197-207.	5.6	4
34	Involvement of polyamines in plant response to abiotic stress. <i>Biotechnology Letters</i> , 2006, 28, 1867-1876.	2.2	503
35	Molecular Characterization and Evolution of the Protein Phosphatase 2A Regulatory Subunit Family in Plants. <i>Plant Physiology</i> , 2002, 129, 808-822.	4.8	33
36	Expression of the pea S-adenosylmethionine decarboxylase gene is involved in developmental and environmental responses. <i>Planta</i> , 2002, 214, 641-647.	3.2	30

#	ARTICLE	IF	CITATIONS
37	Differential Expression of the S-Adenosyl-L-Methionine Synthase Genes during Pea Development. <i>Plant Physiology</i> , 1998, 117, 397-405.	4.8	47
38	Hormonal regulation of S-adenosylmethionine synthase transcripts in pea ovaries. <i>Plant Molecular Biology</i> , 1996, 30, 821-832.	3.9	36
39	Developmental and organ-specific changes in DNA-protein interactions in the tomato rbcS3B and rbcS3C promoter regions. <i>Plant Molecular Biology</i> , 1993, 21, 1-15.	3.9	29
40	Developmental and organ-specific changes in DNA-protein interactions in the tomato rbcS1, rbcS2 and rbcS3A promoter regions. <i>Plant Molecular Biology</i> , 1993, 21, 69-88.	3.9	25
41	Biosynthesis and degradation of Rubisco during ovary senescence and fruit development induced by gibberellic acid in <i>Pisum sativum</i> . <i>Physiologia Plantarum</i> , 1992, 85, 476-482.	5.2	15
42	Biosynthesis and degradation of Rubisco during ovary senescence and fruit development induced by gibberellic acid in <i>Pisum sativum</i> . <i>Physiologia Plantarum</i> , 1992, 85, 476-482.	5.2	2
43	Developmental and organ-specific changes in promoter DNA-protein interactions in the tomato rbcS gene family. <i>Plant Cell</i> , 1991, 3, 1305-1316.	6.6	98
44	Changes in the Level of Peptidase Activities in Pea Ovaries during Senescence and Fruit Set Induced by Gibberellic Acid. <i>Plant Physiology</i> , 1990, 92, 1070-1074.	4.8	29
45	Biochemical and histochemical detection of endoproteolytic activities involved in ovary senescence or fruit development in <i>Pisum sativum</i> . <i>Physiologia Plantarum</i> , 1989, 76, 405-411.	5.2	18
46	Biochemical and histochemical detection of endoproteolytic activities involved in ovary senescence or fruit development in <i>Pisum sativum</i> . <i>Physiologia Plantarum</i> , 1989, 76, 405-411.	5.2	1
47	Involvement of a neutral proteolytic activity in the senescence of unpollinated ovaries of <i>Pisum sativum</i> . <i>Physiologia Plantarum</i> , 1988, 72, 610-616.	5.2	22
48	A visual-electrophoretic method for following the purification of ribulose-1,5-bisphosphate carboxylase oxygenase. <i>Biochemical Education</i> , 1988, 16, 234-236.	0.1	1
49	1,3-β-Glucan hydrolase from Citrus. <i>Phytochemistry</i> , 1983, 22, 2699-2701.	2.9	5