

Fumio Matsuzaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1390370/publications.pdf>

Version: 2024-02-01

55
papers

4,929
citations

147801

31
h-index

161849

54
g-index

60
all docs

60
docs citations

60
times ranked

5233
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuroepithelial progenitors undergo LGN-dependent planar divisions to maintain self-renewability during mammalian neurogenesis. <i>Nature Cell Biology</i> , 2008, 10, 93-101.	10.3	449
2	Oblique Radial Glial Divisions in the Developing Mouse Neocortex Induce Self-Renewing Progenitors outside the Germinal Zone That Resemble Primate Outer Subventricular Zone Progenitors. <i>Journal of Neuroscience</i> , 2011, 31, 3683-3695.	3.6	414
3	Cardiac lymphatics are heterogeneous in origin and respond to injury. <i>Nature</i> , 2015, 522, 62-67.	27.8	387
4	Asymmetric segregation of the homeodomain protein Prospero during <i>Drosophila</i> development. <i>Nature</i> , 1995, 377, 627-630.	27.8	327
5	Role of cortical tumour-suppressor proteins in asymmetric division of <i>Drosophila</i> neuroblast. <i>Nature</i> , 2000, 408, 593-596.	27.8	303
6	Miranda directs Prospero to a daughter cell during <i>Drosophila</i> asymmetric divisions. <i>Nature</i> , 1997, 390, 625-629.	27.8	296
7	<i>Drosophila</i> Pins-binding protein Mud regulates spindle-polarity coupling and centrosome organization. <i>Nature Cell Biology</i> , 2006, 8, 586-593.	10.3	228
8	Abundant Occurrence of Basal Radial Glia in the Subventricular Zone of Embryonic Neocortex of a Lissencephalic Primate, the Common Marmoset <i>Callithrix jacchus</i> . <i>Cerebral Cortex</i> , 2012, 22, 469-481.	2.9	201
9	Single-cell gene profiling defines differential progenitor subclasses in mammalian neurogenesis. <i>Development (Cambridge)</i> , 2008, 135, 3113-3124.	2.5	178
10	Amplification of progenitors in the mammalian telencephalon includes a new radial glial cell type. <i>Nature Communications</i> , 2013, 4, 2125.	12.8	178
11	Regulation of interkinetic nuclear migration by cell cycle-coupled active and passive mechanisms in the developing brain. <i>EMBO Journal</i> , 2011, 30, 1690-1704.	7.8	138
12	Heterotrimeric G Proteins Regulate Daughter Cell Size Asymmetry in <i>Drosophila</i> Neuroblast Divisions. <i>Current Biology</i> , 2003, 13, 947-954.	3.9	136
13	Prox1 postmitotically defines dentate gyrus cells by specifying granule cell identity over CA3 pyramidal cell fate in the hippocampus. <i>Development (Cambridge)</i> , 2012, 139, 3051-3062.	2.5	111
14	miranda localizes staufer and prospero asymmetrically in mitotic neuroblasts and epithelial cells in early <i>Drosophila</i> embryogenesis. <i>Development (Cambridge)</i> , 1998, 125, 4089-4098.	2.5	108
15	Prox1 Regulates the Subtype-Specific Development of Caudal Ganglionic Eminence-Derived GABAergic Cortical Interneurons. <i>Journal of Neuroscience</i> , 2015, 35, 12869-12889.	3.6	104
16	Differential functions of G protein and Bazooka/PCP signaling pathways in <i>Drosophila</i> neuroblast asymmetric division. <i>Journal of Cell Biology</i> , 2004, 164, 729-738.	5.2	101
17	Cell-cycle-independent transitions in temporal identity of mammalian neural progenitor cells. <i>Nature Communications</i> , 2016, 7, 11349.	12.8	78
18	Cortical progenitor biology: key features mediating proliferation versus differentiation. <i>Journal of Neurochemistry</i> , 2018, 146, 500-525.	3.9	77

#	ARTICLE	IF	CITATIONS
19	Altered Cortical Dynamics and Cognitive Function upon Haploinsufficiency of the Autism-Linked Excitatory Synaptic Suppressor MDGA2. <i>Neuron</i> , 2016, 91, 1052-1068.	8.1	70
20	Isl1-expressing non-venous cell lineage contributes to cardiac lymphatic vessel development. <i>Developmental Biology</i> , 2019, 452, 134-143.	2.0	68
21	Transcription factors Mash-1 and Prox-1 delineate early steps in differentiation of neural stem cells in the developing central nervous system. <i>Development (Cambridge)</i> , 1999, 126, 443-56.	2.5	64
22	Specific polar subpopulations of astral microtubules control spindle orientation and symmetric neural stem cell division. <i>ELife</i> , 2014, 3, .	6.0	61
23	Asymmetric division of <i>Drosophila</i> neural stem cells: a basis for neural diversity. <i>Current Opinion in Neurobiology</i> , 2000, 10, 38-44.	4.2	59
24	The Mammalian DM Domain Transcription Factor Dmrt2 Is Required for Early Embryonic Development of the Cerebral Cortex. <i>PLoS ONE</i> , 2012, 7, e46577.	2.5	59
25	Cell Division Modes and Cleavage Planes of Neural Progenitors during Mammalian Cortical Development. <i>Cold Spring Harbor Perspectives in Biology</i> , 2015, 7, a015719.	5.5	55
26	Protein phosphatase 2A negatively regulates aPKC signaling by modulating phosphorylation of Par-6 in <i>Drosophila</i> neuroblast asymmetric divisions. <i>Journal of Cell Science</i> , 2009, 122, 3242-3249.	2.0	48
27	Developing a <i>de novo</i> targeted knock-in method based on <i>in utero</i> electroporation into the mammalian brain. <i>Development (Cambridge)</i> , 2016, 143, 3216-3222.	2.5	48
28	Prdm16 is critical for progression of the multipolar phase during neural differentiation of the developing neocortex. <i>Development (Cambridge)</i> , 2017, 144, 385-399.	2.5	46
29	Division modes and physical asymmetry in cerebral cortex progenitors. <i>Current Opinion in Neurobiology</i> , 2017, 42, 75-83.	4.2	44
30	miranda localizes staufen and prospero asymmetrically in mitotic neuroblasts and epithelial cells in early <i>Drosophila</i> embryogenesis. <i>Development (Cambridge)</i> , 1998, 125, 4089-98.	2.5	40
31	Lunatic fringe potentiates Notch signaling in the developing brain. <i>Molecular and Cellular Neurosciences</i> , 2010, 45, 12-25.	2.2	38
32	Mechanical forces drive ordered patterning of hair cells in the mammalian inner ear. <i>Nature Communications</i> , 2020, 11, 5137.	12.8	38
33	The GPM2/LGN GoLoco motifs are essential for hearing. <i>Mammalian Genome</i> , 2016, 27, 29-46.	2.2	34
34	Endfoot regeneration restricts radial glial state and prevents translocation into the outer subventricular zone in early mammalian brain development. <i>Nature Cell Biology</i> , 2020, 22, 26-37.	10.3	33
35	In utero gene therapy rescues microcephaly caused by Pqbp1-hypofunction in neural stem progenitor cells. <i>Molecular Psychiatry</i> , 2015, 20, 459-471.	7.9	31
36	Ankrd6 is a mammalian functional homolog of <i>Drosophila</i> planar cell polarity gene <i>diego</i> and regulates coordinated cellular orientation in the mouse inner ear. <i>Developmental Biology</i> , 2014, 395, 62-72.	2.0	28

#	ARTICLE	IF	CITATIONS
37	Lzts1 controls both neuronal delamination and outer radial glial-like cell generation during mammalian cerebral development. <i>Nature Communications</i> , 2019, 10, 2780.	12.8	27
38	IgSF molecule MDGA1 is involved in radial migration and positioning of a subset of cortical upper layer neurons. <i>Developmental Dynamics</i> , 2011, 240, 96-107.	1.8	25
39	Prox1 Inhibits Proliferation and Is Required for Differentiation of the Oligodendrocyte Cell Lineage in the Mouse. <i>PLoS ONE</i> , 2015, 10, e0145334.	2.5	25
40	Reconstruction of Par-dependent polarity in apolar cells reveals a dynamic process of cortical polarization. <i>ELife</i> , 2019, 8, .	6.0	25
41	Loss of the canonical spindle orientation function in the Pins/ <i>AGS</i> homolog <i>3</i> . <i>EMBO Reports</i> , 2017, 18, 1509-1520.	4.5	20
42	Selective translation of epigenetic modifiers affects the temporal pattern and differentiation of neural stem cells. <i>Nature Communications</i> , 2022, 13, 470.	12.8	20
43	Dmrt factors determine the positional information of cerebral cortical progenitors via differential suppression of homeobox genes. <i>Development (Cambridge)</i> , 2019, 146, .	2.5	14
44	Notch1 and Notch2 collaboratively maintain radial glial cells in mouse neurogenesis. <i>Neuroscience Research</i> , 2021, 170, 122-132.	1.9	14
45	Visualization of Neuregulin 1 ectodomain shedding reveals its local processing in vitro and in vivo. <i>Scientific Reports</i> , 2016, 6, 28873.	3.3	12
46	Amyloidogenic processing of amyloid β protein precursor (APP) is enhanced in the brains of alcadein β -deficient mice. <i>Journal of Biological Chemistry</i> , 2020, 295, 9650-9662.	3.4	11
47	Induction of Excess Centrosomes in Neural Progenitor Cells during the Development of Radiation-Induced Microcephaly. <i>PLoS ONE</i> , 2016, 11, e0158236.	2.5	11
48	Dmrt genes participate in the development of Cajal-Retzius cells derived from the cortical hem in the telencephalon. <i>Developmental Dynamics</i> , 2020, 249, 698-710.	1.8	10
49	STAP cells are derived from ES cells. <i>Nature</i> , 2015, 525, E4-E5.	27.8	8
50	Comparative Analysis of Brain Stiffness Among Amniotes Using Glyoxal Fixation and Atomic Force Microscopy. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 574619.	3.7	8
51	Enhanced homologous recombination by the modulation of targeting vector ends. <i>Scientific Reports</i> , 2020, 10, 2518.	3.3	7
52	The Asymmetric Cell Division Regulators Par3, Scribble and Pins/Gpsm2 Are Not Essential for Erythroid Development or Enucleation. <i>PLoS ONE</i> , 2017, 12, e0170295.	2.5	4
53	Cell cycle-arrested cells know the right time. <i>Cell Cycle</i> , 2016, 15, 2683-2684.	2.6	3
54	Protocol for De Novo Gene Targeting Via In Utero Electroporation. <i>Methods in Molecular Biology</i> , 2021, 2312, 309-320.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Perturbation Of Gpsm2/Lgn Enhances Haematopoietic Stem Cell Function. Blood, 2013, 122, 1176-1176.	1.4	1