
Paul Seed

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1391461/publications.pdf Version: 2024-02-01



DALL SEED

#	Article	IF	CITATIONS
1	Vitamin C and vitamin E in pregnant women at risk for pre-eclampsia (VIP trial): randomised placebo-controlled trial. Lancet, The, 2006, 367, 1145-1154.	6.3	677
2	Effect of antioxidants on the occurrence of pre-eclampsia in women at increased risk: a randomised trial. Lancet, The, 1999, 354, 810-816.	6.3	635
3	Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. BMJ: British Medical Journal, 1997, 315, 1049-1053.	2.4	550
4	Effect of a behavioural intervention in obese pregnant women (the UPBEAT study): a multicentre, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2015, 3, 767-777.	5.5	535
5	Chronic hypertension and pregnancy outcomes: systematic review and meta-analysis. BMJ, The, 2014, 348, g2301-g2301.	3.0	488
6	Eccrine Porocarcinoma (Malignant Eccrine Poroma). American Journal of Surgical Pathology, 2001, 25, 710-720.	2.1	423
7	Diagnostic Accuracy of Placental Growth Factor in Women With Suspected Preeclampsia. Circulation, 2013, 128, 2121-2131.	1.6	382
8	Randomized double-blind study of cyclosporin in chronic â€~idiopathic' urticaria. British Journal of Dermatology, 2000, 143, 365-372.	1.4	381
9	Association of severe intrahepatic cholestasis of pregnancy with adverse pregnancy outcomes: A prospective populationâ€based caseâ€control study. Hepatology, 2014, 59, 1482-1491.	3.6	347
10	Gender-Linked Hypertension in Offspring of Lard-Fed Pregnant Rats. Hypertension, 2003, 41, 168-175.	1.3	340
11	Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). Diabetes Care, 2016, 39, 24-30.	4.3	330
12	Adverse Perinatal Outcomes and Risk Factors for Preeclampsia in Women With Chronic Hypertension. Hypertension, 2008, 51, 1002-1009.	1.3	311
13	Association of adverse perinatal outcomes of intrahepatic cholestasis of pregnancy with biochemical markers: results of aggregate and individual patient data meta-analyses. Lancet, The, 2019, 393, 899-909.	6.3	305
14	A longitudinal study of biochemical variables in women at risk of preeclampsia. American Journal of Obstetrics and Gynecology, 2002, 187, 127-136.	0.7	304
15	A prospective study of 200 women with dermatoses of pregnancy correlating clinical findings with hormonal and immunopathological profiles. British Journal of Dermatology, 1999, 141, 71-81.	1.4	276
16	The health of children conceived by ART: †the chicken or the egg?'. Human Reproduction Update, 2019, 25, 137-158.	5.2	272
17	Classification of anti-FcïµRl and anti-IgE autoantibodies in chronic idiopathic urticaria and correlation with disease severity. Journal of Allergy and Clinical Immunology, 2002, 110, 492-499.	1.5	254
18	Chronic idiopathic urticaria: Comparison of the clinical features of patients with and without anti-FcϵRI or anti-IgE autoantibodies. Journal of the American Academy of Dermatology, 1999, 40, 443-450.	0.6	248

#	Article	IF	CITATIONS
19	Anaesthesia for Caesarean section and neonatal acid-base status: a meta-analysis. Anaesthesia, 2005, 60, 636-653.	1.8	244
20	The severity of cutaneous and oral pemphigus is related to desmoglein 1 and 3 antibody levels. British Journal of Dermatology, 2001, 144, 775-780.	1.4	232
21	Quality of Life, Employment Status, and Anginal Symptoms After Coronary Angioplasty or Bypass Surgery. Circulation, 1996, 94, 135-142.	1.6	227
22	A prospective controlled study of the effect of intramural uterine fibroids on the outcome of assisted conception. Human Reproduction, 2001, 16, 2411-2417.	0.4	224
23	A Randomized Trial of Progesterone in Women with Recurrent Miscarriages. New England Journal of Medicine, 2015, 373, 2141-2148.	13.9	216
24	The extent and nature of disability in different urticarial conditions. British Journal of Dermatology, 1999, 140, 667-671.	1.4	213
25	Variants in the fetal genome near FLT1 are associated with risk of preeclampsia. Nature Genetics, 2017, 49, 1255-1260.	9.4	205
26	Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. Diabetic Medicine, 2000, 17, 755-761.	1.2	203
27	Monitoring blood glucose control in diabetes mellitus: a systematic review Health Technology Assessment, 2000, 4, .	1.3	196
28	An epigenetic clock for gestational age at birth based on blood methylation data. Genome Biology, 2016, 17, 206.	3.8	193
29	Placental growth factor testing to assess women with suspected pre-eclampsia: a multicentre, pragmatic, stepped-wedge cluster-randomised controlled trial. Lancet, The, 2019, 393, 1807-1818.	6.3	192
30	Vitamin C and E supplementation in women at risk of preeclampsia is associated with changes in indices of oxidative stress and placental function. American Journal of Obstetrics and Gynecology, 2002, 187, 777-784.	0.7	186
31	A randomized paired comparison of photodynamic therapy and topical 5-fluorouracil in the treatment of actinic keratoses. Journal of the American Academy of Dermatology, 1999, 41, 414-418.	0.6	184
32	Effect of pimobendan on exercise capacity in patients with heart failure: main results from the Pimobendan in Congestive Heart Failure (PICO) trial Heart, 1996, 76, 223-231.	1.2	178
33	The relationship between endometrial thickness and outcome of medicated frozen embryo replacement cycles. Fertility and Sterility, 2008, 89, 832-839.	0.5	178
34	Quality of life and disease severity are correlated in children with atopic dermatitis. British Journal of Dermatology, 2004, 150, 284-290.	1.4	174
35	A mismatch between population health literacy and the complexity of health information: an observational study. British Journal of General Practice, 2015, 65, e379-e386.	0.7	172
36	Sensitivity to Sunburn Is Associated with Susceptibility to Ultraviolet Radiation–Induced Suppression of Cutaneous Cell–Mediated Immunity. Journal of Experimental Medicine, 2000, 191, 561-566.	4.2	169

#	Article	IF	CITATIONS
37	Adverse maternal and perinatal outcomes in pregnant women with sickle cell disease: systematic review and meta-analysis. Blood, 2015, 125, 3316-3325.	0.6	167
38	Cognitive behaviour therapy in addition to antispasmodic treatment for irritable bowel syndrome in primary care: randomised controlled trial. BMJ: British Medical Journal, 2005, 331, 435.	2.4	161
39	Exome sequencing of Finnish isolates enhances rare-variant association power. Nature, 2019, 572, 323-328.	13.7	161
40	Strategy for Standardization of Preeclampsia Research Study Design. Hypertension, 2014, 63, 1293-1301.	1.3	155
41	Role of oxidative stress and antioxidant supplementation in pregnancy disorders. American Journal of Clinical Nutrition, 2011, 94, S1980-S1985.	2.2	153
42	The effect of paternal factors on perinatal and paediatric outcomes: a systematic review and meta-analysis. Human Reproduction Update, 2018, 24, 320-389.	5.2	153
43	Do Hospital Fall Prevention Programs Work? A Systematic Review. Journal of the American Geriatrics Society, 2000, 48, 1679-1689.	1.3	149
44	[18F]Fluorodeoxyglucose positron emission tomography and its prognostic value in lung cancer✩. European Journal of Cardio-thoracic Surgery, 2000, 18, 425-428.	0.6	144
45	Ursodeoxycholic acid versus placebo, and early term delivery versus expectant management, in women with intrahepatic cholestasis of pregnancy: semifactorial randomised clinical trial. BMJ, The, 2012, 344, e3799-e3799.	3.0	142
46	Detection of a Peripheral Blood T Cell Clone is an Independent Prognostic Marker in Mycosis Fungoides. Journal of Investigative Dermatology, 2000, 114, 117-121.	0.3	141
47	Hysteroscopy in recurrent in-vitro fertilisation failure (TROPHY): a multicentre, randomised controlled trial. Lancet, The, 2016, 387, 2614-2621.	6.3	141
48	A prospective study of micronutrient status in adolescent pregnancy. American Journal of Clinical Nutrition, 2009, 89, 1114-1124.	2.2	138
49	General obstetrics: A randomised controlled trial of metronidazole for the prevention of preterm birth in women positive for cervicovaginal fetal fibronectin: the PREMET Study. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 113, 65-74.	1.1	135
50	Primary Cutaneous Apocrine Carcinoma. American Journal of Surgical Pathology, 2008, 32, 682-690.	2.1	133
51	Symptoms and concerns amongst cancer outpatients: identifying the need for specialist palliative care. Palliative Medicine, 2003, 17, 588-595.	1.3	129
52	Diagnostic and predictive biomarkers for pre-eclampsia in patients with established hypertension and chronic kidney disease. Kidney International, 2016, 89, 874-885.	2.6	124
53	Hormone Replacement Therapy Versus the Combined Oral Contraceptive Pill in Premature Ovarian Failure: A Randomized Controlled Trial of the Effects on Bone Mineral Density. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3497-3505.	1.8	122
54	Genetic architecture of human plasma lipidome and its link to cardiovascular disease. Nature Communications, 2019, 10, 4329.	5.8	120

#	Article	IF	CITATIONS
55	Dehydration and venous thromboembolism after acute stroke. QJM - Monthly Journal of the Association of Physicians, 2004, 97, 293-296.	0.2	118
56	Shock index: an effective predictor of outcome in postpartum haemorrhage?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 268-275.	1.1	116
57	The frequency of fragrance allergy in a patch-test population over a 17-year period. British Journal of Dermatology, 2000, 142, 279-283.	1.4	113
58	Increased risk of preterm birth and low birthweight with very high number of oocytes following IVF: an analysis of 65 868 singleton live birth outcomes. Human Reproduction, 2015, 30, 1473-1480.	0.4	113
59	Developing a complex intervention for diet and activity behaviour change in obese pregnant women (the UPBEAT trial); assessment of behavioural change and process evaluation in a pilot randomised controlled trial. BMC Pregnancy and Childbirth, 2013, 13, 148.	0.9	112
60	Eating in labour. A randomised controlled trial assessing the risks and benefits. Anaesthesia, 1999, 54, 329-334.	1.8	110
61	Percutaneous Device Closure of Paravalvular Leak. Circulation, 2016, 134, 934-944.	1.6	109
62	Are quality of family life and disease severity related in childhood atopic dermatitis?. Journal of the European Academy of Dermatology and Venereology, 2002, 16, 455-462.	1.3	108
63	Reliance on erythema scores may mask severe atopic dermatitis in black children compared with their white counterparts. British Journal of Dermatology, 2002, 147, 920-925.	1.4	106
64	Maternal Depressive Symptoms During and After Pregnancy and Psychiatric Problems in Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 30-39.e7.	0.3	106
65	Complement Activation and Regulation in Preeclamptic Placenta. Frontiers in Immunology, 2014, 5, 312.	2.2	104
66	Development and validation of a measure of health literacy in the UK: the newest vital sign. BMC Public Health, 2013, 13, 116.	1.2	103
67	Diagnosis of pemphigus by ELISA: a critical evaluation of two ELISAs for the detection of antibodies to the major pemphigus antigens, desmoglein $\hat{e}f1$ and 3. Clinical and Experimental Dermatology, 2000, 25, 236-240.	0.6	102
68	Poor response to ovulation induction is a stronger predictor of early menopause than elevated basal FSH: a life table analysis. Human Reproduction, 2003, 18, 527-533.	0.4	102
69	Genetic predisposition to hypertension is associated with preeclampsia in European and Central Asian women. Nature Communications, 2020, 11, 5976.	5.8	102
70	Associations between Intimate Partner Violence and Termination of Pregnancy: A Systematic Review and Meta-Analysis. PLoS Medicine, 2014, 11, e1001581.	3.9	101
71	Thyroid autoimmunity in chronic urticaria. British Journal of Dermatology, 2005, 153, 331-335.	1.4	99
72	Evaluation of a quantitative fetal fibronectin test for spontaneous preterm birth in symptomatic women. American Journal of Obstetrics and Gynecology, 2013, 208, 122.e1-122.e6.	0.7	98

#	Article	IF	CITATIONS
73	Transcatheter coil occlusion of the arterial duct. Results of the European Registry. European Heart Journal, 2001, 22, 1817-1821.	1.0	97
74	Pituitary suppression in ultrasound-monitored frozen embryo replacement cycles. A randomised study. Human Reproduction, 2004, 19, 874-879.	0.4	96
75	A prospective study of pregnancy outcome and biomarkers of oxidative stress in nulliparous obese women. American Journal of Obstetrics and Gynecology, 2009, 200, 395.e1-395.e9.	0.7	95
76	Percutaneous Closure of Postinfarction Ventricular Septal Defect. Circulation, 2014, 129, 2395-2402.	1.6	94
77	Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. Nature Communications, 2019, 10, 2548.	5.8	94
78	Health service costs of coronary angioplasty and coronary artery bypass surgery: the Randomised Intervention Treatment of Angina (RITA) trial. Lancet, The, 1994, 344, 927-930.	6.3	91
79	The economic cost of chronic fatigue and chronic fatigue syndrome in UK primary care. Psychological Medicine, 2003, 33, 253-261.	2.7	91
80	Effect of low doses of long-chain nâ~'3 PUFAs on endothelial function and arterial stiffness: a randomized controlled trial. American Journal of Clinical Nutrition, 2011, 94, 973-980.	2.2	89
81	Complement activation in patients with isolated antiphospholipid antibodies or primary antiphospholipid syndrome. Thrombosis and Haemostasis, 2012, 107, 423-429.	1.8	89
82	Gene expression profiling of pre-eclamptic placentae by RNA sequencing. Scientific Reports, 2015, 5, 14107.	1.6	89
83	Infant adiposity following a randomised controlled trial of a behavioural intervention in obese pregnancy. International Journal of Obesity, 2017, 41, 1018-1026.	1.6	89
84	HYdroxychloroquine to Improve Pregnancy Outcome in Women with AnTIphospholipid Antibodies (HYPATIA) Protocol: A Multinational Randomized Controlled Trial of Hydroxychloroquine versus Placebo in Addition to Standard Treatment in Pregnant Women with Antiphospholipid Syndrome or Antibodies. Seminars in Thrombosis and Hemostasis, 2017, 43, 562-571.	1.5	89
85	Metabolic profiling of gestational diabetes in obese women during pregnancy. Diabetologia, 2017, 60, 1903-1912.	2.9	89
86	Ultraviolet-Radiation-Induced Erythema and Suppression of Contact Hypersensitivity Responses in Patients with Polymorphic Light Eruption. Journal of Investigative Dermatology, 2004, 122, 295-299.	0.3	87
87	Prognostic and mechanistic potential of progesterone sulfates in intrahepatic cholestasis of pregnancy and pruritus gravidarum. Hepatology, 2016, 63, 1287-1298.	3.6	85
88	An Evaluation of Isotonic "Sport Drinks―During Labor. Anesthesia and Analgesia, 2002, 94, 404-408.	1.1	84
89	Extracorporeal Photopheresis in Sézary Syndrome. Archives of Dermatology, 1998, 134, 1001-5.	1.7	82
90	The mental health of UK Gulf war veterans: phase 2 of a two phase cohort study. BMJ: British Medical Journal, 2002, 325, 576-576.	2.4	81

#	Article	IF	CITATIONS
91	Reporting errors, incidence and risk factors for postpartum haemorrhage and progression to severe <scp>PPH</scp> : a prospective observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 876-888.	1.1	81
92	Fetal arterial and venous Doppler pulsatility index and time averaged velocity ranges. Prenatal Diagnosis, 2007, 27, 1251-1257.	1.1	79
93	The effect of small intramural uterine fibroids on the cumulative outcome of assisted conception. Human Reproduction, 2006, 21, 2640-2644.	0.4	78
94	Prophylactic antibiotics for the prevention of preterm birth in women at risk: A metaâ€analysis. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 368-377.	0.4	78
95	Association between response to ovarian stimulation and miscarriage following IVF: an analysis of 124 351 IVF pregnancies. Human Reproduction, 2014, 29, 1218-1224.	0.4	78
96	Quantitative Fetal Fibronectin to Predict Preterm Birth in Asymptomatic Women at High Risk. Obstetrics and Gynecology, 2015, 125, 1168-1176.	1.2	78
97	The Epigenetic Clock at Birth: Associations With Maternal Antenatal Depression and Child Psychiatric Problems. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 321-328.e2.	0.3	78
98	Significance of interictal bilateral temporal hypometabolism in temporal lobe epilepsy. Neurology, 2000, 54, 1811-1821.	1.5	77
99	Optimal bedside urinalysis for the detection of proteinuria in hypertensive pregnancy: a study of diagnostic accuracy. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 412-417.	1.1	75
100	A complex intervention to improve pregnancy outcome in obese women; the UPBEAT randomised controlled trial. BMC Pregnancy and Childbirth, 2014, 14, 74.	0.9	74
101	Measurement of Sunscreen Immune Protection Factors in Humans: A Consensus Paper. Journal of Investigative Dermatology, 2005, 125, 403-409.	0.3	73
102	Longitudinal Profiles of 15 Serum Bile Acids in Patients With Intrahepatic Cholestasis of Pregnancy. American Journal of Gastroenterology, 2010, 105, 585-595.	0.2	73
103	Hypertensive Disorders of Pregnancy and DNA Methylation in Newborns. Hypertension, 2019, 74, 375-383.	1.3	73
104	Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with 18FDG PET: neurophysiological and metabolic implications. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 65, 170-176.	0.9	72
105	Vital Sign Prediction of Adverse Maternal Outcomes in Women with Hypovolemic Shock: The Role of Shock Index. PLoS ONE, 2016, 11, e0148729.	1.1	72
106	Low-dose aspirin vs low-dose aspirin plus low-intensity warfarin in thromboprophylaxis: a prospective, multicentre, randomized, open, controlled trial in patients positive for antiphospholipid antibodies (ALIWAPAS). Rheumatology, 2014, 53, 275-284.	0.9	71
107	Effect of food intake during labour on obstetric outcome: randomised controlled trial. BMJ: British Medical Journal, 2009, 338, b784-b784.	2.4	70
108	Serum Creatinine in Pregnancy: A Systematic Review. Kidney International Reports, 2019, 4, 408-419.	0.4	70

#	Article	IF	CITATIONS
109	Maternal depressive symptoms during and after pregnancy and child developmental milestones. Depression and Anxiety, 2018, 35, 732-741.	2.0	69
110	Inadequate size of 'negative' clinical trials in dermatology. British Journal of Dermatology, 1993, 128, 317-326.	1.4	68
111	Investigating the active ingredients of cognitive behaviour therapy and counselling for patients with chronic fatigue in primary care: Developing a new process measure to assess treatment fidelity and predict outcome. British Journal of Clinical Psychology, 2007, 46, 253-272.	1.7	68
112	Respiratory outcomes in early childhood following antenatal vitamin C and E supplementation. Thorax, 2010, 65, 998-1003.	2.7	68
113	Associations between maternal risk factors of adverse pregnancy and birth outcomes and the offspring epigenetic clock of gestational age at birth. Clinical Epigenetics, 2017, 9, 49.	1.8	68
114	Radiation exposure of the families of outpatients treated with radioiodine (iodine-131) for hyperthyroidism. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 686-692.	3.3	67
115	Impact of Antihypertensive Treatment on Maternal and Perinatal Outcomes in Pregnancy Complicated by Chronic Hypertension: AÂSystematic Review and Metaâ€Analysis. Journal of the American Heart Association, 2017, 6, .	1.6	67
116	Is graded exercise better than cognitive behaviour therapy for fatigue? A UK randomized trial in primary care. Psychological Medicine, 2004, 34, 37-49.	2.7	66
117	How patients use access to their electronic GP record–a quantitative study. Family Practice, 2011, 28, 188-194.	0.8	66
118	Pregnancy outcomes in myeloproliferative neoplasms: <scp>UK</scp> prospective cohort study. British Journal of Haematology, 2016, 175, 31-36.	1.2	65
119	Maternal depressive symptoms during and after pregnancy are associated with attention-deficit/hyperactivity disorder symptoms in their 3- to 6-year-old children. PLoS ONE, 2017, 12, e0190248.	1.1	63
120	Early Antenatal Prediction of Gestational Diabetes in Obese Women: Development of Prediction Tools for Targeted Intervention. PLoS ONE, 2016, 11, e0167846.	1.1	63
121	Plasma Lipid Profiles of Women With Intrahepatic Cholestasis of Pregnancy. Obstetrics and Gynecology, 2006, 107, 106-114.	1.2	61
122	Which practices are high antibiotic prescribers? A cross-sectional analysis. British Journal of General Practice, 2009, 59, e315-e320.	0.7	61
123	Characteristics of frequent attenders in an emergency department: analysis of 1-year attendance data. Emergency Medicine Journal, 2009, 26, 263-267.	0.4	61
124	Maternal Prenatal Positive Affect, Depressive and Anxiety Symptoms and Birth Outcomes: The PREDO Study. PLoS ONE, 2016, 11, e0150058.	1.1	61
125	Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy. Hypertension, 2017, 70, 915-922.	1.3	61
126	The relationship between social deprivation and the quality of primary care: a national survey using indicators from the UK Quality and Outcomes Framework. British Journal of General Practice, 2007, 57, 441-8.	0.7	61

#	Article	IF	CITATIONS
127	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a systematic review and individual participant data meta-analysis. The Lancet Gastroenterology and Hepatology, 2021, 6, 547-558.	3.7	60
128	Maternal dysglycaemia, changes in the infant's epigenome modified with a diet and physical activity intervention in pregnancy: Secondary analysis of a randomised control trial. PLoS Medicine, 2020, 17, e1003229.	3.9	60
129	A Commercial Sunscreen's Protection Against Ultraviolet Radiation-induced Immunosuppression is More Than 50% Lower Than Protection Against Sunburn in Humans. Journal of Investigative Dermatology, 2003, 120, 1-7.	0.3	59
130	Predictors of atopic dermatitis severity over time. Journal of the American Academy of Dermatology, 2004, 50, 349-356.	0.6	58
131	Characteristics of people with epilepsy who attend emergency departments: Prospective study of metropolitan hospital attendees. Epilepsia, 2012, 53, 1820-1828.	2.6	58
132	How effective are current dietary guidelines for cardiovascular disease prevention in healthy middle-aged and older men and women? A randomized controlled trial. American Journal of Clinical Nutrition, 2015, 101, 922-930.	2.2	58
133	TOCOX?A randomised, double-blind, placebo-controlled trial of rofecoxib (a COX-2-specific) Tj ETQq1 1 0.784314 International Journal of Obstetrics and Gynaecology, 2005, 112, 725-730.	rgBT /Ove 1.1	rlock 10 Tf 57
134	Adverse maternal and perinatal outcomes in women with previous preeclampsia: a prospective study. American Journal of Obstetrics and Gynecology, 2011, 204, 512.e1-512.e9.	0.7	57
135	Paraesthesiae and nerve damage following combined spinal epidural and spinal anaesthesia: a pilot survey. International Journal of Obstetric Anesthesia, 2000, 9, 151-155.	0.2	56
136	Impact of Obesity on Pregnancy Outcome in Different Ethnic Groups: Calculating Population Attributable Fractions. PLoS ONE, 2013, 8, e53749.	1.1	55
137	Development and validation of a tool incorporating cervical length and quantitative fetal fibronectin to predict spontaneous preterm birth in asymptomatic highâ€risk women. Ultrasound in Obstetrics and Gynecology, 2016, 47, 104-109.	0.9	55
138	Live birth and perinatal outcomes following stimulated and unstimulated IVF: analysis of over two decades of a nationwide data. Human Reproduction, 2016, 31, 2261-2267.	0.4	54
139	Association between DNA methylation and ADHD symptoms from birth to school age: a prospective meta-analysis. Translational Psychiatry, 2020, 10, 398.	2.4	54
140	A randomized controlled trial of cervical scanning vs history to determine cerclage in women at high risk of preterm birth (CIRCLE trial). American Journal of Obstetrics and Gynecology, 2009, 200, 623.e1-623.e6.	0.7	53
141	Candidate gene analysis and exome sequencing confirm LBX1 as a susceptibility gene for idiopathic scoliosis. Spine Journal, 2015, 15, 2239-2246.	0.6	53
142	Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction (PREDO) study. International Journal of Epidemiology, 2016, 46, dyw154.	0.9	53
143	Association between maternal micronutrient status, oxidative stress, and common genetic variants in antioxidant enzymes at 15 weeks× ³ gestation in nulliparous women who subsequently develop preeclampsia. Free Radical Biology and Medicine, 2015, 78, 147-155.	1.3	52
144	T2* Placental Magnetic Resonance Imaging in Preterm Preeclampsia. Hypertension, 2020, 75, 1523-1531.	1.3	52

#	Article	IF	CITATIONS
145	A study to establish gestation-specific reference intervals for thyroid function tests in normal singleton pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 137, 61-66.	0.5	51
146	MAVRIC: a multicenter randomized controlled trial of transabdominal vs transvaginal cervical cervical cerclage. American Journal of Obstetrics and Gynecology, 2020, 222, 261.e1-261.e9.	0.7	51
147	Analysis of Complement C3 Gene Reveals Susceptibility to Severe Preeclampsia. Frontiers in Immunology, 2017, 8, 589.	2.2	50
148	Pruritus in pregnancy: a study of anatomical distribution and prevalence in relation to the development of obstetric cholestasis. Obstetric Medicine, 2010, 3, 25-29.	0.5	49
149	Palliative care or end-of-life care in advanced chronic obstructive pulmonary disease A prospective community survey. British Journal of General Practice, 2011, 61, e362-e370.	0.7	49
150	The QUiPP App: a safe alternative to a treatâ€all strategy for threatened preterm labor. Ultrasound in Obstetrics and Gynecology, 2017, 50, 342-346.	0.9	49
151	Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. PLoS Medicine, 2019, 16, e1002775.	3.9	49
152	Limited Relationship between Cervico-Vaginal Fluid Cytokine Profiles and Cervical Shortening in Women at High Risk of Spontaneous Preterm Birth. PLoS ONE, 2012, 7, e52412.	1.1	48
153	Dietary patterns in obese pregnant women; influence of a behavioral intervention of diet and physical activity in the UPBEAT randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 124.	2.0	48
154	Persistently High Levels of Maternal Antenatal Inflammation Are Associated With and Mediate the Effect of Prenatal Environmental Adversities on Neurodevelopmental Delay in the Offspring. Biological Psychiatry, 2020, 87, 898-907.	0.7	48
155	Treatment of angiofibromas with a scanning carbon dioxide laser: A clinicopathologic study with long-term follow-up. Journal of the American Academy of Dermatology, 2001, 45, 731-735.	0.6	47
156	Pregnancy Outcome in Women with Chronic Kidney Disease: A Prospective Cohort Study. Reproductive Sciences, 2011, 18, 623-630.	1.1	47
157	Interpregnancy weight change and adverse pregnancy outcomes: a systematic review and meta-analysis. BMJ Open, 2018, 8, e018778.	0.8	47
158	How do patients referred to neurologists for headache differ from those managed in primary care?. British Journal of General Practice, 2007, 57, 388-95.	0.7	47
159	Multi-ancestry genome-wide association study of gestational diabetes mellitus highlights genetic links with type 2 diabetes. Human Molecular Genetics, 2022, 31, 3377-3391.	1.4	47
160	Molecular staging of lymph nodes from 60 patients with mycosis fungoides and Sézary syndrome: correlation with histopathology and outcome suggests prognostic relevance in mycosis fungoides. British Journal of Dermatology, 2006, 155, 756-762.	1.4	46
161	Meta-Analysis of Placental Transcriptome Data Identifies a Novel Molecular Pathway Related to Preeclampsia. PLoS ONE, 2015, 10, e0132468.	1.1	46
162	Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. International Journal of Epidemiology, 2017, 46, dyw178.	0.9	46

#	Article	IF	CITATIONS
163	Fostering in mice induces cardiovascular and metabolic dysfunction in adulthood. Journal of Physiology, 2011, 589, 3969-3981.	1.3	45
164	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. BMJ, The, 2013, 347, f6398-f6398.	3.0	45
165	The Immunogenetic Conundrum of Preeclampsia. Frontiers in Immunology, 2018, 9, 2630.	2.2	45
166	PROMISE: first-trimester progesterone therapy in women with a history of unexplained recurrent miscarriages – a randomised, double-blind, placebo-controlled, international multicentre trial and economic evaluation. Health Technology Assessment, 2016, 20, 1-92.	1.3	45
167	Full dilation cesarean section: a risk factor for recurrent second-trimester loss and preterm birth. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1100-1105.	1.3	44
168	Endothelial and platelet microparticles in patients with antiphospholipid antibodies. Thrombosis Research, 2015, 135, 368-374.	0.8	43
169	Pregnancy-Related Acute Kidney Injury in Preeclampsia. Hypertension, 2019, 74, 1144-1151.	1.3	43
170	The effect of a lifestyle intervention in obese pregnant women on gestational metabolic profiles: findings from the UK Pregnancies Better Eating and Activity Trial (UPBEAT) randomised controlled trial. BMC Medicine, 2019, 17, 15.	2.3	43
171	The impact of chronic kidney disease Stages 3–5 on pregnancy outcomes. Nephrology Dialysis Transplantation, 2021, 36, 2008-2017.	0.4	43
172	Maternal Hypertensive Pregnancy Disorders and Mental Disorders in Children. Hypertension, 2020, 75, 1429-1438.	1.3	43
173	Efficacy of short-course oral prednisolone in polymorphic light eruption: a randomized controlled trial. British Journal of Dermatology, 2000, 143, 828-831.	1.4	41
174	A randomized cross-over study to compare PUVA and extracorporeal photopheresis in the treatment of plaque stage (T2) mycosis fungoides. Clinical and Experimental Dermatology, 2004, 29, 231-236.	0.6	41
175	GlutathioneS-transferase and liver function in intrahepatic cholestasis of pregnancy and pruritus gravidarum. Hepatology, 2004, 40, 1406-1414.	3.6	41
176	The value of combined cervical length measurement and fetal fibronectin testing to predict spontaneous preterm birth in asymptomatic high-risk women. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 928-932.	0.7	41
177	Interaction between rs10830963 polymorphism in MTNR1B and lifestyle intervention on occurrence of gestational diabetes. Diabetologia, 2016, 59, 1655-1658.	2.9	41
178	Depressive symptoms in advanced cancer. Part 2. Depression over time; the role of the palliative care professional. Palliative Medicine, 2003, 17, 604-607.	1.3	39
179	Fetal cardiac dysfunction in intrahepatic cholestasis of pregnancy is associated with elevated serum bile acid concentrations. Journal of Hepatology, 2021, 74, 1087-1096.	1.8	38
180	Analgesia in labour and fetal acid-base balance: a meta-analysis comparing epidural with systemic opioid analgesia. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 1344-1353.	1.1	37

#	Article	IF	CITATIONS
181	Microsatellite Polymorphism in the Heme Oxygenase-1 Promoter Is Associated With Nonsevere and Late-Onset Preeclampsia. Hypertension, 2014, 64, 172-177.	1.3	37
182	Protective Low-Frequency Variants for Preeclampsia in the Fms Related Tyrosine Kinase 1 Gene in the Finnish Population. Hypertension, 2017, 70, 365-371.	1.3	37
183	Placental NAD(P)H Oxidase Mediated Superoxide Generation in Early Pregnancy. Placenta, 2006, 27, 158-163.	0.7	36
184	External characteristics of the lateral aspect of the hoof differ between non-lame and lame horses. Veterinary Journal, 2011, 190, 364-371.	0.6	36
185	Prediction of gestational diabetes in obese pregnant women from the UK Pregnancies Better Eating and Activity (UPBEAT) pilot trial. Diabetic Medicine, 2014, 31, 963-970.	1.2	36
186	Determination of Normal Ranges of Shock Index and Other Haemodynamic Variables in the Immediate Postpartum Period: A Cohort Study. PLoS ONE, 2016, 11, e0168535.	1.1	36
187	High frequency jet ventilation and gas trapping. British Journal of Anaesthesia, 1999, 83, 708-714.	1.5	35
188	Low saliva progesterone concentrations are associated with spontaneous early preterm labour (before 34 weeks of gestation) in women at increased risk of preterm delivery. BJOC: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1515-1519.	1.1	35
189	Relationship between maternal growth, infant birthweight and nutrient partitioning in teenage pregnancies. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 200-211.	1.1	35
190	Does adding milk to tea delay gastric emptying?. British Journal of Anaesthesia, 2014, 112, 66-71.	1.5	35
191	Macroprolactinomas and Nonfunctioning Pituitary Adenomas and Pregnancy Outcomes. Obstetrics and Gynecology, 2017, 129, 185-194.	1.2	35
192	Cord Metabolic Profiles in Obese Pregnant Women: Insights Into Offspring Growth and Body Composition. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 346-355.	1.8	35
193	Cervicovaginal microbiota and metabolome predict preterm birth risk in an ethnically diverse cohort. JCI Insight, 2021, 6, .	2.3	35
194	Cost-effectiveness of cognitive behavioural therapy, graded exercise and usual care for patients with chronic fatigue in primary care. Psychological Medicine, 2004, 34, 991-999.	2.7	34
195	Calibration accuracy of hospital-based non-invasive blood pressure measuring devices. Journal of Human Hypertension, 2010, 24, 58-63.	1.0	34
196	Urinary congophilia in women with hypertensive disorders of pregnancy and preexisting proteinuria or hypertension. American Journal of Obstetrics and Gynecology, 2016, 215, 464.e1-464.e7.	0.7	34
197	Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. The Lancet Global Health, 2019, 7, e347-e356.	2.9	34
198	Comparison of three commercially available placental growth factorâ€based tests in women with suspected preterm preâ€eclampsia: the COMPARE study. Ultrasound in Obstetrics and Gynecology, 2019, 53, 62-67.	0.9	34

#	Article	IF	CITATIONS
199	Clinical- and Cost-Effectiveness of a Nurse Led Self-Management Intervention to Reduce Emergency Visits by People with Epilepsy. PLoS ONE, 2014, 9, e90789.	1.1	34
200	Development and validation of a tool incorporating quantitative fetal fibronectin to predict spontaneous preterm birth in symptomatic women. Ultrasound in Obstetrics and Gynecology, 2016, 47, 210-216.	0.9	33
201	Mode of infant feeding, eating behaviour and anthropometry in infants at 6-months of age born to obese women – a secondary analysis of the UPBEAT trial. BMC Pregnancy and Childbirth, 2018, 18, 355.	0.9	33
202	Determination of birth-weight centile thresholds associated with adverse perinatal outcomes using population, customised, and Intergrowth charts: A Swedish population-based cohort study. PLoS Medicine, 2019, 16, e1002902.	3.9	33
203	Cervical lesions are associated with human papillomavirus type 16 intratypic variants that have high transcriptional activity and increased usage of common mammalian codons. Journal of General Virology, 2000, 81, 1517-1527.	1.3	33
204	Temporal changes in insulin sensitivity following the development of acute liver failure secondary to acetaminophen. Hepatology, 2001, 34, 109-115.	3.6	32
205	Service use and costs for people with headache: a UK primary care study. Journal of Headache and Pain, 2011, 12, 617-623.	2.5	32
206	Association of Proteinuria Threshold in Pre-Eclampsia with Maternal and Perinatal Outcomes: A Nested Case Control Cohort of High Risk Women. PLoS ONE, 2013, 8, e76083.	1.1	32
207	Diagnostic accuracy of placental growth factor and ultrasound parameters to predict the smallâ€forâ€gestationalâ€age infant in women presenting with reduced symphysis–fundus height. Ultrasound in Obstetrics and Gynecology, 2015, 46, 182-190.	0.9	32
208	Cohort profile: the Finnish Genetics of Pre-eclampsia Consortium (FINNPEC). BMJ Open, 2016, 6, e013148.	0.8	32
209	The diagnosis of pre-eclampsia using two revised classifications in the Finnish Pre-eclampsia Consortium (FINNPEC) cohort. BMC Pregnancy and Childbirth, 2016, 16, 221.	0.9	32
210	Maternal depressive symptoms during and after pregnancy are associated with poorer sleep quantity and quality and sleep disorders in 3.5-year-old offspring. Sleep Medicine, 2019, 56, 201-210.	0.8	32
211	Soluble adhesion molecules in Behçet's disease. Ocular Immunology and Inflammation, 1998, 6, 81-92.	1.0	31
212	Assessment of Iron Absorption from Ferric Trimaltol. Annals of Clinical Biochemistry, 2000, 37, 457-466.	0.8	31
213	Maternal early pregnancy obesity and depressive symptoms during and after pregnancy. Psychological Medicine, 2018, 48, 2353-2363.	2.7	31
214	The Association Between High Birth Weight and Long-Term Outcomes—Implications for Assisted Reproductive Technologies: A Systematic Review and Meta-Analysis. Frontiers in Pediatrics, 2021, 9, 675775.	0.9	31
215	Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. Journal of Global Health, 2018, 8, .	1.2	31
216	Pulsatile versus continuous administration of oxytocin for induction and augmentation of labor: two randomized controlled trials. American Journal of Obstetrics and Gynecology, 2012, 206, 230.e1-230.e8.	0.7	30

#	Article	IF	CITATIONS
217	Quantitative Fetal Fibronectin at 18 Weeks of Gestation to Predict Preterm Birth in Asymptomatic High-Risk Women. Obstetrics and Gynecology, 2016, 127, 255-263.	1.2	30
218	Maternal depression and inflammation during pregnancy. Psychological Medicine, 2020, 50, 1839-1851.	2.7	30
219	Fetal fibronectin as a predictor of spontaneous preterm labour in asymptomatic women with a cervical cerclage. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 799-803.	1.1	29
220	A pilot study of cognitive behavioural therapy and relaxation for migraine headache: a randomised controlled trial. Journal of Neurology, 2015, 262, 2764-2772.	1.8	29
221	Prevention of gestational diabetes with a prepregnancy lifestyle intervention – findings from a randomized controlled trial. International Journal of Women's Health, 2018, Volume 10, 493-501.	1.1	29
222	Placental growth factor testing for suspected preâ€eclampsia: a costâ€effectiveness analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1390-1398.	1.1	29
223	Stroke in Pregnancy and Puerperium. Neurology, 2021, 96, e2564-e2575.	1.5	29
224	A randomised controlled trial of fluid pre-loading before low dose epidural analgesia for labour. International Journal of Obstetric Anesthesia, 2003, 12, 256-260.	0.2	28
225	Shock index thresholds to predict adverse outcomes in maternal hemorrhage and sepsis: A prospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1178-1186.	1.3	28
226	Associations of antenatal glucocorticoid exposure with mental health in children. Psychological Medicine, 2020, 50, 247-257.	2.7	28
227	Depressive symptoms in advanced cancer. Part 1. Assessing depression: the Mood Evaluation Questionnaire. Palliative Medicine, 2003, 17, 596-603.	1.3	27
228	Intraobserver and interobserver variation in the sonographic grading of placental maturity. Ultrasound in Obstetrics and Gynecology, 2004, 23, 374-377.	0.9	27
229	Clinical evaluation of an automated oscillometric blood pressure wrist device. Blood Pressure Monitoring, 2004, 9, 31-37.	0.4	27
230	A new GP with special interest headache service: observational study. British Journal of General Practice, 2008, 58, 478-483.	0.7	27
231	Identifying Poorly Performing General Practices in England: A Longitudinal Study Using Data from the Quality and Outcomes Framework. Journal of Health Services Research and Policy, 2011, 16, 21-27.	0.8	27
232	Rationale and design of SuPPoRT: a multi-centre randomised controlled trial to compare three treatments: cervical cerclage, cervical pessary and vaginal progesterone, for the prevention of preterm birth in women who develop a short cervix. BMC Pregnancy and Childbirth, 2016, 16, 358.	0.9	27
233	Effect of reproductive ageing on pregnant mouse uterus and cervix. Journal of Physiology, 2017, 595, 2065-2084.	1.3	27
234	Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. Pregnancy Hypertension, 2019, 15, 42-50.	0.6	27

#	Article	IF	CITATIONS
235	Reâ€evaluating diagnostic thresholds for intrahepatic cholestasis of pregnancy: case–control and cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1635-1644.	1.1	27
236	Diagnostic Biomarkers in Women With Suspected Preeclampsia in a Prospective Multicenter Study. Obstetrics and Gynecology, 2016, 128, 245-252.	1.2	26
237	Predicting delivery of a smallâ€forâ€gestationalâ€age infant and adverse perinatal outcome in women with suspected preâ€eclampsia. Ultrasound in Obstetrics and Gynecology, 2018, 51, 387-395.	0.9	26
238	Interleukin-6 bedside testing in women at high risk of preterm birth. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 1301-1304.	0.7	25
239	Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. EBioMedicine, 2020, 59, 102872.	2.7	25
240	Characteristics of epigenetic aging across gestational and perinatal tissues. Clinical Epigenetics, 2021, 13, 97.	1.8	25
241	Midwifery continuity of care versus standard maternity care for women at increased risk of preterm birth: A hybrid implementation–effectiveness, randomised controlled pilot trial in the UK. PLoS Medicine, 2020, 17, e1003350.	3.9	25
242	Leveraging Northern European population history: novel low-frequency variants for polycystic ovary syndrome. Human Reproduction, 2022, 37, 352-365.	0.4	25
243	Morbidity in expatriates—a prospective cohort study. Occupational Medicine, 2006, 56, 345-352.	0.8	24
244	Measuring Psychological Change during Cognitive Behaviour Therapy in Primary Care: A Polish Study Using â€~PSYCHLOPS' (Psychological Outcome Profiles). PLoS ONE, 2011, 6, e27378.	1.1	24
245	Ability of a preterm surveillance clinic to triage risk of preterm birth: a prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2016, 48, 38-42.	0.9	24
246	Early warning system hypertension thresholds to predict adverse outcomes in pre-eclampsia: A prospective cohort study. Pregnancy Hypertension, 2018, 12, 183-188.	0.6	24
247	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a secondary analysis of the PITCHES trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1066-1075.	1.1	24
248	Maternal antenatal stress and mental and behavioral disorders in their children. Journal of Affective Disorders, 2021, 278, 57-65.	2.0	24
249	RIPOSTE: a framework for improving the design and analysis of laboratory-based research. ELife, 2015, 4, .	2.8	24
250	Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy. American Journal of Obstetrics and Gynecology, 2003, 188, 454-460.	0.7	23
251	Medical Repatriation of British Diplomats Resident Overseas. Journal of Travel Medicine, 2007, 7, 64-69.	1.4	23
252	Cost-effectiveness of cognitive behaviour therapy in addition to mebeverine for irritable bowel syndrome. European Journal of Gastroenterology and Hepatology, 2008, 20, 255-263.	0.8	23

#	Article	IF	CITATIONS
253	Diagnostic Indicators of Superimposed Preeclampsia in Women With CKD. Kidney International Reports, 2019, 4, 842-853.	0.4	23
254	Associations between dietary patterns, eating behaviours, and body composition and adiposity in 3â€yearâ€old children of mothers with obesity. Pediatric Obesity, 2020, 15, e12608.	1.4	23
255	Effect of lateral versus supine wedged position on development of spinal blockade and hypotension. International Journal of Obstetric Anesthesia, 2001, 10, 182-188.	0.2	22
256	White blood cell count as a predictor of the severity of sickle cell disease during pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 133, 169-172.	0.5	22
257	Heterogeneity of maternal characteristics and impact on gestational diabetes (GDM) risk—Implications for universal GDM screening?. Annals of Medicine, 2016, 48, 52-58.	1.5	22
258	Chronic hypertension in pregnancy: impact of ethnicity and superimposed preeclampsia on placental, endothelial, and renal biomarkers. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2018, 315, R36-R47.	0.9	22
259	Low circulating estradiol and adrenal androgens concentrations in men on glucocorticoids: A potential contributory factor in steroid-induced osteoporosis. Metabolism: Clinical and Experimental, 2002, 51, 1458-1462.	1.5	21
260	Predictors of outcome following treatment for chronic fatigue. British Journal of Psychiatry, 2005, 186, 350-351.	1.7	21
261	Bisphosphonates and Risk of Upper Gastrointestinal Cancer — A Case Control Study Using the General Practice Research Database (GPRD). PLoS ONE, 2012, 7, e47616.	1.1	21
262	White's classification and pregnancy outcome in women with type 1 diabetes: a population-based cohort study. Diabetologia, 2016, 59, 92-100.	2.9	21
263	SIRT6 polymorphism rs117385980 is associated with longevity and healthy aging in Finnish men. BMC Medical Genetics, 2017, 18, 41.	2.1	21
264	Cluster analysis to estimate the risk of preeclampsia in the high-risk Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction (PREDO) study. PLoS ONE, 2017, 12, e0174399.	1.1	21
265	A Non-Targeted LC-MS Profiling Reveals Elevated Levels of Carnitine Precursors and Trimethylated Compounds in the Cord Plasma of Pre-Eclamptic Infants. Scientific Reports, 2018, 8, 14616.	1.6	21
266	Effect of a lifestyle intervention during pregnancy—findings from the Finnish gestational diabetes prevention trial (RADIEL). Journal of Perinatology, 2018, 38, 1157-1164.	0.9	21
267	Pregnancy outcomes according to the definition of gestational diabetes. PLoS ONE, 2020, 15, e0229496.	1.1	21
268	Prediction of spontaneous preterm birth using quantitative fetal fibronectin after recent sexual intercourse. American Journal of Obstetrics and Gynecology, 2015, 212, 89.e1-89.e5.	0.7	20
269	Placental Growth Factor (PIGF) in Women with Suspected Pre-Eclampsia Prior to 35 Weeks' Gestation: A Budget Impact Analysis. PLoS ONE, 2016, 11, e0164276.	1.1	20
270	Stanniocalcin-1 Hormone in Nonpreeclamptic and Preeclamptic Pregnancy: Clinical, Life-Style, and Genetic Modulators. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4799-4807.	1.8	20

#	Article	IF	CITATIONS
271	Placental Morphology Is Associated with Maternal Depressive Symptoms during Pregnancy and Toddler Psychiatric Problems. Scientific Reports, 2018, 8, 791.	1.6	20
272	Evaluation of head examinations produced with a mobile CT unit British Journal of Radiology, 1999, 72, 631-636.	1.0	19
273	Chronic fatigue syndrome and related disorders in UK veterans of the Gulf War 1990–1991: results from a two-phase cohort study. Psychological Medicine, 2008, 38, 953-961.	2.7	19
274	Exome sequencing in pooled DNA samples to identify maternal pre-eclampsia risk variants. Scientific Reports, 2016, 6, 29085.	1.6	19
275	A Multicenter Cohort Study of Histologic Findings and Long-Term Outcomes of Kidney Disease in Women Who Have Been Pregnant. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 408-416.	2.2	19
276	Gender and preterm birth: Is male fetal gender a clinically important risk factor for preterm birth in high-risk women?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 225, 155-159.	0.5	19
277	Longitudinal Metabolic Profiling of Maternal Obesity, Gestational Diabetes, and Hypertensive Pregnancy Disorders. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4372-e4388.	1.8	19
278	Raised Trappin2/elafin Protein in Cervico-Vaginal Fluid Is a Potential Predictor of Cervical Shortening and Spontaneous Preterm Birth. PLoS ONE, 2014, 9, e100771.	1.1	19
279	Preventing patient falls. Age and Ageing, 2002, 31, 75-76.	0.7	18
280	Comparison of the Humoral Markers of Bone Turnover and Bone Mineral Density in Patients on Haemodialysis and Continuous Ambulatory Peritoneal Dialysis. Nephron, 2002, 91, 94-102.	0.9	18
281	Placental Growth Factor informed management of suspected pre-eclampsia or fetal growth restriction: The MAPPLE cohort study. Pregnancy Hypertension, 2018, 14, 228-233.	0.6	18
282	Cohort Profile: The Finnish Gestational Diabetes (FinnGeDi) Study. International Journal of Epidemiology, 2020, 49, 762-763g.	0.9	18
283	Maternal BMI and diabetes in pregnancy: Investigating variations between ethnic groups using routine maternity data from London, UK. PLoS ONE, 2017, 12, e0179332.	1.1	18
284	Prediction of Preeclampsia and Delivery of Small for Gestational Age Babies Based on a Combination of Clinical Risk Factors in High-Risk Women. Hypertension in Pregnancy, 2011, 30, 58-73.	0.5	17
285	Clopidogrel as prophylactic treatment for migraine: A pilot randomised, controlled study. Cephalalgia, 2014, 34, 1163-1168.	1.8	17
286	Assessment of a Full Dilatation Cesarean Delivery Simulator. Obstetrics and Gynecology, 2015, 125, 369-374.	1.2	17
287	Extending the scope of pooled analyses of individual patient biomarker data from heterogeneous laboratory platforms and cohorts using merging algorithms. Pregnancy Hypertension, 2016, 6, 53-59.	0.6	17
288	Impact of obesity on angiogenic and inflammatory markers in the Finnish Genetics of Pre-eclampsia Consortium (FINNPEC) cohort. International Journal of Obesity, 2019, 43, 1070-1081.	1.6	17

#	Article	IF	CITATIONS
289	A non-targeted LC–MS metabolic profiling of pregnancy: longitudinal evidence from healthy and pre-eclamptic pregnancies. Metabolomics, 2021, 17, 20.	1.4	17
290	Brain volumetry in fetuses that deliver very preterm: An MRI pilot study. NeuroImage: Clinical, 2021, 30, 102650.	1.4	17
291	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. Health Technology Assessment, 2020, 24, 1-252.	1.3	17
292	Double-Blind Comparison of Absorbable Colloidal Bismuth Subcitrate and Nonabsorbable Bismuth Subnitrate in the Eradication of Helicobacter pylori and the Relief of Nonulcer Dyspepsia. Helicobacter, 2001, 5, 169-175.	1.6	16
293	Chronic obstructive pulmonary disease hospital admissions and drugs—unexpected positive associations: a retrospective general practice cohort study. Npj Primary Care Respiratory Medicine, 2014, 24, 14006.	1.1	16
294	Fetal Microsatellite in the Heme Oxygenase 1 Promoter Is Associated With Severe and Early-Onset Preeclampsia. Hypertension, 2018, 71, 95-102.	1.3	16
295	Gestational diabetes modifies the association between PIGF in early pregnancy and preeclampsia in women with obesity. Pregnancy Hypertension, 2018, 13, 267-272.	0.6	16
296	The impacted foetal head at caesarean section: incidence and techniques used in a single UK institution. Journal of Obstetrics and Gynaecology, 2019, 39, 948-951.	0.4	16
297	The DESiGN trial (DEtection of Small for Gestational age Neonate), evaluating the effect of the Growth Assessment Protocol (GAP): study protocol for a randomised controlled trial. Trials, 2019, 20, 154.	0.7	16
298	Foetal lung volumes in pregnant women who deliver very preterm: a pilot study. Pediatric Research, 2020, 87, 1066-1071.	1.1	16
299	Cervicovaginal natural antimicrobial expression in pregnancy and association with spontaneous preterm birth. Scientific Reports, 2020, 10, 12018.	1.6	16
300	Antenatal thymus volumes in fetuses that delivered <32Âweeks' gestation: An MRI pilot study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1040-1050.	1.3	16
301	DOES THE ANTENATAL DETECTION OF SMALL-FOR-GESTATIONAL-AGE BABIES INFLUENCE THEIR TWO-YEAR OUTCOMES?. American Journal of Perinatology, 2000, Volume 17, 073-082.	0.6	15
302	Differences in the primary care management of patients with psychosis from two ethnic groups: a population-based cross-sectional study. Family Practice, 2010, 27, 439-446.	0.8	15
303	The Public Health Impact score: a new measure of public health effectiveness for general practices in England. British Journal of General Practice, 2013, 63, e291-e299.	0.7	15
304	Quantitative fetal fibronectin and cervical length toÂpredictÂpreterm birth in asymptomatic women withÂprevious cervical surgery. American Journal of Obstetrics and Gynecology, 2016, 215, 480.e1-480.e10.	0.7	15
305	What is the impact of preconception abdominal cerclage on fertility: evidence from a randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 543-546.	1.3	15
306	Prediction of uncomplicated pregnancies in obese women: a prospective multicentre study. BMC Medicine, 2017, 15, 194.	2.3	15

#	Article	IF	CITATIONS
307	Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). Trials, 2018, 19, 206.	0.7	15
308	Relationships of maternal body mass index and plasma biomarkers with childhood body mass index and adiposity at 6Âyears: The Children of SCOPE study. Pediatric Obesity, 2019, 14, e12537.	1.4	15
309	Plasma Heme Scavengers Alpha-1-Microglobulin and Hemopexin as Biomarkers in High-Risk Pregnancies. Frontiers in Physiology, 2019, 10, 300.	1.3	15
310	Coronary atheroma regression trials. Lancet, The, 1992, 339, 1241-1243.	6.3	14
311	Long-term traumatic stress reactions in British Falklands War veterans. British Journal of Clinical Psychology, 1993, 32, 457-459.	1.7	14
312	Biomarkers of oxidative stress in pre-eclampsia. Pregnancy Hypertension, 2011, 1, 22-27.	0.6	14
313	Association of migraine aura with patent foramen ovale and atrial septal aneurysms. International Journal of Cardiology, 2013, 168, 3949-3953.	0.8	14
314	Hormoneâ€secreting adrenal tumours cause severe hypertension and high rates of poor pregnancy outcome; a <scp>UK</scp> Obstetric Surveillance System study with case control comparisons. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 719-727.	1.1	14
315	Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. BMC Pregnancy and Childbirth, 2018, 18, 115.	0.9	14
316	Pregnancy-associated stroke –a systematic review of subsequent pregnancies and maternal health. BMC Pregnancy and Childbirth, 2019, 19, 187.	0.9	14
317	Pulmonary complications for women with sickle cell disease in pregnancy: systematic review and meta-analysis. Thorax, 2020, 75, 568-575.	2.7	14
318	Placental growth factor measurements in the assessment of women with suspected Preeclampsia: A stratified analysis of the PARROT trial. Pregnancy Hypertension, 2021, 23, 41-47.	0.6	14
319	The Salivary Scavenger and Agglutinin (SALSA) in Healthy and Complicated Pregnancy. PLoS ONE, 2016, 11, e0147867.	1.1	14
320	A comparison of air, CO2 and an air/CO2 mixture as insufflation agents for double contrast barium enema*. European Radiology, 1998, 8, 274-276.	2.3	13
321	A clinical and histologic comparison of electrosurgical and carbon dioxide laser peels. Journal of the American Academy of Dermatology, 2001, 44, 492-496.	0.6	13
322	Effect of low doses of long chain n-3 polyunsaturated fatty acids on sleep-time heart rate variability: A randomized, controlled trial. International Journal of Cardiology, 2013, 168, 4439-4442.	0.8	13
323	An RGS2 3′UTR polymorphism is associated with preeclampsia in overweight women. BMC Genetics, 2016, 17, 121.	2.7	13
324	Investigation of rare and low-frequency variants using high-throughput sequencing with pooled DNA samples. Scientific Reports, 2016, 6, 33256.	1.6	13

#	Article	IF	CITATIONS
325	Placental inflammation and its relationship to cervicovaginal fetal fibronectin in preterm birth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 214, 173-177.	0.5	13
326	The effect of blood staining on cervicovaginal quantitative fetal fibronectin concentration and prediction of spontaneous preterm birth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 208, 103-108.	0.5	13
327	EQUIPTT: The Evaluation of the QUiPP app for Triage and Transfer protocol for a cluster randomised trial to evaluate the impact of the QUiPP app on inappropriate management for threatened preterm labour. BMC Pregnancy and Childbirth, 2019, 19, 68.	0.9	13
328	Infant regulatory behavior problems during first month of life and neurobehavioral outcomes in early childhood. European Child and Adolescent Psychiatry, 2019, 28, 847-859.	2.8	13
329	Placental magnetic resonance imaging in chronic hypertension: A case-control study. Placenta, 2021, 104, 138-145.	0.7	13
330	Normal Gestational Weight Gain Protects From Large-for-Gestational-Age Birth Among Women With Obesity and Gestational Diabetes. Frontiers in Public Health, 2021, 9, 550860.	1.3	13
331	Prognostic indicators of severe disease in late preterm pre-eclampsia to guide decision making on timing of delivery: The PEACOCK study. Pregnancy Hypertension, 2021, 24, 90-95.	0.6	13
332	Genetic Analysis of Membrane Cofactor Protein (CD46) of the Complement System in Women with and without Preeclamptic Pregnancies. PLoS ONE, 2015, 10, e0117840.	1.1	13
333	Ethnic differences in the growth of low-birthweight infants. Paediatric and Perinatal Epidemiology, 2000, 14, 4-13.	0.8	12
334	Isoflurane Dosage for Equivalent Intraoperative Electroencephalographic Suppression in Patients With and Without Epidural Blockade. Anesthesia and Analgesia, 2002, 95, 1412-1418.	1.1	12
335	The influence of timing and route of administration of intravenous ketorolac on analgesia after hand surgery. Anaesthesia, 2002, 57, 535-539.	1.8	12
336	Prospective cohort study investigating the reliability of the AmnioSenseâ,,¢ method for detection of spontaneous rupture of membranes. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 313-318.	1.1	12
337	Endocervical and high vaginal quantitative fetal fibronectin in predicting preterm birth. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1576-1579.	0.7	12
338	Polygenic prediction of the risk of perinatal depressive symptoms. Depression and Anxiety, 2020, 37, 862-875.	2.0	12
339	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. BMC Medicine, 2020, 18, 302.	2.3	12
340	Diagnostic accuracy of repeat placental growth factor measurements in women with suspected preeclampsia: A case series study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 994-1002.	1.3	12
341	Serial prophylactic exchange blood transfusion in pregnant women with sickle cell disease (TAPS-2): study protocol for a randomised controlled feasibility trial. Trials, 2020, 21, 347.	0.7	12
342	Placental and endothelial biomarkers for the prediction of superimposed pre-eclampsia in chronic kidney disease. Pregnancy Hypertension, 2021, 24, 58-64.	0.6	12

#	Article	IF	CITATIONS
343	Multicenter Cohort Study, With a Nested Randomized Comparison, to Examine the Cardiovascular Impact of Preterm Preeclampsia. Hypertension, 2021, 78, 1382-1394.	1.3	12
344	InterPregGen:genetic studies of pre-eclampsia in three continents. Norsk Epidemiologi, 2014, 24, 141-146.	0.2	12
345	Ethnicity and attitudes to deceased kidney donation: a survey in Barbados and comparison with Black Caribbean people in the United Kingdom. BMC Public Health, 2010, 10, 266.	1.2	11
346	Clinical and geographical variation in prophylactic and therapeutic treatments for preâ€eclampsia in the UK. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 695-700.	1.1	11
347	Prior ultrasound-indicated cerclage: how should we manage the next pregnancy?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 188, 129-132.	0.5	11
348	First trimester serum placental growth factor and hyperglycosylated human chorionic gonadotropin are associated with pre-eclampsia: a case control study. BMC Pregnancy and Childbirth, 2016, 16, 378.	0.9	11
349	Is recreational running associated with earlier delivery and lower birth weight in women who continue to run during pregnancy? An international retrospective cohort study of running habits of 1293 female runners during pregnancy. BMJ Open Sport and Exercise Medicine, 2018, 4, e000296.	1.4	11
350	Cervical length and quantitative fetal fibronectin in the prediction of spontaneous preterm birth in asymptomatic women with congenital uterine anomaly. American Journal of Obstetrics and Gynecology, 2019, 221, 341.e1-341.e9.	0.7	11
351	Exploring the effect of implementation and context on a stepped-wedge randomised controlled trial of a vital sign triage device in routine maternity care in low-resource settings. Implementation Science, 2019, 14, 38.	2.5	11
352	Predisposition to superimposed preeclampsia in women with chronic hypertension: endothelial, renal, cardiac, and placental factors in a prospective longitudinal cohort. Hypertension in Pregnancy, 2020, 39, 326-335.	0.5	11
353	Experiences of maternity care among women at increased risk of preterm birth receiving midwifery continuity of care compared to women receiving standard care: Results from the POPPIE pilot trial. PLoS ONE, 2021, 16, e0248588.	1.1	11
354	Application of obstetric ultrasound to determine the most suitable parameters for the aging of formalin-fixed human fetuses using manual measurements. , 1999, 12, 84-93.		10
355	Evaluation of perioperative morbidity associated with single and multiple myomectomy. Journal of Obstetrics and Gynaecology, 2009, 29, 737-741.	0.4	10
356	Lifestyle interventions for obese and overweight pregnant women to improve pregnancy outcome: a systematic review and meta-analysis. Lancet, The, 2015, 386, S61.	6.3	10
357	Prediction of pre-eclampsia and its subtypes in high-risk cohort: hyperglycosylated human chorionic gonadotropin in multivariate models. BMC Pregnancy and Childbirth, 2018, 18, 279.	0.9	10
358	A systematic review and meta-analysis on the association between ICSI and chromosome abnormalities. Human Reproduction Update, 2021, 27, 801-847.	5.2	10
359	Assessment of iron absorption from ferric trimaltol. Annals of Clinical Biochemistry, 2000, 37, 457-466.	0.8	10

360 A POPULATION NEEDS ASSESSMENT PROFILE FOR DEMENTIA. , 1997, 12, 642-647.

9

#	Article	IF	CITATIONS
361	Birthweights in sickle cell trait pregnancies. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1116-1121.	1.1	9
362	Predictors of outcome in patients consulting their general practitioners for headache: A prospective study. Psychology and Health, 2011, 26, 751-764.	1.2	9
363	Angiogenic profile in the Finnish Genetics of Pre-Eclampsia Consortium (FINNPEC) cohort. Pregnancy Hypertension, 2018, 14, 252-259.	0.6	9
364	Quality of stepped-wedge trial reporting can be reliably assessed using anÂupdated CONSORT: crowd-sourcing systematic review. Journal of Clinical Epidemiology, 2019, 107, 77-88.	2.4	9
365	Metabolic phenotyping by treatment modality in obese women with gestational diabetes suggests diverse pathophysiology: An exploratory study. PLoS ONE, 2020, 15, e0230658.	1.1	9
366	Betamethasone administration during pregnancy is associated with placental epigenetic changes with implications for inflammation. Clinical Epigenetics, 2021, 13, 165.	1.8	9
367	Improving pregnancy outcome in obese women: the UK Pregnancies Better Eating and Activity randomised controlled Trial. Programme Grants for Applied Research, 2017, 5, 1-414.	0.4	9
368	Can birth outcome inequality be reduced using targeted caseload midwifery in a deprived diverse inner city population? A retrospective cohort study, London, UK. BMJ Open, 2021, 11, e049991.	0.8	9
369	Planned delivery or expectant management in preeclampsia: an individual participant data meta-analysis. American Journal of Obstetrics and Gynecology, 2022, 227, 218-230.e8.	0.7	9
370	Maintaining compliance to ivermectin in communities in two West African countries. Health Policy and Planning, 1996, 11, 299-307.	1.0	8
371	Do elevated symptoms of depression predict adherence and outcomes in the UPBEAT randomised controlled trial of a lifestyle intervention for obese pregnant women?. BMC Pregnancy and Childbirth, 2018, 18, 378.	0.9	8
372	Creating biobanks in low and middle-income countries to improve knowledge – The PREPARE initiative. Pregnancy Hypertension, 2018, 13, 62-64.	0.6	8
373	Markers of maternal cardiac dysfunction in pre-eclampsia and superimposed pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 151-156.	0.5	8
374	Can common characteristics be identified as predictors for seasonal influenza vaccine uptake in pregnancy? A retrospective cohort study from a South London Hospital. Midwifery, 2019, 72, 67-73.	1.0	8
375	A polyepigenetic glucocorticoid exposure score at birth and childhood mental and behavioral disorders. Neurobiology of Stress, 2020, 13, 100275.	1.9	8
376	Incidence and characteristics of pregnancyâ€related death across ten low―and middleâ€income geographical regions: secondary analysis of a cluster randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1082-1089.	1.1	8
377	Is There an Association Between Diet, Physical Activity and Depressive Symptoms in the Perinatal Period? An Analysis of the UPBEAT Cohort of Obese Pregnant Women. Maternal and Child Health Journal, 2020, 24, 1482-1493.	0.7	8
378	Impact of maternal obesity on neonatal heart rate and cardiac size. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 481-487.	1.4	8

#	Article	IF	CITATIONS
379	Multiomics and digital monitoring during lifestyle changes reveal independent dimensions of human biology and health. Cell Systems, 2022, 13, 241-255.e7.	2.9	8
380	Cholesterol in elderly women. Lancet, The, 1992, 339, 1426.	6.3	7
381	Prevention of pre-eclampsia. Lancet, The, 2001, 357, 1534.	6.3	7
382	Managing hypertension in general practice: a cross-sectional study of treatment and ethnicity. British Journal of General Practice, 2012, 62, e703-e709.	0.7	7
383	Assessment of a vaginal device for delivery of the impacted foetal head at caesarean section. Journal of Obstetrics and Cynaecology, 2017, 37, 1-5.	0.4	7
384	Quantitative fetal fibronectin for prediction of preterm birth in asymptomatic twin pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1191-1197.	1.3	7
385	The non-traditional and familial risk factors for preeclampsia in the FINNPEC cohort. Pregnancy Hypertension, 2021, 23, 48-55.	0.6	7
386	Association of the <i>MYOC</i> p.(Gln368Ter) Variant With Glaucoma in a Finnish Population. JAMA Ophthalmology, 2021, 139, 762.	1.4	7
387	Evaluating the use of the QUiPP app and its impact on the management of threatened preterm labour: A cluster randomised trial. PLoS Medicine, 2021, 18, e1003689.	3.9	7
388	Reliability of a novel approach for reference-based cell type estimation in human placental DNA methylation studies. Cellular and Molecular Life Sciences, 2022, 79, 115.	2.4	7
389	Meta-analysis of homoeopathy trials. Lancet, The, 1998, 351, 365.	6.3	6
390	Does fetal fibronectin testing change patient management in women at risk of preterm labour?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 180-183.	0.5	6
391	Duplex Ultrasound Volumetric Flow Analysis before and after Hemodialysis in Patients with Brachio-cephalic Fistulae. Journal of Vascular Access, 2013, 14, 342-347.	0.5	6
392	Angiogenic profile and smoking in the Finnish Genetics of Pre-Eclampsia Consortium (FINNPEC) cohort. Annals of Medicine, 2017, 49, 593-602.	1.5	6
393	Neonatal regulatory behavior problems are predicted by maternal early pregnancy overweight and obesity: findings from the prospective PREDO Study. Pediatric Research, 2018, 84, 875-881.	1.1	6
394	Association of Adverse Perinatal Outcomes of Intrahepatic Cholestasis of Pregnancy With Biochemical Markers: Results of Aggregate and Individual Patient Data Meta-analyses. Obstetrical and Gynecological Survey, 2019, 74, 388-390.	0.2	6
395	CRAFT (Cerclage after full dilatation caesarean section): protocol of a mixed methods study investigating the role of previous in-labour caesarean section in preterm birth risk. BMC Pregnancy and Childbirth, 2020, 20, 698.	0.9	6
396	Placental growth factor for the prognosis of women with preeclampsia (fullPIERS model extension): context matters. BMC Pregnancy and Childbirth, 2020, 20, 668.	0.9	6

#	Article	IF	CITATIONS
397	Rule-in thresholds for DELFIA Xpress PIGF 1-2-3 test for suspected pre-eclampsia. Pregnancy Hypertension, 2020, 21, 35-37.	0.6	6
398	Impact of a medical mobile phone app (QUiPP) for predicting preterm birth on the anxiety and decisional conflicts faced by women in threatened preterm labour. Midwifery, 2021, 92, 102864.	1.0	6
399	Modifiable early life exposures associated with adiposity and obesity in 3â€year old children born to mothers with obesity. Pediatric Obesity, 2021, 16, e12801.	1.4	6
400	Folate and vitamin B12 status: associations with maternal glucose and neonatal DNA methylation sites related to dysglycaemia, in pregnant women with obesity. Journal of Developmental Origins of Health and Disease, 2022, 13, 168-176.	0.7	6
401	Modifiable Determinants of Postpartum Weight Loss in Women with Obesity: A Secondary Analysis of the UPBEAT Trial. Nutrients, 2021, 13, 1979.	1.7	6
402	Rule-in and rule-out of pre-eclampsia using DELFIA Xpress PIGF 1-2-3 and sFlt-1: PIGF ratio. Pregnancy Hypertension, 2022, 27, 96-102.	0.6	6
403	Vitamin C and vitamin E in pregnant women at risk of pre-eclampsia – Authors' reply. Lancet, The, 2006, 368, 199-200.	6.3	5
404	Maternal plasma fatty acid composition and pregnancy outcome in adolescents. British Journal of Nutrition, 2011, 105, 601-610.	1.2	5
405	Pitfalls in setting up genetic studies on preeclampsia. Pregnancy Hypertension, 2013, 3, 60.	0.6	5
406	Using a patient-generated mental-health measure â€ [~] PSYCHLOPS' to explore problems in patients with coronary heart disease. British Journal of General Practice, 2014, 64, e354-e363.	0.7	5
407	<i>C. elegans</i> flavin-containing monooxygenase-4 is essential for osmoregulation in hypotonic stress. Biology Open, 2016, 5, 537-549.	0.6	5
408	PREPARE: protocol for a stepped wedge trial to evaluate whether a risk stratification model can reduce preterm deliveries among women with suspected or confirmed preterm pre-eclampsia. BMC Pregnancy and Childbirth, 2019, 19, 343.	0.9	5
409	Quantifying adherence to antihypertensive medication for chronic hypertension during pregnancy. Pregnancy Hypertension, 2019, 17, 12-14.	0.6	5
410	Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped- wedge cluster-randomised control trial. BMC Pregnancy and Childbirth, 2021, 21, 317.	0.9	5
411	Protocol: A randomized controlled trial to assess effectiveness of a 12-month lifestyle intervention to reduce cardiovascular disease risk in families ten years after pre-eclampsia (FINNCARE). Preventive Medicine Reports, 2022, 26, 101731.	0.8	5
412	Circulating Levels of Anti-C1q and Anti-Factor H Autoantibodies and Their Targets in Normal Pregnancy and Preeclampsia. Frontiers in Immunology, 2022, 13, 842451.	2.2	5
413	Longitudinal analysis of serum insulin-like growth factor-I and insulin-like growth factor binding protein-1 in antiphospholipid syndrome and in healthy pregnancy. American Journal of Obstetrics and Gynecology, 2003, 189, 274-279.	0.7	4
414	Platelet count as a predictor of the severity of sickle cell disease during pregnancy. Journal of Obstetrics and Gynaecology, 2008, 28, 688-691.	0.4	4

#	Article	IF	CITATIONS
415	The use and accuracy of manual and electronic gestational age calculators. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 440-444.	0.4	4
416	The Effects of the UK Pregnancies Better Eating and Activity Trial Intervention on Dietary Patterns in Obese Pregnant Women Participating in a Pilot Randomized Controlled Trial. Nutrition and Metabolic Insights, 2015, 8s1, NMI.S29529.	0.8	4
417	Chronic Hypertension and Pregnancy Outcomes. Obstetric Anesthesia Digest, 2015, 35, 6-7.	0.0	4
418	Compliance with dietary guidelines affects capillary recruitment in healthy middle-aged men and women. European Journal of Nutrition, 2017, 56, 1037-1044.	1.8	4
419	Rationale & design of the PROMISES study: a prospective assessment and validation study of salivary progesterone as a test for preterm birth in pregnant women from rural India. Reproductive Health, 2018, 15, 215.	1.2	4
420	Longitudinal changes in plasma hemopexin and alpha-1-microglobulin concentrations in women with and without clinical risk factors for pre-eclampsia. PLoS ONE, 2019, 14, e0226520.	1.1	4
421	The UK Pregnancies Better Eating and Activity Trial (UPBEAT); Pregnancy Outcomes and Health Behaviours by Obesity Class. International Journal of Environmental Research and Public Health, 2020, 17, 4712.	1.2	4
422	Therapeutic doses of metformin do not have impact on angiogenesis in presence of sera from pre-eclamptic, IUGR and healthy pregnancies. Pregnancy Hypertension, 2020, 22, 7-13.	0.6	4
423	A prognostic model to guide decision-making on timing of delivery in late preterm pre-eclampsia: the PEACOCK prospective cohort study. Health Technology Assessment, 2021, 25, 1-32.	1.3	4
424	Obstetric early warning system to predict maternal morbidity of pre-eclampsia, postpartum hemorrhage and infection after birth in high-risk women: a prospective cohort study. Midwifery, 2021, 99, 103015.	1.0	4
425	Planned delivery to improve postpartum cardiac function in women with preterm pre-eclampsia: the PHOEBE mechanisms of action study within the PHOENIX RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-28.	0.9	4
426	Severe birth injuries in neonates and associated risk factors for injury in mothers with different types of diabetes in Finland. International Journal of Gynecology and Obstetrics, 2021, , .	1.0	4
427	Cohort profile: InTraUterine sampling in early pregnancy (ITU), a prospective pregnancy cohort study in Finland: study design and baseline characteristics. BMJ Open, 2022, 12, e049231.	0.8	4
428	Genetic risk of type 2 diabetes modifies the effects of a lifestyle intervention aimed at the prevention of gestational and postpartum diabetes. Diabetologia, 2022, 65, 1291-1301.	2.9	4
429	DNA methylation signatures in cord blood associated with birthweight are enriched for dmCpGs previously associated with maternal hypertension or pre-eclampsia, smoking and folic acid intake. Epigenetics, 2021, , 1-17.	1.3	3
430	Serum Inhibin-A and PAPP-A2 in the prediction of pre-eclampsia during the first and second trimesters in high-risk women. Pregnancy Hypertension, 2021, 25, 116-122.	0.6	3
431	More data using same database. BMJ: British Medical Journal, 2010, 341, c5315-c5315.	2.4	3
432	Characteristics of preeclampsia in donor cell gestations. Pregnancy Hypertension, 2022, 27, 59-61.	0.6	3

#	Article	IF	CITATIONS
433	Sulfated Progesterone Metabolites That Enhance Insulin Secretion via TRPM3 Are Reduced in Serum From Women With Gestational Diabetes Mellitus. Diabetes, 2022, 71, 837-852.	0.3	3
434	Prediction of outcome and patients' management. Lancet, The, 1993, 342, 493-494.	6.3	2
435	Meta-analysis of homoeopathy trials. Lancet, The, 1998, 351, 365.	6.3	2
436	Scanned Continuous Wave CO2Laser Resurfacing: A Closer Look at the Different Scanning Modes. Dermatologic Surgery, 2001, 27, 467-470.	0.4	2
437	CLIC: a longitudinal study of inflammatory markers and cervical change in women at risk of spontaneous preterm labour. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2010, 95, Fa10-Fa10.	1.4	2
438	P379 BIOCHEMICAL MARKERS FOR INTRAHEPATIC CHOLESTASIS OF PREGNANCY AND PRURITUS GRAVIDARUM IN WOMEN WITH GESTATIONAL PRURITUS. Journal of Hepatology, 2014, 60, S194.	1.8	2
439	10: Quantitative fetal fibronectin assessment at 22 0/7-27 6/7 weeks' GA significantly modifies the risk of preterm birth in asymptomatic high risk patients with sonographic cervical shortening. American Journal of Obstetrics and Gynecology, 2015, 212, S8-S9.	0.7	2
440	Preeclampsia does not share common risk alleles in 9p21 with coronary artery disease and type 2 diabetes. Annals of Medicine, 2016, 48, 330-336.	1.5	2
441	A Slow-Digesting, Low-Glycemic Load Nutritional Beverage Improves Glucose Tolerance in Obese Pregnant Women Without Gestational Diabetes. Diabetes Technology and Therapeutics, 2018, 20, 672-680.	2.4	2
442	Protocol for a two-arm feasibility RCT to support postnatal maternal weight management and positive lifestyle behaviour in women from an ethnically diverse inner city population: the SWAN feasibility trial. Pilot and Feasibility Studies, 2019, 5, 117.	0.5	2
443	Re: Effect of QUiPP prediction algorithm on treatment decisions in women with a previous preterm birth: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1642-1642.	1.1	2
444	Validation of the BPro radial pulse waveform acquisition device in pregnancy and gestational hypertensive disorders. Blood Pressure Monitoring, 2021, 26, 380-384.	0.4	2
445	Authors defend their study to develop tool to predict falls in elderly people. BMJ: British Medical Journal, 1998, 316, 1318-1318.	2.4	2
446	Maternal postpartum depressive symptoms partially mediate the association between preterm birth and mental and behavioral disorders in children. Scientific Reports, 2022, 12, 947.	1.6	2
447	Prevention of gestational diabetes in pregnant women with obesity: protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2022, 8, 70.	0.5	2
448	Postnatal health and care following hypertensive disorders in pregnancy: a prospective cohort study (BPiPP study). BMC Pregnancy and Childbirth, 2022, 22, 286.	0.9	2
449	Epidural analgesia during labour. British Journal of Anaesthesia, 1999, 82, 304.	1.5	1
450	Is Fluid Preloading Necessary Before Low Dose Epidural Analgesia In Labor?Â. Anesthesiology, 2000, 2000, NA-NA.	1.3	1

#	Article	IF	CITATIONS
451	Current Literature: Effect of Antioxidants on the Occurrence of Pre-eclampsia in Women at Increased Risk: A Randomised Trial. Nutrition in Clinical Practice, 2000, 15, 112-113.	1.1	1
452	"Poor response―to ovarian stimulation: a sign of incipient ovarian failure Fertility and Sterility, 2001, 76, S161.	0.5	1
453	General practice medical records: patients' views on storage, use and access. European Journal of General Practice, 2005, 11, 134-135.	0.9	1
454	A study to determine the use of medicines and drugs of abuse in high-risk early pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 119, 129.	0.5	1
455	Antiplatelet agents for prevention of pre-eclampsia. Lancet, The, 2007, 370, 1685.	6.3	1
456	053â€The characteristics of emergency attendees for epilepsy in London hospitals. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, e1.219-e1.	0.9	1
457	Serum progesterone concentrations in women with a previous preterm birth treated with vaginal progesterone supplementation. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, A7.1-A7.	1.4	1
458	636: Plasma placental growth factor (PIGF) in the diagnosis of women with pre-eclampsia requiring delivery within 14 days: the PELICAN study. American Journal of Obstetrics and Gynecology, 2013, 208, S269-S270.	0.7	1
459	Mandatory vaccination. Cmaj, 2013, 185, 983.2-984.	0.9	1
460	The effectiveness of an integrated dietary intervention compared with an average UK diet in reducing cardiovascular disease risk factors in older men and women aged 40 to 70 years: the CRESSIDA Study. Proceedings of the Nutrition Society, 2013, 72, .	0.4	1
461	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study:. British Journal of Sports Medicine, 2015, 49, 136-136.	3.1	1
462	Dalteparin for pregnant women with thrombophilia. Lancet, The, 2015, 385, 689.	6.3	1
463	Prediction of spontaneous preterm birth using fetal fibronectin in women with a low-lying placenta. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 313-316.	0.7	1
464	Placental Alpha Microglobulin-1 Compared With Fetal Fibronectin to Predict Preterm Delivery in Symptomatic Women. Obstetrics and Gynecology, 2018, 131, 743-743.	1.2	1
465	No association in maternal serum levels of TMAO and its precursors in pre-eclampsia and in non-complicated pregnancies. Pregnancy Hypertension, 2022, 28, 74-80.	0.6	1
466	Incidence changes in risk factors associated with the decreasing number of birthâ€related clavicle fractures in Finland: A nationwide retrospective birth cohort from 2004 to 2017. Birth, 0, , .	1.1	1
467	The use of fetal fibronectin and cervical length measurements in the prediction of spontaneous preterm birth in women with an Arabin pessary in situ. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 276, 113-117.	0.5	1
468	Cimetidine and weight loss BMJ: British Medical Journal, 1993, 306, 1542-1543.	2.4	0

#	Article	IF	CITATIONS
469	EPIDURAL ANALGESIA AND FUNIC ACID-BASE BALANCE: A META-ANALYSISÂ. Anesthesiology, 2001, 94, NA-NA.	1.3	0
470	Alone before God: The Religious Origins of Modernity in Mexico (review). Catholic Historical Review, 2004, 90, 831-832.	0.0	0
471	P2-125 Pregnancy outcomes in primiparous obese women and associated nutritional factors. Early Human Development, 2007, 83, S164.	0.8	0
472	Prospective Cohort Study Investigating the Reliability of the AmnioSense Method for Detection of Spontaneous Rupture of Membranes. Obstetrical and Gynecological Survey, 2009, 64, 286-288.	0.2	0
473	A Randomized Controlled Trial of Cervical Scanning vs History to Determine Cerclage in Women at High Risk of Preterm Birth (CIRCLE Trial). Obstetrical and Gynecological Survey, 2009, 64, 638-640.	0.2	0
474	Effect of Food Intake During Labor on Obstetric Outcome: Randomized Controlled Trial. Obstetrical and Gynecological Survey, 2009, 64, 567-568.	0.2	0
475	The use of cost information when defining critical values for prediction of rare events by using logistic regression and similar methods. Journal of the Royal Statistical Society Series A: Statistics in Society, 2010, 173, 255-256.	0.6	0
476	Effect of increasing doses of long chain <i>n</i> â^'3 PUFA on vascular function: MARINA – a randomised controlled trial. Proceedings of the Nutrition Society, 2011, 70, .	0.4	0
477	Effect of increasing doses of long chain <i>n</i> â~'3 PUFA on heart rate, interbeat interval and heart rate variability in the MARINA study: a randomised controlled trial. Proceedings of the Nutrition Society, 2011, 70, .	0.4	0
478	Effect of increasing doses of long chain <i>n</i> â~'3 PUFA on circulating endothelial progenitor cells in the MARINA study: a randomised controlled trial. Proceedings of the Nutrition Society, 2011, 70, .	0.4	0
479	558: The effect of maternal obesity on preterm delivery in a high risk cohort. American Journal of Obstetrics and Gynecology, 2011, 204, S224.	0.7	0
480	The effect of low doses of long chain n-3 PUFA intake on sleep-time heart rate variability. Proceedings of the Nutrition Society, 2012, 71, .	0.4	0
481	Nutritional biomarkers to assess compliance to dietary advice given in an integrated dietary intervention: results from the CRESSIDA Study. Proceedings of the Nutrition Society, 2013, 72, .	0.4	0
482	AN INTERVENTION TRIAL FOR PEOPLE WITH EPILEPSY ATTENDING A&E. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e4.189-e4.	0.9	0
483	13: Inhibition of toll-like receptors and inflammatory response in primary chorion cells. American Journal of Obstetrics and Gynecology, 2015, 213, 901.	0.7	0
484	Reply: Rapid changes in practice make analysis of historical databases irrelevant for contemporary counselling. Human Reproduction, 2017, 32, 1-2.	0.4	0
485	Does urinary tract infection alter fetal fibronectin vaginal swab results?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 222, 184-185.	0.5	0
486	Placental growth factor testing in suspected pre-eclampsia – Authors' reply. Lancet, The, 2020, 395, 336-337.	6.3	0

#	Article	IF	CITATIONS
487	Angiogenic Effect of Pravastatin Alone and with Sera from Healthy and Complicated Pregnancies Studied by in vitro Vasculogenesis/Angiogenesis Assay. Journal of Vascular Research, 2021, 58, 139-147.	0.6	0
488	ls recruitment more difficult with a placebo arm in RCTs?. BMJ: British Medical Journal, 1999, 319, 853-853.	2.4	0
489	Lifestyle information and access to a commercial weight management group to promote maternal postnatal weight management and positive lifestyle behaviour: the SWAN feasibility RCT. Public Health Research, 2020, 8, 1-176.	0.5	0
490	Re.The web-based application "QUiPP v.2―for the prediction of preterm birth in symptomatic women is not yet ready for worldwide clinical use: ten reflections on development, validation and use.― Archives of Gynecology and Obstetrics, 2023, 307, 641-641.	0.8	0
491	Title is missing!. , 2020, 17, e1003229.		0
492	Title is missing!. , 2020, 17, e1003229.		0
493	Title is missing!. , 2020, 17, e1003229.		0
494	Title is missing!. , 2020, 17, e1003229.		0
495	Title is missing!. , 2020, 17, e1003229.		0
496	Title is missing!. , 2020, 17, e1003229.		0