Paul Seed

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1391461/paul-seed-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

468 19,128 71 120 h-index g-index citations papers 6.56 508 22,776 5.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
468	Maternal postpartum depressive symptoms partially mediate the association between preterm birth and mental and behavioral disorders in children <i>Scientific Reports</i> , 2022 , 12, 947	4.9	O
467	Cohort profile: InTraUterine sampling in early pregnancy (ITU), a prospective pregnancy cohort study in Finland: study design and baseline characteristics <i>BMJ Open</i> , 2022 , 12, e049231	3	0
466	Reliability of a novel approach for reference-based cell type estimation in human placental DNA methylation studies <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 115	10.3	1
465	Protocol: A randomized controlled trial to assess effectiveness of a 12-month lifestyle intervention to reduce cardiovascular disease risk in families ten years after pre-eclampsia (FINNCARE) <i>Preventive Medicine Reports</i> , 2022 , 26, 101731	2.6	O
464	Prevention of gestational diabetes in pregnant women with obesity: protocol for a pilot randomised controlled trial <i>Pilot and Feasibility Studies</i> , 2022 , 8, 70	1.9	
463	Postnatal health and care following hypertensive disorders in pregnancy: a prospective cohort study (BPiPP study) <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 286	3.2	
462	Re.The web-based application "QUiPP v.2" for the prediction of preterm birth in symptomatic women is not yet ready for worldwide clinical use: ten reflections on development, validation and use.". <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	
461	No association in maternal serum levels of TMAO and its precursors in pre-eclampsia and in non-complicated pregnancies <i>Pregnancy Hypertension</i> , 2022 , 28, 74-80	2.6	
460	Circulating Levels of Anti-C1q and Anti-Factor H Autoantibodies and Their Targets in Normal Pregnancy and Preeclampsia <i>Frontiers in Immunology</i> , 2022 , 13, 842451	8.4	1
459	Genetic risk of type 2 diabetes modifies the effects of a lifestyle intervention aimed at the prevention of gestational and postpartum diabetes <i>Diabetologia</i> , 2022 , 1	10.3	О
458	The impact of chronic kidney disease Stages 3-5 on pregnancy outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 2008-2017	4.3	10
457	Multiomics and digital monitoring during lifestyle changes reveal independent dimensions of human biology and health. <i>Cell Systems</i> , 2021 ,	10.6	3
456	Characteristics of preeclampsia in donor cell gestations <i>Pregnancy Hypertension</i> , 2021 , 27, 59-61	2.6	O
455	Rule-in and rule-out of pre-eclampsia using DELFIA Xpress PlGF 1-2-3 and sFlt-1: PlGF ratio <i>Pregnancy Hypertension</i> , 2021 , 27, 96-102	2.6	О
454	Can birth outcome inequality be reduced using targeted caseload midwifery in a deprived diverse inner city population? A retrospective cohort study, London, UK. <i>BMJ Open</i> , 2021 , 11, e049991	3	O
453	Re-evaluating diagnostic thresholds for intrahepatic cholestasis of pregnancy: case-control and cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1635-1644	3.7	4
452	Experiences of maternity care among women at increased risk of preterm birth receiving midwifery continuity of care compared to women receiving standard care: Results from the POPPIE pilot trial. <i>PLoS ONE</i> , 2021 , 16, e0248588	3.7	1

451	Stroke in Pregnancy and Puerperium: Validated Incidence Trends With Risk Factor Analysis in Finland 1987-2016. <i>Neurology</i> , 2021 , 96, e2564-e2575	6.5	7
450	Characteristics of epigenetic aging across gestational and perinatal tissues. <i>Clinical Epigenetics</i> , 2021 , 13, 97	7.7	8
449	DNA methylation signatures in cord blood associated with birthweight are enriched for dmCpGs previously associated with maternal hypertension or pre-eclampsia, smoking and folic acid intake. <i>Epigenetics</i> , 2021 , 1-17	5.7	1
448	Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped- wedge cluster-randomised control trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 317	3.2	1
447	Modifiable early life exposures associated with adiposity and obesity in 3-year old children born to mothers with obesity. <i>Pediatric Obesity</i> , 2021 , 16, e12801	4.6	1
446	Normal Gestational Weight Gain Protects From Large-for-Gestational-Age Birth Among Women With Obesity and Gestational Diabetes. <i>Frontiers in Public Health</i> , 2021 , 9, 550860	6	4
445	A prognostic model to guide decision-making on timing of delivery in late preterm pre-eclampsia: the PEACOCK prospective cohort study. <i>Health Technology Assessment</i> , 2021 , 25, 1-32	4.4	2
444	Folate and vitamin B12 status: associations with maternal glucose and neonatal DNA methylation sites related to dysglycaemia, in pregnant women with obesity. <i>Journal of Developmental Origins of Health and Disease</i> , 2021 , 1-9	2.4	O
443	A systematic review and meta-analysis on the association between ICSI and chromosome abnormalities. <i>Human Reproduction Update</i> , 2021 , 27, 801-847	15.8	1
442	Longitudinal Metabolic Profiling of Maternal Obesity, Gestational Diabetes, and Hypertensive Pregnancy Disorders. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4372-e4388	5.6	2
441	Prognostic indicators of severe disease in late preterm pre-eclampsia to guide decision making on timing of delivery: The PEACOCK study. <i>Pregnancy Hypertension</i> , 2021 , 24, 90-95	2.6	3
440	Placental and endothelial biomarkers for the prediction of superimposed pre-eclampsia in chronic kidney disease. <i>Pregnancy Hypertension</i> , 2021 , 24, 58-64	2.6	5
439	The Association Between High Birth Weight and Long-Term Outcomes-Implications for Assisted Reproductive Technologies: A Systematic Review and Meta-Analysis. <i>Frontiers in Pediatrics</i> , 2021 , 9, 675	<i>₹1</i> 45	2
438	Validation of the BPro radial pulse waveform acquisition device in pregnancy and gestational hypertensive disorders. <i>Blood Pressure Monitoring</i> , 2021 , 26, 380-384	1.3	1
437	Association of the MYOC p.(Gln368Ter) Variant With Glaucoma in a Finnish Population. <i>JAMA Ophthalmology</i> , 2021 , 139, 762-768	3.9	0
436	Evaluating the use of the QUiPP app and its impact on the management of threatened preterm labour: A cluster randomised trial. <i>PLoS Medicine</i> , 2021 , 18, e1003689	11.6	3
435	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a secondary analysis of the PITCHES trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1066-1075	3.7	8
434	Antenatal thymus volumes in fetuses that delivered . <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 1040-1050	3.8	6

433	The non-traditional and familial risk factors for preeclampsia in the FINNPEC cohort. <i>Pregnancy Hypertension</i> , 2021 , 23, 48-55	2.6	1
432	Placental magnetic resonance imaging in chronic hypertension: A case-control study. <i>Placenta</i> , 2021 , 104, 138-145	3.4	2
431	Fetal cardiac dysfunction in intrahepatic cholestasis of pregnancy is associated with elevated serum bile acid concentrations. <i>Journal of Hepatology</i> , 2021 , 74, 1087-1096	13.4	9
430	Impact of a medical mobile phone app (QUiPP) for predicting preterm birth on the anxiety and decisional conflicts faced by women in threatened preterm labour. <i>Midwifery</i> , 2021 , 92, 102864	2.8	2
429	Placental growth factor measurements in the assessment of women with suspected Preeclampsia: A stratified analysis of the PARROT trial. <i>Pregnancy Hypertension</i> , 2021 , 23, 41-47	2.6	2
428	Maternal antenatal stress and mental and behavioral disorders in their children. <i>Journal of Affective Disorders</i> , 2021 , 278, 57-65	6.6	9
427	A non-targeted LC-MS metabolic profiling of pregnancy: longitudinal evidence from healthy and pre-eclamptic pregnancies. <i>Metabolomics</i> , 2021 , 17, 20	4.7	8
426	Brain volumetry in fetuses that deliver very preterm: An MRI pilot study. <i>NeuroImage: Clinical</i> , 2021 , 30, 102650	5.3	2
425	Angiogenic Effect of Pravastatin Alone and with Sera from Healthy and Complicated Pregnancies Studied by in vitro Vasculogenesis/Angiogenesis Assay. <i>Journal of Vascular Research</i> , 2021 , 58, 139-147	1.9	
424	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a systematic review and individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 547-558	18.8	21
423	Betamethasone administration during pregnancy is associated with placental epigenetic changes with implications for inflammation. <i>Clinical Epigenetics</i> , 2021 , 13, 165	7.7	1
422	Serum Inhibin-A and PAPP-A2 in the prediction of pre-eclampsia during the first and second trimesters in high-risk women. <i>Pregnancy Hypertension</i> , 2021 , 25, 116-122	2.6	O
421	Multicenter Cohort Study, With a Nested Randomized Comparison, to Examine the Cardiovascular Impact of Preterm Preeclampsia. <i>Hypertension</i> , 2021 , 78, 1382-1394	8.5	3
420	Obstetric early warning system to predict maternal morbidity of pre-eclampsia, postpartum hemorrhage and infection after birth in high-risk women: a prospective cohort study. <i>Midwifery</i> , 2021 , 99, 103015	2.8	1
419	Cervicovaginal microbiota and metabolome predict preterm birth risk in an ethnically diverse cohort. <i>JCI Insight</i> , 2021 , 6,	9.9	3
418	Planned delivery to improve postpartum cardiac function in women with preterm pre-eclampsia: the PHOEBE mechanisms of action study within the PHOENIX RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-28	1.7	1
417	A polyepigenetic glucocorticoid exposure score at birth and childhood mental and behavioral disorders. <i>Neurobiology of Stress</i> , 2020 , 13, 100275	7.6	O
416	Genetic predisposition to hypertension is associated with preeclampsia in European and Central Asian women. <i>Nature Communications</i> , 2020 , 11, 5976	17.4	30

(2020-2020)

415	Placental growth factor for the prognosis of women with preeclampsia (fullPIERS model extension): context matters. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 668	3.2	4
414	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , 2020 , 18, 302	11.4	4
413	Maternal Hypertensive Pregnancy Disorders and Mental Disorders in Children. <i>Hypertension</i> , 2020 , 75, 1429-1438	8.5	20
412	Pulmonary complications for women with sickle cell disease in pregnancy: systematic review and meta-analysis. <i>Thorax</i> , 2020 , 75, 568-575	7.3	5
411	Cohort Profile: The Finnish Gestational Diabetes (FinnGeDi) Study. <i>International Journal of Epidemiology</i> , 2020 , 49, 762-763g	7.8	8
410	Predisposition to superimposed preeclampsia in women with chronic hypertension: endothelial, renal, cardiac, and placental factors in a prospective longitudinal cohort. <i>Hypertension in Pregnancy</i> , 2020 , 39, 326-335	2	4
409	Rule-in thresholds for DELFIA Xpress PlGF 1-2-3 test for suspected pre-eclampsia. <i>Pregnancy Hypertension</i> , 2020 , 21, 35-37	2.6	2
408	Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1082-1089	3.7	3
407	Pregnancy outcomes according to the definition of gestational diabetes. <i>PLoS ONE</i> , 2020 , 15, e0229496	5 3.7	7
406	Diagnostic accuracy of repeat placental growth factor measurements in women with suspected preeclampsia: A case series study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 994-1002	3.8	5
405	Placental growth factor testing in suspected pre-eclampsia - Authors' reply. Lancet, The, 2020, 395, 336	-3437	
404	Is There an Association Between Diet, Physical Activity and Depressive Symptoms in the Perinatal Period? An Analysis of the UPBEAT Cohort of Obese Pregnant Women. <i>Maternal and Child Health Journal</i> , 2020 , 24, 1482-1493	2.4	1
403	Metabolic phenotyping by treatment modality in obese women with gestational diabetes suggests diverse pathophysiology: An exploratory study. <i>PLoS ONE</i> , 2020 , 15, e0230658	3.7	6
402	Serial prophylactic exchange blood transfusion in pregnant women with sickle cell disease (TAPS-2): study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2020 , 21, 347	2.8	4
401	T2* Placental Magnetic Resonance Imaging in Preterm Preeclampsia: An Observational Cohort Study. <i>Hypertension</i> , 2020 , 75, 1523-1531	8.5	22
400	Maternal dysglycaemia, changes in the infant's epigenome modified with a diet and physical activity intervention in pregnancy: Secondary analysis of a randomised control trial. <i>PLoS Medicine</i> , 2020 , 17, e1003229	11.6	22
399	Midwifery continuity of care versus standard maternity care for women at increased risk of preterm birth: A hybrid implementation-effectiveness, randomised controlled pilot trial in the UK. <i>PLoS Medicine</i> , 2020 , 17, e1003350	11.6	8
398	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020 , 24, 1-252	4.4	6

397	Lifestyle information and access to a commercial weight management group to promote maternal postnatal weight management and positive lifestyle behaviour: the SWAN feasibility RCT. <i>Public Health Research</i> , 2020 , 8, 1-176	1.7	
396	Foetal lung volumes in pregnant women who deliver very preterm: a pilot study. <i>Pediatric Research</i> , 2020 , 87, 1066-1071	3.2	5
395	Persistently High Levels of Maternal Antenatal Inflammation Are Associated With and Mediate the Effect of Prenatal Environmental Adversities on Neurodevelopmental Delay in the Offspring. <i>Biological Psychiatry</i> , 2020 , 87, 898-907	7.9	22
394	Associations between dietary patterns, eating behaviours, and body composition and adiposity in 3-year-old children of mothers with obesity. <i>Pediatric Obesity</i> , 2020 , 15, e12608	4.6	13
393	Polygenic prediction of the risk of perinatal depressive symptoms. <i>Depression and Anxiety</i> , 2020 , 37, 862	288.75	5
392	Therapeutic doses of metformin do not have impact on angiogenesis in presence of sera from pre-eclamptic, IUGR and healthy pregnancies. <i>Pregnancy Hypertension</i> , 2020 , 22, 7-13	2.6	3
391	CRAFT (Cerclage after full dilatation caesarean section): protocol of a mixed methods study investigating the role of previous in-labour caesarean section in preterm birth risk. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 698	3.2	1
390	Association between DNA methylation and ADHD symptoms from birth to school age: a prospective meta-analysis. <i>Translational Psychiatry</i> , 2020 , 10, 398	8.6	17
389	Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. <i>EBioMedicine</i> , 2020 , 59, 102872	8.8	14
388	Cervicovaginal natural antimicrobial expression in pregnancy and association with spontaneous preterm birth. <i>Scientific Reports</i> , 2020 , 10, 12018	4.9	4
387	Associations of antenatal glucocorticoid exposure with mental health in children. <i>Psychological Medicine</i> , 2020 , 50, 247-257	6.9	14
386	MAVRIC: a multicenter randomized controlled trial of transabdominal vs transvaginal cervical cerclage. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 261.e1-261.e9	6.4	25
385	Maternal depression and inflammation during pregnancy. <i>Psychological Medicine</i> , 2020 , 50, 1839-1851	6.9	15
384	Quantitative fetal fibronectin for prediction of preterm birth in asymptomatic twin pregnancy. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 1191-1197	3.8	1
383	Maternal dysglycaemia, changes in the infant® epigenome modified with a diet and physical activity intervention in pregnancy: Secondary analysis of a randomised control trial 2020 , 17, e1003229		
382	Maternal dysglycaemia, changes in the infant⊠epigenome modified with a diet and physical activity intervention in pregnancy: Secondary analysis of a randomised control trial 2020 , 17, e1003229		
381	Maternal dysglycaemia, changes in the infant® epigenome modified with a diet and physical activity intervention in pregnancy: Secondary analysis of a randomised control trial 2020 , 17, e1003229		
380	Maternal dysglycaemia, changes in the infant® epigenome modified with a diet and physical		

Maternal dysglycaemia, changes in the infant epigenome modified with a diet and physical 379 activity intervention in pregnancy: Secondary analysis of a randomised control trial 2020, 17, e1003229 Maternal dysglycaemia, changes in the infant epigenome modified with a diet and physical 378 activity intervention in pregnancy: Secondary analysis of a randomised control trial 2020, 17, e1003229 Re: Effect of QUiPP prediction algorithm on treatment decisions in women with a previous preterm birth: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 1 377 3.7 2019, 126, 1642 Determination of birth-weight centile thresholds associated with adverse perinatal outcomes using population, customised, and Intergrowth charts: A Swedish population-based cohort study. PLoS 376 11.6 13 Medicine, 2019, 16, e1002902 Pregnancy-Related Acute Kidney Injury in Preeclampsia: Risk Factors and Renal Outcomes. 8.5 18 375 Hypertension, 2019, 74, 1144-1151 The health of children conceived by ART: 'the chicken or the egg?'. Human Reproduction Update, 15.8 136 374 2019, 25, 137-158 Cervical length and quantitative fetal fibronectin in the prediction of spontaneous preterm birth in asymptomatic women with congenital uterine anomaly. American Journal of Obstetrics and 8 6.4 373 Gynecology, 2019, 221, 341.e1-341.e9 Genetic architecture of human plasma lipidome and its link to cardiovascular disease. Nature 58 372 17.4 Communications, 2019, 10, 4329 The effect of a lifestyle intervention in obese pregnant women on gestational metabolic profiles: findings from the UK Pregnancies Better Eating and Activity Trial (UPBEAT) randomised controlled 371 11.4 19 trial. BMC Medicine, 2019, 17, 15 The impacted foetal head at caesarean section: incidence and techniques used in a single UK 370 1.3 4 institution. Journal of Obstetrics and Gynaecology, 2019, 39, 948-951 Hypertensive Disorders of Pregnancy and DNA Methylation in Newborns. Hypertension, 2019, 74, 375-388.5 369 40 Relationships of maternal body mass index and plasma biomarkers with childhood body mass index 368 4.6 11 and adiposity at 6 years: The Children of SCOPE study. Pediatric Obesity, 2019, 14, e12537 Quantifying adherence to antihypertensive medication for chronic hypertension during pregnancy. 367 2.6 2 Pregnancy Hypertension, 2019, 17, 12-14 Pregnancy-associated stroke -a systematic review of subsequent pregnancies and maternal health. 366 3.2 9 BMC Pregnancy and Childbirth, 2019, 19, 187 Integrated analysis of environmental and genetic influences on cord blood DNA methylation in 365 17.4 54 new-borns. Nature Communications, 2019, 10, 2548 Exploring the effect of implementation and context on a stepped-wedge randomised controlled 364 trial of a vital sign triage device in routine maternity care in low-resource settings. Implementation 8.4 4 Science, **2019**, 14, 38 Shock index thresholds to predict adverse outcomes in maternal hemorrhage and sepsis: A 363 3.8 15 prospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1178-1186 Markers of maternal cardiac dysfunction in pre-eclampsia and superimposed pre-eclampsia. 362 European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 151-156

361	Plasma Heme Scavengers Alpha-1-Microglobulin and Hemopexin as Biomarkers in High-Risk Pregnancies. <i>Frontiers in Physiology</i> , 2019 , 10, 300	4.6	11
360	The DESiGN trial (DEtection of Small for Gestational age Neonate), evaluating the effect of the Growth Assessment Protocol (GAP): study protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 154	2.8	7
359	Can common characteristics be identified as predictors for seasonal influenza vaccine uptake in pregnancy? A retrospective cohort study from a South London Hospital. <i>Midwifery</i> , 2019 , 72, 67-73	2.8	3
358	EQUIPTT: The Evaluation of the QUiPP app for Triage and Transfer protocol for a cluster randomised trial to evaluate the impact of the QUiPP app on inappropriate management for threatened preterm labour. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 68	3.2	11
357	Diagnostic Indicators of Superimposed Preeclampsia in Women With CKD. <i>Kidney International Reports</i> , 2019 , 4, 842-853	4.1	15
356	Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002775	11.6	27
355	Placental growth factor testing to assess women with suspected pre-eclampsia: a multicentre, pragmatic, stepped-wedge cluster-randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 1807-1818	40	107
354	Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019 , 7, e347	- e 356	21
353	Exome sequencing of Finnish isolates enhances rare-variant association power. <i>Nature</i> , 2019 , 572, 323-	3 38 .4	69
352	Placental growth factor testing for suspected pre-eclampsia: a cost-effectiveness analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1390-1398	3.7	18
351	PREPARE: protocol for a stepped wedge trial to evaluate whether a risk stratification model can reduce preterm deliveries among women with suspected or confirmed preterm pre-eclampsia. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 343	3.2	2
350	Protocol for a two-arm feasibility RCT to support postnatal maternal weight management and positive lifestyle behaviour in women from an ethnically diverse inner city population: the SWAN feasibility trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 117	1.9	2
349	Quality of stepped-wedge trial reporting can be reliably assessed using an updated CONSORT: crowd-sourcing systematic review. <i>Journal of Clinical Epidemiology</i> , 2019 , 107, 77-88	5.7	7
348	Association of adverse perinatal outcomes of intrahepatic cholestasis of pregnancy with biochemical markers: results of aggregate and individual patient data meta-analyses. <i>Lancet, The</i> , 2019 , 393, 899-909	40	166
347	Longitudinal changes in plasma hemopexin and alpha-1-microglobulin concentrations in women with and without clinical risk factors for pre-eclampsia. <i>PLoS ONE</i> , 2019 , 14, e0226520	3.7	2
346	Maternal depressive symptoms during and after pregnancy are associated with poorer sleep quantity and quality and sleep disorders in 3.5-year-old offspring. <i>Sleep Medicine</i> , 2019 , 56, 201-210	4.6	18
345	Infant regulatory behavior problems during first month of life and neurobehavioral outcomes in early childhood. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 847-859	5.5	9
344	Serum Creatinine in Pregnancy: A Systematic Review. <i>Kidney International Reports</i> , 2019 , 4, 408-419	4.1	37

343	Impact of obesity on angiogenic and inflammatory markers in the Finnish Genetics of Pre-eclampsia Consortium (FINNPEC) cohort. <i>International Journal of Obesity</i> , 2019 , 43, 1070-1081	5.5	11
342	Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2019 , 15, 42-50	2.6	15
341	Comparison of three commercially available placental growth factor-based tests in women with suspected preterm pre-eclampsia: the COMPARE study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 62-67	5.8	24
340	The effect of paternal factors on perinatal and paediatric outcomes: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2018 , 24, 320-389	15.8	100
339	Gender and preterm birth: Is male fetal gender a clinically important risk factor for preterm birth in high-risk women?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 225, 155-1	139	13
338	Maternal depressive symptoms during and after pregnancy and child developmental milestones. <i>Depression and Anxiety</i> , 2018 , 35, 732-741	8.4	40
337	Placental Growth Factor informed management of suspected pre-eclampsia or fetal growth restriction: The MAPPLE cohort study. <i>Pregnancy Hypertension</i> , 2018 , 14, 228-233	2.6	14
336	Is recreational running associated with earlier delivery and lower birth weight in women who continue to run during pregnancy? An international retrospective cohort study of running habits of 1293 female runners during pregnancy. <i>BMJ Open Sport and Exercise Medicine</i> , 2018 , 4, e000296	3.4	7
335	Placental Morphology Is Associated with Maternal Depressive Symptoms during Pregnancy and Toddler Psychiatric Problems. <i>Scientific Reports</i> , 2018 , 8, 791	4.9	16
334	Maternal early pregnancy obesity and depressive symptoms during and after pregnancy. <i>Psychological Medicine</i> , 2018 , 48, 2353-2363	6.9	24
333	Cord Metabolic Profiles in Obese Pregnant Women: Insights Into Offspring Growth and Body Composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 346-355	5.6	19
332	The Epigenetic Clock at Birth: Associations With Maternal Antenatal Depression and Child Psychiatric Problems. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 321-	-328.e	2 ⁴⁴
331	Does urinary tract infection alter fetal fibronectin vaginal swab results?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 222, 184-185	2.4	
330	Predicting delivery of a small-for-gestational-age infant and adverse perinatal outcome in women with suspected pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 387-395	5.8	19
329	Hormone-secreting adrenal tumours cause severe hypertension and high rates of poor pregnancy outcome; a UK Obstetric Surveillance System study with case control comparisons. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 719-727	3.7	10
328	Chronic hypertension in pregnancy: impact of ethnicity and superimposed preeclampsia on placental, endothelial, and renal biomarkers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 315, R36-R47	3.2	8
327	Effect of a lifestyle intervention during pregnancy-findings from the Finnish gestational diabetes prevention trial (RADIEL). <i>Journal of Perinatology</i> , 2018 , 38, 1157-1164	3.1	16
326	Prediction of pre-eclampsia and its subtypes in high-risk cohort: hyperglycosylated human chorionic gonadotropin in multivariate models. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 279	3.2	6

325	Gestational diabetes modifies the association between PlGF in early pregnancy and preeclampsia in women with obesity. <i>Pregnancy Hypertension</i> , 2018 , 13, 267-272	2.6	13
324	Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). <i>Trials</i> , 2018 , 19, 206	2.8	14
323	Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 115	3.2	8
322	Placental Alpha Microglobulin-1 Compared With Fetal Fibronectin to Predict Preterm Delivery in Symptomatic Women. <i>Obstetrics and Gynecology</i> , 2018 , 131, 743	4.9	1
321	Interpregnancy weight change and adverse pregnancy outcomes: a systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e018778	3	27
320	Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. <i>Journal of Global Health</i> , 2018 , 8,	4.3	17
319	Early warning system hypertension thresholds to predict adverse outcomes in pre-eclampsia: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2018 , 12, 183-188	2.6	17
318	Fetal Microsatellite in the Heme Oxygenase 1 Promoter Is Associated With Severe and Early-Onset Preeclampsia. <i>Hypertension</i> , 2018 , 71, 95-102	8.5	11
317	Rationale & design of the PROMISES study: a prospective assessment and validation study of salivary progesterone as a test for preterm birth in pregnant women from rural India. <i>Reproductive Health</i> , 2018 , 15, 215	3.5	2
316	The Immunogenetic Conundrum of Preeclampsia. Frontiers in Immunology, 2018, 9, 2630	8.4	24
315	A Non-Targeted LC-MS Profiling Reveals Elevated Levels of Carnitine Precursors and Trimethylated Compounds in the Cord Plasma of Pre-Eclamptic Infants. <i>Scientific Reports</i> , 2018 , 8, 14616	4.9	13
314	Neonatal regulatory behavior problems are predicted by maternal early pregnancy overweight and obesity: findings from the prospective PREDO Study. <i>Pediatric Research</i> , 2018 , 84, 875-881	3.2	4
313	Prevention of gestational diabetes with a prepregnancy lifestyle intervention - findings from a randomized controlled trial. <i>International Journal of Womenis Health</i> , 2018 , 10, 493-501	2.8	15
312	Mode of infant feeding, eating behaviour and anthropometry in infants at 6-months of age born to obese women - a secondary analysis of the UPBEAT trial. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 355	3.2	21
311	Do elevated symptoms of depression predict adherence and outcomes in the UPBEAT randomised controlled trial of a lifestyle intervention for obese pregnant women?. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 378	3.2	5
310	A Slow-Digesting, Low-Glycemic Load Nutritional Beverage Improves Glucose Tolerance in Obese Pregnant Women Without Gestational Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2018 , 20, 672-6	88.1	1
309	Angiogenic profile in the Finnish Genetics of Pre-Eclampsia Consortium (FINNPEC) cohort. <i>Pregnancy Hypertension</i> , 2018 , 14, 252-259	2.6	5
308	Creating biobanks in low and middle-income countries to improve knowledge - The PREPARE initiative. <i>Pregnancy Hypertension</i> , 2018 , 13, 62-64	2.6	7

307	Prediction of spontaneous preterm birth using fetal fibronectin in women with a low-lying placenta. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 313-316	2	1
306	Compliance with dietary guidelines affects capillary recruitment in healthy middle-aged men and women. <i>European Journal of Nutrition</i> , 2017 , 56, 1037-1044	5.2	4
305	Effect of reproductive ageing on pregnant mouse uterus and cervix. <i>Journal of Physiology</i> , 2017 , 595, 2065-2084	3.9	15
304	Infant adiposity following a randomised controlled trial of a behavioural intervention in obese pregnancy. <i>International Journal of Obesity</i> , 2017 , 41, 1018-1026	5.5	65
303	Placental inflammation and its relationship to cervicovaginal fetal fibronectin in preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 214, 173-177	2.4	10
302	The QUiPP App: a safe alternative to a treat-all strategy for threatened preterm labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 342-346	5.8	38
301	Full dilation cesarean section: a risk factor for recurrent second-trimester loss and preterm birth. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1100-1105	3.8	21
300	Variants in the fetal genome near FLT1 are associated with risk of preeclampsia. <i>Nature Genetics</i> , 2017 , 49, 1255-1260	36.3	118
299	Associations between maternal risk factors of adverse pregnancy and birth outcomes and the offspring epigenetic clock of gestational age at birth. <i>Clinical Epigenetics</i> , 2017 , 9, 49	7.7	45
298	Impact of Antihypertensive Treatment on Maternal and Perinatal Outcomes in Pregnancy Complicated by Chronic Hypertension: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	45
297	Macroprolactinomas and Nonfunctioning Pituitary Adenomas and Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2017 , 129, 185-194	4.9	26
296	Angiogenic profile and smoking in the Finnish Genetics of Pre-Eclampsia Consortium (FINNPEC) cohort. <i>Annals of Medicine</i> , 2017 , 49, 593-602	1.5	5
295	HYdroxychloroquine to Improve Pregnancy Outcome in Women with AnTIphospholipid Antibodies (HYPATIA) Protocol: A Multinational Randomized Controlled Trial of Hydroxychloroquine versus Placebo in Addition to Standard Treatment in Pregnant Women with Antiphospholipid Syndrome or	5.3	60
294	Antibodies. Seminars in Thrombosis and Hemostasis, 2017 , 43, 562-571 What is the impact of preconception abdominal cerclage on fertility: evidence from a randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2017 , 96, 543-546	3.8	10
293	The effect of blood staining on cervicovaginal quantitative fetal fibronectin concentration and prediction of spontaneous preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 208, 103-108	2.4	10
292	A Multicenter Cohort Study of Histologic Findings and Long-Term Outcomes of Kidney Disease in Women Who Have Been Pregnant. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 408-416	6.9	11
291	Cluster analysis to estimate the risk of preeclampsia in the high-risk Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction (PREDO) study. <i>PLoS ONE</i> , 2017 , 12, e0174399	3.7	16
290	Maternal depressive symptoms during and after pregnancy are associated with attention-deficit/hyperactivity disorder symptoms in their 3- to 6-year-old children. <i>PLoS ONE</i> , 2017 , 12, e0190248	3.7	44

289	Prediction of uncomplicated pregnancies in obese women: a prospective multicentre study. <i>BMC Medicine</i> , 2017 , 15, 194	11.4	11
288	Assessment of a vaginal device for delivery of the impacted foetal head at caesarean section. Journal of Obstetrics and Gynaecology, 2017 , 37, 157-161	1.3	5
287	Cohort Profile: Prediction and prevention of preeclampsia and intrauterine growth restriction (PREDO) study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1380-1381g	7.8	46
286	Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy: A Randomized Controlled Trial. <i>Hypertension</i> , 2017 , 70, 915-922	8.5	41
285	Metabolic profiling of gestational diabetes in obese women during pregnancy. <i>Diabetologia</i> , 2017 , 60, 1903-1912	10.3	54
284	Protective Low-Frequency Variants for Preeclampsia in the Fms Related Tyrosine Kinase 1 Gene in the Finnish Population. <i>Hypertension</i> , 2017 , 70, 365-371	8.5	15
283	SIRT6 polymorphism rs117385980 is associated with longevity and healthy aging in Finnish men. <i>BMC Medical Genetics</i> , 2017 , 18, 41	2.1	18
282	Reply: Rapid changes in practice make analysis of historical databases irrelevant for contemporary counselling. <i>Human Reproduction</i> , 2017 , 32, 964-965	5.7	
281	Maternal Depressive Symptoms During and After Pregnancy and Psychiatric Problems in Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2017 , 56, 30-39.e7	7.2	74
2 80	Analysis of Complement Gene Reveals Susceptibility to Severe Preeclampsia. <i>Frontiers in Immunology</i> , 2017 , 8, 589	8.4	26
279	Maternal BMI and diabetes in pregnancy: Investigating variations between ethnic groups using routine maternity data from London, UK. <i>PLoS ONE</i> , 2017 , 12, e0179332	3.7	12
278	Improving pregnancy outcome in obese women: the UK Pregnancies Better Eating and Activity randomised controlled Trial. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-414	1.5	6
277	Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 632-642	7.8	34
276	An RGS2 3'UTR polymorphism is associated with preeclampsia in overweight women. <i>BMC Genetics</i> , 2016 , 17, 121	2.6	8
275	The diagnosis of pre-eclampsia using two revised classifications in the Finnish Pre-eclampsia Consortium (FINNPEC) cohort. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 221	3.2	23
274	Rationale and design of SuPPoRT: a multi-centre randomised controlled trial to compare three treatments: cervical cerclage, cervical pessary and vaginal progesterone, for the prevention of preterm birth in women who develop a short cervix. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 358	3.2	21
273	First trimester serum placental growth factor and hyperglycosylated human chorionic gonadotropin are associated with pre-eclampsia: a case control study. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 378	3.2	9
272	Exome sequencing in pooled DNA samples to identify maternal pre-eclampsia risk variants. <i>Scientific Reports</i> , 2016 , 6, 29085	4.9	13

(2016-2016)

271	Investigation of rare and low-frequency variants using high-throughput sequencing with pooled DNA samples. <i>Scientific Reports</i> , 2016 , 6, 33256	4.9	10
270	Quantitative fetal fibronectin and cervical length to predict preterm birth in asymptomatic women with previous cervical surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 480.e1-480.e	10 ^{6.4}	14
269	Ability of a preterm surveillance clinic to triage risk of preterm birth: a prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 38-42	5.8	19
268	Heterogeneity of maternal characteristics and impact on gestational diabetes (GDM) risk-Implications for universal GDM screening?. <i>Annals of Medicine</i> , 2016 , 48, 52-8	1.5	20
267	Extending the scope of pooled analyses of individual patient biomarker data from heterogeneous laboratory platforms and cohorts using merging algorithms. <i>Pregnancy Hypertension</i> , 2016 , 6, 53-9	2.6	15
266	Diagnostic and predictive biomarkers for pre-eclampsia in patients with established hypertension and chronic kidney disease. <i>Kidney International</i> , 2016 , 89, 874-85	9.9	91
265	White's classification and pregnancy outcome in women with type 1 diabetes: a population-based cohort study. <i>Diabetologia</i> , 2016 , 59, 92-100	10.3	18
264	Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL): A Randomized Controlled Trial. <i>Diabetes Care</i> , 2016 , 39, 24-30	14.6	238
263	The Salivary Scavenger and Agglutinin (SALSA) in Healthy and Complicated Pregnancy. <i>PLoS ONE</i> , 2016 , 11, e0147867	3.7	8
262	Vital Sign Prediction of Adverse Maternal Outcomes in Women with Hypovolemic Shock: The Role of Shock Index. <i>PLoS ONE</i> , 2016 , 11, e0148729	3.7	55
261	Early Antenatal Prediction of Gestational Diabetes in Obese Women: Development of Prediction Tools for Targeted Intervention. <i>PLoS ONE</i> , 2016 , 11, e0167846	3.7	41
260	PROMISE: first-trimester progesterone therapy in women with a history of unexplained recurrent miscarriages - a randomised, double-blind, placebo-controlled, international multicentre trial and economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, 1-92	4.4	32
259	Maternal Prenatal Positive Affect, Depressive and Anxiety Symptoms and Birth Outcomes: The PREDO Study. <i>PLoS ONE</i> , 2016 , 11, e0150058	3.7	42
258	Placental Growth Factor (PlGF) in Women with Suspected Pre-Eclampsia Prior to 35 Weeks' Gestation: A Budget Impact Analysis. <i>PLoS ONE</i> , 2016 , 11, e0164276	3.7	18
257	Determination of Normal Ranges of Shock Index and Other Haemodynamic Variables in the Immediate Postpartum Period: A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0168535	3.7	28
256	Hormone Replacement Therapy Versus the Combined Oral Contraceptive Pill in Premature Ovarian Failure: A Randomized Controlled Trial of the Effects on Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3497-505	5.6	83
255	Development and validation of a tool incorporating quantitative fetal fibronectin to predict spontaneous preterm birth in symptomatic women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 210-6	5.8	27
254	Quantitative Fetal Fibronectin at 18 Weeks of Gestation to Predict Preterm Birth in Asymptomatic High-Risk Women. <i>Obstetrics and Gynecology</i> , 2016 , 127, 255-63	4.9	22

253	Development and validation of a tool incorporating cervical length and quantitative fetal fibronectin to predict spontaneous preterm birth in asymptomatic high-risk women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 104-9	5.8	42
252	Diagnostic Biomarkers in Women With Suspected Preeclampsia in a Prospective Multicenter Study. <i>Obstetrics and Gynecology</i> , 2016 , 128, 245-252	4.9	22
251	Cohort profile: the Finnish Genetics of Pre-eclampsia Consortium (FINNPEC). BMJ Open, 2016 , 6, e013	148	22
250	Dietary patterns in obese pregnant women; influence of a behavioral intervention of diet and physical activity in the UPBEAT randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 124	8.4	29
249	Prognostic and mechanistic potential of progesterone sulfates in intrahepatic cholestasis of pregnancy and pruritus gravidarum. <i>Hepatology</i> , 2016 , 63, 1287-98	11.2	56
248	Urinary congophilia in women with hypertensive disorders of pregnancy and preexisting proteinuria or hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 464.e1-7	6.4	25
247	Interaction between rs10830963 polymorphism in MTNR1B and lifestyle intervention on occurrence of gestational diabetes. <i>Diabetologia</i> , 2016 , 59, 1655-8	10.3	34
246	C. elegans flavin-containing monooxygenase-4 is essential for osmoregulation in hypotonic stress. <i>Biology Open</i> , 2016 , 5, 537-49	2.2	4
245	Preeclampsia does not share common risk alleles in 9p21 with coronary artery disease and type 2 diabetes. <i>Annals of Medicine</i> , 2016 , 48, 330-6	1.5	O
244	Hysteroscopy in recurrent in-vitro fertilisation failure (TROPHY): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2016 , 387, 2614-2621	40	97
243	Percutaneous Device Closure of Paravalvular Leak: Combined Experience From the United Kingdom and Ireland. <i>Circulation</i> , 2016 , 134, 934-44	16.7	67
242	Live birth and perinatal outcomes following stimulated and unstimulated IVF: analysis of over two decades of a nationwide data. <i>Human Reproduction</i> , 2016 , 31, 2261-7	5.7	40
241	Pregnancy outcomes in myeloproliferative neoplasms: UK prospective cohort study. <i>British Journal of Haematology</i> , 2016 , 175, 31-6	4.5	45
240	An epigenetic clock for gestational age at birth based on blood methylation data. <i>Genome Biology</i> , 2016 , 17, 206	18.3	132
239	Stanniocalcin-1 Hormone in Nonpreeclamptic and Preeclamptic Pregnancy: Clinical, Life-Style, and Genetic Modulators. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4799-4807	5.6	14
238	Effect of a behavioural intervention in obese pregnant women (the UPBEAT study): a multicentre, randomised controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2015 , 3, 767-77	18.1	424
237	Dalteparin for pregnant women with thrombophilia. <i>Lancet, The</i> , 2015 , 385, 689	40	1
236	Prior ultrasound-indicated cerclage: how should we manage the next pregnancy?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 188, 129-32	2.4	10

235	Increased risk of preterm birth and low birthweight with very high number of oocytes following IVF: an analysis of 65 868 singleton live birth outcomes. <i>Human Reproduction</i> , 2015 , 30, 1473-80	5.7	80
234	How effective are current dietary guidelines for cardiovascular disease prevention in healthy middle-aged and older men and women? A randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 922-30	7	42
233	Shock index: an effective predictor of outcome in postpartum haemorrhage?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 268-75	3.7	79
232	A pilot study of cognitive behavioural therapy and relaxation for migraine headache: a randomised controlled trial. <i>Journal of Neurology</i> , 2015 , 262, 2764-72	5.5	20
231	Candidate gene analysis and exome sequencing confirm LBX1 as a susceptibility gene for idiopathic scoliosis. <i>Spine Journal</i> , 2015 , 15, 2239-46	4	41
230	Lifestyle interventions for obese and overweight pregnant women to improve pregnancy outcome: a systematic review and meta-analysis. <i>Lancet, The</i> , 2015 , 386, S61	40	9
229	A Randomized Trial of Progesterone in Women with Recurrent Miscarriages. <i>New England Journal of Medicine</i> , 2015 , 373, 2141-8	59.2	159
228	Association between maternal micronutrient status, oxidative stress, and common genetic variants in antioxidant enzymes at 15 weeks? gestation in nulliparous women who subsequently develop preeclampsia. <i>Free Radical Biology and Medicine</i> , 2015 , 78, 147-55	7.8	36
227	Prediction of spontaneous preterm birth using quantitative fetal fibronectin after recent sexual intercourse. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 89.e1-5	6.4	14
226	Gene expression profiling of pre-eclamptic placentae by RNA sequencing. <i>Scientific Reports</i> , 2015 , 5, 14107	4.9	52
225	Adverse maternal and perinatal outcomes in pregnant women with sickle cell disease: systematic review and meta-analysis. <i>Blood</i> , 2015 , 125, 3316-25	2.2	116
224	The Effects of the UK Pregnancies Better Eating and Activity Trial Intervention on Dietary Patterns in Obese Pregnant Women Participating in a Pilot Randomized Controlled Trial. <i>Nutrition and Metabolic Insights</i> , 2015 , 8, 79-86	1.9	4
223	Diagnostic accuracy of placental growth factor and ultrasound parameters to predict the small-for-gestational-age infant in women presenting with reduced symphysis-fundus height. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 182-90	5.8	29
222	Meta-Analysis of Placental Transcriptome Data Identifies a Novel Molecular Pathway Related to Preeclampsia. <i>PLoS ONE</i> , 2015 , 10, e0132468	3.7	24
221	Chronic Hypertension and Pregnancy Outcomes. Obstetric Anesthesia Digest, 2015, 35, 6-7	0.2	4
220	Assessment of a full dilatation cesarean delivery simulator. Obstetrics and Gynecology, 2015, 125, 369-3	74 .9	11
219	Quantitative fetal fibronectin to predict preterm birth in asymptomatic women at high risk. <i>Obstetrics and Gynecology</i> , 2015 , 125, 1168-1176	4.9	66
218	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>British Journal of Sports Medicine</i> , 2015 , 49, 136	10.3	1

217	A mismatch between population health literacy and the complexity of health information: an observational study. <i>British Journal of General Practice</i> , 2015 , 65, e379-86	1.6	114
216	Endothelial and platelet microparticles in patients with antiphospholipid antibodies. <i>Thrombosis Research</i> , 2015 , 135, 368-74	8.2	27
215	Genetic analysis of membrane cofactor protein (CD46) of the complement system in women with and without preeclamptic pregnancies. <i>PLoS ONE</i> , 2015 , 10, e0117840	3.7	10
214	RIPOSTE: a framework for improving the design and analysis of laboratory-based research. <i>ELife</i> , 2015 , 4,	8.9	16
213	Percutaneous closure of postinfarction ventricular septal defect: in-hospital outcomes and long-term follow-up of UK experience. <i>Circulation</i> , 2014 , 129, 2395-402	16.7	60
212	Strategy for standardization of preeclampsia research study design. <i>Hypertension</i> , 2014 , 63, 1293-301	8.5	129
211	Association between response to ovarian stimulation and miscarriage following IVF: an analysis of 124 351 IVF pregnancies. <i>Human Reproduction</i> , 2014 , 29, 1218-24	5.7	53
210	Does adding milk to tea delay gastric emptying?. British Journal of Anaesthesia, 2014 , 112, 66-71	5.4	23
209	Low-dose aspirin vs low-dose aspirin plus low-intensity warfarin in thromboprophylaxis: a prospective, multicentre, randomized, open, controlled trial in patients positive for antiphospholipid antibodies (ALIWAPAS). <i>Rheumatology</i> , 2014 , 53, 275-84	3.9	57
208	A complex intervention to improve pregnancy outcome in obese women; the UPBEAT randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 74	3.2	63
207	Chronic hypertension and pregnancy outcomes: systematic review and meta-analysis. <i>BMJ, The</i> , 2014 , 348, g2301	5.9	318
206	Clopidogrel as prophylactic treatment for migraine: a pilot randomised, controlled study. <i>Cephalalgia</i> , 2014 , 34, 1163-8	6.1	12
205	Chronic obstructive pulmonary disease hospital admissions and drugsunexpected positive associations: a retrospective general practice cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2014 , 24, 14006	3.2	13
204	Using a patient-generated mental-health measure 'PSYCHLOPS' to explore problems in patients with coronary heart disease. <i>British Journal of General Practice</i> , 2014 , 64, e354-63	1.6	5
203	Associations between intimate partner violence and termination of pregnancy: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001581	11.6	81
202	Complement activation and regulation in preeclamptic placenta. <i>Frontiers in Immunology</i> , 2014 , 5, 312	8.4	68
201	Microsatellite polymorphism in the heme oxygenase-1 promoter is associated with nonsevere and late-onset preeclampsia. <i>Hypertension</i> , 2014 , 64, 172-7	8.5	34
200	Prediction of gestational diabetes in obese pregnant women from the UK Pregnancies Better Eating and Activity (UPBEAT) pilot trial. <i>Diabetic Medicine</i> , 2014 , 31, 963-70	3.5	27

(2013-2014)

199	Reporting errors, incidence and risk factors for postpartum haemorrhage and progression to severe PPH: a prospective observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 876-88	3.7	63
198	AN INTERVENTION TRIAL FOR PEOPLE WITH EPILEPSY ATTENDING A&E. Journal of Neurology, Neurosurgery and Psychiatry, 2014 , 85, e4.189-e4	5.5	
197	Endocervical and high vaginal quantitative fetal fibronectin in predicting preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1576-9	2	6
196	P379 BIOCHEMICAL MARKERS FOR INTRAHEPATIC CHOLESTASIS OF PREGNANCY AND PRURITUS GRAVIDARUM IN WOMEN WITH GESTATIONAL PRURITUS. <i>Journal of Hepatology</i> , 2014 , 60, S194	13.4	2
195	Association of severe intrahepatic cholestasis of pregnancy with adverse pregnancy outcomes: a prospective population-based case-control study. <i>Hepatology</i> , 2014 , 59, 1482-91	11.2	258
194	Clinical- and cost-effectiveness of a nurse led self-management intervention to reduce emergency visits by people with epilepsy. <i>PLoS ONE</i> , 2014 , 9, e90789	3.7	29
193	Raised trappin2/elafin protein in cervico-vaginal fluid is a potential predictor of cervical shortening and spontaneous preterm birth. <i>PLoS ONE</i> , 2014 , 9, e100771	3.7	16
192	InterPregGen: genetic studies of pre-eclampsia in three continents. <i>Norsk Epidemiologi</i> , 2014 , 24, 141-1	4<u>6</u>. 8	8
191	Developing a complex intervention for diet and activity behaviour change in obese pregnant women (the UPBEAT trial); assessment of behavioural change and process evaluation in a pilot randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 148	3.2	97
190	Development and validation of a measure of health literacy in the UK: the newest vital sign. <i>BMC Public Health</i> , 2013 , 13, 116	4.1	79
189	Association of migraine aura with patent foramen ovale and atrial septal aneurysms. <i>International Journal of Cardiology</i> , 2013 , 168, 3949-53	3.2	13
188	Evaluation of a quantitative fetal fibronectin test for spontaneous preterm birth in symptomatic women. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 122.e1-6	6.4	77
187	Pitfalls in setting up genetic studies on preeclampsia. <i>Pregnancy Hypertension</i> , 2013 , 3, 60	2.6	4
186	Effect of low doses of long chain n-3 polyunsaturated fatty acids on sleep-time heart rate variability: a randomized, controlled trial. <i>International Journal of Cardiology</i> , 2013 , 168, 4439-42	3.2	12
185	Diagnostic accuracy of placental growth factor in women with suspected preeclampsia: a prospective multicenter study. <i>Circulation</i> , 2013 , 128, 2121-31	16.7	289
184	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>BMJ, The</i> , 2013 , 347, f6398	5.9	31
183	Mandatory vaccination. <i>Cmaj</i> , 2013 , 185, 983-4	3.5	1
182	The Public Health Impact score: a new measure of public health effectiveness for general practices in England. <i>British Journal of General Practice</i> , 2013 , 63, e291-9	1.6	8

3.9

Physiology, 2011, 589, 3969-81

163	External characteristics of the lateral aspect of the hoof differ between non-lame and lame horses. <i>Veterinary Journal</i> , 2011 , 190, 364-71	2.5	29
162	Adverse maternal and perinatal outcomes in women with previous preeclampsia: a prospective study. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 512.e1-9	6.4	50
161	Service use and costs for people with headache: a UK primary care study. <i>Journal of Headache and Pain</i> , 2011 , 12, 617-23	8.8	23
160	Vitamin C and vitamin E in pregnant women at risk for pre-eclampisia (VIP trial): randomised placebo-controlled trial1). <i>Nederlands Tijdschrift Voor Evidence Based Practice</i> , 2011 , 9, 13-14		
159	Interleukin-6 bedside testing in women at high risk of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 1301-4	2	21
158	Predictors of outcome in patients consulting their general practitioners for headache: a prospective study. <i>Psychology and Health</i> , 2011 , 26, 751-64	2.9	5
157	Maternal plasma fatty acid composition and pregnancy outcome in adolescents. <i>British Journal of Nutrition</i> , 2011 , 105, 601-10	3.6	4
156	The value of combined cervical length measurement and fetal fibronectin testing to predict spontaneous preterm birth in asymptomatic high-risk women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 928-32	2	34
155	Role of oxidative stress and antioxidant supplementation in pregnancy disorders. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1980S-1985S	7	133
154	Pregnancy outcome in women with chronic kidney disease: a prospective cohort study. <i>Reproductive Sciences</i> , 2011 , 18, 623-30	3	32
153	Effect of low doses of long-chain n-3 PUFAs on endothelial function and arterial stiffness: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 973-80	7	70
152	How patients use access to their electronic GP recorda quantitative study. <i>Family Practice</i> , 2011 , 28, 188-94	1.9	53
151	Identifying poorly performing general practices in England: a longitudinal study using data from the quality and outcomes framework. <i>Journal of Health Services Research and Policy</i> , 2011 , 16, 21-7	2.4	22
150	Prediction of preeclampsia and delivery of small for gestational age babies based on a combination of clinical risk factors in high-risk women. <i>Hypertension in Pregnancy</i> , 2011 , 30, 58-73	2	14
149	The use of cost information when defining critical values for prediction of rare events by using logistic regression and similar methods. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2010 , 173, 255-256	2.1	
148	CLIC: a longitudinal study of inflammatory markers and cervical change in women at risk of spontaneous preterm labour. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010 , 95, Fa10	o 4 710	2
147	Respiratory outcomes in early childhood following antenatal vitamin C and E supplementation. <i>Thorax</i> , 2010 , 65, 998-1003	7.3	55
146	Pruritus in pregnancy: a study of anatomical distribution and prevalence in relation to the development of obstetric cholestasis. <i>Obstetric Medicine</i> , 2010 , 3, 25-9	1.5	35

145	Longitudinal profiles of 15 serum bile acids in patients with intrahepatic cholestasis of pregnancy. American Journal of Gastroenterology, 2010 , 105, 585-95	0.7	55
144	Calibration accuracy of hospital-based non-invasive blood pressure measuring devices. <i>Journal of Human Hypertension</i> , 2010 , 24, 58-63	2.6	27
143	Differences in the primary care management of patients with psychosis from two ethnic groups: a population-based cross-sectional study. <i>Family Practice</i> , 2010 , 27, 439-46	1.9	13
142	Ethnicity and attitudes to deceased kidney donation: a survey in Barbados and comparison with Black Caribbean people in the United Kingdom. <i>BMC Public Health</i> , 2010 , 10, 266	4.1	6
141	Relationship between maternal growth, infant birthweight and nutrient partitioning in teenage pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 200-11	3.7	30
140	Clinical and geographical variation in prophylactic and therapeutic treatments for pre-eclampsia in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 695-700	3.7	8
139	Which practices are high antibiotic prescribers? A cross-sectional analysis. <i>British Journal of General Practice</i> , 2009 , 59, e315-20	1.6	44
138	Evaluation of perioperative morbidity associated with single and multiple myomectomy. <i>Journal of Obstetrics and Gynaecology</i> , 2009 , 29, 737-41	1.3	9
137	A prospective study of micronutrient status in adolescent pregnancy. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1114-24	7	120
136	Effect of food intake during labour on obstetric outcome: randomised controlled trial. <i>BMJ, The</i> , 2009 , 338, b784	5.9	55
135	Characteristics of frequent attenders in an emergency department: analysis of 1-year attendance data. <i>Emergency Medicine Journal</i> , 2009 , 26, 263-7	1.5	49
134	A prospective study of pregnancy outcome and biomarkers of oxidative stress in nulliparous obese women. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 395.e1-9	6.4	83
133	Prospective cohort study investigating the reliability of the AmnioSense method for detection of spontaneous rupture of membranes. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 313-8	3.7	7
132	Fetal fibronectin as a predictor of spontaneous preterm labour in asymptomatic women with a cervical cerclage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 799-803	3.7	23
131	Low saliva progesterone concentrations are associated with spontaneous early preterm labour (before 34 weeks of gestation) in women at increased risk of preterm delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 1515-9	3.7	29
130	Does fetal fibronectin testing change patient management in women at risk of preterm labour?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 180-3	2.4	6
129	A randomized controlled trial of cervical scanning vs history to determine cerclage in women at high risk of preterm birth (CIRCLE trial). <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 623.	e f- d	43
128	Birthweights in sickle cell trait pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 1116-21	3.7	7

(2006-2008)

127	The relationship between endometrial thickness and outcome of medicated frozen embryo replacement cycles. <i>Fertility and Sterility</i> , 2008 , 89, 832-9	4.8	131
126	A study to establish gestation-specific reference intervals for thyroid function tests in normal singleton pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 137, 61-6	2.4	41
125	Platelet count as a predictor of the severity of sickle cell disease during pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , 2008 , 28, 688-91	1.3	3
124	Adverse perinatal outcomes and risk factors for preeclampsia in women with chronic hypertension: a prospective study. <i>Hypertension</i> , 2008 , 51, 1002-9	8.5	247
123	Chronic fatigue syndrome and related disorders in UK veterans of the Gulf War 1990-1991: results from a two-phase cohort study. <i>Psychological Medicine</i> , 2008 , 38, 953-61	6.9	15
122	Cost-effectiveness of cognitive behaviour therapy in addition to mebeverine for irritable bowel syndrome. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 255-63	2.2	17
121	Primary cutaneous apocrine carcinoma: a clinico-pathologic analysis of 24 cases. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 682-90	6.7	105
120	A new GP with special interest headache service: observational study. <i>British Journal of General Practice</i> , 2008 , 58, 478-83	1.6	19
119	Fetal arterial and venous Doppler pulsatility index and time averaged velocity ranges. <i>Prenatal Diagnosis</i> , 2007 , 27, 1251-7	3.2	66
118	Prophylactic antibiotics for the prevention of preterm birth in women at risk: a meta-analysis. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007 , 47, 368-77	1.7	63
117	Investigating the active ingredients of cognitive behaviour therapy and counselling for patients with chronic fatigue in primary care: developing a new process measure to assess treatment fidelity and predict outcome. <i>British Journal of Clinical Psychology</i> , 2007 , 46, 253-72	3.6	55
116	White blood cell count as a predictor of the severity of sickle cell disease during pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 169-72	2.4	19
115	Antiplatelet agents for prevention of pre-eclampsia. <i>Lancet, The</i> , 2007 , 370, 1685; author reply 1685-6	40	1
114	How do patients referred to neurologists for headache differ from those managed in primary care?. <i>British Journal of General Practice</i> , 2007 , 57, 388-95	1.6	43
113	The relationship between social deprivation and the quality of primary care: a national survey using indicators from the UK Quality and Outcomes Framework. <i>British Journal of General Practice</i> , 2007 , 57, 441-8	1.6	55
112	Placental NAD(P)H oxidase mediated superoxide generation in early pregnancy. <i>Placenta</i> , 2006 , 27, 158	3- 6.3	29
111	Plasma lipid profiles of women with intrahepatic cholestasis of pregnancy. <i>Obstetrics and Gynecology</i> , 2006 , 107, 106-14	4.9	46
110	The effect of small intramural uterine fibroids on the cumulative outcome of assisted conception. <i>Human Reproduction</i> , 2006 , 21, 2640-4	5.7	63

109	Morbidity in expatriatesa prospective cohort study. <i>Occupational Medicine</i> , 2006 , 56, 345-52	2.1	21
108	Vitamin C and vitamin E in pregnant women at risk for pre-eclampsia (VIP trial): randomised placebo-controlled trial. <i>Lancet, The</i> , 2006 , 367, 1145-54	40	580
107	Vitamin C and vitamin E in pregnant women at risk of pre-eclampsia [Authors' reply. <i>Lancet, The</i> , 2006 , 368, 199-200	40	5
106	Molecular staging of lymph nodes from 60 patients with mycosis fungoides and Szary syndrome: correlation with histopathology and outcome suggests prognostic relevance in mycosis fungoides. <i>British Journal of Dermatology</i> , 2006 , 155, 756-62	4	34
105	A randomised controlled trial of metronidazole for the prevention of preterm birth in women positive for cervicovaginal fetal fibronectin: the PREMET Study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 65-74	3.7	119
104	General practice medical records: patients' views on storage, use and access. <i>European Journal of General Practice</i> , 2005 , 11, 134-5	2.8	1
103	A study to determine the use of medicines and drugs of abuse in high-risk early pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005 , 119, 129	2.4	0
102	Optimal bedside urinalysis for the detection of proteinuria in hypertensive pregnancy: a study of diagnostic accuracy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 412-7	3.7	58
101	TOCOXa randomised, double-blind, placebo-controlled trial of rofecoxib (a COX-2-specific prostaglandin inhibitor) for the prevention of preterm delivery in women at high risk. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 725-30	3.7	50
100	Anaesthesia for Caesarean section and neonatal acid-base status: a meta-analysis. <i>Anaesthesia</i> , 2005 , 60, 636-53	6.6	200
99	Thyroid autoimmunity in chronic urticaria. British Journal of Dermatology, 2005, 153, 331-5	4	78
98	Measurement of sunscreen immune protection factors in humans: a consensus paper. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 403-9	4.3	55
97	Predictors of outcome following treatment for chronic fatigue. <i>British Journal of Psychiatry</i> , 2005 , 186, 350-1	5.4	20
96	Cognitive behaviour therapy in addition to antispasmodic treatment for irritable bowel syndrome in primary care: randomised controlled trial. <i>BMJ, The</i> , 2005 , 331, 435	5.9	140
95	Dehydration and venous thromboembolism after acute stroke. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2004 , 97, 293-6	2.7	91
94	Pituitary suppression in ultrasound-monitored frozen embryo replacement cycles. A randomised study. <i>Human Reproduction</i> , 2004 , 19, 874-9	5.7	71
93	Quality of life and disease severity are correlated in children with atopic dermatitis. <i>British Journal of Dermatology</i> , 2004 , 150, 284-90	4	144
92	A randomized cross-over study to compare PUVA and extracorporeal photopheresis in the treatment of plaque stage (T2) mycosis fungoides. <i>Clinical and Experimental Dermatology</i> , 2004 , 29, 231	- [-8	36

(2002-2004)

91	Intraobserver and interobserver variation in the sonographic grading of placental maturity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 23, 374-7	5.8	25
90	Ultraviolet-radiation-induced erythema and suppression of contact hypersensitivity responses in patients with polymorphic light eruption. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 295-9	4.3	71
89	Glutathione S-transferase and liver function in intrahepatic cholestasis of pregnancy and pruritus gravidarum. <i>Hepatology</i> , 2004 , 40, 1406-14	11.2	30
88	Predictors of atopic dermatitis severity over time. <i>Journal of the American Academy of Dermatology</i> , 2004 , 50, 349-56	4.5	48
87	Cost-effectiveness of cognitive behavioural therapy, graded exercise and usual care for patients with chronic fatigue in primary care. <i>Psychological Medicine</i> , 2004 , 34, 991-9	6.9	33
86	Is graded exercise better than cognitive behaviour therapy for fatigue? A UK randomized trial in primary care. <i>Psychological Medicine</i> , 2004 , 34, 37-49	6.9	59
85	Clinical evaluation of an automated oscillometric blood pressure wrist device. <i>Blood Pressure Monitoring</i> , 2004 , 9, 31-7	1.3	22
84	Gender-linked hypertension in offspring of lard-fed pregnant rats. <i>Hypertension</i> , 2003 , 41, 168-75	8.5	307
83	Poor response to ovulation induction is a stronger predictor of early menopause than elevated basal FSH: a life table analysis. <i>Human Reproduction</i> , 2003 , 18, 527-33	5.7	91
82	Symptoms and concerns amongst cancer outpatients: identifying the need for specialist palliative care. <i>Palliative Medicine</i> , 2003 , 17, 588-95	5.5	118
81	Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 454-60	6.4	17
80	Longitudinal analysis of serum insulin-like growth factor-I and insulin-like growth factor binding protein-1 in antiphospholipid syndrome and in healthy pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 274-9	6.4	3
79	A commercial sunscreen's protection against ultraviolet radiation-induced immunosuppression is more than 50% lower than protection against sunburn in humans. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 65-71	4.3	52
78	A randomised controlled trial of fluid pre-loading before low dose epidural analgesia for labour. <i>International Journal of Obstetric Anesthesia</i> , 2003 , 12, 256-60	2.1	25
77	Depressive symptoms in advanced cancer. Part 1. Assessing depression: the Mood Evaluation Questionnaire. <i>Palliative Medicine</i> , 2003 , 17, 596-603	5.5	25
76	Depressive symptoms in advanced cancer. Part 2. Depression over time; the role of the palliative care professional. <i>Palliative Medicine</i> , 2003 , 17, 604-7	5.5	30
75	The economic cost of chronic fatigue and chronic fatigue syndrome in UK primary care. <i>Psychological Medicine</i> , 2003 , 33, 253-61	6.9	76
74	A longitudinal study of biochemical variables in women at risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 127-36	6.4	273

		Paul	SEED
73	Vitamin C and E supplementation in women at risk of preeclampsia is associated with changes in indices of oxidative stress and placental function. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 777-84	6.4	156
72	The influence of timing and route of administration of intravenous ketorolac on analgesia after hand surgery. <i>Anaesthesia</i> , 2002 , 57, 535-9	6.6	9
71	Reliance on erythema scores may mask severe atopic dermatitis in black children compared with their white counterparts. <i>British Journal of Dermatology</i> , 2002 , 147, 920-5	4	71
70	Are quality of family life and disease severity related in childhood atopic dermatitis?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2002 , 16, 455-62	4.6	91
69	Analgesia in labour and fetal acidBase balance: a meta-analysis comparing epidural with systemic opioid analgesia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 1344-1353	3.7	4
68	Preventing patient falls. <i>Age and Ageing</i> , 2002 , 31, 75-6	3	12
67	Isoflurane dosage for equivalent intraoperative electroencephalographic suppression in patients with and without epidural blockade. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1412-8, table of contents	3.9	10
66	An evaluation of isotonic "sport drinks" during labor. <i>Anesthesia and Analgesia</i> , 2002 , 94, 404-8, table of contents	3.9	63
65	Comparison of the humoral markers of bone turnover and bone mineral density in patients on haemodialysis and continuous ambulatory peritoneal dialysis. <i>Nephron</i> , 2002 , 91, 94-102	3.3	17
64	The mental health of UK Gulf war veterans: phase 2 of a two phase cohort study. <i>BMJ, The</i> , 2002 , 325, 576	5.9	63
63	Classification of anti-FcepsilonRI and anti-IgE autoantibodies in chronic idiopathic urticaria and correlation with disease severity. <i>Journal of Allergy and Clinical Immunology</i> , 2002 , 110, 492-9	11.5	221
62	Low circulating estradiol and adrenal androgens concentrations in men on glucocorticoids: a potential contributory factor in steroid-induced osteoporosis. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 1458-62	12.7	19
61	The severity of cutaneous and oral pemphigus is related to desmoglein 1 and 3 antibody levels. <i>British Journal of Dermatology</i> , 2001 , 144, 775-80	4	188
60	Scanned continuous wave CO2 laser resurfacing: a closer look at the different scanning modes. <i>Dermatologic Surgery</i> , 2001 , 27, 467-70	1.7	2
59	Temporal changes in insulin sensitivity following the development of acute liver failure secondary to acetaminophen. <i>Hepatology</i> , 2001 , 34, 109-15	11.2	27
58	Transcatheter coil occlusion of the arterial duct; results of the European Registry. <i>European Heart Journal</i> , 2001 , 22, 1817-21	9.5	77
57	A prospective controlled study of the effect of intramural uterine fibroids on the outcome of assisted conception. <i>Human Reproduction</i> , 2001 , 16, 2411-7	5.7	186
56	Effect of lateral versus supine wedged position on development of spinal blockade and hypotension. <i>International Journal of Obstetric Anesthesia</i> , 2001 , 10, 182-8	2.1	21

(2000-2001)

55	A clinical and histologic comparison of electrosurgical and carbon dioxide laser peels. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 492-6	4.5	8
54	Treatment of angiofibromas with a scanning carbon dioxide laser: a clinicopathologic study with long-term follow-up. <i>Journal of the American Academy of Dermatology</i> , 2001 , 45, 731-5	4.5	38
53	Prevention of pre-eclampsia. <i>Lancet, The</i> , 2001 , 357, 1534	40	7
52	Eccrine porocarcinoma (malignant eccrine poroma): a clinicopathologic study of 69 cases. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 710-20	6.7	341
51	Medical repatriation of British diplomats resident overseas. <i>Journal of Travel Medicine</i> , 2000 , 7, 64-9	12.9	19
50	Double-blind comparison of absorbable colloidal bismuth subcitrate and nonabsorbable bismuth subnitrate in the eradication of Helicobacter pylori and the relief of nonulcer dyspepsia. <i>Helicobacter</i> , 2000 , 5, 169-75	4.9	14
49	Do hospital fall prevention programs work? A systematic review. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1679-89	5.6	131
48	Detection of a peripheral blood T cell clone is an independent prognostic marker in mycosis fungoides. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 117-21	4.3	110
47	Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. <i>Diabetic Medicine</i> , 2000 , 17, 755-61	3.5	178
46	The frequency of fragrance allergy in a patch-test population over a 17-year period. <i>British Journal of Dermatology</i> , 2000 , 142, 279-83	4	99
45	Randomized double-blind study of cyclosporin in chronic 'idiopathic' urticaria. <i>British Journal of Dermatology</i> , 2000 , 143, 365-72	4	312
44	Efficacy of short-course oral prednisolone in polymorphic light eruption: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2000 , 143, 828-31	4	32
43	Diagnosis of pemphigus by ELISA: a critical evaluation of two ELISAs for the detection of antibodies to the major pemphigus antigens, desmoglein 1 and 3. <i>Clinical and Experimental Dermatology</i> , 2000 , 25, 236-40	1.8	87
42	Ethnic differences in the growth of low-birthweight infants. <i>Paediatric and Perinatal Epidemiology</i> , 2000 , 14, 4-13	2.7	11
41	Sensitivity to sunburn is associated with susceptibility to ultraviolet radiation-induced suppression of cutaneous cell-mediated immunity. <i>Journal of Experimental Medicine</i> , 2000 , 191, 561-6	16.6	147
40	Does the antenatal detection of small-for-gestational-age babies influence their two-year outcomes?. <i>American Journal of Perinatology</i> , 2000 , 17, 73-81	3.3	12
39	[(18)F]Fluorodeoxyglucose positron emission tomography and its prognostic value in lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2000 , 18, 425-8	3	125
38	Current Literature: Effect of Antioxidants on the Occurrence of Pre-eclampsia in Women at Increased Risk: A Randomised Trial. <i>Nutrition in Clinical Practice</i> , 2000 , 15, 112-113	3.6	1

37	Significance of interictal bilateral temporal hypometabolism in temporal lobe epilepsy. <i>Neurology</i> , 2000 , 54, 1811-21	6.5	64
36	Paraesthesiae and nerve damage following combined spinal epidural and spinal anaesthesia: a pilot survey. <i>International Journal of Obstetric Anesthesia</i> , 2000 , 9, 151-5	2.1	44
35	Assessment of iron absorption from ferric trimaltol. <i>Annals of Clinical Biochemistry</i> , 2000 , 37 (Pt 4), 457	-662	24
34	Monitoring blood glucose control in diabetes mellitus: a systematic review <i>Health Technology Assessment</i> , 2000 , 4,	4.4	79
33	Cervical lesions are associated with human papillomavirus type 16 intratypic variants that have high transcriptional activity and increased usage of common mammalian codons. <i>Journal of General Virology</i> , 2000 , 81, 1517-27	4.9	29
32	Evaluation of head examinations produced with a mobile CT unit. <i>British Journal of Radiology</i> , 1999 , 72, 631-6	3.4	13
31	High frequency jet ventilation and gas trapping. British Journal of Anaesthesia, 1999, 83, 708-14	5.4	30
30	Eating in labour. A randomised controlled trial assessing the risks and benefits. <i>Anaesthesia</i> , 1999 , 54, 329-34	6.6	88
29	The extent and nature of disability in different urticarial conditions. <i>British Journal of Dermatology</i> , 1999 , 140, 667-71	4	192
28	A prospective study of 200 women with dermatoses of pregnancy correlating clinical findings with hormonal and immunopathological profiles. <i>British Journal of Dermatology</i> , 1999 , 141, 71-81	4	222
27	Radiation exposure of the families of outpatients treated with radioiodine (iodine-131) for hyperthyroidism. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1999 , 26, 686-92	8.8	59
26	Application of obstetric ultrasound to determine the most suitable parameters for the aging of formalin-fixed human fetuses using manual measurements. <i>Clinical Anatomy</i> , 1999 , 12, 84-93	2.5	5
25	A randomized paired comparison of photodynamic therapy and topical 5-fluorouracil in the treatment of actinic keratoses. <i>Journal of the American Academy of Dermatology</i> , 1999 , 41, 414-8	4.5	151
24	Chronic idiopathic urticaria: comparison of the clinical features of patients with and without anti-FcepsilonRI or anti-IgE autoantibodies. <i>Journal of the American Academy of Dermatology</i> , 1999 , 40, 443-50	4.5	217
23	Effect of antioxidants on the occurrence of pre-eclampsia in women at increased risk: a randomised trial. <i>Lancet, The</i> , 1999 , 354, 810-6	40	521
22	Is recruitment more difficult with a placebo arm in RCTs? Methodological issues will have affected results. <i>BMJ: British Medical Journal</i> , 1999 , 319, 853-4		
21	A comparison of air, CO2 and an air/CO2 mixture as insufflation agents for double contrast barium enema. <i>European Radiology</i> , 1998 , 8, 274-6	8	13
20	Meta-analysis of homoeopathy trials. <i>Lancet, The</i> , 1998 , 351, 365; author reply 367-8	40	1

19	Meta-analysis of homoeopathy trials. Lancet, The, 1998, 351, 365; author reply 367-8	40	4
18	Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with 18FDG PET: neurophysiological and metabolic implications. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998 , 65, 170-6	5.5	58
17	Soluble adhesion molecules in Behæt's disease. Ocular Immunology and Inflammation, 1998, 6, 81-92	2.8	29
16	Extracorporeal photopheresis in Szary syndrome. No significant effect in the survival of 44 patients with a peripheral blood T-cell clone. <i>Archives of Dermatology</i> , 1998 , 134, 1001-5		63
15	Authors defend their study to develop tool to predict falls in elderly people. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1318		1
14	A POPULATION NEEDS ASSESSMENT PROFILE FOR DEMENTIA 1997 , 12, 642-647		4
13	Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. <i>BMJ: British Medical Journal</i> , 1997 , 315, 104	19-53	406
12	Maintaining compliance to ivermectin in communities in two West African countries. <i>Health Policy and Planning</i> , 1996 , 11, 299-307	3.4	7
11	Effect of pimobendan on exercise capacity in patients with heart failure: main results from the Pimobendan in Congestive Heart Failure (PICO) trial. <i>Heart</i> , 1996 , 76, 223-31	5.1	151
10	Quality of life, employment status, and anginal symptoms after coronary angioplasty or bypass surgery. 3-year follow-up in the Randomized Intervention Treatment of Angina (RITA) Trial. <i>Circulation</i> , 1996 , 94, 135-42	16.7	179
9	Health service costs of coronary angioplasty and coronary artery bypass surgery: the Randomised Intervention Treatment of Angina (RITA) trial. <i>Lancet, The</i> , 1994 , 344, 927-30	40	77
8	Prediction of outcome and patients' management. <i>Lancet, The</i> , 1993 , 342, 493-4	40	2
7	Long-term traumatic stress reactions in British Falklands War veterans. <i>British Journal of Clinical Psychology</i> , 1993 , 32, 457-9	3.6	11
6	Cimetidine and weight loss. <i>BMJ: British Medical Journal</i> , 1993 , 306, 1542-3		
5	Inadequate size of 'negative' clinical trials in dermatology. <i>British Journal of Dermatology</i> , 1993 , 128, 317-26	4	55
4	Coronary atheroma regression trials. <i>Lancet, The</i> , 1992 , 339, 1241-1243	40	6
3	Cholesterol in elderly women. <i>Lancet, The</i> , 1992 , 339, 1426	40	6
2	Assessment of Iron Absorption from Ferric Trimaltol		10

Incidence changes in risk factors associated with the decreasing number of birth-related clavicle fractures in Finland: A nationwide retrospective birth cohort from 2004 to 2017. *Birth*,

3.1 1