

Amira Klip

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1392069/publications.pdf>

Version: 2024-02-01

186
papers

14,688
citations

13087

68
h-index

22147

113
g-index

260
all docs

260
docs citations

260
times ranked

14082
citing authors

#	ARTICLE	IF	CITATIONS
1	Different immune cells mediate mechanical pain hypersensitivity in male and female mice. <i>Nature Neuroscience</i> , 2015, 18, 1081-1083.	7.1	1,041
2	Protein Kinase B/Akt Participates in GLUT4 Translocation by Insulin in L6 Myoblasts. <i>Molecular and Cellular Biology</i> , 1999, 19, 4008-4018.	1.1	534
3	Glucose Transport and Glucose Transporters in Muscle and Their Metabolic Regulation. <i>Diabetes Care</i> , 1990, 13, 228-243.	4.3	331
4	Regulation of expression of glucose transporters by glucose: a review of studies in vivo and in cell cultures. <i>FASEB Journal</i> , 1994, 8, 43-53.	0.2	323
5	Insulin-induced translocation of glucose transporters in rat hindlimb muscles. <i>FEBS Letters</i> , 1987, 224, 224-230.	1.3	312
6	The cell biology of systemic insulin function. <i>Journal of Cell Biology</i> , 2018, 217, 2273-2289.	2.3	270
7	Minireview: Recent Developments in the Regulation of Glucose Transporter-4 Traffic: New Signals, Locations, and Partners. <i>Endocrinology</i> , 2005, 146, 5071-5078.	1.4	244
8	Insulin action on glucose transporters through molecular switches, tracks and tethers. <i>Biochemical Journal</i> , 2008, 413, 201-215.	1.7	241
9	Cross-talk between skeletal muscle and immune cells: muscle-derived mediators and metabolic implications. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E453-E465.	1.8	229
10	Thirty sweet years of GLUT4. <i>Journal of Biological Chemistry</i> , 2019, 294, 11369-11381.	1.6	223
11	NOD1 Activators Link Innate Immunity to Insulin Resistance. <i>Diabetes</i> , 2011, 60, 2206-2215.	0.3	213
12	Update on GLUT4 Vesicle Traffic: A Cornerstone of Insulin Action. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 597-611.	3.1	210
13	Glucose transporter 4: cycling, compartments and controversies. <i>EMBO Reports</i> , 2005, 6, 1137-1142.	2.0	206
14	Tissue-specific roles of IRS proteins in insulin signaling and glucose transport. <i>Trends in Endocrinology and Metabolism</i> , 2006, 17, 72-78.	3.1	205
15	The Rab GTPase-Activating Protein AS160 Integrates Akt, Protein Kinase C, and AMP-Activated Protein Kinase Signals Regulating GLUT4 Traffic. <i>Diabetes</i> , 2007, 56, 414-423.	0.3	203
16	GLUT4 translocation by insulin in intact muscle cells: detection by a fast and quantitative assay. <i>FEBS Letters</i> , 1998, 427, 193-197.	1.3	197
17	Ceramide- and Oxidant-Induced Insulin Resistance Involve Loss of Insulin-Dependent Rac-Activation and Actin Remodeling in Muscle Cells. <i>Diabetes</i> , 2007, 56, 394-403.	0.3	179
18	Turning Signals On and Off: GLUT4 Traffic in the Insulin-Signaling Highway. <i>Physiology</i> , 2005, 20, 271-284.	1.6	178

#	ARTICLE	IF	CITATIONS
19	Actin filaments participate in the relocalization of phosphatidylinositol3-kinase to glucose transporter-containing compartments and in the stimulation of glucose uptake in 3T3-L1 adipocytes. <i>Biochemical Journal</i> , 1998, 331, 917-928.	1.7	164
20	Rab8A and Rab13 are activated by insulin and regulate GLUT4 translocation in muscle cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19909-19914.	3.3	159
21	Insulin-induced cortical actin remodeling promotes GLUT4 insertion at muscle cell membrane ruffles. <i>Journal of Clinical Investigation</i> , 2001, 108, 371-381.	3.9	159
22	Palmitoleate Reverses High Fat-induced Proinflammatory Macrophage Polarization via AMP-activated Protein Kinase (AMPK). <i>Journal of Biological Chemistry</i> , 2015, 290, 16979-16988.	1.6	149
23	Intermittent fasting promotes adipose thermogenesis and metabolic homeostasis via VEGF-mediated alternative activation of macrophage. <i>Cell Research</i> , 2017, 27, 1309-1326.	5.7	148
24	Pro-inflammatory macrophages increase in skeletal muscle of high fat-fed mice and correlate with metabolic risk markers in humans. <i>Obesity</i> , 2014, 22, 747-757.	1.5	144
25	Opposite Translational Control of GLUT1 and GLUT4 Glucose Transporter mRNAs in Response to Insulin. <i>Journal of Biological Chemistry</i> , 1999, 274, 33085-33091.	1.6	142
26	Endocytosis, Recycling, and Regulated Exocytosis of Glucose Transporter 4. <i>Biochemistry</i> , 2011, 50, 3048-3061.	1.2	138
27	Rabs 8A and 14 are targets of the insulin-regulated Rab-GAP AS160 regulating GLUT4 traffic in muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 1074-1079.	1.0	137
28	Differential Contribution of Insulin Receptor Substrates 1 Versus 2 to Insulin Signaling and Glucose Uptake in L6 Myotubes. <i>Journal of Biological Chemistry</i> , 2005, 280, 19426-19435.	1.6	136
29	Signal transduction meets vesicle traffic: the software and hardware of GLUT4 translocation. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C879-C886.	2.1	136
30	Skeletal Muscle Cells and Adipocytes Differ in Their Reliance on TC10 and Rac for Insulin-Induced Actin Remodeling. <i>Molecular Endocrinology</i> , 2004, 18, 359-372.	3.7	135
31	Exercise-Induced Increase in Glucose Transporters in Plasma Membranes of Rat Skeletal Muscle*. <i>Endocrinology</i> , 1989, 124, 449-454.	1.4	133
32	Differential expression of the GLUT1 and GLUT4 glucose transporters during differentiation of L6 muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 1991, 175, 652-659.	1.0	132
33	Regulation of the Na ⁺ /K ⁺ -ATPase by insulin: Why and how?. , 1998, 182, 121-133.		132
34	GLUT4 translocation precedes the stimulation of glucose uptake by insulin in muscle cells: potential activation of GLUT4 via p38 mitogen-activated protein kinase. <i>Biochemical Journal</i> , 2001, 359, 639-649.	1.7	129
35	Muscle cells engage Rab8A and myosin Vb in insulin-dependent GLUT4 translocation. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1016-C1025.	2.1	128
36	Sustained Exposure of L6 Myotubes to High Glucose and Insulin Decreases Insulin-Stimulated GLUT4 Translocation but Upregulates GLUT4 Activity. <i>Diabetes</i> , 2002, 51, 2090-2098.	0.3	126

#	ARTICLE	IF	CITATIONS
37	Rac1 Is a Novel Regulator of Contraction-Stimulated Glucose Uptake in Skeletal Muscle. <i>Diabetes</i> , 2013, 62, 1139-1151.	0.3	126
38	The many actions of insulin in skeletal muscle, the paramount tissue determining glycemia. <i>Cell Metabolism</i> , 2021, 33, 758-780.	7.2	124
39	Rac1 signalling towards GLUT4/glucose uptake in skeletal muscle. <i>Cellular Signalling</i> , 2011, 23, 1546-1554.	1.7	118
40	Akt and Rac1 signaling are jointly required for insulin-stimulated glucose uptake in skeletal muscle and downregulated in insulin resistance. <i>Cellular Signalling</i> , 2014, 26, 323-331.	1.7	117
41	Cellubrevin Is a Resident Protein of Insulin-sensitive GLUT4 Glucose Transporter Vesicles in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 1995, 270, 8233-8240.	1.6	112
42	Insulin Activates a p21-activated Kinase in Muscle Cells via Phosphatidylinositol 3-Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 19664-19667.	1.6	112
43	Indinavir uncovers different contributions of GLUT4 and GLUT1 towards glucose uptake in muscle and fat cells and tissues. <i>Diabetologia</i> , 2003, 46, 649-658.	2.9	111
44	Troglitazone causes acute mitochondrial membrane depolarisation and an AMPK-mediated increase in glucose phosphorylation in muscle cells. <i>Diabetologia</i> , 2005, 48, 954-966.	2.9	109
45	Palmitoylation of NOD1 and NOD2 is required for bacterial sensing. <i>Science</i> , 2019, 366, 460-467.	6.0	109
46	Type 2 diabetes mellitus and inflammation: Prospects for biomarkers of risk and nutritional intervention. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2010, 3, 173.	1.1	108
47	Insulin-dependent Interactions of Proteins with GLUT4 Revealed through Stable Isotope Labeling by Amino Acids in Cell Culture (SILAC)*. <i>Journal of Proteome Research</i> , 2006, 5, 64-75.	1.8	106
48	VAMP2, but Not VAMP3/Cellubrevin, Mediates Insulin-dependent Incorporation of GLUT4 into the Plasma Membrane of L6 Myoblasts. <i>Molecular Biology of the Cell</i> , 2000, 11, 2403-2417.	0.9	102
49	Electrical Stimuli Release ATP to Increase GLUT4 Translocation and Glucose Uptake via PI3K ^β -Akt-AS160 in Skeletal Muscle Cells. <i>Diabetes</i> , 2013, 62, 1519-1526.	0.3	102
50	GLUT4 Vesicle Recruitment and Fusion Are Differentially Regulated by Rac, AS160, and Rab8A in Muscle Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 27208-27219.	1.6	100
51	Mechanism and regulation of GLUT-4 vesicle fusion in muscle and fat cells. <i>American Journal of Physiology - Cell Physiology</i> , 2000, 279, C877-C890.	2.1	94
52	Muscle insulin resistance: assault by lipids, cytokines and local macrophages. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 382-390.	1.3	94
53	The many ways to regulate glucose transporter 4 This paper is one of a selection of papers published in this Special Issue, entitled 14th International Biochemistry of Exercise Conference "Muscles as Molecular and Metabolic Machines, and has undergone the Journal's usual peer review process.. <i>Applied Physiology, Nutrition and Metabolism</i> , 2009, 34, 481-487.	0.9	93
54	NOD2 Activation Induces Muscle Cell-Autonomous Innate Immune Responses and Insulin Resistance. <i>Endocrinology</i> , 2010, 151, 5624-5637.	1.4	93

#	ARTICLE	IF	CITATIONS
55	Clathrin-Dependent and Independent Endocytosis of Glucose Transporter 4 (GLUT4) in Myoblasts: Regulation by Mitochondrial Uncoupling. <i>Traffic</i> , 2008, 9, 1173-1190.	1.3	90
56	Hyperosmolarity Reduces GLUT4 Endocytosis and Increases Its Exocytosis from a VAMP2-independent Pool in L6 Muscle Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 22883-22891.	1.6	87
57	Rac1 governs exercise-stimulated glucose uptake in skeletal muscle through regulation of GLUT4 translocation in mice. <i>Journal of Physiology</i> , 2016, 594, 4997-5008.	1.3	87
58	Hexose transport in L6 muscle cells. Kinetic properties and the number of [3H]cytochalasin B binding sites. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1982, 687, 265-280.	1.4	86
59	Maturation of the Regulation of GLUT4 Activity by p38 MAPK during L6 Cell Myogenesis. <i>Journal of Biological Chemistry</i> , 2003, 278, 17953-17962.	1.6	85
60	Insulin Accelerates Inter-endosomal GLUT4 Traffic via Phosphatidylinositol 3-Kinase and Protein Kinase B. <i>Journal of Biological Chemistry</i> , 2001, 276, 44212-44221.	1.6	83
61	Acute and chronic signals controlling glucose transport in skeletal muscle. <i>Journal of Cellular Biochemistry</i> , 1992, 48, 51-60.	1.2	81
62	Identification of a human homologue of the vesicle-associated membrane protein (VAMP)-associated protein of 33 kDa (VAP-33): a broadly expressed protein that binds to VAMP. <i>Biochemical Journal</i> , 1998, 333, 247-251.	1.7	81
63	Role of the actin cytoskeleton in insulin action. <i>Microscopy Research and Technique</i> , 1999, 47, 79-92.	1.2	79
64	Endothelial cell barriers: Transport of molecules between blood and tissues. <i>Traffic</i> , 2019, 20, 390-403.	1.3	76
65	Differential Effects of Phosphatidylinositol 3-Kinase Inhibition on Intracellular Signals Regulating GLUT4 Translocation and Glucose Transport. <i>Journal of Biological Chemistry</i> , 2001, 276, 46079-46087.	1.6	75
66	Arp2/3- and Cofilin-coordinated Actin Dynamics Is Required for Insulin-mediated GLUT4 Translocation to the Surface of Muscle Cells. <i>Molecular Biology of the Cell</i> , 2010, 21, 3529-3539.	0.9	75
67	Exercise modulates the insulin-induced translocation of glucose transporters in rat skeletal muscle. <i>FEBS Letters</i> , 1990, 261, 256-260.	1.3	74
68	Muscle cell depolarization induces a gain in surface GLUT4 via reduced endocytosis independently of AMPK. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E1276-E1286.	1.8	73
69	Decrease in Glucose Transporter Number in Skeletal Muscle of Mildly Diabetic (Streptozotocin-Treated) Rats*. <i>Endocrinology</i> , 1989, 125, 890-897.	1.4	72
70	Rapid stimulation of glucose transport by mitochondrial uncoupling depends in part on cytosolic Ca ²⁺ and cPKC. <i>American Journal of Physiology - Cell Physiology</i> , 1998, 275, C1487-C1497.	2.1	71
71	Clathrin-dependent entry and vesicle-mediated exocytosis define insulin transcytosis across microvascular endothelial cells. <i>Molecular Biology of the Cell</i> , 2015, 26, 740-750.	0.9	71
72	Direct and macrophage-mediated actions of fatty acids causing insulin resistance in muscle cells. <i>Archives of Physiology and Biochemistry</i> , 2009, 115, 176-190.	1.0	70

#	ARTICLE	IF	CITATIONS
73	Circulating NOD1 Activators and Hematopoietic NOD1 Contribute to Metabolic Inflammation and Insulin Resistance. <i>Cell Reports</i> , 2017, 18, 2415-2426.	2.9	70
74	Expression of β^2 subunit isoforms of the Na ⁺ ,K ⁺ -ATPase is muscle type-specific. <i>FEBS Letters</i> , 1993, 328, 253-258.	1.3	68
75	Identification and characterization of two distinct intracellular GLUT4 pools in rat skeletal muscle: evidence for an endosomal and an insulin-sensitive GLUT4 compartment. <i>Biochemical Journal</i> , 1997, 325, 727-732.	1.7	68
76	Perturbation of Dynamin II with an Amphiphysin SH3 Domain Increases GLUT4 Glucose Transporters at the Plasma Membrane in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 8169-8176.	1.6	67
77	Intracellular Segregation of Phosphatidylinositol-3,4,5-Trisphosphate by Insulin-Dependent Actin Remodeling in L6 Skeletal Muscle Cells. <i>Molecular and Cellular Biology</i> , 2003, 23, 4611-4626.	1.1	67
78	Myosin Va mediates Rab8A-regulated GLUT4 vesicle exocytosis in insulin-stimulated muscle cells. <i>Molecular Biology of the Cell</i> , 2014, 25, 1159-1170.	0.9	67
79	Reciprocal Regulation of Endocytosis and Metabolism. <i>Cold Spring Harbor Perspectives in Biology</i> , 2014, 6, a016964-a016964.	2.3	65
80	Regulation of cell surface GLUT1, GLUT3, and GLUT4 by insulin and IGF-I in L6 myotubes. <i>FEBS Letters</i> , 1995, 368, 19-22.	1.3	63
81	A Functional Role for VAP-33 in Insulin-Stimulated GLUT4 Traffic. <i>Traffic</i> , 2000, 1, 512-521.	1.3	62
82	Subcellular distribution and immunocytochemical localization of Na,K-ATPase subunit isoforms in human skeletal muscle. <i>Molecular Membrane Biology</i> , 1994, 11, 255-262.	2.0	61
83	Myo1c binding to submembrane actin mediates insulin-induced tethering of GLUT4 vesicles. <i>Molecular Biology of the Cell</i> , 2012, 23, 4065-4078.	0.9	61
84	TAK-242, a small-molecule inhibitor of Toll-like receptor 4 signalling, unveils similarities and differences in lipopolysaccharide- and lipid-induced inflammation and insulin resistance in muscle cells. <i>Bioscience Reports</i> , 2013, 33, 37-47.	1.1	60
85	Intracellular Delivery of Phosphatidylinositol (3,4,5)-Trisphosphate Causes Incorporation of Glucose Transporter 4 into the Plasma Membrane of Muscle and Fat Cells without Increasing Glucose Uptake. <i>Journal of Biological Chemistry</i> , 2004, 279, 32233-32242.	1.6	59
86	Palmitate-induced inflammatory pathways in human adipose microvascular endothelial cells promote monocyte adhesion and impair insulin transcytosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 309, E35-E44.	1.8	59
87	GLUT-4myc ectopic expression in L6 myoblasts generates a GLUT-4-specific pool conferring insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E572-E578.	1.8	58
88	The F-BAR protein CIP4 promotes GLUT4 endocytosis through bidirectional interactions with N-WASp and Dynamin-2. <i>Journal of Cell Science</i> , 2009, 122, 2283-2291.	1.2	57
89	Insulin and Hypertonicity Recruit GLUT4 to the Plasma Membrane of Muscle Cells by Using N-Ethylmaleimide-sensitive Factor-dependent SNARE Mechanisms but Different v-SNAREs: Role of TI-VAMP. <i>Molecular Biology of the Cell</i> , 2004, 15, 5565-5573.	0.9	56
90	Insulin-mediated translocation of glucose transporters from intracellular membranes to plasma membranes: Sole mechanism of stimulation of glucose transport in L6 muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 1988, 157, 1329-1335.	1.0	55

#	ARTICLE	IF	CITATIONS
91	Unique mechanism of GLUT3 glucose transporter regulation by prolonged energy demand: increased protein half-life. <i>Biochemical Journal</i> , 1998, 333, 713-718.	1.7	54
92	Need for GLUT4 Activation to Reach Maximum Effect of Insulin-Mediated Glucose Uptake in Brown Adipocytes Isolated From GLUT4myc-Expressing Mice. <i>Diabetes</i> , 2002, 51, 2719-2726.	0.3	54
93	Insulin Regulates the Membrane Arrival, Fusion, and C-terminal Unmasking of Glucose Transporter-4 via Distinct Phosphoinositides. <i>Journal of Biological Chemistry</i> , 2005, 280, 28792-28802.	1.6	54
94	Insulin elicits a ROS-activated and an IP3-dependent Ca ²⁺ release; both impinge on GLUT4 translocation. <i>Journal of Cell Science</i> , 2014, 127, 1911-23.	1.2	54
95	SNAP23 promotes insulin-dependent glucose uptake in 3T3-L1 adipocytes: possible interaction with cytoskeleton. <i>American Journal of Physiology - Cell Physiology</i> , 1999, 276, C1108-C1114.	2.1	53
96	Acute and long-term effects of insulin-like growth factor I on glucose transporters in muscle cells Translocation and biosynthesis. <i>FEBS Letters</i> , 1992, 298, 285-290.	1.3	52
97	Insulin but not PDGF relies on actin remodeling and on VAMP2 for GLUT4 translocation in myoblasts. <i>Journal of Cell Science</i> , 2004, 117, 5447-5455.	1.2	52
98	Palmitate- and lipopolysaccharide-activated macrophages evoke contrasting insulin responses in muscle cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E37-E46.	1.8	51
99	Signaling of the p21-activated kinase (PAK1) coordinates insulin-stimulated actin remodeling and glucose uptake in skeletal muscle cells. <i>Biochemical Pharmacology</i> , 2014, 92, 380-388.	2.0	51
100	Distribution of glucose transporters and insulin receptors in the plasma membrane and transverse tubules of skeletal muscle. <i>Archives of Biochemistry and Biophysics</i> , 1987, 253, 279-286.	1.4	50
101	GAPDH binds GLUT4 reciprocally to hexokinase-II and regulates glucose transport activity. <i>Biochemical Journal</i> , 2009, 419, 475-484.	1.7	49
102	Palmitate-Activated Macrophages Confer Insulin Resistance to Muscle Cells by a Mechanism Involving Protein Kinase C δ , and μ . <i>PLoS ONE</i> , 2011, 6, e26947.	1.1	49
103	Saturated fatty acids activate caspase-4/5 in human monocytes, triggering IL-1 β and IL-18 release. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 311, E825-E835.	1.8	49
104	Fish Glucose Transporter (GLUT)-4 Differs from Rat GLUT4 in Its Traffic Characteristics but Can Translocate to the Cell Surface in Response to Insulin in Skeletal Muscle Cells. <i>Endocrinology</i> , 2007, 148, 5248-5257.	1.4	48
105	β -Actinin-4 Is Selectively Required for Insulin-induced GLUT4 Translocation. <i>Journal of Biological Chemistry</i> , 2008, 283, 25115-25123.	1.6	48
106	Insulin-induced decrease in 5 α -nucleotidase activity in skeletal muscle membranes. <i>FEBS Letters</i> , 1988, 238, 419-423.	1.3	47
107	Contraction-related stimuli regulate GLUT4 traffic in C ₂ C ₁₂ -GLUT4 ^{myc} skeletal muscle cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E1058-E1071.	1.8	44
108	A complex of Rab13 with MICAL-L2 and β -actinin-4 is essential for insulin-dependent GLUT4 exocytosis. <i>Molecular Biology of the Cell</i> , 2016, 27, 75-89.	0.9	44

#	ARTICLE	IF	CITATIONS
109	Rho GTPasesâ€™ Emerging Regulators of Glucose Homeostasis and Metabolic Health. <i>Cells</i> , 2019, 8, 434.	1.8	44
110	The glucose transport system of muscle plasma membranes: Characterization by means of [3H]cytochalasin B binding. <i>Archives of Biochemistry and Biophysics</i> , 1983, 221, 175-187.	1.4	43
111	The Pleckstrin Homology (PH) Domain-Interacting Protein Couples the Insulin Receptor Substrate 1 PH Domain to Insulin Signaling Pathways Leading to Mitogenesis and GLUT4 Translocation. <i>Molecular and Cellular Biology</i> , 2002, 22, 7325-7336.	1.1	42
112	Effect of Diabetes on Glucoregulation: From glucose transporters to glucose metabolism in vivo. <i>Diabetes Care</i> , 1992, 15, 1747-1766.	4.3	41
113	Increased inflammation, oxidative stress and a reduction in antioxidant defense enzymes in perivascular adipose tissue contribute to vascular dysfunction in type 2 diabetes. <i>Free Radical Biology and Medicine</i> , 2020, 146, 264-274.	1.3	41
114	Rac-1 Superactivation Triggers Insulin-independent Glucose Transporter 4 (GLUT4) Translocation That Bypasses Signaling Defects Exerted by c-Jun N-terminal kinase (JNK)- and Ceramide-induced Insulin Resistance. <i>Journal of Biological Chemistry</i> , 2013, 288, 17520-17531.	1.6	40
115	Nucleotides Released From Palmitate-Challenged Muscle Cells Through Pannexin-3 Attract Monocytes. <i>Diabetes</i> , 2014, 63, 3815-3826.	0.3	40
116	A Transgenic Mouse Model to Study Glucose Transporter 4myc Regulation in Skeletal Muscle. <i>Endocrinology</i> , 2009, 150, 1935-1940.	1.4	39
117	Selective regulation of the perinuclear distribution of glucose transporter 4 (GLUT4) by insulin signals in muscle cells. <i>European Journal of Cell Biology</i> , 2008, 87, 337-351.	1.6	38
118	Ready, set, internalize: mechanisms and regulation of GLUT4 endocytosis. <i>Bioscience Reports</i> , 2009, 29, 1-11.	1.1	35
119	Muscle cells challenged with saturated fatty acids mount an autonomous inflammatory response that activates macrophages. <i>Cell Communication and Signaling</i> , 2012, 10, 30.	2.7	35
120	Dynamic GLUT4 sorting through a syntaxin-6 compartment in muscle cells is derailed by insulin resistance-causing ceramide. <i>Biology Open</i> , 2014, 3, 314-325.	0.6	35
121	Contracting C ₂ C ₁₂ myotubes release CCL2 in an NF- κ B-dependent manner to induce monocyte chemoattraction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 310, E160-E170.	1.8	33
122	Cellular location of insulin-triggered signals and implications for glucose uptake. <i>Pflugers Archiv European Journal of Physiology</i> , 2006, 451, 499-510.	1.3	31
123	Conditioned medium from hypoxia-treated adipocytes renders muscle cells insulin resistant. <i>European Journal of Cell Biology</i> , 2011, 90, 1000-1015.	1.6	31
124	Electrical pulse stimulation induces GLUT4 translocation in C ₂ C ₁₂ myotubes that depends on Rab8A, Rab13, and Rab14. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E478-E493.	1.8	31
125	High Leptin Levels Acutely Inhibit Insulin-Stimulated Glucose Uptake without Affecting Glucose Transporter 4 Translocation in L6 Rat Skeletal Muscle Cells. , 0, .		31
126	Exercise- and Insulin-Stimulated Muscle Glucose Transport: Distinct Mechanisms of Regulation. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 129-151.	1.7	28

#	ARTICLE	IF	CITATIONS
127	Insulin increases plasma membrane content and reduces phosphorylation of Na ⁺ -K ⁺ pump β -subunit in HEK-293 cells. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1797-C1803.	2.1	27
128	Opposite Effect of JAK2 on Insulin-Dependent Activation of Mitogen-Activated Protein Kinases and Akt in Muscle Cells: Possible Target to Ameliorate Insulin Resistance. <i>Diabetes</i> , 2006, 55, 942-951.	0.3	27
129	Regulation of glucose transporter 4 traffic by energy deprivation from mitochondrial compromise. <i>Acta Physiologica</i> , 2009, 196, 27-35.	1.8	27
130	Communication Between Autophagy and Insulin Action: At the Crux of Insulin Action-Insulin Resistance?. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 708431.	1.8	27
131	NOD2 activation induces oxidative stress contributing to mitochondrial dysfunction and insulin resistance in skeletal muscle cells. <i>Free Radical Biology and Medicine</i> , 2015, 89, 158-169.	1.3	26
132	GLUT-4 translocation in skeletal muscle studied with a cell-free assay: involvement of phospholipase D. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 281, E608-E618.	1.8	25
133	Regulation of amino acid uptake by phorbol esters and hypertonic solutions in rat thymocytes. <i>Journal of Cellular Physiology</i> , 1986, 127, 244-252.	2.0	24
134	Temporal activation of p70 S6 kinase and Akt1 by insulin: PI 3-kinase-dependent and -independent mechanisms. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 275, E618-E625.	1.8	24
135	Glucose Rapidly Decreases Plasma Membrane GLUT4 Content in Rat Skeletal Muscle. <i>Endocrine</i> , 1999, 10, 13-18.	2.2	24
136	Insulin uptake and action in microvascular endothelial cells of lymphatic and blood origin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 315, E204-E217.	1.8	24
137	Regulation of amino acid transport in L6 muscle cells: I. Stimulation of transport system a by amino acid deprivation. <i>Journal of Cellular Physiology</i> , 1982, 112, 229-236.	2.0	23
138	The GLUT4 glucose transporter and the β -subunit of the Na ⁺ ,K ⁺ -ATPase do not localize to the same intracellular vesicles in rat skeletal muscle. <i>FEBS Letters</i> , 1995, 366, 109-114.	1.3	23
139	Deficiency of the autophagy gene ATG16L1 induces insulin resistance through KLHL9/KLHL13/CUL3-mediated IRS1 degradation. <i>Journal of Biological Chemistry</i> , 2019, 294, 16172-16185.	1.6	22
140	Bone marrow adipose cells " cellular interactions and changes with obesity. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	22
141	NOD1: An Interface Between Innate Immunity and Insulin Resistance. <i>Endocrinology</i> , 2019, 160, 1021-1030.	1.4	21
142	Nucleotides released from palmitate-activated murine macrophages attract neutrophils. <i>Journal of Biological Chemistry</i> , 2020, 295, 4902-4911.	1.6	21
143	The Proinflammatory Cytokine Tumor Necrosis Factor- α Increases the Amount of Glucose Transporter-4 at the Surface of Muscle Cells Independently of Changes in Interleukin-6. <i>Endocrinology</i> , 2008, 149, 1880-1889.	1.4	20
144	Endothelial Transcytosis of Insulin: Does It Contribute to Insulin Resistance?. <i>Physiology</i> , 2016, 31, 336-345.	1.6	20

#	ARTICLE	IF	CITATIONS
145	The Rho-guanine nucleotide exchange factor PDZ-RhoGEF governs susceptibility to diet-induced obesity and type 2 diabetes. <i>ELife</i> , 2015, 4, .	2.8	20
146	Intracellular calcium leak lowers glucose storage in human muscle, promoting hyperglycemia and diabetes. <i>ELife</i> , 2020, 9, .	2.8	20
147	Role of kinases in insulin stimulation of glucose transport. <i>Journal of Membrane Biology</i> , 1989, 111, 1-23.	1.0	19
148	Opposite Effects of Insulin on Focal Adhesion Proteins in 3T3-L1 Adipocytes and in Cells Overexpressing the Insulin Receptor. <i>Molecular Biology of the Cell</i> , 1998, 9, 3057-3069.	0.9	19
149	Participation of PI3K and atypical PKC in Na ⁺ -K ⁺ -pump stimulation by IGF-I in VSMC. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 276, H2109-H2116.	1.5	19
150	Mice lacking NOX2 are hyperphagic and store fat preferentially in the liver. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E1341-E1353.	1.8	19
151	Documenting GLUT4 Exocytosis and Endocytosis in Muscle Cell Monolayers. <i>Current Protocols in Cell Biology</i> , 2010, 46, Unit 15.15.	2.3	18
152	Insulin binding to differentiating muscle cells in culture. <i>Canadian Journal of Biochemistry and Cell Biology</i> , 1983, 61, 644-649.	1.3	16
153	Dexamethasone stimulates the expression of GLUT1 and GLUT4 proteins via different signalling pathways in L6 skeletal muscle cells. <i>FEBS Letters</i> , 1998, 421, 120-124.	1.3	16
154	Sphingolipid changes do not underlie fatty acid-evoked GLUT4 insulin resistance nor inflammation signals in muscle cells[S]. <i>Journal of Lipid Research</i> , 2018, 59, 1148-1163.	2.0	15
155	Herpud1 impacts insulin-dependent glucose uptake in skeletal muscle cells by controlling the Ca ²⁺ -calcineurin-Akt axis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1653-1662.	1.8	13
156	Regulation of amino acid transport in L6 myoblasts. II. Different chemical properties of transport after amino acid deprivation. <i>Journal of Cellular Physiology</i> , 1982, 113, 56-66.	2.0	12
157	To be or not to be: Regulation of the Intrinsic Activity of GLUT4. <i>Current Medicinal Chemistry Immunology, Endocrine & Metabolic Agents</i> , 2005, 5, 175-187.	0.2	12
158	<i>Shuttling glucose across brain microvessels, with a little help from GLUT1 and AMP kinase</i> . Focus on AMP kinase regulation of sugar transport in brain capillary endothelial cells during acute metabolic stress. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 303, C803-C805.	2.1	12
159	Putting Rac1 on the Path to Glucose Uptake. <i>Diabetes</i> , 2013, 62, 1831-1832.	0.3	11
160	Deconstructing metabolic inflammation using cellular systems. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017, 312, E339-E347.	1.8	11
161	Desperately seeking sugar: glial cells as hypoglycemia sensors. <i>Journal of Clinical Investigation</i> , 2005, 115, 3403-3405.	3.9	11
162	The free cytoplasmic Ca ²⁺ levels in duchenne muscular dystrophy lymphocytes. <i>Muscle and Nerve</i> , 1985, 8, 317-320.	1.0	10

#	ARTICLE	IF	CITATIONS
163	Dissecting signalling by individual Akt/PKB isoforms, three steps at once. <i>Biochemical Journal</i> , 2015, 470, e13-e16.	1.7	10
164	Tissue-specific murine neutrophil activation states in health and inflammation. <i>Journal of Leukocyte Biology</i> , 2021, 110, 187-195.	1.5	10
165	Insulin stimulation of glucose uptake and the transmembrane potential of muscle cells in culture. <i>FEBS Letters</i> , 1986, 205, 11-14.	1.3	9
166	Regulation of GLUT4 activity in myotubes by 3-O-methyl-d-glucose. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1900-1910.	1.4	8
167	Complexin-2 redistributes to the membrane of muscle cells in response to insulin and contributes to GLUT4 translocation. <i>Biochemical Journal</i> , 2021, 478, 407-422.	1.7	8
168	GLUT4-overexpressing engineered muscle constructs as a therapeutic platform to normalize glycemia in diabetic mice. <i>Science Advances</i> , 2021, 7, eabg3947.	4.7	8
169	Pannexin 3 deletion reduces fat accumulation and inflammation in a sex-specific manner. <i>International Journal of Obesity</i> , 2022, 46, 726-738.	1.6	8
170	Role of calcium in serum-stimulation of hexose transport in muscle cells. <i>FEBS Letters</i> , 1983, 162, 329-333.	1.3	7
171	GLUT4 Translocation in Single Muscle Cells in Culture: Epitope Detection by Immunofluorescence. <i>Methods in Molecular Biology</i> , 2018, 1713, 175-192.	0.4	6
172	Supportive data on the regulation of GLUT4 activity by 3-O-methyl-D-glucose. <i>Data in Brief</i> , 2017, 14, 329-336.	0.5	5
173	Na ⁺ -dependent proline transport in isolated membrane vesicles from the L6 muscle cell line. <i>FEBS Letters</i> , 1983, 152, 171-174.	1.3	2
174	Insulin-Mediated Regulation of Glucose Metabolism. , 2005, , 63-85.		2
175	Deprogram and reprogram to solve the riddle of insulin resistance. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	2
176	Fragmentation and roles of junctophilin1 in muscle of patients with cytosolic leak of stored calcium. <i>Journal of General Physiology</i> , 2022, 154, .	0.9	2
177	Distinct insulin-stimulated signalling pathways regulating translocation and activation of glucose transporters. <i>Biochemical Society Transactions</i> , 2000, 28, A447-A447.	1.6	0
178	GLUT4 Traffic: Perspectives from Cultured Muscle Cells. <i>Current Medicinal Chemistry Immunology, Endocrine & Metabolic Agents</i> , 2005, 5, 167-173.	0.2	0
179	Homeostasis â€” the Walter B. Cannon's Legacy â€” Applied to the Metabolic Syndrome and the Scientific Enterprise. <i>Physiology</i> , 2016, 31, 246-247.	1.6	0
180	A Century of Insulin: Outstanding Physiological Breakthroughs. <i>Physiology</i> , 2021, 36, 197-200.	1.6	0

#	ARTICLE	IF	CITATIONS
181	NAD(P)H oxidase-dependent H ₂ O ₂ production and RyR ₃ activation are required for insulin induced GLUT4 translocation and glucose uptake in skeletal muscle cells. FASEB Journal, 2012, 26, 758.5.	0.2	0
182	Novel mechanisms to ATP-dependent glucose uptake in skeletal muscle cells. FASEB Journal, 2012, 26, lb715.	0.2	0
183	Transcytosis of insulin across microvascular endothelium. FASEB Journal, 2013, 27, 1154.11.	0.2	0
184	Autophagy-Related Protein 16L1 (Atg16L1) Depletion Induces Insulin Resistance Through Decreased IRS Expression. FASEB Journal, 2018, 32, lb419.	0.2	0
185	Atg16L1 Knockout Induces Insulin Resistance through Proteasomal IRS1 Degradation, Mediated by the Induction of ER Stress. FASEB Journal, 2019, 33, 719.10.	0.2	0
186	Intracellular traffic and activation of the muscle glucose transporter. Journal of Muscle Research and Cell Motility, 2004, 25, 595-6.	0.9	0