Elke Genersch

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1392252/elke-genersch-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87	7,125 citations	44	84
papers		h-index	g-index
93	8,220 ext. citations	4.9	6.23
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
87	Cold case: The disappearance of Egypt bee virus, a fourth distinct master strain of deformed wing virus linked to honeybee mortality in 1970 g Egypt <i>Virology Journal</i> , 2022 , 19, 12	6.1	2
86	Tripartite interactions: How immunity, microbiota and pathogens interact and affect pathogen virulence evolution <i>Current Opinion in Insect Science</i> , 2022 , 50, 100871-100871	5.1	1
85	Molecular basis of antibiotic self-resistance in a bee larvae pathogen <i>Nature Communications</i> , 2022 , 13, 2349	17.4	O
84	The Buzz about ADP-Ribosylation Toxins from , the Causative Agent of American Foulbrood in Honey Bees. <i>Toxins</i> , 2021 , 13,	4.9	2
83	Total Synthesis and Biological Evaluation of Paenilamicins from the Honey Bee Pathogen <i>Journal of the American Chemical Society</i> , 2021 ,	16.4	2
82	Rapid Gastrointestinal Passage May Protect Bombus terrestris from Becoming a True Host for Nosema ceranae. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	14
81	Characterization of C3larvinA, a novel RhoA-targeting ADP-ribosyltransferase toxin produced by the honey bee pathogen, Paenibacillus larvae. <i>Bioscience Reports</i> , 2020 , 40,	4.1	5
80	Development of a loop-mediated isothermal amplification (LAMP) and a direct LAMP for the specific detection of Nosema ceranae, a parasite of honey bees. <i>Parasitology Research</i> , 2020 , 119, 3947-	3956	3
79	Direct Evidence for Infection of Mites with the Bee-Pathogenic Deformed Wing Virus Variant B - but Not Variant A - via FluorescenceHybridization Analysis. <i>Journal of Virology</i> , 2020 ,	6.6	10
78	The biological role of the enigmatic C3larvinAB toxin of the honey bee pathogenic bacterium Paenibacillus larvae. <i>Environmental Microbiology</i> , 2019 , 21, 3091-3106	5.2	5
77	Bacterial pathogens of bees. Current Opinion in Insect Science, 2018, 26, 89-96	5.1	23
76	Swarming motility and biofilm formation of Paenibacillus larvae, the etiological agent of American Foulbrood of honey bees (Apis mellifera). <i>Scientific Reports</i> , 2018 , 8, 8840	4.9	14
75	In vivo evolution of viral virulence: switching of deformed wing virus between hosts results in virulence changes and sequence shifts. <i>Environmental Microbiology</i> , 2018 , 20, 4612-4628	5.2	42
74	Unity in defence: honeybee workers exhibit conserved molecular responses to diverse pathogens. <i>BMC Genomics</i> , 2017 , 18, 207	4.5	63
73	Foulbrood Diseases of Honey Bees E rom Science to Practice 2017 , 157-174		2
72	Characterization of the toxin Plx2A, a RhoA-targeting ADP-ribosyltransferase produced by the honey bee pathogen Paenibacillus larvae. <i>Environmental Microbiology</i> , 2017 , 19, 5100-5116	5.2	14
71	Country-specific effects of neonicotinoid pesticides on honey bees and wild bees. <i>Science</i> , 2017 , 356, 1393-1395	33.3	367

70	Viruses of commercialized insect pollinators. <i>Journal of Invertebrate Pathology</i> , 2017 , 147, 51-59	2.6	46
69	Long-Term Temporal Trends of spp. Infection Prevalence in Northeast Germany: Continuous Spread of , an Emerging Pathogen of Honey Bees (), but No General Replacement of. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 301	5.9	31
68	Biological Role of Paenilarvins, Iturin-Like Lipopeptide Secondary Metabolites Produced by the Honey Bee Pathogen Paenibacillus larvae. <i>PLoS ONE</i> , 2016 , 11, e0164656	3.7	15
67	Biology of Paenibacillus larvae, a deadly pathogen of honey bee larvae. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 7387-95	5.7	44
66	Involvement of secondary metabolites in the pathogenesis of the American foulbrood of honey bees caused by Paenibacillus larvae. <i>Natural Product Reports</i> , 2015 , 32, 765-78	15.1	28
65	Die Amerikanische Faulbrut, eine ernsthafte Bedrohung der Honigbiene. <i>BioSpektrum</i> , 2015 , 21, 154-15	7 0.1	
64	Biogeography of Paenibacillus larvae, the causative agent of American foulbrood, using a new multilocus sequence typing scheme. <i>Environmental Microbiology</i> , 2015 , 17, 1414-24	5.2	50
63	Identification of candidate agents active against N. ceranae infection in honey bees: establishment of a medium throughput screening assay based on N. ceranae infected cultured cells. <i>PLoS ONE</i> , 2015 , 10, e0117200	3.7	22
62	Molecular pathogenesis of American Foulbrood: how Paenibacillus larvae kills honey bee larvae. <i>Current Opinion in Insect Science</i> , 2015 , 10, 29-36	5.1	25
61	Honey bee colony losses and associated viruses. Current Opinion in Insect Science, 2015, 8, 121-129	5.1	164
60	Paenilamicin: structure and biosynthesis of a hybrid nonribosomal peptide/polyketide antibiotic from the bee pathogen Paenibacillus larvae. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 10821	1- 5 6.4	55
59	Elucidation of sevadicin, a novel non-ribosomal peptide secondary metabolite produced by the honey bee pathogenic bacterium Paenibacillus larvae. <i>Environmental Microbiology</i> , 2014 , 16, 1297-309	5.2	34
58	Rapid identification of differentially virulent genotypes of Paenibacillus larvae, the causative organism of American foulbrood of honey bees, by whole cell MALDI-TOF mass spectrometry. <i>Veterinary Microbiology</i> , 2014 , 170, 291-7	3.3	33
57	How to kill the honey bee larva: genomic potential and virulence mechanisms of Paenibacillus larvae. <i>PLoS ONE</i> , 2014 , 9, e90914	3.7	68
56	Production of the catechol type siderophore bacillibactin by the honey bee pathogen Paenibacillus larvae. <i>PLoS ONE</i> , 2014 , 9, e108272	3.7	39
55	Paenibacillus larvae chitin-degrading protein PlCBP49 is a key virulence factor in American Foulbrood of honey bees. <i>PLoS Pathogens</i> , 2014 , 10, e1004284	7.6	50
54	Biological effects of paenilamicin, a secondary metabolite antibiotic produced by the honey bee pathogenic bacterium Paenibacillus larvae. <i>MicrobiologyOpen</i> , 2014 , 3, 642-56	3.4	36
53	Identification and characterization of two novel toxins expressed by the lethal honey bee pathogen Paenibacillus larvae, the causative agent of American foulbrood. <i>Environmental Microbiology</i> , 2013 , 15, 2951-65	5.2	40

52	Molecular differentiation of Nosema apis and Nosema ceranae based on species-specific sequence differences in a protein coding gene. <i>Journal of Invertebrate Pathology</i> , 2013 , 113, 1-6	2.6	31
51	Honey bee larval peritrophic matrix degradation during infection with Paenibacillus larvae, the aetiological agent of American foulbrood of honey bees, is a key step in pathogenesis. <i>Environmental Microbiology</i> , 2013 , 15, 2894-901	5.2	39
50	Standard methods for molecular research in Apis mellifera. <i>Journal of Apicultural Research</i> , 2013 , 52, 1-54	2	113
49	Standard methods for cell cultures in Apis mellifera research. <i>Journal of Apicultural Research</i> , 2013 , 52, 1-8	2	25
48	Standard methods for American foulbrood research. Journal of Apicultural Research, 2013, 52, 1-28	2	76
47	Standard methods for Nosema research. <i>Journal of Apicultural Research</i> , 2013 , 52, 1-28	2	222
46	Standard methods for virus research in Apis mellifera. <i>Journal of Apicultural Research</i> , 2013 , 52, 1-56	2	176
45	Standard methods for artificial rearing of Apis mellifera larvae. <i>Journal of Apicultural Research</i> , 2013 , 52, 1-16	2	188
44	Proteome analysis of Paenibacillus larvae reveals the existence of a putative S-layer protein. <i>Environmental Microbiology Reports</i> , 2012 , 4, 194-202	3.7	25
43	Evidence for damage-dependent hygienic behaviour towards Varroa destructor-parasitised brood in the western honey bee, Apis mellifera. <i>Journal of Experimental Biology</i> , 2012 , 215, 264-71	3	63
42	Heterologous expression of green fluorescent protein in Paenibacillus larvae, the causative agent of American Foulbrood of honey bees. <i>Journal of Applied Microbiology</i> , 2012 , 112, 430-5	4.7	17
41	Identification and functional analysis of the S-layer protein SplA of Paenibacillus larvae, the causative agent of American Foulbrood of honey bees. <i>PLoS Pathogens</i> , 2012 , 8, e1002716	7.6	59
40	Horizontal transmission of deformed wing virus: pathological consequences in adult bees (Apis mellifera) depend on the transmission route. <i>Journal of General Virology</i> , 2011 , 92, 370-7	4.9	119
39	Evidence for emerging parasites and pathogens influencing outbreaks of stress-related diseases like chalkbrood. <i>Journal of Invertebrate Pathology</i> , 2011 , 108, 167-73	2.6	57
38	A cell culture model for Nosema ceranae and Nosema apis allows new insights into the life cycle of these important honey bee-pathogenic microsporidia. <i>Environmental Microbiology</i> , 2011 , 13, 404-13	5.2	75
37	Dominance of Nosema ceranae in honey bees in the Balkan countries in the absence of symptoms of colony collapse disorder. <i>Apidologie</i> , 2011 , 42, 49-58	2.3	73
36	Deformed wing virus. <i>Journal of Invertebrate Pathology</i> , 2010 , 103 Suppl 1, S48-61	2.6	356
35	American Foulbrood in honeybees and its causative agent, Paenibacillus larvae. <i>Journal of Invertebrate Pathology</i> , 2010 , 103 Suppl 1, S10-9	2.6	306

(2005-2010)

34	Honey bee disease overview. Journal of Invertebrate Pathology, 2010, 103 Suppl 1, S2-4	2.6	47
33	Five-year cohort study of Nosema spp. in Germany: does climate shape virulence and assertiveness of Nosema ceranae?. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 3032-8	4.8	168
32	The German bee monitoring project: a long term study to understand periodically high winter losses of honey bee colonies. <i>Apidologie</i> , 2010 , 41, 332-352	2.3	463
31	Honey bee pathology: current threats to honey bees and beekeeping. <i>Applied Microbiology and Biotechnology</i> , 2010 , 87, 87-97	5.7	247
30	Emerging and re-emerging viruses of the honey bee (Apis mellifera L.). <i>Veterinary Research</i> , 2010 , 41, 54	3.8	185
29	Negative correlation between individual-insect-level virulence and colony-level virulence of Paenibacillus larvae, the etiological agent of American foulbrood of honeybees. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 3344-7	4.8	73
28	Deformed wing virus: replication and viral load in mites (Varroa destructor). <i>Journal of General Virology</i> , 2009 , 90, 463-467	4.9	184
27	Use of suppression subtractive hybridization to identify genetic differences between differentially virulent genotypes of Paenibacillus larvae, the etiological agent of American Foulbrood of honeybees. <i>Environmental Microbiology Reports</i> , 2009 , 1, 240-50	3.7	27
26	Fluorescence in situ hybridization (FISH) analysis of the interactions between honeybee larvae and Paenibacillus larvae, the causative agent of American foulbrood of honeybees (Apis mellifera). <i>Environmental Microbiology</i> , 2008 , 10, 1612-20	5.2	103
25	Varroosis Ithe Ongoing Crisis in Bee Keeping. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2008 , 3, 221-228	2.3	150
24	Paenibacillus larvae and American Foulbrood long since known and still surprising. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2008 , 3, 429-434	2.3	37
23	Vertical-transmission routes for deformed wing virus of honeybees (Apis mellifera). <i>Journal of General Virology</i> , 2007 , 88, 2329-2336	4.9	128
22	Widespread dispersal of the microsporidian Nosema ceranae, an emergent pathogen of the western honey bee, Apis mellifera. <i>Journal of Invertebrate Pathology</i> , 2007 , 96, 1-10	2.6	393
21	Reclassification of Paenibacillus larvae subsp. pulvifaciens and Paenibacillus larvae subsp. larvae as Paenibacillus larvae without subspecies differentiation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006 , 56, 501-511	2.2	240
20	Detection of Deformed wing virus, a honey bee viral pathogen, in bumble bees (Bombus terrestris and Bombus pascuorum) with wing deformities. <i>Journal of Invertebrate Pathology</i> , 2006 , 91, 61-3	2.6	154
19	Reclassification, genotypes and virulence ofPaenibacillus larvae, the etiological agent of American foulbrood in honeybees (a review. <i>Apidologie</i> , 2006 , 37, 411-420	2.3	47
18	American foulbrood of the honey bee: occurrence and distribution of different genotypes of		-0
	Paenibacillus larvae in the administrative district of Arnsberg (North Rhine-Westphalia). <i>Zoonoses and Public Health</i> , 2006 , 53, 100-4		28

16	RT-PCR analysis of Deformed wing virus in honeybees (Apis mellifera) and mites (Varroa destructor). <i>Journal of General Virology</i> , 2005 , 86, 3419-3424	4.9	249
15	Strain- and genotype-specific differences in virulence of Paenibacillus larvae subsp. larvae, a bacterial pathogen causing American foulbrood disease in honeybees. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 7551-5	4.8	141
14	Biochemical characterization of different genotypes of Paenibacillus larvae subsp. larvae, a honey bee bacterial pathogen. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 2381-2390	2.9	69
13	Laminin-1 promotes angiogenesis in synergy with fibroblast growth factor by distinct regulation of the gene and protein expression profile in endothelial cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 23766-72	5.4	48
12	Proposal to reclassify Paenibacillus larvae subsp. pulvifaciens DSM 3615 (ATCC 49843) as Paenibacillus larvae subsp. larvae. Results of a comparative biochemical and genetic study. <i>Veterinary Microbiology</i> , 2004 , 104, 31-42	3.3	21
11	Laminin isoforms differentially regulate adhesion, spreading, proliferation, and ERK activation of beta1 integrin-null cells. <i>Experimental Cell Research</i> , 2004 , 300, 94-108	4.2	37
10	Integrin alphavbeta3 binding to human alpha5-laminins facilitates FGF-2- and VEGF-induced proliferation of human ECV304 carcinoma cells. <i>European Journal of Cell Biology</i> , 2003 , 82, 105-17	6.1	24
9	Opposing roles of integrin alpha6Abeta1 and dystroglycan in laminin-mediated extracellular signal-regulated kinase activation. <i>Molecular Biology of the Cell</i> , 2003 , 14, 2088-103	3.5	61
8	The use of repetitive element PCR fingerprinting (rep-PCR) for genetic subtyping of German field isolates of Paenibacillus larvae subsp. larvae. <i>Apidologie</i> , 2003 , 34, 195-206	2.3	73
7	Effect of bosentan on NF-kappaB, inflammation, and tissue factor in angiotensin II-induced end-organ damage. <i>Hypertension</i> , 2000 , 36, 282-90	8.5	127
6	Prevention of EGF-modulated adhesion of tumor cells to matrix proteins by specific EGF receptor inhibition. <i>International Journal of Cancer</i> , 1998 , 75, 205-9	7.5	15
5	Signaling by epidermal growth factor differentially affects integrin-mediated adhesion of tumor cells to extracellular matrix proteins. <i>Journal of Molecular Medicine</i> , 1996 , 74, 609-16	5.5	23
4	Differential effects of DNA-binding proteins on bidirectional transcription from the common promoter region of human collagen type IV genes COL4A1 and COL4A2. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993 , 1174, 1-10		35
3	Detection of adenovirus nucleic acid sequences in human tonsils in the absence of infectious virus. <i>Virus Research</i> , 1987 , 7, 93-7	6.4	66
2	Molecular Basis of Antibiotic Self-Resistance in a Bee Larvae Pathogen		1
1	Morphologic and molecular data help adopting the insect-pathogenic nephridiophagids (Nephridiophagidae) among the early diverging fungal lineages, close to the Chytridiomycota. MycoKeys 25, 31-50	2.4	12