

# Giovanni Muttoni

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1393113/giovanni-muttoni-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

3,946  
citations

39  
h-index

58  
g-index

121  
ext. papers

4,336  
ext. citations

4  
avg. IF

5.44  
L-index

#	Paper	IF	Citations
111	Latitudinal land-sea distributions and global surface albedo since the Cretaceous. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2022</b> , 585, 110718	2.9	2
110	Adria in Mediterranean paleogeography, the origin of the Ionian Sea, and Permo-Triassic configurations of Pangea. <i>Earth-Science Reviews</i> , <b>2022</b> , 104045	10.2	0
109	Magnetostratigraphy and age models of deposition of the Melka Kunture stratigraphic sequence (Upper Awash, Ethiopia) and age assessments of the main archeological levels therein contained. <i>Quaternary Science Reviews</i> , <b>2021</b> , 274, 107259	3.9	2
108	A Late Permian paleopole from the Ikakern Formation (Argana basin, Morocco) and the configuration of Pangea. <i>Gondwana Research</i> , <b>2021</b> , 92, 266-278	5.1	1
107	Corrigendum to [A Late Permian paleopole from the Ikakern Formation (Argana basin, Morocco) and the configuration of Pangea][Gondwana Res., 92, 2021, 266-278]. <i>Gondwana Research</i> , <b>2021</b> , 93, 242	5.1	
106	Proposal for the Global Boundary Stratotype Section and Point (GSSP) for the Priabonian Stage (Eocene) at the Alano section (Italy). <i>Episodes</i> , <b>2021</b> , 44, 151-173	1.6	6
105	Magnetostratigraphy <b>2021</b> , 689-697		1
104	Dating of the Lower Pleistocene Vertebrate Site of Tsiotra Vryssi (Mygdonia Basin, Greece): Biochronology, Magnetostratigraphy, and Cosmogenic Radionuclides. <i>Quaternary</i> , <b>2021</b> , 4, 1	2.2	7
103	Pangea B and the Late Paleozoic Ice Age. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2020</b> , 553, 109753	2.9	22
102	Magnetostratigraphy applied to assess tempo of turbidite deposition: A case study of ponded sheet-like turbidites from the lower Miocene of the northern Apennines (Italy). <i>Sedimentary Geology</i> , <b>2020</b> , 403, 105654	2.8	0
101	Jurassic Monster Polar Shift Confirmed by Sequential Paleopoles From Adria, Promontory of Africa. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2019</b> , 124, 3288-3306	3.6	20
100	New magnetobiostratigraphic results from the Ladinian of the Dolomites and implications for the Triassic geomagnetic polarity timescale. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2019</b> , 517, 52-73	2.9	25
99	An expanded Tethyan Kimmeridgian magneto-biostratigraphy from the S'Adde section (Sardinia): Implications for the Jurassic timescale. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2018</b> , 503, 90-101	2.9	12
98	The Lower Toarcian Serrone Marls (Northern Apennines, Italy): A 3.5 Myr record of marl deposition in the aftermath of the T-OAE. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2018</b> , 508, 35-47	2.9	3
97	Magnetostratigraphic and chronostratigraphic constraints on the Marathousa 1 Lower Palaeolithic site and the Middle Pleistocene deposits of the Megalopolis basin, Greece. <i>Quaternary International</i> , <b>2018</b> , 497, 154-169	2	15
96	Early hominins in Europe: The Galerian migration hypothesis. <i>Quaternary Science Reviews</i> , <b>2018</b> , 180, 1-29	3.9	28
95	Magnetostratigraphy <b>2018</b> , 1-4		

94	New early Permian paleopoles from Sardinia confirm intra-Pangea mobility. <i>Tectonophysics</i> , <b>2018</b> , 749, 21-34	3.1	7
93	Astrochronostratigraphic polarity time scale (APTS) for the Late Triassic and Early Jurassic from continental sediments and correlation with standard marine stages. <i>Earth-Science Reviews</i> , <b>2017</b> , 166, 153-180	10.2	94
92	Investigating distribution patterns of airborne magnetic grains trapped in tree barks in Milan, Italy: insights for pollution mitigation strategies. <i>Geophysical Journal International</i> , <b>2017</b> , 210, 989-1000	2.6	4
91	An early Brunhes (. <i>Quaternary Science Reviews</i> , <b>2017</b> , 178, 1-13	3.9	10
90	Geothermal energy and the public: A case study on deliberative citizens engagement in central Italy. <i>Energy Policy</i> , <b>2017</b> , 101, 561-570	7.2	47
89	Contribution to the magnetostratigraphy of the Carnian: new magneto-biostratigraphic constraints from Pignola-2 and Dibona marine sections, Italy. <i>Newsletters on Stratigraphy</i> , <b>2017</b> , 50, 187-203	2.9	9
88	Insights on the opening of the Galerian mammal migration pathway from magnetostratigraphy of the Pleistocene marine-continental transition in the Arda River section (northern Italy). <i>Quaternary Research</i> , <b>2016</b> , 86, 220-231	1.9	7
87	The Pignola-Abriola section (southern Apennines, Italy): a new GSSP candidate for the base of the Rhaetian Stage. <i>Lethaia</i> , <b>2016</b> , 49, 287-306	1.3	32
86	Determining flow directions in turbidites: An integrated sedimentological and magnetic fabric study of the Miocene Marnoso Arenacea Formation (northern Apennines, Italy). <i>Sedimentary Geology</i> , <b>2016</b> , 335, 197-215	2.8	15
85	Stable isotope and calcareous nannofossil assemblage record of the late Paleocene and early Eocene (Cicogna section). <i>Climate of the Past</i> , <b>2016</b> , 12, 883-909	3.9	10
84	A Novel Plate Tectonic Scenario for the Genesis and Sealing of Some Major Mesozoic Oil Fields. <i>GSA Today</i> , <b>2016</b> , 4-10	2.8	9
83	Paleolatitudes of Late Triassic radiolarian cherts from Argolis, Greece: Insights on the paleogeography of the western Tethys. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2015</b> , 417, 476-490	2.9	13
82	Behaviors mapped by new geographies: Ichnonetwork analysis of the Val Dolce Formation (lower Permian; Italy-Austria) <b>2015</b> , 11, 744-776		10
81	Magnetostratigraphy, biostratigraphy, and chemostratigraphy of the Pignola-Abriola section: New constraints for the Norian-Rhaetian boundary. <i>Bulletin of the Geological Society of America</i> , <b>2015</b> , B31106-17	2.9	6
80	Bottleneck at Jaramillo for human migration to Iberia and the rest of Europe?. <i>Journal of Human Evolution</i> , <b>2015</b> , 80, 187-90	3.1	18
79	Post-Cimmerian (JurassicCenozoic) paleogeography and vertical axis tectonic rotations of Central Iran and the Alborz Mountains. <i>Journal of Asian Earth Sciences</i> , <b>2015</b> , 102, 92-101	2.8	48
78	Tracking the Late Jurassic apparent (or true) polar shift in U-Pb-dated kimberlites from cratonic North America (Superior Province of Canada). <i>Geochemistry, Geophysics, Geosystems</i> , <b>2015</b> , 16, 983-994	3.6	28
77	Exploring public engagement with geothermal energy in southern Italy: A case study. <i>Energy Policy</i> , <b>2015</b> , 85, 1-11	7.2	46

76	Age of <i>Mammuthus trogontherii</i> from Kostolac, Serbia, and the entry of megaherbivores into Europe during the Late Matuyama climate revolution. <i>Quaternary Research</i> , <b>2015</b> , 84, 439-447	1.9	10
75	Early to middle Eocene magneto-biochronology of the southwest Pacific Ocean and climate influence on sedimentation: Insights from the Mead Stream section, New Zealand. <i>Bulletin of the Geological Society of America</i> , <b>2015</b> , 127, 643-660	3.9	24
74	A record of the Jurassic massive plate shift from the Garedu Formation of central Iran. <i>Geology</i> , <b>2014</b> , 42, 555-558	5	19
73	A Middle-Late Triassic (Ladinian-Baetic) carbon and oxygen isotope record from the Tethyan Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2014</b> , 399, 246-259	2.9	58
72	Paleomagnetic data from Late Paleozoic dykes of Sardinia: Evidence for block rotations and implications for the intra-Pangea megashear system. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2014</b> , 15, 1684-1697	3.6	12
71	The Alano Section: The Candidate GSSP for the Priabonian Stage. <i>Springer Geology</i> , <b>2014</b> , 55-59	0.8	1
70	The drift history of Adria and Africa from 280 Ma to Present, Jurassic true polar wander, and zonal climate control on Tethyan sedimentary facies. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2013</b> , 386, 415-435	2.9	45
69	A critique of evidence for human occupation of Europe older than the Jaramillo subchron (~1 Ma): comment on 'The oldest human fossil in Europe from Orce (Spain)' by Toro-Moyano et al. (2013). <i>Journal of Human Evolution</i> , <b>2013</b> , 65, 746-9	3.1	45
68	Guadalupian (Middle Permian) paleobiogeography of the Neotethys Ocean. <i>Gondwana Research</i> , <b>2013</b> , 24, 173-184	5.1	39
67	Magnetic-Fabric Analysis As A Tool To Constrain Mechanisms of Deep-Water Mudstone Deposition In the Marnoso Arenacea Formation (Miocene, Italy). <i>Journal of Sedimentary Research</i> , <b>2013</b> , 83, 170-182	2.1	11
66	Modulation of Late Cretaceous and Cenozoic climate by variable drawdown of atmospheric $\text{CO}_2$ from weathering of basaltic provinces on continents drifting through the equatorial humid belt. <i>Climate of the Past</i> , <b>2013</b> , 9, 525-546	3.9	65
65	Stratigraphic evidence of a Middle Pleistocene climate-driven flexural uplift in the Alps. <i>Tectonics</i> , <b>2012</b> , 31, n/a-n/a	4.3	24
64	Paleocene magneto-biostratigraphy and climate-controlled rock magnetism from the Belluno Basin, Tethys Ocean, Italy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2012</b> , 337-338, 130-142	2.9	21
63	A History of Ideas in Ichnology. <i>Developments in Sedimentology</i> , <b>2012</b> , 64, 3-43		11
62	Is there a normal magnetic-polarity event during the Palaeocene-Eocene thermal maximum (~55 Ma)? Insights from the palaeomagnetic record of the Belluno Basin (Italy). <i>Geophysical Journal International</i> , <b>2012</b> , 191, 517-529	2.6	8
61	A paleomagnetic study of Permian and Triassic rocks from the Toulon-Cuers Basin, SE France: Evidence for intra-Pangea block rotations in the Permian. <i>Tectonics</i> , <b>2012</b> , 31, n/a-n/a	4.3	17
60	Neogene block rotation in central Iran: Evidence from paleomagnetic data. <i>Bulletin of the Geological Society of America</i> , <b>2012</b> , 124, 943-956	3.9	52
59	The Global Boundary Stratotype Section and Point (GSSP) of the Carnian Stage (Late Triassic) at Prati di Stuares/Stuares Wiesen Section (Southern Alps, NE Italy). <i>Episodes</i> , <b>2012</b> , 35, 414-430	1.6	63

58	Paleomagnetism of Jurassic carbonate rocks from Sardinia: No indication of post-Jurassic internal block rotations. <i>Journal of Geophysical Research</i> , <b>2011</b> , 116,		9
57	First dated human occupation of Italy at ~ 0.85 Ma during the late Early Pleistocene climate transition. <i>Earth and Planetary Science Letters</i> , <b>2011</b> , 307, 241-252	5.3	55
56	Integrated biomagnetostratigraphy of the Alano section (NE Italy): A proposal for defining the middle-late Eocene boundary. <i>Bulletin of the Geological Society of America</i> , <b>2011</b> , 123, 841-872	3.9	64
55	First <sup>40</sup> Ar/ <sup>39</sup> Ar age of the Ceprano man (central Italy). <i>Quaternary Geochronology</i> , <b>2011</b> , 6, 453-457	2.7	39
54	The geomagnetic polarity timescale for the Triassic: linkage to stage boundary definitions. <i>Geological Society Special Publication</i> , <b>2010</b> , 334, 61-102	1.7	51
53	Magnetostratigraphy concepts, definitions, and applications. <i>Newsletters on Stratigraphy</i> , <b>2010</b> , 43, 207-233		50
52	Organic carbon burial following the middle Eocene climatic optimum in the central western Tethys. <i>Paleoceanography</i> , <b>2010</b> , 25,		54
51	Silicate weathering machine at work: Rock magnetic data from the late Paleocene–Early Eocene Cicogna section, Italy. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2010</b> , 11, n/a-n/a	3.6	15
50	Astronomical tuning of the Cenomanian Scaglia Bianca Formation at Furlo, Italy. <i>Earth and Planetary Science Letters</i> , <b>2010</b> , 292, 231-237	5.3	29
49	Rhaetian magneto-biostratigraphy from the Southern Alps (Italy): Constraints on Triassic chronology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2010</b> , 285, 1-16	2.9	66
48	Magnetostratigraphy, nanofossil stratigraphy and apparent polar wander for Adria-Africa in the Jurassic–Cretaceous boundary interval. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2010</b> , 293, 51-75	2.9	42
47	Human migration into Europe during the late Early Pleistocene climate transition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2010</b> , 296, 79-93	2.9	69
46	Late Matuyama climate forcing on sedimentation at the margin of the southern Alps (Italy). <i>Quaternary Science Reviews</i> , <b>2010</b> , 29, 832-846	3.9	13
45	The Shanderman eclogites: a Late Carboniferous high-pressure event in the NW Talesh Mountains (NW Iran). <i>Geological Society Special Publication</i> , <b>2009</b> , 312, 57-78	1.7	32
44	The drift history of Iran from the Ordovician to the Triassic. <i>Geological Society Special Publication</i> , <b>2009</b> , 312, 7-29	1.7	73
43	The Cimmerian evolution of the Naxhlak–Anarak area, Central Iran, and its bearing for the reconstruction of the history of the Eurasian margin. <i>Geological Society Special Publication</i> , <b>2009</b> , 312, 261-286	1.7	47
42	The Triassic stratigraphic succession of Naxhlak (Central Iran), a record from an active margin. <i>Geological Society Special Publication</i> , <b>2009</b> , 312, 287-321	1.7	15
41	Magneto-biostratigraphy of the Cicogna section (Italy): Implications for the late Paleocene–Early Eocene time scale. <i>Earth and Planetary Science Letters</i> , <b>2009</b> , 285, 39-51	5.3	29

40	Pleistocene magnetostratigraphy of early hominin sites at Ceprano and Fontana Ranuccio, Italy. <i>Earth and Planetary Science Letters</i> , <b>2009</b> , 286, 255-268	5.3	66
39	Paleomagnetic investigations on the Pleistocene lacustrine sequence of Piñico-Silere (northern Italy). <i>Quaternary International</i> , <b>2009</b> , 204, 44-53	2	8
38	Nouvelles recherches dans le bassin Plio-Pleistocène d'Anagni (Latium méridional, Italie). <i>Anthropologie</i> , <b>2009</b> , 113, 66-77	0.5	27
37	Opening of the Neo-Tethys Ocean and the Pangea B to Pangea A transformation during the Permian. <i>Geotitles</i> , <b>2009</b> , 14, 17-48		204
36	Equatorial convergence of India and early Cenozoic climate trends. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 16065-70	11.5	101
35	Tethyan oceanic currents and climate gradients 300 m.y. ago. <i>Geology</i> , <b>2007</b> , 35, 1071	5	85
34	Magnetostratigraphic dating of an intensification of glacial activity in the southern Italian Alps during Marine Isotope Stage 22. <i>Quaternary Research</i> , <b>2007</b> , 67, 161-173	1.9	56
33	Widespread formation of cherts during the early Eocene climate optimum. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2007</b> , 253, 348-362	2.9	55
32	Spectral analysis on mountain pine tree-ring chronologies. <i>Dendrochronologia</i> , <b>2007</b> , 24, 145-154	2.8	5
31	Subsurface magnetostratigraphy of Pleistocene sediments from the Po Plain (Italy): Constraints on rates of sedimentation and rock uplift. <i>Bulletin of the Geological Society of America</i> , <b>2006</b> , 118, 1299-1312	3.9	39
30	Eocene biostratigraphy and magnetic stratigraphy from Possagno, Italy: The calcareous nannofossil response to climate variability. <i>Earth and Planetary Science Letters</i> , <b>2006</b> , 241, 815-830	5.3	77
29	Reply to Discussion of Magnetostratigraphic confirmation of a much faster tempo for sea-level change for the Middle Triassic Latemar platform carbonates [By D. V. Kent, G. Muttoni and P. Brack [Earth Planet. Sci. Lett. 228 (2004), 369-377]] By L. Hinnov. <i>Earth and Planetary Science Letters</i> , <b>2006</b> , 242, 247-250	5.3	6
28	The lacustrine deposits of Fornaci di Ranica (late Early Pleistocene, Italian Pre-Alps): stratigraphy, palaeoenvironment and geological evolution. <i>Quaternary International</i> , <b>2005</b> , 131, 35-58	2	39
27	Mesozoic Alpine facies deposition as a result of past latitudinal plate motion. <i>Nature</i> , <b>2005</b> , 434, 59-63	50.4	100
26	Tethyan magnetostratigraphy from Pizzo Mondello (Sicily) and correlation to the Late Triassic Newark astrochronological polarity time scale. <i>Bulletin of the Geological Society of America</i> , <b>2004</b> , 116, 1043	3.9	136
25	Magnetostratigraphic confirmation of a much faster tempo for sea-level change for the Middle Triassic Latemar platform carbonates. <i>Earth and Planetary Science Letters</i> , <b>2004</b> , 228, 369-377	5.3	44
24	Integrated Anisian-Adninian boundary chronology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2004</b> , 208, 85-102	2.9	29
23	Onset of major Pleistocene glaciations in the Alps. <i>Geology</i> , <b>2003</b> , 31, 989	5	179

22	Permian climatic and paleogeographic changes in Northern Gondwana: the Khuff Formation of Interior Oman. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2003</b> , 191, 269-300	2.9	56
21	Early Permian Pangea B to Late Permian Pangea A. <i>Earth and Planetary Science Letters</i> , <b>2003</b> , 215, 379-394	5.3	163
20	Motion of Africa and Adria since the Permian: paleomagnetic and paleoclimatic constraints from northern Libya. <i>Earth and Planetary Science Letters</i> , <b>2001</b> , 192, 159-174	5.3	95
19	Comment on: Magnetostratigraphy and biostratigraphy of the Middle Triassic Margon section (Southern Alps, Italy) by P.R. Gialanella, F. Heller, P. Mietto, A. Incoronato, V. De Zanche, P. Gianolla, G. Roghi. <i>Earth and Planetary Science Letters</i> , <b>2001</b> , 193, 253-255	5.3	5
18	Magnetostratigraphy and biostratigraphy of the Carnian/Norian boundary interval from the Pizzo Mondello section (Sicani Mountains, Sicily). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2001</b> , 166, 383-399	2.9	34
17	Paleomagnetic reconnaissance of early Mesozoic carbonates from Williston Lake, northeastern British Columbia, Canada: evidence for late Mesozoic remagnetization. <i>Canadian Journal of Earth Sciences</i> , <b>2001</b> , 38, 1157-1168	1.5	6
16	Early Cretaceous magnetic stratigraphy in the APTICORE drill core and adjacent outcrop at Cismon (Southern Alps, Italy), and correlation to the proposed Barremian-Aptian boundary stratotype. <i>Bulletin of the Geological Society of America</i> , <b>2000</b> , 112, 1430-1443	3.9	66
15	Middle Triassic paleomagnetic data from northern Bulgaria: constraints on Tethyan magnetostratigraphy and paleogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2000</b> , 160, 223-237	2.9	31
14	High-resolution magnetostratigraphic and lithostratigraphic correlations in Middle Triassic pelagic carbonates from the Dolomites (northern Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2000</b> , 161, 361-380	2.9	43
13	Paleomagnetic evidence for a Neogene two-phase counterclockwise tectonic rotation in the Northern Apennines (Italy). <i>Tectonophysics</i> , <b>2000</b> , 326, 241-253	3.1	35
12	Paleomagnetic evidence for Neogene tectonic rotations in the northern Apennines, Italy. <i>Earth and Planetary Science Letters</i> , <b>1998</b> , 154, 25-40	5.3	44
11	Towards a better definition of the Middle Triassic magnetostratigraphy and biostratigraphy in the Tethyan realm. <i>Earth and Planetary Science Letters</i> , <b>1998</b> , 164, 285-302	5.3	20
10	Middle Triassic magnetostratigraphy and biostratigraphy from the Dolomites and Greece. <i>Earth and Planetary Science Letters</i> , <b>1997</b> , 146, 107-120	5.3	36
9	Evolution of Pangea: paleomagnetic constraints from the Southern Alps, Italy. <i>Earth and Planetary Science Letters</i> , <b>1996</b> , 140, 97-112	5.3	85
8	Magnetobiostratigraphy of the Spathian to Anisian (Lower to Middle Triassic) Kŕa section, Albania. <i>Geophysical Journal International</i> , <b>1996</b> , 127, 503-514	2.6	30
7	Magnetostratigraphy of a Lower-Middle Triassic boundary section from Chios (Greece). <i>Physics of the Earth and Planetary Interiors</i> , <b>1995</b> , 92, 245-260	2.3	19
6	Wasp-waisted hysteresis loops from a pyrrhotite and magnetite-bearing remagnetized Triassic limestone. <i>Geophysical Research Letters</i> , <b>1995</b> , 22, 3167-3170	4.9	26
5	Lower and Middle Triassic foraminifera from the Eros Limestone, Hydra Island, Greece. <i>Journal of Micropalaeontology</i> , <b>1994</b> , 13, 25-46	2	19

4	Paleomagnetism of latest Anisian (Middle Triassic) sections of the Prezzo Limestone and the Buchenstein Formation, Southern Alps, Italy. <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 122, 1-18	5.3	16
3	Magnetostratigraphy and biostratigraphy of an Anisian-Ladinian (Middle Triassic) boundary section from Hydra (Greece). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>1994</b> , 111, 249-262	2.9	17
2	Stable isotope and calcareous nannofossil assemblage records for the Cicogna section: toward a detailed template of late Paleocene and early Eocene global carbon cycle and nannoplankton evolution		2
1	Modulation of Late Cretaceous and Cenozoic climate by variable drawdown of atmospheric $\text{CO}_2$ from weathering of basaltic provinces on continents drifting through the equatorial humid belt		1