

# Qingtao Wang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/139462/qingtao-wang-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17  
papers

172  
citations

6  
h-index

13  
g-index

19  
ext. papers

215  
ext. citations

4  
avg, IF

2.22  
L-index

#	Paper	IF	Citations
17	Plasma levels of heat shock protein 90 alpha associated with lung cancer development and treatment responses. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 6016-22	12.9	58
16	Downregulation of HSP60 disrupts mitochondrial proteostasis to promote tumorigenesis and progression in clear cell renal cell carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 38822-38834	3.3	39
15	High prevalence of vitamin D deficiency in urban health checkup population. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 859-63	5.9	30
14	Functional Characterization of Sirtuin-like Protein in Mycobacterium smegmatis. <i>Journal of Proteome Research</i> , <b>2015</b> , 14, 4441-9	5.6	11
13	Proteomic analysis of gossypol induces necrosis in multiple myeloma cells. <i>BioMed Research International</i> , <b>2014</b> , 2014, 839232	3	8
12	Uncertainty evaluation in clinical chemistry, immunoassay, hematology and coagulation analytes using only external quality assessment data. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 56, 1447-1457	5.9	6
11	A long way to go for the harmonization of four immunoassays for carcinoembryonic antigen. <i>Clinica Chimica Acta</i> , <b>2016</b> , 454, 15-9	6.2	5
10	Commutability of Reference Materials for Fetoprotein in Human Serum. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2017</b> , 141, 1421-1427	5	4
9	Commutability of external quality assessment materials for point-of-care glucose testing using the Clinical and Laboratory Standards Institute and International Federation of Clinical Chemistry approaches. <i>Journal of Clinical Laboratory Analysis</i> , <b>2020</b> , 34, e23327	3	3
8	Modified HPLC-ESI-MS Method for Glycated Hemoglobin Quantification Based on the IFCC Reference Measurement Procedure and Its Application for Quantitative Analyses in Clinical Laboratories of China. <i>Journal of Clinical Laboratory Analysis</i> , <b>2016</b> , 30, 457-63	3	2
7	Comparability of four clinical laboratory measurement methods for GGT and commutability of candidate reference materials. <i>Journal of Clinical Laboratory Analysis</i> , <b>2020</b> , 34, e23557	3	1
6	Establishment of reference intervals for pediatric complete capillary blood counts: A multicenter study in Beijing. <i>International Journal of Laboratory Hematology</i> , <b>2020</b> , 42, 533-543	2.5	1
5	Trueness assessment of routine electrolytes measuring systems using the candidate reference method by ion chromatography. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2021</b> , 81, 85-91	2	1
4	Comparability of thyroid-stimulating hormone immunoassays using fresh frozen human sera and external quality assessment data. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253324	3.7	0
3	Analytical characterization and clinical performance evaluation of a new point-of-care testing system for high-sensitivity cardiac troponin I assay. <i>Annals of Clinical Biochemistry</i> , <b>2021</b> , 58, 579-585	2.2	0
2	A pilot study for establishing quality indicators in molecular diagnostics according to the IFCC WG-LEPS initiative: preliminary findings in China. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2019</b> , 57, 822-831	5.9	0
1	Establishment of a reference procedure to measure urine-formed elements and evaluation of an automated urine analyzer. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2019</b> , 79, 579-583	5.3	0

