
## Guidalberto Manfioletti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1395551/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Epithelial–Mesenchymal Transition at the Crossroads between Metabolism and Tumor Progression. International Journal of Molecular Sciences, 2022, 23, 800.	4.1	59
2	HMGA1 positively regulates the microtubule-destabilizing protein stathmin promoting motility in TNBC cells and decreasing tumour sensitivity to paclitaxel. Cell Death and Disease, 2022, 13, 429.	6.3	2
3	Epithelial–Mesenchymal Transition (EMT) 2021. International Journal of Molecular Sciences, 2022, 23, 5848.	4.1	28
4	Heterogeneity of triple-negative breast cancer: understanding the Daedalian labyrinth and how it could reveal new drug targets. Expert Opinion on Therapeutic Targets, 2022, 26, 557-573.	3.4	5
5	Gene network analysis using SWIM reveals interplay between the transcription factorâ€encoding genes HMGA1, FOXM1, and MYBL2 in tripleâ€negative breast cancer. FEBS Letters, 2021, 595, 1569-1586.	2.8	12
6	Therapeutic potential of parkin as a tumor suppressor via transcriptional control of cyclins in glioblastoma cell and animal models. Theranostics, 2021, 11, 10047-10063.	10.0	7
7	Targeting the intrinsically disordered architectural High Mobility Group A (HMGA) oncoproteins in breast cancer: learning from the past to design future strategies. Expert Opinion on Therapeutic Targets, 2020, 24, 953-969.	3.4	7
8	High Mobility Group A (HMGA): Chromatin Nodes Controlled by a Knotty miRNA Network. International Journal of Molecular Sciences, 2020, 21, 717.	4.1	6
9	HMGA1 Modulates Gene Transcription Sustaining a Tumor Signalling Pathway Acting on the Epigenetic Status of Triple-Negative Breast Cancer Cells. Cancers, 2019, 11, 1105.	3.7	23
10	HMGA1 promotes breast cancer angiogenesis supporting the stability, nuclear localization and transcriptional activity of FOXM1. Journal of Experimental and Clinical Cancer Research, 2019, 38, 313.	8.6	67
11	Proneural-Mesenchymal Transition: Phenotypic Plasticity to Acquire Multitherapy Resistance in Glioblastoma. International Journal of Molecular Sciences, 2019, 20, 2746.	4.1	138
12	The High Mobility Group A1 (HMGA1) Chromatin Architectural Factor Modulates Nuclear Stiffness in Breast Cancer Cells. International Journal of Molecular Sciences, 2019, 20, 2733.	4.1	24
13	Semaphorin-7A on Exosomes: A Promigratory Signal in the Glioma Microenvironment. Cancers, 2019, 11, 758.	3.7	22
14	Editorial: Hormone Receptors and Breast Cancer. Frontiers in Endocrinology, 2019, 10, 205.	3.5	8
15	HMGA2 Antisense Long Non-coding RNAs as New Players in the Regulation of HMGA2 Expression and Pancreatic Cancer Promotion. Frontiers in Oncology, 2019, 9, 1526.	2.8	19
16	The binding landscape of a partially-selective isopeptidase inhibitor with potent pro-death activity, based on the bis(arylidene)cyclohexanone scaffold. Cell Death and Disease, 2018, 9, 184.	6.3	13
17	High Mobility Group A (HMGA) proteins: Molecular instigators of breast cancer onset and progression. Biochimica Et Biophysica Acta: Reviews on Cancer, 2018, 1869, 216-229.	7.4	72
18	Transcriptional Regulation of Glucose Metabolism: The Emerging Role of the HMGA1 Chromatin Factor. Frontiers in Endocrinology, 2018, 9, 357.	3.5	40

Guidalberto Manfioletti

#	Article	IF	CITATIONS
19	The HMGA gene family in chordates: evolutionary perspectives from amphioxus. Development Genes and Evolution, 2017, 227, 201-211.	0.9	18
20	HMCA1 regulates the Plasminogen activation system in the secretome of breast cancer cells. Scientific Reports, 2017, 7, 11768.	3.3	36
21	The Architectural Chromatin Factor High Mobility Group A1 Enhances DNA Ligase IV Activity Influencing DNA Repair. PLoS ONE, 2016, 11, e0164258.	2.5	13
22	Hmga2 is required for neural crest cell specification in Xenopus laevis. Developmental Biology, 2016, 411, 25-37.	2.0	23
23	Translating Proteomic Into Functional Data: An High Mobility Group A1 (HMGA1) Proteomic Signature Has Prognostic Value in Breast Cancer. Molecular and Cellular Proteomics, 2016, 15, 109-123.	3.8	41
24	A novel mechanism of post-translational modulation of HMGA functions by the histone chaperone nucleophosmin. Scientific Reports, 2015, 5, 8552.	3.3	16
25	A novel HMGA1-CCNE2-YAP axis regulates breast cancer aggressiveness. Oncotarget, 2015, 6, 19087-19101.	1.8	70
26	The expression of the high-mobility group A2 protein in colorectal cancer and surrounding fibroblasts is linked to tumor invasiveness. Human Pathology, 2013, 44, 122-132.	2.0	22
27	Identification and Characterization of New Molecular Partners for the Protein Arginine Methyltransferase 6 (PRMT6). PLoS ONE, 2013, 8, e53750.	2.5	9
28	Expression and Functional Characterization of Xhmg-at-hook Genes in Xenopus laevis. PLoS ONE, 2013, 8, e69866.	2.5	3
29	HMGA1 promotes metastatic processes in basal-like breast cancer regulating EMT and stemness. Oncotarget, 2013, 4, 1293-1308.	1.8	145
30	HMGA1 is a novel downstream nuclear target of the insulin receptor signaling pathway. Scientific Reports, 2012, 2, 251.	3.3	50
31	Conformational Role for the C-Terminal Tail of the Intrinsically Disordered High Mobility Group A (HMGA) Chromatin Factors. Journal of Proteome Research, 2011, 10, 3283-3291.	3.7	28
32	HMGA Interactome: New Insights from Phage Display Technology. Biochemistry, 2011, 50, 3462-3468.	2.5	16
33	HMGA1 protein is a positive regulator of the insulin-like growth factor-I receptor gene. European Journal of Cancer, 2010, 46, 1919-1926.	2.8	32
34	HMGA molecular network: From transcriptional regulation to chromatin remodeling. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 37-47.	1.9	105
35	Macroscopic Differences in HMGA Oncoproteins Post-Translational Modifications: C-Terminal Phosphorylation of HMGA2 Affects Its DNA Binding Properties. Journal of Proteome Research, 2009, 8, 2978-2989.	3.7	35
36	Expression of High Mobility Group A2 Protein in Retinoblastoma and its Association With Clinicopathologic Features. Journal of Pediatric Hematology/Oncology, 2009, 31, 209-214.	0.6	16

Guidalberto Manfioletti

#	Article	IF	CITATIONS
37	Interaction proteomics of the HMGA chromatin architectural factors. Proteomics, 2008, 8, 4721-4732.	2.2	29
38	The second AT-hook of the architectural transcription factor HMGA2 is determinant for nuclear localization and function. Nucleic Acids Research, 2007, 35, 1751-1760.	14.5	46
39	Malignant Ectomesenchymoma: Genetic Profile Reflects Rhabdomyosarcomatous Differentiation. Diagnostic Molecular Pathology, 2007, 16, 243-248.	2.1	19
40	Identification and developmental expression of Xenopus hmga2β. Biochemical and Biophysical Research Communications, 2006, 351, 392-397.	2.1	4
41	HEX expression and localization in normal mammary gland and breast carcinoma. BMC Cancer, 2006, 6, 192.	2.6	42
42	The AT-hook of the Chromatin Architectural Transcription Factor High Mobility Group A1a Is Arginine-methylated by Protein Arginine Methyltransferase 6. Journal of Biological Chemistry, 2006, 281, 3764-3772.	3.4	85
43	HMGA1 Inhibits the Function of p53 Family Members in Thyroid Cancer Cells. Cancer Research, 2006, 66, 2980-2989.	0.9	87
44	Transforming growth factor-β employs HMGA2 to elicit epithelial–mesenchymal transition. Journal of Cell Biology, 2006, 174, 175-183.	5.2	457
45	Lack of the architectural factor HMGA1 causes insulin resistance and diabetes in humans and mice. Nature Medicine, 2005, 11, 765-773.	30.7	204
46	HMGA proteins in malignant peripheral nerve sheath tumor and synovial sarcoma: preferential expression of HMGA2 in malignant peripheral nerve sheath tumor. Modern Pathology, 2005, 18, 1519-1526.	5.5	14
47	Discovering high mobility group A molecular partners in tumour cells. Proteomics, 2005, 5, 1494-1506.	2.2	48
48	IFN-Â gene expression is controlled by the architectural transcription factor HMGA1. International Immunology, 2005, 17, 297-306.	4.0	13
49	Differential HMGA expression and post-translational modifications in prostatic tumor cells. International Journal of Oncology, 2005, 26, 515.	3.3	3
50	Nuclear phosphoproteins HMGA and their relationship with chromatin structure and cancer. FEBS Letters, 2004, 574, 1-8.	2.8	206
51	Differential Expression of HMGA1 and HMGA2 in Dermatofibroma and Dermatofibrosarcoma Protuberans: Potential Diagnostic Applications, and Comparison with Histologic Findings, CD34, and Factor XIIIa Immunoreactivity. American Journal of Dermatopathology, 2004, 26, 267-272.	0.6	49
52	Molecular Dissection of the Architectural Transcription Factor HMGA2. Biochemistry, 2003, 42, 4569-4577.	2.5	50
53	Hmga2 promoter analysis in transgenic mice. Biochemical and Biophysical Research Communications, 2003, 309, 718-723.	2.1	5
54	During Apoptosis of Tumor Cells HMGA1a Protein Undergoes Methylation:  Identification of the Modification Site by Mass Spectrometry. Biochemistry, 2003, 42, 3575-3585.	2.5	50

#	Article	IF	CITATIONS
55	Transcriptional Activation of the Cyclin A Gene by the Architectural Transcription Factor HMGA2. Molecular and Cellular Biology, 2003, 23, 9104-9116.	2.3	140
56	HMGA1 protein over-expression is a frequent feature of epithelial ovarian carcinomas. Carcinogenesis, 2003, 24, 1191-1198.	2.8	75
57	Derepression of HMGA2 Gene Expression in Retinoblastoma Is Associated with Cell Proliferation. Molecular Medicine, 2003, 9, 154-165.	4.4	21
58	Derepression of HMGA2 gene expression in retinoblastoma is associated with cell proliferation. Molecular Medicine, 2003, 9, 1.	4.4	16
59	Expression and Localization of the Homeodomain-Containing Protein HEX in Human Thyroid Tumors. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 1376-1383.	3.6	36
60	A Polypyrimidine/Polypurine Tract within the Hmga2 Minimal Promoter:  A Common Feature of Many Growth-Related Genes. Biochemistry, 2002, 41, 1229-1240.	2.5	49
61	Transcriptional regulation of human insulin receptor gene by the highâ€mobility group protein HMGI(Y). FASEB Journal, 2001, 15, 492-500.	0.5	97
62	A Link between Apoptosis and Degree of Phosphorylation of High Mobility Group A1a Protein in Leukemic Cells. Journal of Biological Chemistry, 2001, 276, 11354-11361.	3.4	47
63	High mobility group HMGI(Y) protein expression in human colorectal hyperplastic and neoplastic diseases. International Journal of Cancer, 2001, 91, 147-151.	5.1	82
64	The Architectural Transcription Factor High Mobility Group I(Y) Participates in Photoreceptor-Specific Gene Expression. Journal of Neuroscience, 2000, 20, 7317-7324.	3.6	40
65	Architecture of High Mobility Group Protein I-CÂ-DNA Complex and Its Perturbation upon Phosphorylation by Cdc2 Kinase. Journal of Biological Chemistry, 2000, 275, 1793-1801.	3.4	35
66	Transgenic Mice Expressing a Truncated Form of the High Mobility Group I-C Protein Develop Adiposity and an Abnormally High Prevalence of Lipomas. Journal of Biological Chemistry, 2000, 275, 14394-14400.	3.4	136
67	A novel downstream positive regulatory element mediating transcription of the human high mobility group (HMG) I-C gene. FEBS Letters, 1999, 457, 429-436.	2.8	13
68	Sp1 and CTF/NF-1 Transcription Factors Are Involved in the Basal Expression of the Hmgi-c Proximal Promoter. Biochemical and Biophysical Research Communications, 1999, 265, 439-447.	2.1	16
69	DNA binding of NF-Y: the effect of HMGI proteins depends upon the CCAAT box. FEBS Letters, 1998, 433, 174-178.	2.8	11
70	Intranuclear Distribution of HMGI/Y Proteins: An Immunocytochemical Study. Journal of Histochemistry and Cytochemistry, 1998, 46, 863-864.	2.5	21
71	High Mobility Group I Proteins Interfere with the Homeodomains Binding to DNA. Journal of Biological Chemistry, 1997, 272, 29904-29910.	3.4	23
72	A Precursor-product Relationship in Molluscan Sperm Proteins from Ensis minor. FEBS Journal, 1995, 233, 744-749.	0.2	10

#	Article	IF	CITATIONS
73	Isolation and characterization of the gene coding for murine high-mobility-group protein HMGI-C. Gene, 1995, 167, 249-253.	2.2	24
74	Inhibition of T7 RNA Polymerase Transcription by Phosphate and Phosphorothioate Triplex-Forming Oligonucleotides Targeted to a R . Y Site Downstream from the Promoter. FEBS Journal, 1994, 226, 831-839.	0.2	31
75	Identification of a novel vertebrate homeobox gene expressed in haematopoietic cells. Nucleic Acids Research, 1992, 20, 5661-5667.	14.5	157
76	A simple discontinuous buffer system for increased resolution and speed in gel electrophoretic analysis of DNA sequence. Nucleic Acids Research, 1990, 18, 204-204.	14.5	15
77	A one-tube plasmid DNA mini-preparation suitable for sequencing. Nucleic Acids Research, 1988, 16, 9878-9878.	14.5	258
78	A new and fast method for prearing high quality lambda DNA suitable for sequencing. Nucleic Acids Research, 1988, 16, 2873-2884.	14.5	135
79	Identification of four different subunits in the haemocyanin of the mantis shrimp, <i>Squilla mantis</i> (Crustacea, Stomatopoda). Bollettino Di Zoologia, 1985, 52, 239-242.	0.3	1