

Xinping Qiu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/139561/xinping-qiu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

6,946
citations

46
h-index

82
g-index

124
ext. papers

7,779
ext. citations

8.2
avg. IF

5.86
L-index

#	Paper	IF	Citations
115	Enhance performances of Co-free Li-rich cathode by eutectic melting salt treatment. <i>Nano Energy</i> , 2022 , 92, 106760	17.1	4
114	Quantification of lithium dendrite and solid electrolyte interphase (SEI) in lithium-ion batteries. <i>Journal of Power Sources</i> , 2022 , 529, 231219	8.9	4
113	Stabilized cobalt-free lithium-rich cathode materials with an artificial lithium fluoride coating. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022 , 29, 917-924	3.1	2
112	Low-cost and high-rate porous carbon anode material for potassium-ion batteries. <i>Solid State Ionics</i> , 2022 , 381, 115944	3.3	0
111	Structural transformation and electrochemical properties of a nanosized flower-like R-MnO cathode in a sodium battery.. <i>Physical Chemistry Chemical Physics</i> , 2021 , 24, 551-559	3.6	0
110	Cr-Doped FeCrFD.33HO Nanomaterials as Cathode Materials for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 48653-48660	9.5	0
109	Characterizing the Onset Potential Distribution of Pt/C Catalyst Deposition by a Total Internal Reflection Imaging Method. <i>Small</i> , 2021 , 17, e2102407	11	0
108	Effects of Mn(II) on nano silicon@polyaniline electrodes in both half and full cells. <i>International Journal of Energy Research</i> , 2021 , 45, 4357-4369	4.5	0
107	Substituents and the induced partial charge effects on cobalt porphyrins catalytic oxygen reduction reactions in acidic medium. <i>Journal of Colloid and Interface Science</i> , 2021 , 597, 269-277	9.3	5
106	Interfacial charge transfer mechanism of oxygen reduction reaction in alkali media: Effects of molecular charge states and triphenylamine substituent on cobalt porphyrin electrocatalysts. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 629, 127435	5.1	2
105	Hard carbon derived from rice husk as anode material for high performance potassium-ion batteries. <i>Solid State Ionics</i> , 2020 , 351, 115319	3.3	12
104	Hierarchical Mesoporous Iron Fluoride and Reduced Graphene Oxide Nanocomposite as Cathode Materials for High-Performance Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17538-17546	9.5	18
103	Na/K Diffusion in FeP as an Anode Material for Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 6495-6501	3.8	3
102	Inhibition of transition metals dissolution in cobalt-free cathode with ultrathin robust interphase in concentrated electrolyte. <i>Nature Communications</i> , 2020 , 11, 3629	17.4	52
101	Structural Transformation and Cycling Improvement of Nanosized Flower-like EMnO2 in a Sodium Battery. <i>ACS Applied Energy Materials</i> , 2019 , 2, 5050-5056	6.1	8
100	FeP/C Composites as an Anode Material for K-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 22364-22370	9.5	41
99	Bilayer Designed Hydrocarbon Membranes for All-Climate Vanadium Flow Batteries To Shield Catholyte Degradation and Mitigate Electrolyte Crossover. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13285-13294	9.5	14

98	Quantification on Growing Mass of Solid Electrolyte Interphase and Deposited Mn(II) on the Silicon Anode of LiMnO Full Lithium-Ion Cells. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 27839-27845	9.5	4
97	Displacement reaction-based Ag ₂ S electrode for lithium batteries with high volumetric energy density. <i>Solid State Ionics</i> , 2019 , 340, 115015	3.3	3
96	Sodium storage performance and mechanism of Ag ₂ S nanospheres as electrode material for sodium-ion batteries. <i>Solid State Ionics</i> , 2019 , 343, 115071	3.3	5
95	A Cobalt-Free Li(Li Ni Fe Mn)O Cathode with More Oxygen-Involving Charge Compensation for Lithium-Ion Batteries. <i>ChemSusChem</i> , 2019 , 12, 2471-2479	8.3	8
94	In situ mapping of activity distribution and oxygen evolution reaction in vanadium flow batteries. <i>Nature Communications</i> , 2019 , 10, 5286	17.4	29
93	A Cobalt-Free Li(Li Ni Fe Mn)O Cathode for Lithium-Ion Batteries with Anionic Redox Reactions. <i>ChemSusChem</i> , 2019 , 12, 1162-1168	8.3	13
92	Lithiation Behavior of Coaxial Hollow Nanocables of Carbon-Silicon Composite. <i>ACS Nano</i> , 2019 , 13, 2274-2280	16.7	40
91	Broad temperature adaptability of vanadium redox flow battery-Part 3: The effects of total vanadium concentration and sulfuric acid concentration. <i>Electrochimica Acta</i> , 2018 , 259, 11-19	6.7	39
90	Study on solid electrolyte interphase excessive growth caused by Mn (II) deposition on silicon anode. <i>Electrochimica Acta</i> , 2018 , 282, 602-608	6.7	5
89	N-doped graphene-based copper nanocomposite with ultralow electrical resistivity and high thermal conductivity. <i>Scientific Reports</i> , 2018 , 8, 9248	4.9	19
88	Holey-engineered electrodes for advanced vanadium flow batteries. <i>Nano Energy</i> , 2018 , 43, 55-62	17.1	81
87	Mechanism of capacity fading caused by Mn (II) deposition on anodes for spinel lithium manganese oxide cell. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017 , 32, 1-10	1	9
86	Reduction of capacity decay in vanadium flow batteries by an electrolyte-reflow method. <i>Journal of Power Sources</i> , 2017 , 338, 17-25	8.9	46
85	High Volumetric Capacity of Hollow Structured SnO@Si Nanospheres for Lithium-Ion Batteries. <i>Nano Letters</i> , 2017 , 17, 3959-3964	11.5	131
84	Confined Solid Electrolyte Interphase Growth Space with Solid Polymer Electrolyte in Hollow Structured Silicon Anode for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 13247-13254	9.5	22
83	A Well-Defined Silicon Nanocone-Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 2806-2814	9.5	24
82	Rapid detection of the positive side reactions in vanadium flow batteries. <i>Applied Energy</i> , 2017 , 185, 452-462	10.7	19
81	The benefits and limitations of electrolyte mixing in vanadium flow batteries. <i>Applied Energy</i> , 2017 , 204, 373-381	10.7	51

80	Toxicity, a serious concern of thermal runaway from commercial Li-ion battery. <i>Nano Energy</i> , 2016 , 27, 313-319	17.1	103
79	Polysulfides Capture-Copper Additive for Long Cycle Life Lithium Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 30248-30255	9.5	45
78	Hierarchical Mesoporous Iron Fluoride with Superior Rate Performance for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 32869-32874	9.5	22
77	Silicon dioxide molecular sieve with mono-layer carbon deposited in the channels and carbon nanotubes on the outside for lithium-sulfur batteries. <i>RSC Advances</i> , 2016 , 6, 60550-60555	3.7	4
76	ZrO ₂ -Nanoparticle-Modified Graphite Felt: Bifunctional Effects on Vanadium Flow Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 15369-78	9.5	185
75	Ternary Platinum-Copper-Nickel Nanoparticles Anchored to Hierarchical Carbon Supports as Free-Standing Hydrogen Evolution Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3464-72	9.5	67
74	A facile approach to fabricate free-standing hydrogen evolution electrodes: riveting tungsten carbide nanocrystals to graphite felt fabrics by carbon nanosheets. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5817-5822	13	34
73	A comparative study of Nafion series membranes for vanadium redox flow batteries. <i>Journal of Membrane Science</i> , 2016 , 510, 18-26	9.6	288
72	Tuning the Mn Deposition on the Anode to Improve the Cycle Performance of the Mn-Based Lithium Ion Battery. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500856	4.6	22
71	Insights into the Impact of the Nafion Membrane Pretreatment Process on Vanadium Flow Battery Performance. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 12228-38	9.5	125
70	Alcohol electro-oxidation on platinum-eria/graphene nanosheet in alkaline solutions. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 20709-20719	6.7	30
69	High capacity lithium-manganese-nickel-oxide composite cathodes with low irreversible capacity loss and good cycle life for lithium ion batteries. <i>Science China Chemistry</i> , 2016 , 59, 1479-1485	7.9	13
68	Insights into the endurance promotion of PtSn/CNT catalysts by thermal annealing for ethanol electro-oxidation. <i>Electrochimica Acta</i> , 2016 , 213, 578-586	6.7	18
67	Improve First-Cycle Efficiency and Rate Performance of Layered-Layered Li _{1.2} Mn _{0.6} Ni _{0.2} O ₂ Using Oxygen Stabilizing Dopant. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 16040-5	9.5	34
66	Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015 , 285, 195-204	8.9	130
65	Hollow Structured Silicon Anodes with Stabilized Solid Electrolyte Interphase Film for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 23501-6	9.5	38
64	CeO ₂ decorated graphite felt as a high-performance electrode for vanadium redox flow batteries. <i>RSC Advances</i> , 2014 , 4, 61912-61918	3.7	102
63	Properties investigation of sulfonated poly(ether ether ketone)/polyacrylonitrile acid-base blend membrane for vanadium redox flow battery application. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 18885-93	9.5	137

62	Characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride-co-hexafluoropropylene) composite membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2014 , 272, 427-435	8.9	55
61	Effectively suppressing dissolution of manganese from spinel lithium manganate via a nanoscale surface-doping approach. <i>Nature Communications</i> , 2014 , 5, 5693	17.4	202
60	SPEEK/Graphene oxide nanocomposite membranes with superior cyclability for highly efficient vanadium redox flow battery. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12423-12432	13	198
59	Sulfonated poly(ether ether ketone)/mesoporous silica hybrid membrane for high performance vanadium redox flow battery. <i>Journal of Power Sources</i> , 2014 , 257, 221-229	8.9	102
58	Preparation and characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) blend membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2013 , 237, 132-140	8.9	81
57	Mn(II) deposition on anodes and its effects on capacity fade in spinel lithium manganate-carbon systems. <i>Nature Communications</i> , 2013 , 4, 2437	17.4	315
56	Improving coulombic efficiency by confinement of solid electrolyte interphase film in pores of silicon/carbon composite. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14075	13	22
55	State of charge monitoring for vanadium redox flow batteries by the transmission spectra of V(IV)/V(V) electrolytes. <i>Journal of Applied Electrochemistry</i> , 2012 , 42, 1025-1031	2.6	44
54	New anhydrous proton exchange membrane for intermediate temperature proton exchange membrane fuel cells. <i>ChemPhysChem</i> , 2011 , 12, 1196-201	3.2	2
53	Study on the co-catalytic effect of titanate nanotubes on Pt-based catalysts in direct alcohol fuel cells. <i>Applied Catalysis B: Environmental</i> , 2010 , 97, 204-212	21.8	17
52	Design and preparation of highly active carbon nanotube-supported sulfated TiO ₂ and platinum catalysts for methanol electrooxidation. <i>Journal of Power Sources</i> , 2010 , 195, 1610-1614	8.9	28
51	Electrochemical characters and structure changes of electrochemically treated Pt nanoparticles. <i>Electrochemistry Communications</i> , 2010 , 12, 14-17	5.1	11
50	New insight into the discharge process of sulfur cathode by electrochemical impedance spectroscopy. <i>Journal of Power Sources</i> , 2009 , 189, 127-132	8.9	316
49	Development of composite anode electrocatalyst for direct methanol fuel cells. <i>Journal of Applied Electrochemistry</i> , 2009 , 39, 1779-1787	2.6	3
48	Research on catalysis of sodium-metallochlorophylls in Ni/MH battery. <i>Science Bulletin</i> , 2009 , 54, 3005-3013		
47	Nafion/organic silica modified TiO ₂ composite membrane for vanadium redox flow battery via in situ sol-gel reactions. <i>Journal of Membrane Science</i> , 2009 , 341, 149-154	9.6	178
46	Influence of metal oxides on Pt catalysts for methanol electrooxidation using electrochemical impedance spectroscopy. <i>Journal of Power Sources</i> , 2009 , 188, 8-13	8.9	58
45	Nafion/organically modified silicate hybrids membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2009 , 189, 1240-1246	8.9	152

44	Promotion of carbon nanotube-supported Pt catalyst for methanol and ethanol electro-oxidation by ZrO ₂ in acidic media. <i>Applied Catalysis A: General</i> , 2009 , 364, 1-7	5.1	63
43	Self-assembled polyelectrolyte multilayer modified Nafion membrane with suppressed vanadium ion crossover for vanadium redox flow batteries. <i>Journal of Materials Chemistry</i> , 2008 , 18, 1232		236
42	Role of structural H ₂ O in TiO ₂ nanotubes in enhancing Pt/C direct ethanol fuel cell anode electro-catalysts. <i>Journal of Power Sources</i> , 2008 , 178, 97-102	8.9	42
41	Size-effect on the activity of anodic catalysts in alcohol and CO electrooxidation. <i>Journal of Power Sources</i> , 2008 , 184, 353-360	8.9	21
40	Steam reforming of ethanol for hydrogen production over NiO/ZnO/ZrO ₂ catalysts. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 1008-1008	6.7	15
39	Thermal behaviors of Ni-MH batteries using a novel impedance spectroscopy. <i>Journal of Power Sources</i> , 2008 , 182, 377-382	8.9	9
38	Effect of heat treatment on the performance of TiO ₂ -Pt/CNT catalysts for methanol electro-oxidation. <i>Electrochimica Acta</i> , 2008 , 53, 3708-3713	6.7	85
37	Facile approach to enhance the Pt utilization and CO-tolerance of Pt/C catalysts by physically mixing with transition-metal oxide nanoparticles. <i>Chemical Communications</i> , 2007 , 1656-8	5.8	60
36	Ethanol electro-oxidation on catalysts with TiO ₂ coated carbon nanotubes as support. <i>Electrochemistry Communications</i> , 2007 , 9, 1416-1421	5.1	76
35	A new proton conducting membrane based on copolymer of methyl methacrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid for direct methanol fuel cells. <i>Electrochimica Acta</i> , 2007 , 52, 6956-6961	6.7	32
34	Structural designing of Pt-CeO ₂ /CNTs for methanol electro-oxidation. <i>Journal of Power Sources</i> , 2007 , 164, 555-560	8.9	109
33	Preparation and characterization of tin-based three-dimensional cellular anode for lithium ion battery. <i>Journal of Power Sources</i> , 2007 , 166, 503-508	8.9	40
32	Nafion/SiO ₂ hybrid membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2007 , 166, 531-536	8.9	352
31	Promoting the current for methanol electro-oxidation by mixing Pt-based catalysts with CeO ₂ nanoparticles. <i>Journal of Power Sources</i> , 2007 , 170, 297-302	8.9	40
30	Electrochemical characterization of Pt-CeO ₂ /C and Pt-CexZr _{1-x} O ₂ /C catalysts for ethanol electro-oxidation. <i>Applied Catalysis B: Environmental</i> , 2007 , 73, 144-149	21.8	79
29	Mesocarbon microbeads supported PtSn catalysts for electrochemical oxidation of ethanol. <i>Journal of Materials Science</i> , 2007 , 42, 4508-4512	4.3	9
28	A comparison of iron phthalocyanine and cobalt porphyrin on the electrochemical catalysis in Ni-MH battery. <i>Science Bulletin</i> , 2007 , 52, 71-77		3
27	TiO ₂ nanotubes promoting Pt/C catalysts for ethanol electro-oxidation in acidic media. <i>Journal of Power Sources</i> , 2007 , 170, 50-54	8.9	62

26	A silicon-based micro direct methanol fuel cell stack with compact structure and PDMS packaging 2007 ,		1
25	Preparation of Pt@TeO ₂ @CNTs Through Spontaneous Adsorbing Pt Nanoparticles onto CNTs Aided by CeO ₂ . <i>Electrochemical and Solid-State Letters</i> , 2007 , 10, B114		9
24	Novel nanocomposite Pt/RuO ₂ x H ₂ O/carbon nanotube catalysts for direct methanol fuel cells. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 5315-9	16.4	208
23	Novel Nanocomposite Pt/RuO ₂ ?x H ₂ O/Carbon Nanotube Catalysts for Direct Methanol Fuel Cells. <i>Angewandte Chemie</i> , 2006 , 118, 5441-5445	3.6	26
22	Enhanced electrochemical properties of poly(ethylene oxide)-based composite polymer electrolyte with ordered mesoporous materials for lithium polymer battery. <i>Microporous and Mesoporous Materials</i> , 2006 , 88, 1-7	5.3	49
21	ESR and vibrational spectroscopy study on poly(vinylidene fluoride) membranes with alkaline treatment. <i>Journal of Power Sources</i> , 2006 , 153, 234-238	8.9	61
20	Enhanced electrochemical properties of PEO-based composite polymer electrolyte with shape-selective molecular sieves. <i>Journal of Power Sources</i> , 2006 , 156, 581-588	8.9	72
19	PVDF/PEO blends based microporous polymer electrolyte: Effect of PEO on pore configurations and ionic conductivity. <i>Journal of Power Sources</i> , 2006 , 157, 501-506	8.9	150
18	A nanocomposite proton exchange membrane based on PVDF, poly(2-acrylamido-2-methyl propylene sulfonic acid), and nano-Al ₂ O ₃ for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2006 , 159, 894-899	8.9	43
17	PVDF-g-PSSA and Al ₂ O ₃ composite proton exchange membranes. <i>Journal of Power Sources</i> , 2006 , 161, 54-60	8.9	53
16	The effects of composition and thermal treatment on the magnetic properties of Fe _{100-x} Cox nanowire arrays based on AAO templates. <i>Journal of Materials Science</i> , 2006 , 41, 2211-2218	4.3	19
15	Conductivities and transport properties of microporous molecular sieves doped composite polymer electrolyte used for lithium polymer battery. <i>New Journal of Chemistry</i> , 2005 , 29, 1454	3.6	14
14	Influences of permeation of vanadium ions through PVDF-g-PSSA membranes on performances of vanadium redox flow batteries. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 20310-4	3.4	157
13	Synthesis of hydrous ruthenium oxide supported platinum catalysts for direct methanol fuel cells. <i>Electrochemistry Communications</i> , 2005 , 7, 593-596	5.1	76
12	Electrochemical oxidation of ethanol on Pt/ZrO ₂ /C catalyst. <i>Electrochemistry Communications</i> , 2005 , 7, 1087-1090	5.1	131
11	Monodispersed hard carbon spherules as a catalyst support for the electrooxidation of methanol. <i>Carbon</i> , 2005 , 43, 11-16	10.4	120
10	Nanocomposite polymer electrolyte comprising PEO/LiClO ₄ and solid super acid: effect of sulphated-zirconia on the crystallization kinetics of PEO. <i>Polymer</i> , 2005 , 46, 5702-5706	3.9	44
9	Composite polymer electrolyte doped with mesoporous silica SBA-15 for lithium polymer battery. <i>Solid State Ionics</i> , 2005 , 176, 1249-1260	3.3	76

8	Amperometric glucose sensor based on enzyme-modified boron-doped diamond electrode by cross-linking method. <i>Sensors and Actuators B: Chemical</i> , 2004 , 99, 499-504	8.5	39
7	Hydrogen from steam reforming of ethanol in low and middle temperature range for fuel cell application. <i>International Journal of Hydrogen Energy</i> , 2004 , 29, 1075-1081	6.7	112
6	High performance lithium cobalt oxides prepared in molten KCl for rechargeable lithium-ion batteries. <i>Electrochemistry Communications</i> , 2004 , 6, 505-509	5.1	37
5	Analysis of high rate performance of nanoparticled lithium cobalt oxides prepared in molten KNO ₃ for rechargeable lithium-ion batteries. <i>Electrochemistry Communications</i> , 2004 , 6, 789-794	5.1	37
4	The Microstructure and Character of the PVDF-g-PSSA Membrane Prepared by Solution Grafting. <i>Journal of the Electrochemical Society</i> , 2003 , 150, A917	3.9	48
3	Synthesis and high rate properties of nanoparticled lithium cobalt oxides as the cathode material for lithium-ion battery. <i>Electrochemistry Communications</i> , 2002 , 4, 488-491	5.1	88
2	A new supported catalyst for methanol oxidation prepared by a reverse micelles method. <i>Electrochemistry Communications</i> , 2002 , 4, 550-553	5.1	41
1	A micro direct methanol fuel cell using PDMS assembly technology		1