

Yi-Xiang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/139653/publications.pdf>

Version: 2024-02-01

138
papers

2,195
citations

218677

26
h-index

330143

37
g-index

144
all docs

144
docs citations

144
times ranked

3150
citing authors

#	ARTICLE	IF	CITATIONS
1	A Resonant High-Pressure Sensor Based on Integrated Resonator-Diaphragm Structure. IEEE Sensors Journal, 2022, 22, 3920-3927.	4.7	3
2	Microfluidic Quantitative Flow Cytometer With Light Modulation. IEEE Sensors Journal, 2022, 22, 3009-3016.	4.7	2
3	Development of microfluidic flow cytometry capable of characterization of single-cell intrinsic structural and electrical parameters. Journal of Micromechanics and Microengineering, 2022, 32, 035007.	2.6	3
4	Development of a Microfluidic Platform Capable of Measuring Intrinsic Electrical Properties From 1000 Single Cells. , 2022, , .		0
5	Inherent bioelectrical parameters of hundreds of thousands of single leukocytes based on impedance flow cytometry. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2022, 101, 630-638.	1.5	7
6	A Resonant Low-Pressure Microsensor With Low Temperature Disturbance. IEEE Sensors Journal, 2022, 22, 10404-10410.	4.7	2
7	A Low-Temperature-Sensitivity Resonant Pressure Microsensor Based on Eutectic Bonding. IEEE Sensors Journal, 2022, 22, 9321-9328.	4.7	3
8	<i>Streptococcus mutans</i>-associated bacteria in dental plaque of severe early childhood caries. Journal of Oral Microbiology, 2022, 14, 2046309.	2.7	10
9	Development of Microfluidic System Enabling High-Throughput Characterization of Multiple Biophysical Parameters of Single Cells. IEEE Transactions on Electron Devices, 2022, 69, 2015-2022.	3.0	3
10	Inherent single-cell bioelectrical parameters of thousands of neutrophils, eosinophils and basophils derived from impedance flow cytometry. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2022, 101, 639-647.	1.5	5
11	Low doses of niclosamide and quinacrine combination yields synergistic effect in melanoma via activating autophagy-mediated p53-dependent apoptosis. Translational Oncology, 2022, 21, 101425.	3.7	4
12	miR-9-5p promotes myogenic differentiation via the Dlx3/Myf5 axis. PeerJ, 2022, 10, e13360.	2.0	0
13	<scp>NLRC5</scp> modulates bone metabolism and plays a role in periodontitis. Journal of Periodontal Research, 2022, 57, 891-903.	2.7	2
14	Mesenchymal stem cell-exosome-mediated matrix metalloproteinase 1 participates in oral leukoplakia and carcinogenesis by inducing angiogenesis. Journal of Oral Pathology and Medicine, 2022, 51, 638-648.	2.7	7
15	MiR-181d-5p regulates implant surface roughness-induced osteogenic differentiation of bone marrow stem cells. Materials Science and Engineering C, 2021, 121, 111801.	7.3	14
16	Comparative Microbial Profiles of Caries and Black Extrinsic Tooth Stain in Primary Dentition. Caries Research, 2021, 55, 310-321.	2.0	13
17	Oral administration of <i>Bifidobacterium breve</i> promotes antitumor efficacy via dendritic cells-derived interleukin 12. Oncoimmunology, 2021, 10, 1868122.	4.6	24
18	A Piezoresistive Pressure Microsensor Based on Simplified Fabrication Processes. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	A Resonant Differential Pressure Sensor Based on Bulk Silicon Technology. , 2021, , .		0
20	A Resonant Differential Pressure Microsensor With a Stress Isolation Layer. , 2021, , .		0
21	A Micromachined Electrochemical Angular Accelerometer Based on Interdigital Electrodes. , 2021, , .		2
22	Classification of White Blood Cells Based on Cell Diameter, Specific Membrane Capacitance and Cytoplasmic Conductivity Leveraging Microfluidic Constriction Channel. , 2021, , .		1
23	A Resonant Differential Pressure Microsensor with Compensations of Temperature and Static Pressure. , 2021, , .		2
24	ODAM promotes junctional epitheliumâ€related gene expression via activation of WNT1 signaling pathway in an ameloblastâ€like cell line ALC. Journal of Periodontal Research, 2021, 56, 482-491.	2.7	7
25	An Exploration of Mutagenesis in a Family with Cleidocranial Dysplasia without RUNX2 Mutation. Frontiers in Genetics, 2021, 12, 748111.	2.3	1
26	A Novel Lipid Prognostic Signature of ADCY2, LIPE, and OLR1 in Head and Neck Squamous Cell Carcinoma. Frontiers in Oncology, 2021, 11, 735993.	2.8	8
27	mA methyltransferase METTL3 promotes oral squamous cell carcinoma progression through enhancement of IGF2BP2-mediated SLC7A11 mRNA stability. American Journal of Cancer Research, 2021, 11, 5282-5298.	1.4	0
28	Microfluidic Cytometry for Highâ€Throughput Characterization of Single Cell Cytoplasmic Viscosity Using Crossing Constriction Channels. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2020, 97, 630-637.	1.5	11
29	Development of microfluidic platform to high-throughput quantify single-cell intrinsic bioelectrical markers of tumor cell lines, subtypes and patient tumor cells. Sensors and Actuators B: Chemical, 2020, 317, 128231.	7.8	20
30	A Chemically Defined Serum-Free Culture System for Spontaneous Human Mesenchymal Stem Cell Spheroid Formation. Stem Cells International, 2020, 2020, 1-12.	2.5	8
31	The Electrochemical Seismometer Based on Fine-Tune Sensing Electrodes for Undersea Exploration. IEEE Sensors Journal, 2020, 20, 8194-8202.	4.7	10
32	Increased chemokine RANTES in synovial fluid and its role in earlyâ€stage degenerative temporomandibular joint disease. Journal of Oral Rehabilitation, 2020, 47, 1150-1160.	3.0	19
33	New Function of RUNX2 in Regulating Osteoclast Differentiation via the AKT/NFATc1/CTSK Axis. Calcified Tissue International, 2020, 106, 553-566.	3.1	20
34	A Resonant Pressure Sensor Based upon Electrostatically Comb Driven and Piezoresistively Sensed Lateral Resonators. Micromachines, 2019, 10, 460.	2.9	11
35	Resonant Pressure Micro Sensors Based on Dual Double Ended Tuning Fork Resonators. Micromachines, 2019, 10, 560.	2.9	2
36	A Resonant Pressure Microsensor With a Stress Isolation Layer. IEEE Sensors Journal, 2019, 19, 7875-7883.	4.7	4

#	ARTICLE	IF	CITATIONS
37	A Temperature-Insensitive Resonant Pressure Micro Sensor Based on Silicon-on-Glass Vacuum Packaging. <i>Sensors</i> , 2019, 19, 3866.	3.8	11
38	Microelectromechanical System-Based Electrochemical Seismometers with Two Pairs of Electrodes Integrated on One Chip. <i>Sensors</i> , 2019, 19, 3953.	3.8	7
39	A Resonant Pressure Microsensor with the Measurement Range of 1 MPa Based on Sensitivities Balanced Dual Resonators. <i>Sensors</i> , 2019, 19, 2272.	3.8	17
40	Butyrate rather than LPS subverts gingival epithelial homeostasis by downregulation of intercellular junctions and triggering pyroptosis. <i>Journal of Clinical Periodontology</i> , 2019, 46, 894-907.	4.9	47
41	DLX3 epigenetically regulates odontoblastic differentiation of hDPCs through H19/miR-675 axis. <i>Archives of Oral Biology</i> , 2019, 102, 155-163.	1.8	5
42	Optimization of LC sensor enabling wireless passive intracranial pressure monitoring. <i>Microsystem Technologies</i> , 2019, 25, 3437-3446.	2.0	3
43	Oral mucosal mesenchymal stem cell-derived exosomes: A potential therapeutic target in oral premalignant lesions. <i>International Journal of Oncology</i> , 2019, 54, 1567-1578.	3.3	24
44	Differentiation of Stem Cells from Human Exfoliated Deciduous Teeth into Retinal Photoreceptor-Like Cells and Their Sustainability In Vivo. <i>Stem Cells International</i> , 2019, 2019, 1-14.	2.5	9
45	Treatment with Stem Cells from Human Exfoliated Deciduous Teeth and Their Derived Conditioned Medium Improves Retinal Visual Function and Delays the Degeneration of Photoreceptors. <i>Stem Cells and Development</i> , 2019, 28, 1514-1526.	2.1	14
46	Development of microfluidic impedance cytometry enabling the quantification of specific membrane capacitance and cytoplasm conductivity from 100,000 single cells. <i>Biosensors and Bioelectronics</i> , 2018, 111, 138-143.	10.1	74
47	miR-675 promotes odontogenic differentiation of human dental pulp cells by epigenetic regulation of DLX3. <i>Experimental Cell Research</i> , 2018, 367, 104-111.	2.6	18
48	Single-Cell Protein Assays: A Review. <i>Methods in Molecular Biology</i> , 2018, 1754, 293-309.	0.9	2
49	A novel 18-bp in-frame deletion mutation in RUNX2 causes cleidocranial dysplasia. <i>Archives of Oral Biology</i> , 2018, 96, 243-248.	1.8	8
50	A Double-Ended Tuning Fork Based Resonant Pressure Micro-Sensor Relying on Electrostatic Excitation and Piezoresistive Detection. <i>Proceedings (mdpi)</i> , 2018, 2, .	0.2	1
51	An Analytical Method for Modelling Pull-In Effect during Anodic Bonding. <i>Proceedings (mdpi)</i> , 2018, 2, 969.	0.2	1
52	Absolute Copy Numbers of β -Actin Proteins Collected from 10,000 Single Cells. <i>Micromachines</i> , 2018, 9, 254.	2.9	5
53	A Monolithic Electrochemical Micro Seismic Sensor Capable of Monitoring Three-Dimensional Vibrations. <i>Sensors</i> , 2018, 18, 1047.	3.8	5
54	A Resonant Pressure Microsensor Based on Double-Ended Tuning Fork and Electrostatic Excitation/Piezoresistive Detection. <i>Sensors</i> , 2018, 18, 2494.	3.8	19

#	ARTICLE	IF	CITATIONS
55	Au maskless patterning for vacuum packaging using the electrochemical method. Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering, 2018, 1, 191-196.	3.2	0
56	Long non-coding RNA H19/SAHH axis epigenetically regulates odontogenic differentiation of human dental pulp stem cells. Cellular Signalling, 2018, 52, 65-73.	3.6	37
57	Total glucosides of paeony improves the immunomodulatory capacity of MSCs partially via the miR-124/STAT3 pathway in oral lichen planus. Biomedicine and Pharmacotherapy, 2018, 105, 151-158.	5.6	25
58	RUNX2 mutation reduces osteogenic differentiation of dental follicle cells in cleidocranial dysplasia. Mutagenesis, 2018, 33, 203-214.	2.6	22
59	Mechanical property characterization of hundreds of single nuclei based on microfluidic constriction channel. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2018, 93, 822-828.	1.5	4
60	Wireless Passive Intracranial Pressure Sensor Based on a Microfabricated Flexible Capacitor. IEEE Transactions on Electron Devices, 2018, 65, 2592-2600.	3.0	12
61	Niclosamide Induces Cell Cycle Arrest in G1 Phase in Head and Neck Squamous Cell Carcinoma Through Let-7d/CDC34 Axis. Frontiers in Pharmacology, 2018, 9, 1544.	3.5	23
62	Specific membrane capacitance, cytoplasm conductivity and instantaneous Young's modulus of single tumour cells. Scientific Data, 2017, 4, 170015.	5.3	37
63	Characteristics of Labial Gland Mesenchymal Stem Cells of Healthy Individuals and Patients with Sjögren's Syndrome: A Preliminary Study. Stem Cells and Development, 2017, 26, 1171-1185.	2.1	18
64	A Microfabricated 96-Well 3D Assay Enabling High-Throughput Quantification of Cellular Invasion Capabilities. Scientific Reports, 2017, 7, 43390.	3.3	2
65	DLX3 mutation negatively regulates odontogenic differentiation of human dental pulp cells. Archives of Oral Biology, 2017, 77, 12-17.	1.8	6
66	DLX3 promotes bone marrow mesenchymal stem cell proliferation through H19/miR-675 axis. Clinical Science, 2017, 131, 2721-2735.	4.3	15
67	Targeting of cell cycle and let-7a/STAT3 pathway by niclosamide inhibits proliferation, migration and invasion in oral squamous cell carcinoma cells. Biomedicine and Pharmacotherapy, 2017, 96, 434-442.	5.6	26
68	A High-Consistency Broadband MEMS-Based Electrochemical Seismometer With Integrated Planar Microelectrodes. IEEE Transactions on Electron Devices, 2017, 64, 3829-3835.	3.0	8
69	Membrane capacitance of thousands of single white blood cells. Journal of the Royal Society Interface, 2017, 14, 20170717.	3.4	14
70	Functional analysis of novel RUNX2 mutations in cleidocranial dysplasia. Mutagenesis, 2017, 32, 437-443.	2.6	11
71	Niclosamide acts as a new inhibitor of vasculogenic mimicry in oral cancer through upregulation of miR-124 and downregulation of STAT3. Oncology Reports, 2017, 39, 827-833.	2.6	27
72	An Electrochemical, Low-Frequency Seismic Micro-Sensor Based on MEMS with a Force-Balanced Feedback System. Sensors, 2017, 17, 2103.	3.8	14

#	ARTICLE	IF	CITATIONS
73	The Instrumentation of a Microfluidic Analyzer Enabling the Characterization of the Specific Membrane Capacitance, Cytoplasm Conductivity, and Instantaneous Young's Modulus of Single Cells. International Journal of Molecular Sciences, 2017, 18, 1158.	4.1	4
74	Gene editing of the extra domain A positive fibronectin in various tumors, amplified the effects of CRISPR/Cas system on the inhibition of tumor progression. Oncotarget, 2017, 8, 105020-105036.	1.8	9
75	Development of Droplet Microfluidics Enabling High-Throughput Single-Cell Analysis. Molecules, 2016, 21, 881.	3.8	82
76	Development of Microfluidic Systems Enabling High-Throughput Single-Cell Protein Characterization. Sensors, 2016, 16, 232.	3.8	22
77	A novel method based on RF detection enabling wireless and passive LC sensing. , 2016, ,		4
78	Senescence: novel insight into DLX3 mutations leading to enhanced bone formation in Tricho-Dento-Osseous syndrome. Scientific Reports, 2016, 6, 38680.	3.3	12
79	Hydrogen sulfide promotes cell proliferation of oral cancer through activation of the COX2/AKT/ERK1/2 axis. Oncology Reports, 2016, 35, 2825-2832.	2.6	43
80	<i>RUNX2</i> mutation impairs bone remodelling of dental follicle cells and periodontal ligament cells in patients with cleidocranial dysplasia. Mutagenesis, 2016, 31, 677-685.	2.6	15
81	Mesenchymal stem cells derived from normal gingival tissue inhibit the proliferation of oral cancer cells in vitro and in vivo. International Journal of Oncology, 2016, 49, 2011-2022.	3.3	35
82	Single-Cell Electrical Phenotyping Enabling the Classification of Mouse Tumor Samples. Scientific Reports, 2016, 6, 19487.	3.3	26
83	Effect of the cathodes on the characteristics of the MEMS based electrochemical seismometer. , 2016, ,		1
84	DLX3 negatively regulates osteoclastic differentiation through microRNA-124. Experimental Cell Research, 2016, 341, 166-176.	2.6	13
85	Microelectromechanical Systems-Based Electrochemical Seismic Sensors With Insulating Spacers Integrated Electrodes for Planetary Exploration. IEEE Sensors Journal, 2016, 16, 650-653.	4.7	26
86	Follicular dendritic cell-secreted protein may enhance osteoclastogenesis in periodontal disease. Connective Tissue Research, 2016, 57, 38-43.	2.3	9
87	Electrical Property Characterization of Neural Stem Cells in Differentiation. PLoS ONE, 2016, 11, e0158044.	2.5	29
88	A Tubing-Free Microfluidic Wound Healing Assay Enabling the Quantification of Vascular Smooth Muscle Cell Migration. Scientific Reports, 2015, 5, 14049.	3.3	29
89	Classification of Cells with Membrane Staining and/or Fixation Based on Cellular Specific Membrane Capacitance and Cytoplasm Conductivity. Micromachines, 2015, 6, 163-171.	2.9	13
90	Constriction Channel Based Single-Cell Mechanical Property Characterization. Micromachines, 2015, 6, 1794-1804.	2.9	27

#	ARTICLE	IF	CITATIONS
91	A Lateral Differential Resonant Pressure Microsensor Based on SOI-Glass Wafer-Level Vacuum Packaging. <i>Sensors</i> , 2015, 15, 24257-24268.	3.8	20
92	Osteocyte culture in microfluidic devices. <i>Biomicrofluidics</i> , 2015, 9, 014109.	2.4	12
93	A Resonant Pressure Microsensor Capable of Self-Temperature Compensation. <i>Sensors</i> , 2015, 15, 10048-10058.	3.8	37
94	Microfluidic Impedance Flow Cytometry Enabling High-Throughput Single-Cell Electrical Property Characterization. <i>International Journal of Molecular Sciences</i> , 2015, 16, 9804-9830.	4.1	125
95	Simultaneous Characterization of Instantaneous Young's Modulus and Specific Membrane Capacitance of Single Cells Using a Microfluidic System. <i>Sensors</i> , 2015, 15, 2763-2773.	3.8	19
96	Adhesion of monocytes to periodontal fibroblasts requires activation of NOD1/2- and TLR4-mediated LFA-1 and VLA-4. <i>Archives of Oral Biology</i> , 2015, 60, 834-844.	1.8	5
97	Interpretation of immunohistochemistry data of tumor should consider microenvironmental factors. <i>Tumor Biology</i> , 2015, 36, 4467-4477.	1.8	2
98	Enhanced Osteogenic Behavior of ADSCs Produced by Deproteinized Antler Cancellous Bone and Evidence for Involvement of ERK Signaling Pathway. <i>Tissue Engineering - Part A</i> , 2015, 21, 1810-1821.	3.1	18
99	A High-Q Resonant Pressure Microsensor with Through-Glass Electrical Interconnections Based on Wafer-Level MEMS Vacuum Packaging. <i>Sensors</i> , 2014, 14, 24244-24257.	3.8	45
100	Editing genomic DNA in cancer cells with high genetic variance: Benefit or risk?. <i>Oncology Reports</i> , 2014, 31, 2079-2084.	2.6	1
101	Melanoma differentiation-associated gene-7/interleukin-24 as a potential prognostic biomarker and second primary malignancy indicator in head and neck squamous cell carcinoma patients. <i>Tumor Biology</i> , 2014, 35, 10977-10985.	1.8	10
102	New Technique for Correction of the Microform Cleft Lip Using Trans/Intraoral Approach. <i>Indian Journal of Surgery</i> , 2014, 76, 415-418.	0.3	3
103	Beyond Toll-Like Receptors: <i>Porphyromonas gingivalis</i> Induces IL-6, IL-8, and VCAM-1 Expression Through NOD-Mediated NF- κ B and ERK Signaling Pathways in Periodontal Fibroblasts. <i>Inflammation</i> , 2014, 37, 522-533.	3.8	53
104	The prognostic value of glycerol-3-phosphate dehydrogenase like expression in head and neck squamous cell carcinoma. <i>Histopathology</i> , 2014, 64, 348-355.	2.9	16
105	Intracellular Adhesion Molecule-1 Is Regulated by <i>Porphyromonas gingivalis</i> Through Nucleotide Binding Oligomerization Domain-Containing Proteins 1 and 2 Molecules in Periodontal Fibroblasts. <i>Journal of Periodontology</i> , 2014, 85, 358-368.	3.4	29
106	A novel non-stop mutation in MSX1 causing autosomal dominant non-syndromic oligodontia. <i>Mutagenesis</i> , 2014, 29, 319-323.	2.6	30
107	Fabrication and test of an electromagnetic vibrating ring gyroscope based on SOI wafer. <i>Journal of Electronics</i> , 2014, 31, 168-173.	0.2	4
108	Novel missense mutations in the AXIN2 gene associated with non-syndromic oligodontia. <i>Archives of Oral Biology</i> , 2014, 59, 349-353.	1.8	32

#	ARTICLE	IF	CITATIONS
109	Hydrogen sulfide synergistically upregulates Porphyromonas gingivalis lipopolysaccharide-induced expression of IL-6 and IL-8 via NF- κ B signalling in periodontal fibroblasts. Archives of Oral Biology, 2014, 59, 954-961.	1.8	36
110	High MMP-21 expression in metastatic lymph nodes predicts unfavorable overall survival for oral squamous cell carcinoma patients with lymphatic metastasis. Oncology Reports, 2014, 31, 2644-2650.	2.6	18
111	Generation of homologous cell pairs using the oral lymphatic system. International Journal of Clinical and Experimental Pathology, 2014, 7, 1563-71.	0.5	1
112	Fluocinolone Acetonide Promotes the Proliferation and Mineralization of Dental Pulp Cells. Journal of Endodontics, 2013, 39, 217-222.	3.1	12
113	Fluocinolone acetonide partially restores the mineralization of LPS-stimulated dental pulp cells through inhibition of κ B pathway and activation of AP-1 pathway. British Journal of Pharmacology, 2013, 170, 1262-1271.	5.4	31
114	Transforming growth factor- β 2 and epithelial-mesenchymal transition are associated with pulmonary metastasis in adenoid cystic carcinoma. Oral Oncology, 2013, 49, 1051-1058.	1.5	29
115	A microfluidic system enabling continuous characterization of specific membrane capacitance and cytoplasm conductivity of single cells in suspension. Biosensors and Bioelectronics, 2013, 43, 304-307.	10.1	55
116	Molecular characteristics of homologous salivary adenoid cystic carcinoma cell lines with different lung metastasis ability. Oncology Reports, 2013, 30, 207-212.	2.6	15
117	A readout circuit for wireless passive resonant-circuit sensors. , 2013, , .		2
118	A microfluidic system enabling continuous characterization of single-cell specific membrane capacitance and cytoplasm conductivity. , 2013, , .		0
119	Electrostatically driven and capacitively detected differential lateral resonant pressure microsensor. Micro and Nano Letters, 2013, 8, 650-653.	1.3	17
120	An electrostatically-driven and capacitively-sensed differential lateral resonant pressure microsensor. , 2013, , .		2
121	A microfluidic device capable of continuous quantification of single-cell specific membrane capacitance and cytoplasm conductivity. , 2013, , .		0
122	A wireless and power-free micro sensor enabling gastrointestinal pressure monitoring. , 2012, , .		4
123	An experimental study of the management of severe keratoconjunctivitis sicca with autologous reduced-sized submandibular gland transplantation. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 562-566.	0.8	11
124	A novel micromachined viscosity and density sensor based on resonant torsional paddle. , 2011, , .		2
125	Role of Polymorphonuclear Neutrophils in the Clearance of Enterococcus faecalis Derived from Saliva and Infected Root Canals. Journal of Endodontics, 2011, 37, 346-352.	3.1	7
126	A novel micromachined differential resonant accelerometer with flexural mechanisms fabricated by SOI-MEMS technology. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
127	Beyond Antiangiogenesis: Intratumorally Injected Bevacizumab Plays a Cisplatin-Sensitizing Role in Squamous Cell Carcinomas in Mice. <i>Chemotherapy</i> , 2011, 57, 244-252.	1.6	8
128	A novel laterally driven micromachined resonant pressure sensor. , 2010, , .		1
129	Quinacrine Enhances Cisplatin-Induced Cytotoxicity in Four Cancer Cell Lines. <i>Chemotherapy</i> , 2010, 56, 127-134.	1.6	34
130	Investigation of the efficacy of a bevacizumab-cetuximab-cisplatin regimen in treating head and neck squamous cell carcinoma in mice. <i>Targeted Oncology</i> , 2010, 5, 237-243.	3.6	20
131	Activated CD4+T cells enhance radiation effect through the cooperation of interferon- γ and TNF- α . <i>BMC Cancer</i> , 2010, 10, 60.	2.6	5
132	Mitf-Mdel, a novel melanocyte/melanoma-specific isoform of microphthalmia-associated transcription factor-M, as a candidate biomarker for melanoma. <i>BMC Medicine</i> , 2010, 8, 14.	5.5	17
133	Mutational analysis of RUNX2 gene in Chinese patients with cleidocranial dysplasia. <i>Mutagenesis</i> , 2010, 25, 589-594.	2.6	32
134	The Effect of Cultured Autologous Periodontal Ligament Cells on the Healing of Delayed Autotransplanted Dog's Teeth. <i>Journal of Endodontics</i> , 2010, 36, 264-267.	3.1	25
135	Activated CD4+ T Cells Dramatically Enhance Chemotherapeutic Tumor Responses In Vitro and In Vivo. <i>Journal of Immunology</i> , 2009, 183, 6800-6807.	0.8	37
136	Clinical Study of Sclerotherapy of Maxillofacial Venous Malformation Using Absolute Ethanol and Pingyangmycin. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009, 67, 98-104.	1.2	29
137	Identification of novel viral interleukin-10 isoforms of human cytomegalovirus AD169. <i>Virus Research</i> , 2008, 131, 213-223.	2.2	30
138	Immunotherapy of melanoma: a critical review of current concepts and future strategies. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 345-358.	3.1	47