

Alexandros P Patrianakos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1396934/publications.pdf>

Version: 2024-02-01

73
papers

2,155
citations

361045

20
h-index

233125

45
g-index

74
all docs

74
docs citations

74
times ranked

2874
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Real-time ultrasound-guided catheterisation of the internal jugular vein: a prospective comparison with the landmark technique in critical care patients. <i>Critical Care</i> , 2006, 10, R162. | 2.5 | 542 |
| 2 | Lung ultrasound in critically ill patients: comparison with bedside chest radiography. <i>Intensive Care Medicine</i> , 2011, 37, 1488-93. | 3.9 | 361 |
| 3 | Acute heart failure congestion and perfusion status—Impact of the clinical classification on in-hospital and long-term outcomes; insights from the ESC-EORP-HFA Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2019, 21, 1338-1352. | 2.9 | 170 |
| 4 | Performance of Prognostic Risk Scores in Chronic Heart Failure Patients Enrolled in the European Society of Cardiology Heart Failure Long-Term Registry. <i>JACC: Heart Failure</i> , 2018, 6, 452-462. | 1.9 | 94 |
| 5 | Unravelling the interplay between hyperkalaemia, renin-angiotensin-aldosterone inhibitor use and clinical outcomes. Data from 9222 chronic heart failure patients of the ESC-EORP Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 1378-1389. | 2.9 | 83 |
| 6 | Sex- and age-related differences in the management and outcomes of chronic heart failure: an analysis of patients from the ESC HFA EORP Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 92-102. | 2.9 | 81 |
| 7 | Androgen Deficiency and Endothelial Dysfunction in Men with End-Stage Kidney Disease Receiving Maintenance Hemodialysis. <i>American Journal of Nephrology</i> , 2006, 26, 536-543. | 1.4 | 56 |
| 8 | Regional coronary flow and contractile reserve in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2027-2032. | 1.2 | 53 |
| 9 | Altered expression of early cardiac marker genes in circulating cells of patients with hypertrophic cardiomyopathy. <i>Cardiovascular Pathology</i> , 2007, 16, 329-335. | 0.7 | 37 |
| 10 | Sacubitril/valsartan eligibility and outcomes in the ESC-EORP-HFA Heart Failure Long-Term Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGM-HF trial, ESC guidelines, and real world. <i>European Journal of Heart Failure</i> , 2019, 21, 1383-1397. | 2.9 | 35 |
| 11 | Atrial fibrillation is associated with increased neurohumoral activation and reduced exercise tolerance in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2007, 118, 206-214. | 0.8 | 32 |
| 12 | The growing role of echocardiography in interventional cardiology: The present and the future. <i>Hellenic Journal of Cardiology</i> , 2017, 58, 17-31. | 0.4 | 30 |
| 13 | Low Levels of MicroRNA-21 Are a Marker of Reduced Arterial Stiffness in Well-Controlled Hypertension. <i>Journal of Clinical Hypertension</i> , 2017, 19, 235-240. | 1.0 | 26 |
| 14 | Comparative efficacy of nebivolol versus carvedilol on left ventricular function and exercise capacity in patients with nonischemic dilated cardiomyopathy. A 12-month study. <i>American Heart Journal</i> , 2005, 150, 985.e9-985.e18. | 1.2 | 24 |
| 15 | Proximal aortic stiffness is related to left ventricular function and exercise capacity in patients with dilated cardiomyopathy. <i>European Journal of Echocardiography</i> , 2009, 10, 425-432. | 2.3 | 24 |
| 16 | Can a left internal jugular catheter be used in the hemodialysis of a patient with persistent left superior vena cava?. <i>Hemodialysis International</i> , 2007, 11, 42-5. | 0.4 | 23 |
| 17 | Myocardial sympathetic innervation in patients with impaired glucose tolerance: relationship to subclinical inflammation. <i>Cardiovascular Pathology</i> , 2008, 17, 172-177. | 0.7 | 23 |
| 18 | Noncompaction Myocardium Imaging with Multiple Echocardiographic Modalities. <i>Echocardiography</i> , 2008, 25, 898-900. | 0.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Myocardial gene expression alterations in peripheral blood mononuclear cells of patients with idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2010, 12, 541-548. | 2.9 | 21 |
| 20 | Peripheral Arterial Embolism Due to a Left Ventricular Diverticulum in a Young Adult<xref rid="AFF1">[*]</xref>. <i>Chest</i> , 2005, 127, 1452. | 0.4 | 21 |
| 21 | Adiponectin and Cardiovascular Remodeling in End-Stage Renal Disease and Co-Morbid Diabetes Mellitus. <i>American Journal of Nephrology</i> , 2006, 26, 340-347. | 1.4 | 20 |
| 22 | Two-dimensional global and segmental longitudinal strain: are the results from software in different high-end ultrasound systems comparable?. <i>Journal of Animal Science and Technology</i> , 2015, 2, 29-39. | 0.8 | 20 |
| 23 | Relation of Proximal Aorta Stiffness to Left Ventricular Diastolic Function in Patients with End-Stage Renal Disease. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 314-323. | 1.2 | 19 |
| 24 | Asymptomatic papillary fibroelastoma of the Aortic valve in a young woman - a case report. <i>Cardiovascular Ultrasound</i> , 2009, 7, 43. | 0.5 | 19 |
| 25 | Relation of cardiac sympathetic innervation to proinflammatory cytokine levels in patients with heart failure secondary to idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2003, 91, 1190-1194. | 0.7 | 17 |
| 26 | Circulating Endothelial Progenitor Cells in Hypertensive Patients With Increased Arterial Stiffness. <i>Journal of Clinical Hypertension</i> , 2014, 16, 295-300. | 1.0 | 16 |
| 27 | Ultrasound-guided "Low Approach" Femoral Vein Catheterization in Critical Care Patients Results in High Incidence of Deep Vein Thrombosis. <i>Anesthesiology</i> , 2007, 107, 181-182. | 1.3 | 15 |
| 28 | MicroRNAs in Peripheral Mononuclear Cells as Potential Biomarkers in Hypertensive Patients With Heart Failure With Preserved Ejection Fraction. <i>American Journal of Hypertension</i> , 2018, 31, 651-657. | 1.0 | 15 |
| 29 | Platelet microRNAs in hypertensive patients with and without cardiovascular disease. <i>Journal of Human Hypertension</i> , 2019, 33, 149-156. | 1.0 | 15 |
| 30 | Isolated Left Ventricular Apical Hypoplasia: A Newly Recognized Unclassified Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1336.e1-1336.e4. | 1.2 | 14 |
| 31 | Detection of abnormal left ventricular geometry in patients without cardiovascular disease through machine learning: An ECG-based approach. <i>Journal of Clinical Hypertension</i> , 2021, 23, 935-945. | 1.0 | 14 |
| 32 | Diagnosing acute aortic syndromes: The role of specific biochemical markers. <i>International Journal of Cardiology</i> , 2010, 145, 3-8. | 0.8 | 12 |
| 33 | Systemic blood pressure profile in hypertensive patients with low hemoglobin concentrations. <i>International Journal of Cardiology</i> , 2010, 142, 95-96. | 0.8 | 11 |
| 34 | Comparative microRNA profiling in relation to urinary albumin excretion in newly diagnosed hypertensive patients. <i>Journal of Human Hypertension</i> , 2016, 30, 685-689. | 1.0 | 11 |
| 35 | Increased Mobilization of Mesenchymal Stem Cells in Patients With Essential Hypertension: The Effect of Left Ventricular Hypertrophy. <i>Journal of Clinical Hypertension</i> , 2014, 16, 883-888. | 1.0 | 10 |
| 36 | Circulating mesenchymal stem cells in patients with hypertrophic cardiomyopathy. <i>Cardiovascular Pathology</i> , 2015, 24, 149-153. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Myocardial inotropic reserve: An old twist that constitutes a reliable index in the modern era of heart failure. <i>Hellenic Journal of Cardiology</i> , 2016, 57, 311-314. | 0.4 | 10 |
| 38 | Peripheral Blood MicroRNAs as Potential Biomarkers of Myocardial Damage in Acute Viral Myocarditis. <i>Genes</i> , 2021, 12, 420. | 1.0 | 10 |
| 39 | Updated knowledge and practical implementations of stress echocardiography in ischemic and non-ischemic cardiac diseases: An expert consensus of the Working Group of Echocardiography of the Hellenic Society of Cardiology. <i>Hellenic Journal of Cardiology</i> , 2022, 64, 30-57. | 0.4 | 10 |
| 40 | Left dominant arrhythmogenic cardiomyopathy: A morbid association of ventricular arrhythmias and unexplained infero-lateral T-wave inversion. <i>Journal of Electrocardiology</i> , 2013, 46, 352-355. | 0.4 | 9 |
| 41 | Altered Proximal Aortic Stiffness and Endothelin Plasma Levels in Diabetic Patients With End-Stage Renal Disease. <i>ASAIO Journal</i> , 2007, 53, 343-350. | 0.9 | 8 |
| 42 | NT-proBNP response to dobutamine stress echocardiography predicts left ventricular contractile reserve in dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2008, 10, 475-481. | 2.9 | 8 |
| 43 | Central Aortic Stiffness in Patients With Nonischemic Dilated Cardiomyopathy: Relationship With Neurohumoral Activation. <i>Journal of Cardiac Failure</i> , 2009, 15, 665-672. | 0.7 | 7 |
| 44 | Localized constrictive pericarditis mimicking a cardiac apex diverticulum. <i>International Journal of Cardiology</i> , 2015, 184, 366-368. | 0.8 | 7 |
| 45 | Late left ventricular diastolic flow propagation velocity determined by color M-mode Doppler in the assessment of diastolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 139-145. | 1.2 | 6 |
| 46 | Troponin levels as a potential prognostic biomarker of sacubitril/valsartan treatment response in heart failure with reduced ejection fraction: Who will benefit most?. <i>Clinical Cardiology</i> , 2018, 41, 1548-1554. | 0.7 | 6 |
| 47 | Adult type ALCAPA syndrome: A rare coronary artery anomaly. <i>Echocardiography</i> , 2018, 35, 1056-1059. | 0.3 | 5 |
| 48 | Short-term effects of angiotensin receptor-neprilysin inhibitors on diastolic strain and tissue doppler parameters in heart failure patients with reduced ejection fraction: A pilot trial. <i>Hellenic Journal of Cardiology</i> , 2020, 61, 415-418. | 0.4 | 5 |
| 49 | HElIenic Registry on Myocarditis SyndromES on behalf of Hellenic Heart Failure Association: The HERMES-HF Registry. <i>ESC Heart Failure</i> , 2020, 7, 3676-3684. | 1.4 | 5 |
| 50 | Mitral commissural prolapse. <i>Echocardiography</i> , 2021, 38, 646-656. | 0.3 | 5 |
| 51 | Massive pericardial effusion without cardiac tamponade due to subclinical hypothyroidism (Hashimoto's disease). <i>Rural and Remote Health</i> , 2018, 18, 4384. | 0.4 | 5 |
| 52 | Quantification of low-dose dobutamine stress using speckle tracking echocardiography in coronary artery disease. <i>European Journal of Echocardiography</i> , 2009, 10, 607-612. | 2.3 | 4 |
| 53 | Prognostic value of NT-pro BNP, left ventricular inotropic reserve and cardiopulmonary exercise test in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2011, 147, 326-328. | 0.8 | 4 |
| 54 | Long-term outcome of hypertensive patients with heart failure with mid-range ejection fraction: The significance of blood pressure control. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1124-1131. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Early Left Ventricular Global Longitudinal Strain Deterioration After Aortic Aneurysm Repair: Impact of Aortic Stiffness. <i>Journal of Endovascular Therapy</i> , 2021, 28, 352-359. | 0.8 | 4 |
| 56 | Association of impaired glucose tolerance with increased heart rate and subclinical inflammation. <i>Hellenic Journal of Cardiology</i> , 2005, 46, 394-401. | 0.4 | 4 |
| 57 | CRT and exercise capacity in heart failure: the impact of mitral valve regurgitation. <i>Europace</i> , 2008, 10, iii96-iii100. | 0.7 | 3 |
| 58 | Prognostic Utility of Impedance Cardiography Measurements in Elderly Hemodialysis Patients with Coronary Artery Disease. <i>American Journal of Nephrology</i> , 2009, 29, 426-433. | 1.4 | 3 |
| 59 | Alterations in the expression of genes related to contractile function and hypertrophy of the left ventricle in chronically paced patients from the right ventricular apex. <i>Europace</i> , 2015, 17, 1563.1-1570. | 0.7 | 3 |
| 60 | Right ventricular dysfunction in arterial hypertension: still terra incognita?. <i>Journal of Human Hypertension</i> , 2019, 33, 491-498. | 1.0 | 3 |
| 61 | Stress echocardiography: differences between practices in Greece. A survey of the Echocardiology Working Group of the Hellenic Society of Cardiology. <i>Hellenic Journal of Cardiology</i> , 2020, 62, 221-224. | 0.4 | 3 |
| 62 | Cardiac Paraganglioma. <i>JACC: Case Reports</i> , 2021, 3, 273-275. | 0.3 | 3 |
| 63 | Brugada-like electrocardiographic pattern unmasked by fever in a critical care patient. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1038-1039. | 0.7 | 2 |
| 64 | Right atrial myxoma: echocardiographic appearance. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 422-423. | 0.5 | 2 |
| 65 | Increased platelet α 2B-adrenergic receptor gene expression in well-controlled hypertensives: the effect of arterial stiffness. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 762-768. | 2.3 | 2 |
| 66 | A case series of Brugada syndrome with a novel mutation in the ankyrin-B gene: an unusual unmasking in acute myocarditis. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab225. | 0.3 | 2 |
| 67 | Arrhythmogenic Right Ventricular Cardiomyopathy: Echocardiographic and Magnetic Resonance Imaging in a Patient Presenting with Ventricular Tachycardia. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 1319.e7-1319.e10. | 1.2 | 1 |
| 68 | Women in danger: detecting coronary artery disease – Are there any sex differences?. <i>Hellenic Journal of Cardiology</i> , 2017, 58, 425-426. | 0.4 | 1 |
| 69 | Analysis of Echocardiographic Markers and Pulse Wave Velocities in a Patient Who Developed New Cardiac Symptoms after Implantation of an Aortic Endograft. <i>Annals of Vascular Surgery</i> , 2019, 58, 381.e11-381.e16. | 0.4 | 1 |
| 70 | Prosthetic mitral valve thrombosis during pregnancy treated successfully with thrombolysis. <i>Hellenic Journal of Cardiology</i> , 2019, 60, 57-58. | 0.4 | 1 |
| 71 | Long noncoding RNAs in peripheral blood mononuclear cells of hypertensive patients with heart failure with preserved ejection fraction in relation to their functional capacity. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 473-476. | 0.4 | 1 |
| 72 | Long-term prognostic value of myocardin expression levels in non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2021, 36, 1841-1847. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------|-----|-----------|
| 73 | Primary heart angiosarcoma. Hellenic Journal of Cardiology, 2007, 48, 364-5. | 0.4 | 1 |