

Alexandros P Patrianakos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1396934/publications.pdf>

Version: 2024-02-01

73
papers

2,155
citations

361045

20
h-index

233125

45
g-index

74
all docs

74
docs citations

74
times ranked

2874
citing authors

#	ARTICLE	IF	CITATIONS
1	Updated knowledge and practical implementations of stress echocardiography in ischemic and non-ischemic cardiac diseases: An expert consensus of the Working Group of Echocardiography of the Hellenic Society of Cardiology. <i>Hellenic Journal of Cardiology</i> , 2022, 64, 30-57.	0.4	10
2	Early Left Ventricular Global Longitudinal Strain Deterioration After Aortic Aneurysm Repair: Impact of Aortic Stiffness. <i>Journal of Endovascular Therapy</i> , 2021, 28, 352-359.	0.8	4
3	Cardiac Paraganglioma. <i>JACC: Case Reports</i> , 2021, 3, 273-275.	0.3	3
4	Mitral commissural prolapse. <i>Echocardiography</i> , 2021, 38, 646-656.	0.3	5
5	Long noncoding RNAs in peripheral blood mononuclear cells of hypertensive patients with heart failure with preserved ejection fraction in relation to their functional capacity. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 473-476.	0.4	1
6	Peripheral Blood MicroRNAs as Potential Biomarkers of Myocardial Damage in Acute Viral Myocarditis. <i>Genes</i> , 2021, 12, 420.	1.0	10
7	Long-term prognostic value of myocardin expression levels in non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2021, 36, 1841-1847.	0.5	1
8	A case series of Brugada syndrome with a novel mutation in the ankyrin-B gene: an unusual unmasking in acute myocarditis. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab225.	0.3	2
9	Detection of abnormal left ventricular geometry in patients without cardiovascular disease through machine learning: An ECG-based approach. <i>Journal of Clinical Hypertension</i> , 2021, 23, 935-945.	1.0	14
10	Sex- and age-related differences in the management and outcomes of chronic heart failure: an analysis of patients from the ESC HFA EORP Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 92-102.	2.9	81
11	Short-term effects of angiotensin receptor-neprilysin inhibitors on diastolic strain and tissue doppler parameters in heart failure patients with reduced ejection fraction: A pilot trial. <i>Hellenic Journal of Cardiology</i> , 2020, 61, 415-418.	0.4	5
12	HElIenic Registry on Myocarditis SyndromES on behalf of Hellenic Heart Failure Association: The HERMES-HF Registry. <i>ESC Heart Failure</i> , 2020, 7, 3676-3684.	1.4	5
13	Stress echocardiography: differences between practices in Greece. A survey of the Echocardiology Working Group of the Hellenic Society of Cardiology. <i>Hellenic Journal of Cardiology</i> , 2020, 62, 221-224.	0.4	3
14	Unravelling the interplay between hyperkalaemia, renin-angiotensin-aldosterone inhibitor use and clinical outcomes. Data from 9222 chronic heart failure patients of the ESC-HFA-EORP Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 1378-1389.	2.9	83
15	Long-term outcome of hypertensive patients with heart failure with mid-range ejection fraction: The significance of blood pressure control. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1124-1131.	1.0	4
16	Sacubitril/valsartan eligibility and outcomes in the ESC-EORP-HFA Heart Failure Long-Term Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGM-HF trial, ESC guidelines, and real world. <i>European Journal of Heart Failure</i> , 2019, 21, 1383-1397.	2.9	35
17	Acute heart failure congestion and perfusion status: Impact of the clinical classification on in-hospital and long-term outcomes; insights from the ESC-EORP-HFA Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2019, 21, 1338-1352.	2.9	170
18	Right ventricular dysfunction in arterial hypertension: still terra incognita?. <i>Journal of Human Hypertension</i> , 2019, 33, 491-498.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Analysis of Echocardiographic Markers and Pulse Wave Velocities in a Patient Who Developed New Cardiac Symptoms after Implantation of an Aortic Endograft. <i>Annals of Vascular Surgery</i> , 2019, 58, 381.e11-381.e16.	0.4	1
20	Platelet microRNAs in hypertensive patients with and without cardiovascular disease. <i>Journal of Human Hypertension</i> , 2019, 33, 149-156.	1.0	15
21	Prosthetic mitral valve thrombosis during pregnancy treated successfully with thrombolysis. <i>Hellenic Journal of Cardiology</i> , 2019, 60, 57-58.	0.4	1
22	MicroRNAs in Peripheral Mononuclear Cells as Potential Biomarkers in Hypertensive Patients With Heart Failure With Preserved Ejection Fraction. <i>American Journal of Hypertension</i> , 2018, 31, 651-657.	1.0	15
23	Troponin- κ levels as a potential prognostic biomarker of sacubitril/valsartan treatment response in heart failure with reduced ejection fraction: Who will benefit most?. <i>Clinical Cardiology</i> , 2018, 41, 1548-1554.	0.7	6
24	Performance of Prognostic Risk Scores in Chronic Heart Failure Patients Enrolled in the European Society of Cardiology Heart Failure Long-Term Registry. <i>JACC: Heart Failure</i> , 2018, 6, 452-462.	1.9	94
25	Adult-type α -ALCAPA syndrome: A rare coronary artery anomaly. <i>Echocardiography</i> , 2018, 35, 1056-1059.	0.3	5
26	Massive pericardial effusion without cardiac tamponade due to subclinical hypothyroidism (Hashimoto's disease). <i>Rural and Remote Health</i> , 2018, 18, 4384.	0.4	5
27	The growing role of echocardiography in interventional cardiology: The present and the future. <i>Hellenic Journal of Cardiology</i> , 2017, 58, 17-31.	0.4	30
28	Increased platelet α 2B-adrenergic receptor gene expression in well-controlled hypertensives: the effect of arterial stiffness. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 762-768.	2.3	2
29	Low Levels of MicroRNA-21 Are a Marker of Reduced Arterial Stiffness in Well-Controlled Hypertension. <i>Journal of Clinical Hypertension</i> , 2017, 19, 235-240.	1.0	26
30	Women in danger: detecting coronary artery disease – Are there any sex differences?. <i>Hellenic Journal of Cardiology</i> , 2017, 58, 425-426.	0.4	1
31	Myocardial inotropic reserve: An old twist that constitutes a reliable index in the modern era of heart failure. <i>Hellenic Journal of Cardiology</i> , 2016, 57, 311-314.	0.4	10
32	Comparative microRNA profiling in relation to urinary albumin excretion in newly diagnosed hypertensive patients. <i>Journal of Human Hypertension</i> , 2016, 30, 685-689.	1.0	11
33	Two-dimensional global and segmental longitudinal strain: are the results from software in different high-end ultrasound systems comparable?. <i>Journal of Animal Science and Technology</i> , 2015, 2, 29-39.	0.8	20
34	Circulating mesenchymal stem cells in patients with hypertrophic cardiomyopathy. <i>Cardiovascular Pathology</i> , 2015, 24, 149-153.	0.7	10
35	Localized constrictive pericarditis mimicking a cardiac apex diverticulum. <i>International Journal of Cardiology</i> , 2015, 184, 366-368.	0.8	7
36	Alterations in the expression of genes related to contractile function and hypertrophy of the left ventricle in chronically paced patients from the right ventricular apex. <i>Europace</i> , 2015, 17, 1563.1-1570.	0.7	3

#	ARTICLE	IF	CITATIONS
37	Circulating Endothelial Progenitor Cells in Hypertensive Patients With Increased Arterial Stiffness. <i>Journal of Clinical Hypertension</i> , 2014, 16, 295-300.	1.0	16
38	Increased Mobilization of Mesenchymal Stem Cells in Patients With Essential Hypertension: The Effect of Left Ventricular Hypertrophy. <i>Journal of Clinical Hypertension</i> , 2014, 16, 883-888.	1.0	10
39	Left dominant arrhythmogenic cardiomyopathy: A morbid association of ventricular arrhythmias and unexplained infero-lateral T-wave inversion. <i>Journal of Electrocardiology</i> , 2013, 46, 352-355.	0.4	9
40	Prognostic value of NT-pro BNP, left ventricular inotropic reserve and cardiopulmonary exercise test in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2011, 147, 326-328.	0.8	4
41	Lung ultrasound in critically ill patients: comparison with bedside chest radiography. <i>Intensive Care Medicine</i> , 2011, 37, 1488-93.	3.9	361
42	Myocardial gene expression alterations in peripheral blood mononuclear cells of patients with idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2010, 12, 541-548.	2.9	21
43	Systemic blood pressure profile in hypertensive patients with low hemoglobin concentrations. <i>International Journal of Cardiology</i> , 2010, 142, 95-96.	0.8	11
44	Diagnosing acute aortic syndromes: The role of specific biochemical markers. <i>International Journal of Cardiology</i> , 2010, 145, 3-8.	0.8	12
45	Isolated Left Ventricular Apical Hypoplasia: A Newly Recognized Unclassified Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1336.e1-1336.e4.	1.2	14
46	Prognostic Utility of Impedance Cardiography Measurements in Elderly Hemodialysis Patients with Coronary Artery Disease. <i>American Journal of Nephrology</i> , 2009, 29, 426-433.	1.4	3
47	Proximal aortic stiffness is related to left ventricular function and exercise capacity in patients with dilated cardiomyopathy. <i>European Journal of Echocardiography</i> , 2009, 10, 425-432.	2.3	24
48	Quantification of low-dose dobutamine stress using speckle tracking echocardiography in coronary artery disease. <i>European Journal of Echocardiography</i> , 2009, 10, 607-612.	2.3	4
49	Asymptomatic papillary fibroelastoma of the Aortic valve in a young woman - a case report. <i>Cardiovascular Ultrasound</i> , 2009, 7, 43.	0.5	19
50	Central Aortic Stiffness in Patients With Nonischemic Dilated Cardiomyopathy: Relationship With Neurohumoral Activation. <i>Journal of Cardiac Failure</i> , 2009, 15, 665-672.	0.7	7
51	Noncompaction Myocardium Imaging with Multiple Echocardiographic Modalities. <i>Echocardiography</i> , 2008, 25, 898-900.	0.3	22
52	Myocardial sympathetic innervation in patients with impaired glucose tolerance: relationship to subclinical inflammation. <i>Cardiovascular Pathology</i> , 2008, 17, 172-177.	0.7	23
53	Right atrial myxoma: echocardiographic appearance. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 422-423.	0.5	2
54	CRT and exercise capacity in heart failure: the impact of mitral valve regurgitation. <i>Europace</i> , 2008, 10, iii96-iii100.	0.7	3

#	ARTICLE	IF	CITATIONS
55	NT-proBNP response to dobutamine stress echocardiography predicts left ventricular contractile reserve in dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2008, 10, 475-481.	2.9	8
56	Ultrasound-guided "Low Approach" Femoral Vein Catheterization in Critical Care Patients Results in High Incidence of Deep Vein Thrombosis. <i>Anesthesiology</i> , 2007, 107, 181-182.	1.3	15
57	Altered Proximal Aortic Stiffness and Endothelin Plasma Levels in Diabetic Patients With End-Stage Renal Disease. <i>ASAIO Journal</i> , 2007, 53, 343-350.	0.9	8
58	Altered expression of early cardiac marker genes in circulating cells of patients with hypertrophic cardiomyopathy. <i>Cardiovascular Pathology</i> , 2007, 16, 329-335.	0.7	37
59	Atrial fibrillation is associated with increased neurohumoral activation and reduced exercise tolerance in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2007, 118, 206-214.	0.8	32
60	Arrhythmogenic Right Ventricular Cardiomyopathy: Echocardiographic and Magnetic Resonance Imaging in a Patient Presenting with Ventricular Tachycardia. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 1319.e7-1319.e10.	1.2	1
61	Relation of Proximal Aorta Stiffness to Left Ventricular Diastolic Function in Patients with End-Stage Renal Disease. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 314-323.	1.2	19
62	Can a left internal jugular catheter be used in the hemodialysis of a patient with persistent left superior vena cava?. <i>Hemodialysis International</i> , 2007, 11, 42-5.	0.4	23
63	Primary heart angiosarcoma. <i>Hellenic Journal of Cardiology</i> , 2007, 48, 364-5.	0.4	1
64	Real-time ultrasound-guided catheterisation of the internal jugular vein: a prospective comparison with the landmark technique in critical care patients. <i>Critical Care</i> , 2006, 10, R162.	2.5	542
65	Brugada-like electrocardiographic pattern unmasked by fever in a critical care patient. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1038-1039.	0.7	2
66	Androgen Deficiency and Endothelial Dysfunction in Men with End-Stage Kidney Disease Receiving Maintenance Hemodialysis. <i>American Journal of Nephrology</i> , 2006, 26, 536-543.	1.4	56
67	Adiponectin and Cardiovascular Remodeling in End-Stage Renal Disease and Co-Morbid Diabetes Mellitus. <i>American Journal of Nephrology</i> , 2006, 26, 340-347.	1.4	20
68	Comparative efficacy of nebivolol versus carvedilol on left ventricular function and exercise capacity in patients with nonischemic dilated cardiomyopathy. A 12-month study. <i>American Heart Journal</i> , 2005, 150, 985.e9-985.e18.	1.2	24
69	Peripheral Arterial Embolism Due to a Left Ventricular Diverticulum in a Young Adult. <i>Chest</i> , 2005, 127, 1452.	0.4	21
70	Association of impaired glucose tolerance with increased heart rate and subclinical inflammation. <i>Hellenic Journal of Cardiology</i> , 2005, 46, 394-401.	0.4	4
71	Late left ventricular diastolic flow propagation velocity determined by color M-mode Doppler in the assessment of diastolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 139-145.	1.2	6
72	Regional coronary flow and contractile reserve in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2027-2032.	1.2	53

#	ARTICLE	IF	CITATIONS
73	Relation of cardiac sympathetic innervation to proinflammatory cytokine levels in patients with heart failure secondary to idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2003, 91, 1190-1194.	0.7	17