Ivana Kolcic

List of Publications by Citations

Source: https://exaly.com/author-pdf/1398096/ivana-kolcic-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17,861 56 157 133 h-index g-index citations papers 4.61 11 171 21,777 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
157	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
156	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010 , 467, 832-8	50.4	1514
155	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016 , 533, 539-42	50.4	850
154	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010 , 42, 949-60	36.3	724
153	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012 , 44, 659-69	36.3	615
152	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. <i>Nature Genetics</i> , 2016 , 48, 624-33	36.3	602
151	New loci associated with kidney function and chronic kidney disease. <i>Nature Genetics</i> , 2010 , 42, 376-84	36.3	599
150	GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. <i>Science</i> , 2013 , 340, 1467-71	33.3	563
149	SLC2A9 is a newly identified urate transporter influencing serum urate concentration, urate excretion and gout. <i>Nature Genetics</i> , 2008 , 40, 437-42	36.3	563
148	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , 2010 , 42, 436-40	36.3	521
147	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , 2013 , 45, 145-54	36.3	505
146	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018 , 50, 1412-1425	36.3	386
145	Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. <i>Nature Genetics</i> , 2010 , 42, 1077-85	36.3	372
144	Genome-wide association analysis identifies novel blood pressure loci and offers biological insights into cardiovascular risk. <i>Nature Genetics</i> , 2017 , 49, 403-415	36.3	313
143	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011 , 43, 1082-90	36.3	313
142	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012 , 490, 267-72	50.4	304
141	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295

(2010-2017)

140	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , 2017 , 49, 834-841	36.3	257
139	Novel insights into the genetics of smoking behaviour, lung function, and chronic obstructive pulmonary disease (UK BiLEVE): a genetic association study in UK Biobank. <i>Lancet Respiratory Medicine,the</i> , 2015 , 3, 769-81	35.1	245
138	Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. <i>Nature Genetics</i> , 2012 , 44, 260-8	36.3	243
137	Loci associated with N-glycosylation of human immunoglobulin G show pleiotropy with autoimmune diseases and haematological cancers. <i>PLoS Genetics</i> , 2013 , 9, e1003225	6	242
136	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015 , 47, 1294-1303	36.3	226
135	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015 , 11, e1005378	6	220
134	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014 , 46, 826-36	36.3	199
133	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016 , 48, 1462-1472	36.3	198
132	Glycans are a novel biomarker of chronological and biological ages. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 779-89	6.4	192
131	Variability, heritability and environmental determinants of human plasma N-glycome. <i>Journal of Proteome Research</i> , 2009 , 8, 694-701	5.6	191
130	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016 , 7, 10495	17.4	180
129	Genomics meets glycomics-the first GWAS study of human N-Glycome identifies HNF1as a master regulator of plasma protein fucosylation. <i>PLoS Genetics</i> , 2010 , 6, e1001256	6	177
128	Genetic determinants of circulating sphingolipid concentrations in European populations. <i>PLoS Genetics</i> , 2009 , 5, e1000672	6	150
127	Effects of genome-wide heterozygosity on a range of biomedically relevant human quantitative traits. <i>Human Molecular Genetics</i> , 2007 , 16, 233-41	5.6	150
126	Genome-wide association study identifies novel loci associated with circulating phospho- and sphingolipid concentrations. <i>PLoS Genetics</i> , 2012 , 8, e1002490	6	145
125	Genome-wide association and functional follow-up reveals new loci for kidney function. <i>PLoS Genetics</i> , 2012 , 8, e1002584	6	143
124	New loci associated with central cornea thickness include COL5A1, AKAP13 and AVGR8. <i>Human Molecular Genetics</i> , 2010 , 19, 4304-11	5.6	125
123	The effect of case management on childhood pneumonia mortality in developing countries. International Journal of Epidemiology, 2010, 39 Suppl 1, i155-71	7.8	112

122	Multiethnic meta-analysis of genome-wide association studies in >100 000 subjects identifies 23 fibrinogen-associated Loci but no strong evidence of a causal association between circulating fibrinogen and cardiovascular disease. <i>Circulation</i> , 2013 , 128, 1310-24	16.7	107
121	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
120	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014 , 46, 669-77	36.3	104
119	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
118	Meta-analysis of genome-wide association studies identifies six new Loci for serum calcium concentrations. <i>PLoS Genetics</i> , 2013 , 9, e1003796	6	100
117	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13366-13371	11.5	90
116	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017 ,	8.5	85
115	Association between chromosome 9p21 variants and the ankle-brachial index identified by a meta-analysis of 21 genome-wide association studies. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 100-	12	84
114	Common variants in the JAZF1 gene associated with height identified by linkage and genome-wide association analysis. <i>Human Molecular Genetics</i> , 2009 , 18, 373-80	5.6	81
113	Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. <i>Nature Communications</i> , 2015 , 6, 8658	17.4	79
112	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1435-1448	15.1	76
111	Mutations in HNF1A result in marked alterations of plasma glycan profile. <i>Diabetes</i> , 2013 , 62, 1329-37	0.9	74
110	Ethical aspects of human biobanks: a systematic review. <i>Croatian Medical Journal</i> , 2011 , 52, 262-79	1.6	72
109	Genetic influences on plasma CFH and CFHR1 concentrations and their role in susceptibility to age-related macular degeneration. <i>Human Molecular Genetics</i> , 2013 , 22, 4857-69	5.6	62
108	Evidence of inbreeding depression on human height. <i>PLoS Genetics</i> , 2012 , 8, e1002655	6	62
107	Polymorphisms in B3GAT1, SLC9A9 and MGAT5 are associated with variation within the human plasma N-glycome of 3533 European adults. <i>Human Molecular Genetics</i> , 2011 , 20, 5000-11	5.6	61
106	Estimating human inbreeding coefficients: comparison of genealogical and marker heterozygosity approaches. <i>Annals of Human Genetics</i> , 2006 , 70, 666-76	2.2	61
105	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019 , 51, 636-648	36.3	59

(2020-2012)

104	Discovery and fine mapping of serum protein loci through transethnic meta-analysis. <i>American Journal of Human Genetics</i> , 2012 , 91, 744-53	11	58	
103	3000 years of solitude: extreme differentiation in the island isolates of Dalmatia, Croatia. <i>European Journal of Human Genetics</i> , 2006 , 14, 478-87	5.3	58	
102	Genome-wide linkage analysis of serum creatinine in three isolated European populations. <i>Kidney International</i> , 2009 , 76, 297-306	9.9	57	
101	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. <i>Human Molecular Genetics</i> , 2016 , 25, 358-70	5.6	54	
100	The Eysenck personality factors: Psychometric structure, reliability, heritability and phenotypic and genetic correlations with psychological distress in an isolated Croatian population. <i>Personality and Individual Differences</i> , 2007 , 42, 123-133	3.3	51	
99	Genome-Wide Association Transethnic Meta-Analyses Identifies Novel Associations Regulating Coagulation Factor VIII and von Willebrand Factor Plasma Levels. <i>Circulation</i> , 2019 , 139, 620-635	16.7	51	
98	The role of host genetic factors in respiratory tract infectious diseases: systematic review, meta-analyses and field synopsis. <i>Scientific Reports</i> , 2015 , 5, 16119	4.9	47	
97	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016 , 7, 13357	17.4	46	
96	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44	
95	Double burden of malnutrition: A silent driver of double burden of disease in low- and middle-income countries. <i>Journal of Global Health</i> , 2012 , 2, 020303	4.3	43	
94	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40	
93	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39	
92	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. <i>Nature Communications</i> , 2018 , 9, 2904	17.4	39	
91	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015 , 20, 735-43	15.1	39	
90	A meta-analysis of genome-wide data from five European isolates reveals an association of COL22A1, SYT1, and GABRR2 with serum creatinine level. <i>BMC Medical Genetics</i> , 2010 , 11, 41	2.1	39	
89	An estimate of the prevalence of dementia in Africa: A systematic analysis. <i>Journal of Global Health</i> , 2012 , 2, 020401	4.3	37	
88	A common biological basis of obesity and nicotine addiction. <i>Translational Psychiatry</i> , 2013 , 3, e308	8.6	37	
87	Have Lifestyle Habits and Psychological Well-Being Changed among Adolescents and Medical Students Due to COVID-19 Lockdown in Croatia?. <i>Nutrients</i> , 2020 , 13,	6.7	36	

86	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017 , 22, 192-201	15.1	31
85	Modulation of genetic associations with serum urate levels by body-mass-index in humans. <i>PLoS ONE</i> , 2015 , 10, e0119752	3.7	31
84	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021 , 596, 393-39	930.4	28
83	Genome-wide association study of anthropometric traits in Korcula Island, Croatia. <i>Croatian Medical Journal</i> , 2009 , 50, 7-16	1.6	27
82	Meta-analysis of 49 549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in ANGPTL4 determining fasting TG levels. <i>Journal of Medical Genetics</i> , 2016 , 53, 441-	9 5.8	27
81	Comparative assessment of methods for estimating individual genome-wide homozygosity-by-descent from human genomic data. <i>BMC Genomics</i> , 2010 , 11, 139	4.5	26
80	Research involvement, specialty choice, and emigration preferences of final year medical students in croatia. <i>Croatian Medical Journal</i> , 2005 , 46, 88-95	1.6	26
79	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
78	Metabolic syndrome in a metapopulation of Croatian island isolates. <i>Croatian Medical Journal</i> , 2006 , 47, 585-92	1.6	24
77	Mediterranean diet in the southern Croatia - does it still exist?. Croatian Medical Journal, 2016, 57, 415-	4 2. 6	23
76	Quantifying the increase in average human heterozygosity due to urbanisation. <i>European Journal of Human Genetics</i> , 2008 , 16, 1097-102	5.3	20
75	Heritabilities of ocular biometrical traits in two croatian isolates with extended pedigrees 2010 , 51, 737	7-43	19
74	Sex ratio at birth and war in Croatia (1991-1995). Human Reproduction, 2005, 20, 2489-91	5.7	19
73	Genetic variants in RBFOX3 are associated with sleep latency. <i>European Journal of Human Genetics</i> , 2016 , 24, 1488-95	5.3	18
72	Discovery of novel heart rate-associated loci using the Exome Chip. <i>Human Molecular Genetics</i> , 2017 , 26, 2346-2363	5.6	17
71	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020 , 11, 2542	17.4	16
70	Nut Consumption and Cardiovascular Risk Factors: A Cross-Sectional Study in a Mediterranean Population. <i>Nutrients</i> , 2017 , 9,	6.7	16
69	Individual multi-locus heterozygosity is associated with lower morning plasma cortisol concentrations. <i>European Journal of Endocrinology</i> , 2013 , 169, 59-64	6.5	16

(2021-2020)

68	A bird's-eye view of Italian genomic variation through whole-genome sequencing. <i>European Journal of Human Genetics</i> , 2020 , 28, 435-444	5.3	16
67	The economic burden of disease-related undernutrition in selected chronic diseases. <i>Clinical Nutrition</i> , 2014 , 33, 689-93	5.9	15
66	Global variability of the human IgG glycome. <i>Aging</i> , 2020 , 12, 15222-15259	5.6	15
65	ExomeChip-Wide Analysis of 95 626 Individuals Identifies 10 Novel Loci Associated With QT and JT Intervals. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e001758	5.2	14
64	Automated workflow-based exploitation of pathway databases provides new insights into genetic associations of metabolite profiles. <i>BMC Genomics</i> , 2013 , 14, 865	4.5	13
63	Predictive value of 8 genetic loci for serum uric acid concentration. <i>Croatian Medical Journal</i> , 2010 , 51, 23-31	1.6	13
62	Demonstrating reduced environmental and genetic diversity in human isolates by analysis of blood lipid levels. <i>Croatian Medical Journal</i> , 2006 , 47, 649-55	1.6	13
61	Neuroticism and pain catastrophizing aggravate response to pain in healthy adults: an experimental study. <i>Korean Journal of Pain</i> , 2018 , 31, 16-26	2.1	13
60	Association of nephrolithiasis and gene for glucose transporter type 9 (SLC2A9): study of 145 patients. <i>Croatian Medical Journal</i> , 2010 , 51, 48-53	1.6	12
59	How big is the 'next big thing'? Estimating the burden of non-communicable diseases in low- and middle-income countries. <i>Journal of Global Health</i> , 2012 , 2, 020101	4.3	12
58	Common variants in SLC17A3 gene affect intra-personal variation in serum uric acid levels in longitudinal time series. <i>Croatian Medical Journal</i> , 2010 , 51, 32-9	1.6	11
57	Is experimentally induced pain associated with socioeconomic status? Do poor people hurt more?. <i>Medical Science Monitor</i> , 2014 , 20, 1232-8	3.2	11
56	Estimating pneumonia deaths of post-neonatal children in countries of low or no death certification in 2008. <i>PLoS ONE</i> , 2011 , 6, e25095	3.7	11
55	The Association between Salt Taste Perception, Mediterranean Diet and Metabolic Syndrome: A Cross-Sectional Study. <i>Nutrients</i> , 2020 , 12,	6.7	11
54	Effects of isolation and inbreeding on human quantitative traits: an example of biochemical markers of hemostasis and inflammation. <i>Human Biology</i> , 2008 , 80, 513-33	1.2	10
53	Micro-scale socioeconomic inequalities and health indicators in a small isolated community of Vis Island, Croatia. <i>Croatian Medical Journal</i> , 2007 , 48, 734-40	1.6	10
52	Scientific production of research fellows at the Zagreb University School of Medicine, Croatia. <i>Croatian Medical Journal</i> , 2006 , 47, 776-82	1.6	9
51	Mediterranean diet assessment challenges: Validation of the Croatian Version of the 14-item Mediterranean Diet Serving Score (MDSS) Questionnaire. <i>PLoS ONE</i> , 2021 , 16, e0247269	3.7	9

50	Historic, demographic, and genetic evidence for increased population frequencies of CCR5Delta32 mutation in Croatian Island isolates after lethal 15th century epidemics. <i>Croatian Medical Journal</i> , 2009 , 50, 34-42	1.6	8
49	Internship workplace preferences of final-year medical students at Zagreb University Medical School, Croatia: all roads lead to Zagreb. <i>Human Resources for Health</i> , 2006 , 4, 7	4.6	8
48	Genome-wide meta-analysis identifies novel gender specific loci associated with thyroid antibodies level in Croatians. <i>Genomics</i> , 2019 , 111, 737-743	4.3	8
47	Late preterm birth is a strong predictor of maternal stress later in life: Retrospective cohort study in school-aged children. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 608-13	1.3	7
46	Emigration-related attitudes of the final year medical students in Croatia: a cross-sectional study at the dawn of the EU accession. <i>Croatian Medical Journal</i> , 2014 , 55, 452-8	1.6	7
45	A complex pattern of agreement between oscillometric and tonometric measurement of arterial stiffness in a population-based sample. <i>Journal of Hypertension</i> , 2012 , 30, 1444-52	1.9	7
44	Can genetics aggravate the health of isolated and remote populations? The case of gout, hyperuricaemia and osteoarthritis in Dalmatia. <i>Rural and Remote Health</i> , 2013 , 13, 2153	1.3	7
43	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals <i>Nature Genetics</i> , 2022 ,	36.3	7
42	Emotional and behavioral outcomes and quality of life in school-age children born as late preterm: retrospective cohort study. <i>Croatian Medical Journal</i> , 2017 , 58, 332-341	1.6	6
41	Genome-wide association study identifies FUT8 and ESR2 as co-regulators of a bi-antennary N-linked glycan A2 (GlcNAc~2~Man~3~GlcNAc~2~) in human plasma proteins. <i>Nature Precedings</i> , 2009 ,		6
40	Seasonality of births in Croatia. <i>Collegium Antropologicum</i> , 2005 , 29, 249-55	0.1	6
39	Mediterranean diet and mental distress: 10,001 Dalmatians tudy. British Food Journal, 2019, 121, 1314	-13826	5
38	Whole-exome sequencing in an isolated population from the Dalmatian island of Vis. <i>European Journal of Human Genetics</i> , 2016 , 24, 1479-87	5.3	5
37	Fine mapping the region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015 , 1, 15011	5.5	5
36	No evidence for genome-wide interactions on plasma fibrinogen by smoking, alcohol consumption and body mass index: results from meta-analyses of 80,607 subjects. <i>PLoS ONE</i> , 2014 , 9, e111156	3.7	5
35	Gender differences in spousal household material status estimation. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 175-6	5.1	5
34	Croatia's brain drain. <i>BMJ, The</i> , 2005 , 331, 1204	5.9	5
33	Socioeconomic inequalities show remarkably poor association with health and disease in Southern Croatia. <i>International Journal of Public Health</i> , 2015 , 60, 417-26	4	4

32	Genome-wide meta-analysis identifies novel loci associated with parathyroid hormone level. <i>Molecular Medicine</i> , 2018 , 24, 15	6.2	4
31	Association of Established Thyroid-stimulating Hormone and Free Thyroxine Genetic Variants with Hashimoto's Thyroiditis. <i>Immunological Investigations</i> , 2017 , 46, 625-638	2.9	4
30	Adherence to epidemiological measures and related knowledge and attitudes during the coronavirus disease 2019 epidemic in Croatia: a cross-sectional study. <i>Croatian Medical Journal</i> , 2020 , 61, 508-517	1.6	4
29	How Healthy Are Health-Related Behaviors in University Students: The HOLISTic Study. <i>Nutrients</i> , 2021 , 13,	6.7	4
28	Healthy migrant effect within Croatia. Collegium Antropologicum, 2009, 33 Suppl 1, 141-5	0.1	4
27	Genetic Variants in the Gene Are Associated with Thyroglobulin Plasma Level in Healthy Individuals. <i>Thyroid</i> , 2019 , 29, 886-893	6.2	3
26	Uric acid: the past decade. <i>Croatian Medical Journal</i> , 2010 , 51, 1-6	1.6	3
25	Scale and dynamics of overweight and obesity epidemic in croatia. <i>Obesity Facts</i> , 2010 , 3, 333	5.1	3
24	Immunoglobulin G glycome composition in transition from premenopause to postmenopause <i>IScience</i> , 2022 , 25, 103897	6.1	3
23	Genome-Wide Analysis Identifies Two Susceptibility Loci for Positive Thyroid Peroxidase and Thyroglobulin Antibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
22	Host genetics and susceptibility to congenital and childhood cytomegalovirus infection: a systematic review. <i>Croatian Medical Journal</i> , 2016 , 57, 321-30	1.6	3
21	Mortality patterns in Southern Adriatic islands of Croatia: a registry-based study. <i>Croatian Medical Journal</i> , 2018 , 59, 118-123	1.6	3
20	Prevalence of increased body weight and hypertension in the population of Croatian mainland and Adriatic Islandsare islanders really healthier?. <i>Collegium Antropologicum</i> , 2009 , 33 Suppl 1, 135-40	0.1	3
19	The geographic patterns of the exceptional longevity in Croatia. <i>Collegium Antropologicum</i> , 2009 , 33 Suppl 1, 147-52	0.1	3
18	Does inbreeding affect N-glycosylation of human plasma proteins?. <i>Molecular Genetics and Genomics</i> , 2011 , 285, 427-32	3.1	2
17	Genome-wide association study to identify common variants associated with brachial circumference: a meta-analysis of 14 cohorts. <i>PLoS ONE</i> , 2012 , 7, e31369	3.7	2
16	Coronavirus epidemic in Croatia: case fatality decline during summer?. <i>Croatian Medical Journal</i> , 2020 , 61, 501-507	1.6	2
15	Global variability of the human IgG glycome		2

14	Differences in food consumption between patients with Hashimoto's thyroiditis and healthy individuals. <i>Scientific Reports</i> , 2020 , 10, 10670	4.9	2
13	Does Each Menstrual Cycle Elicit a Distinct Effect on Olfactory and Gustatory Perception?. <i>Nutrients</i> , 2021 , 13,	6.7	2
12	Birth weight of healthy newborns in Zagreb area, Croatia. <i>Collegium Antropologicum</i> , 2005 , 29, 257-62	0.1	2
11	Do public health surveys provide representative data? Comparison of three different sampling approaches in the adult population of Croatia. <i>Collegium Antropologicum</i> , 2009 , 33 Suppl 1, 153-8	0.1	2
10	Meta-GWAS Reveals Novel Genetic Variants Associated with Urinary Excretion of Uromodulin Journal of the American Society of Nephrology: JASN, 2022, 33, 511-529	12.7	2
9	Heritability analysis suggests comparable genetic component of mechanical pain threshold and tolerance. <i>Pain Medicine</i> , 2012 , 13, 1248-9	2.8	1
8	The Trans-Ancestral Genomic Architecture of Glycaemic Traits		1
7	Discovering patterns of pleiotropy in genome-wide association studies		1
7	Discovering patterns of pleiotropy in genome-wide association studies Thyroid hormone levels are associated with metabolic components: a cross-sectional study. Croatian Medical Journal, 2020, 61, 230-238	1.6	1
•	Thyroid hormone levels are associated with metabolic components: a cross-sectional study.	1.6	
6	Thyroid hormone levels are associated with metabolic components: a cross-sectional study. Croatian Medical Journal, 2020, 61, 230-238 Searching for carbonylome biomarkers of aging - development and validation of the proteomic method for quantification of carbonylated protein in human plasma. Croatian Medical Journal, 2020		1
6 5	Thyroid hormone levels are associated with metabolic components: a cross-sectional study. <i>Croatian Medical Journal</i> , 2020 , 61, 230-238 Searching for carbonylome biomarkers of aging - development and validation of the proteomic method for quantification of carbonylated protein in human plasma. <i>Croatian Medical Journal</i> , 2020 , 61, 119-125 The effect of multiple nutrients on plasma parathyroid hormone level in healthy individuals.	1.6	0
6 5 4	Thyroid hormone levels are associated with metabolic components: a cross-sectional study. <i>Croatian Medical Journal</i> , 2020 , 61, 230-238 Searching for carbonylome biomarkers of aging - development and validation of the proteomic method for quantification of carbonylated protein in human plasma. <i>Croatian Medical Journal</i> , 2020 , 61, 119-125 The effect of multiple nutrients on plasma parathyroid hormone level in healthy individuals. <i>International Journal of Food Sciences and Nutrition</i> , 2019 , 70, 638-644 Family and Individual Quality of Life in Parents of Children with Developmental Disorders and	1.6 3·7 5.1	1 0 0