

Sanae Ben Mkaddem

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1398403/sanae-ben-mkaddem-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,386
citations

23
h-index

32
g-index

32
ext. papers

1,716
ext. citations

7.6
avg, IF

4.39
L-index

#	Paper	IF	Citations
32	NADPH oxidase 1 modulates WNT and NOTCH1 signaling to control the fate of proliferative progenitor cells in the colon. <i>Molecular and Cellular Biology</i> , 2010 , 30, 2636-50	4.8	143
31	New insights in the pathogenesis of immunoglobulin A vasculitis (Henoch-Schönlein purpura). <i>Autoimmunity Reviews</i> , 2017 , 16, 1246-1253	13.6	136
30	NOX enzymes and Toll-like receptor signaling. <i>Seminars in Immunopathology</i> , 2008 , 30, 291-300	12	79
29	Understanding Fc Receptor Involvement in Inflammatory Diseases: From Mechanisms to New Therapeutic Tools. <i>Frontiers in Immunology</i> , 2019 , 10, 811	8.4	76
28	Heat shock protein gp96 and NAD(P)H oxidase 4 play key roles in Toll-like receptor 4-activated apoptosis during renal ischemia/reperfusion injury. <i>Cell Death and Differentiation</i> , 2010 , 17, 1474-85	12.7	71
27	IgG1 and IVIg induce inhibitory ITAM signaling through Fc β III controlling inflammatory responses. <i>Blood</i> , 2012 , 119, 3084-96	2.2	70
26	IgA, IgA receptors, and their anti-inflammatory properties. <i>Current Topics in Microbiology and Immunology</i> , 2014 , 382, 221-35	3.3	65
25	Reduced expression of the NADPH oxidase NOX4 is a hallmark of adipocyte differentiation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007 , 1773, 1015-27	4.9	62
24	Shifting Fc β IIA-ITAM from activation to inhibitory configuration ameliorates arthritis. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3945-59	15.9	61
23	Lyn and Fyn function as molecular switches that control immunoreceptors to direct homeostasis or inflammation. <i>Nature Communications</i> , 2017 , 8, 246	17.4	54
22	Gluten exacerbates IgA nephropathy in humanized mice through gliadin-CD89 interaction. <i>Kidney International</i> , 2015 , 88, 276-85	9.9	53
21	Anti-inflammatory role of the IgA Fc receptor (CD89): from autoimmunity to therapeutic perspectives. <i>Autoimmunity Reviews</i> , 2013 , 12, 666-9	13.6	50
20	Clostridium septicum alpha-toxin forms pores and induces rapid cell necrosis. <i>Toxicon</i> , 2010 , 55, 61-72	2.8	48
19	Potential of epithelial innate host responses by intercellular communication. <i>PLoS Pathogens</i> , 2010 , 6, e1001194	7.6	44
18	Differential activation of Toll-like receptor-mediated apoptosis induced by hypoxia. <i>Oncotarget</i> , 2010 , 1, 741-750	3.3	42
17	Modulation of the microbiota by oral antibiotics treats immunoglobulin A nephropathy in humanized mice. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1135-1144	4.3	40
16	CD31 is a key coinhibitory receptor in the development of immunogenic dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1101-10	11.5	38

15	Cyclosporine A impairs nucleotide binding oligomerization domain (Nod1)-mediated innate antibacterial renal defenses in mice and human transplant recipients. <i>PLoS Pathogens</i> , 2013 , 9, e1003152	7.6	38
14	Reversal of Arthritis by Human Monomeric IgA Through the Receptor-Mediated SH2 Domain-Containing Phosphatase 1 Inhibitory Pathway. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1766-77	9.5	37
13	Heat shock protein gp96 interacts with protein phosphatase 5 and controls toll-like receptor 2 (TLR2)-mediated activation of extracellular signal-regulated kinase (ERK) 1/2 in post-hypoxic kidney cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 12541-9	5.4	32
12	LC3-associated phagocytosis protects against inflammation and liver fibrosis via immunoreceptor inhibitory signaling. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	26
11	Early Phase Mast Cell Activation Determines the Chronic Outcome of Renal Ischemia-Reperfusion Injury. <i>Journal of Immunology</i> , 2017 , 198, 2374-2382	5.3	24
10	Differential activation of Toll-like receptor-mediated apoptosis induced by hypoxia. <i>Oncotarget</i> , 2010 , 1, 741-50	3.3	23
9	Flagellin/TLR5 signalling activates renal collecting duct cells and facilitates invasion and cellular translocation of uropathogenic Escherichia coli. <i>Cellular Microbiology</i> , 2014 , 16, 1503-17	3.9	21
8	CD89 Is a Potent Innate Receptor for Bacteria and Mediates Host Protection from Sepsis. <i>Cell Reports</i> , 2019 , 27, 762-775.e5	10.6	10
7	Role of FcγRIIIA (CD16) in IVIg-mediated anti-inflammatory function. <i>Journal of Clinical Immunology</i> , 2014 , 34 Suppl 1, S46-50	5.7	10
6	High levels of gut-homing immunoglobulin A+ B lymphocytes support the pathogenic role of intestinal mucosal hyperresponsiveness in immunoglobulin A nephropathy patients. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 452-464	4.3	9
5	LC3-associated phagocytosis in myeloid cells, a fireman that restrains inflammation and liver fibrosis, via immunoreceptor inhibitory signaling. <i>Autophagy</i> , 2020 , 16, 1526-1528	10.2	7
4	Protective role of mouse IgG1 in cryoglobulinaemia; insights from an animal model and relevance to human pathology. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1235-42	4.3	7
3	Rifaximin as a Potential Treatment for IgA Nephropathy in a Humanized Mice Model. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	5
2	Negative regulation of bacterial killing and inflammation by two novel CD16 ligands. <i>European Journal of Immunology</i> , 2016 , 46, 1926-35	6.1	5
1	Fc récepteur et polynucléaire neutrophile. <i>Revue Francophone Des Laboratoires</i> , 2014 , 2014, 39-46	0	