Sanae Ben Mkaddem

List of Publications by Year in Descending Order

32 papers	1,386 citations	23 h-index	32 g-index
32 ext. papers	1,716 ext. citations	7.6 avg, IF	4.39 L-index

#	Paper	IF	Citations
32	Rifaximin as a Potential Treatment for IgA Nephropathy in a Humanized Mice Model. *Journal of Personalized Medicine*, **2021**, 11,	3.6	5
31	High levels of gut-homing immunoglobulin A+ B lymphocytes support the pathogenic role of intestinal mucosal hyperresponsiveness in immunoglobulin A nephropathy patients. *Nephrology Dialysis Transplantation*, **2021**, 36, 452-464	4.3	9
30	LC3-associated phagocytosis in myeloid cells, a fireman that restrains inflammation and liver fibrosis, via immunoreceptor inhibitory signaling. *Autophagy*, **2020**, 16, 1526-1528	10.2	7
29	LC3-associated phagocytosis protects against inflammation and liver fibrosis via immunoreceptor inhibitory signaling. *Science Translational Medicine*, **2020**, 12,	17.5	26
28	Understanding Fc Receptor Involvement in Inflammatory Diseases: From Mechanisms to New Therapeutic Tools. *Frontiers in Immunology*, **2019**, 10, 811	8.4	76
27	CD89 Is a Potent Innate Receptor for Bacteria and Mediates Host Protection from Sepsis. *Cell Reports*, **2019**, 27, 762-775.e5	10.6	10
26	Modulation of the microbiota by oral antibiotics treats immunoglobulin A nephropathy in humanized mice. *Nephrology Dialysis Transplantation*, **2019**, 34, 1135-1144	4.3	40
25	Early Phase Mast Cell Activation Determines the Chronic Outcome of Renal Ischemia-Reperfusion Injury. *Journal of Immunology*, **2017**, 198, 2374-2382	5.3	24
24	New insights in the pathogenesis of immunoglobulin A vasculitis (Henoch-Schlein purpura). *Autoimmunity Reviews*, **2017**, 16, 1246-1253	13.6	136
23	Lyn and Fyn function as molecular switches that control immunoreceptors to direct homeostasis or inflammation. *Nature Communications*, **2017**, 8, 246	17.4	54
22	Protective role of mouse IgG1 in cryoglobulinaemia; insights from an animal model and relevance to human pathology. *Nephrology Dialysis Transplantation*, **2016**, 31, 1235-42	4.3	7
21	Negative regulation of bacterial killing and inflammation by two novel CD16 ligands. *European Journal of Immunology*, **2016**, 46, 1926-35	6.1	5
20	Gluten exacerbates IgA nephropathy in humanized mice through gliadin-CD89 interaction. *Kidney International*, **2015**, 88, 276-85	9.9	53
19	Reversal of Arthritis by Human Monomeric IgA Through the Receptor-Mediated SH2 Domain-Containing Phosphatase 1 Inhibitory Pathway. *Arthritis and Rheumatology*, **2015**, 67, 1766-77	9.5	37
18	Role of FcRIIIA (CD16) in IVIg-mediated anti-inflammatory function. *Journal of Clinical Immunology*, **2014**, 34 Suppl 1, S46-50	5.7	10
17	Flagellin/TLR5 signalling activates renal collecting duct cells and facilitates invasion and cellular translocation of uropathogenic Escherichia coli. *Cellular Microbiology*, **2014**, 16, 1503-17	3.9	21
16	Fc récepteur et polynucléaire neutrophile. *Revue Francophone Des Laboratoires*, **2014**, 2014, 39-46	0	

15	IgA, IgA receptors, and their anti-inflammatory properties. *Current Topics in Microbiology and Immunology*, **2014**, 382, 221-35	3.3	65
14	CD31 is a key coinhibitory receptor in the development of immunogenic dendritic cells. *Proceedings of the National Academy of Sciences of the United States of America*, **2014**, 111, E1101-10	11.5	38
13	Shifting FcRIIA-ITAM from activation to inhibitory configuration ameliorates arthritis. *Journal of Clinical Investigation*, **2014**, 124, 3945-59	15.9	61
12	Anti-inflammatory role of the IgA Fc receptor (CD89): from autoimmunity to therapeutic perspectives. *Autoimmunity Reviews*, **2013**, 12, 666-9	13.6	50
11	Cyclosporine A impairs nucleotide binding oligomerization domain (Nod1)-mediated innate antibacterial renal defenses in mice and human transplant recipients. *PLoS Pathogens*, **2013**, 9, e1003152	7.6	38
10	IgG1 and IVIg induce inhibitory ITAM signaling through FcRIII controlling inflammatory responses. *Blood*, **2012**, 119, 3084-96	2.2	70
9	Heat shock protein gp96 and NAD(P)H oxidase 4 play key roles in Toll-like receptor 4-activated apoptosis during renal ischemia/reperfusion injury. *Cell Death and Differentiation*, **2010**, 17, 1474-85	12.7	71
8	NADPH oxidase 1 modulates WNT and NOTCH1 signaling to control the fate of proliferative progenitor cells in the colon. *Molecular and Cellular Biology*, **2010**, 30, 2636-50	4.8	143
7	Potentiation of epithelial innate host responses by intercellular communication. *PLoS Pathogens*, **2010**, 6, e1001194	7.6	44
6	Clostridium septicum alpha-toxin forms pores and induces rapid cell necrosis. *Toxicon*, **2010**, 55, 61-72	2.8	48
5	Differential activation of Toll-like receptor-mediated apoptosis induced by hypoxia. *Oncotarget*, **2010**, 1, 741-750	3.3	42
4	Differential activation of Toll-like receptor-mediated apoptosis induced by hypoxia. *Oncotarget*, **2010**, 1, 741-50	3.3	23
3	Heat shock protein gp96 interacts with protein phosphatase 5 and controls toll-like receptor 2 (TLR2)-mediated activation of extracellular signal-regulated kinase (ERK) 1/2 in post-hypoxic kidney cells. *Journal of Biological Chemistry*, **2009**, 284, 12541-9	5.4	32
2	NOX enzymes and Toll-like receptor signaling. *Seminars in Immunopathology*, **2008**, 30, 291-300	12	79
1	Reduced expression of the NADPH oxidase NOX4 is a hallmark of adipocyte differentiation. *Biochimica Et Biophysica Acta - Molecular Cell Research*, **2007**, 1773, 1015-27	4.9	62