

# Brett S Nickerson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1398776/publications.pdf>

Version: 2024-02-01

46  
papers

605  
citations

687363

13  
h-index

677142

22  
g-index

46  
all docs

46  
docs citations

46  
times ranked

669  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Reliability and Agreement of Various InBody Body Composition Analyzers as Compared to Dual-Energy X-Ray Absorptiometry in Healthy Men and Women. <i>Journal of Clinical Densitometry</i> , 2020, 23, 443-450.  | 1.2 | 180       |
| 2  | Associations of body adiposity index, waist circumference, and body mass index in young adults. <i>Clinical Nutrition</i> , 2019, 38, 715-720.   | 5.0 | 31        |
| 3  | Comparison of Multifrequency Bioelectrical Impedance vs. Dual-Energy X-ray Absorptiometry for Assessing Body Composition Changes After Participation in a 10-Week Resistance Training Program. <i>Journal of Strength and Conditioning Research</i> , 2020, 34, 678-688. | 2.1 | 31        |
| 4  | Utilization of BIA-Derived Bone Mineral Estimates Exerts Minimal Impact on Body Fat Estimates via Multicompartment Models in Physically Active Adults. <i>Journal of Clinical Densitometry</i> , 2018, 21, 541-549.  | 1.2 | 25        |
| 5  | A novel method of utilizing skinfolds and bioimpedance for determining body fat percentage via a field-based three-compartment model. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1431-1438.   | 2.9 | 23        |
| 6  | Fat-free Mass Characteristics of Muscular Physique Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 193-201.   | 0.4 | 22        |
| 7  | Validity of BMI-Based Body Fat Equations in Men and Women: A 4-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2018, 32, 121-129.   | 2.1 | 20        |
| 8  | Validity of Four-Compartment Model Body Fat In Physically Active Men And Women When Using DXA For Body Volume. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2017, 27, 520-527.  | 2.1 | 19        |
| 9  | Agreement Between 2 Segmental Bioimpedance Devices, BOD POD, and DXA in Obese Adults. <i>Journal of Clinical Densitometry</i> , 2020, 23, 138-148.   | 1.2 | 19        |
| 10 | Validity of Selected Bioimpedance Equations for Estimating Body Composition in Men and Women: A Four-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1963-1972.   | 2.1 | 16        |
| 11 | Validity of Field and Laboratory Three-Compartment Models in Healthy Adults. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1032-1039.   | 0.4 | 16        |
| 12 | Relative accuracy of body adiposity index and relative fat mass in participants with and without down syndrome. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1117-1121.   | 2.9 | 16        |
| 13 | Fat-free mass characteristics vary based on sex, race, and weight status in US adults. <i>Nutrition Research</i> , 2020, 81, 58-70.  | 2.9 | 16        |
| 14 | Validity of the body adiposity index in adults with Down syndrome. <i>Research in Developmental Disabilities</i> , 2015, 38, 92-96.  | 2.2 | 15        |
| 15 | Agreement between single-frequency bioimpedance analysis and dual energy x-ray absorptiometry varies based on sex and segmental mass. <i>Nutrition Research</i> , 2018, 54, 33-39.   | 2.9 | 13        |
| 16 | Comparison of Bioimpedance and Underwater Weighing Body Fat Percentage Before and Acutely After Exercise at Varying Intensities. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 1395-1402.   | 2.1 | 12        |
| 17 | The Validity of Relative Fat Mass and Body Adiposity Index as Measures of Body Composition in Healthy Adults. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 137-146.   | 1.8 | 11        |
| 18 | Impact of Measured vs. Predicted Residual Lung Volume on Body Fat Percentage Using Underwater Weighing and 4-Compartment Model. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 2519-2527.  | 2.1 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The relative accuracy of skinfolds compared to four-compartment estimates of body composition. <i>Clinical Nutrition</i> , 2020, 39, 1112-1116.  | 5.0 | 10        |
| 20 | Relative accuracy of anthropometric-based body fat equations in males and females with varying BMI classifications. <i>Clinical Nutrition ESPEN</i> , 2020, 35, 136-140.   | 1.2 | 10        |
| 21 | Fat-free mass characteristics of Hispanic adults: Comparisons with non-Hispanic Caucasians and cadaver reference values. <i>Clinical Nutrition</i> , 2020, 39, 3080-3085.  | 5.0 | 9         |
| 22 | Agreement of BMI-Based Equations and DXA in Determining Body-Fat Percentage in Adults With Down Syndrome. <i>Adapted Physical Activity Quarterly</i> , 2016, 33, 89-96.  | 0.8 | 7         |
| 23 | Comparison of Bioelectrical Impedance Analysis and Dual-Energy X-Ray Absorptiometry for Estimating Bone Mineral Content. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2018, 28, 542-546.                  | 2.1 | 7         |
| 24 | Validity of DXA body volume equations in a four-compartment model for adults with varying body mass index and waist circumference classifications. <i>PLoS ONE</i> , 2018, 13, e0206866.   | 2.5 | 7         |
| 25 | Examining Race-Related Error in Two-Compartment Models of Body Composition Assessment: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Densitometry</i> , 2021, 24, 156-168.   | 1.2 | 7         |
| 26 | Effects of Telephone Aftercare Intervention for Obese Hispanic Children on Body Fat Percentage, Physical Fitness, and Blood Lipid Profiles. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5133. | 2.6 | 6         |
| 27 | Validity of Foot-To-Foot Bioelectrical Impedance for Estimating Body Composition in NCAA Division I Male Athletes: A 3-Compartment Model Comparison. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 3361-3366.       | 2.1 | 5         |
| 28 | Development of a Body Mass Index-based Body Fat Equation: Effect of Handgrip Strength. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2459-2465.   | 0.4 | 5         |
| 29 | Development of a dual-energy X-ray absorptiometry-derived body volume equation in Hispanic adults for administering a four-compartment model. <i>British Journal of Nutrition</i> , 2020, 123, 1373-1381.                              | 2.3 | 5         |
| 30 | Physiological adaptation following four-weeks of high-intensity functional training. <i>Vojnosanitetski Pregled</i> , 2019, 76, 272-277.   | 0.2 | 5         |
| 31 | Comparison of bioelectrical impedance and DXA for measuring body composition among adults with Down syndrome. <i>Disability and Health Journal</i> , 2017, 10, 548-551.  | 2.8 | 4         |
| 32 | Bias varies for bioimpedance analysis and skinfold technique when stratifying collegiate male athletes' fat-free mass hydration levels. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 336-339.                       | 1.9 | 4         |
| 33 | Effects of Heat Exposure on Body Water Assessed using Single-Frequency Bioelectrical Impedance Analysis and Bioimpedance Spectroscopy. <i>International Journal of Exercise Science</i> , 2017, 10, 1085-1093.                         | 0.5 | 4         |
| 34 | Agreement Between A 2-Dimensional Digital Image-Based 3-Compartment Body Composition Model and Dual Energy X-Ray Absorptiometry for The Estimation of Relative Adiposity. <i>Journal of Clinical Densitometry</i> , 2022, 25, 244-251. | 1.2 | 3         |
| 35 | Effect of total body water estimates via bioimpedance on bod pod-based three-compartment body fat models. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 581-587.   | 2.9 | 2         |
| 36 | Generalized Equations for Predicting Percent Body Fat from Anthropometric Measures Using a Criterion Five-Compartment Model. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2675-2682.                                 | 0.4 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Development Of A Dxa-derived Body Volume Equation In Hispanic Adults For Administering In 4-compartment Models. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 876-876.   | 0.4 | 2         |
| 38 | Aerobic exercise is an independent determinant of levels of inflammation and oxidative stress in middle-aged obese females. <i>Journal of Exercise Rehabilitation</i> , 2022, 18, 43-49.  | 1.0 | 2         |
| 39 | Proportional bias of multifrequency bioimpedance analysis is larger in Hispanic females than males. <i>Nutrition Research</i> , 2022, 103, 40-46.   | 2.9 | 2         |
| 40 | Exclusion of Trunk Region Reduces Biological Error but Increases Technical Error of DXA Lean Soft Tissue Estimates From Nonfasted Assessments. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2019, 29, 309-314. | 2.1 | 1         |
| 41 | Evaluation of Obesity Cutoff Values in Hispanic Adults: Derivation of New Standards. <i>Journal of Clinical Densitometry</i> , 2021, 24, 388-396.   | 1.2 | 1         |
| 42 | PROMPTING INDIVIDUALS WITH DOWN SYNDROME TO USE A TREADMILL. <i>ACSM's Health and Fitness Journal</i> , 2015, 19, 19-23.  | 0.6 | 0         |
| 43 | Impact of Spotter Sex on One Repetition Maximum Bench Press Performance. <i>Journal of Strength and Conditioning Research</i> , 2019, Publish Ahead of Print, 2397-2400.  | 2.1 | 0         |
| 44 | Prediction of underwater residual lung volume in healthy men and women. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 434-442.  | 1.2 | 0         |
| 45 | Inter-device reliability of wearable technology for quantifying jump height in collegiate athletes. <i>Biology of Sport</i> , 2020, 37, 383-387.  | 3.2 | 0         |
| 46 | Evaluation of Load Velocity Profiles with Varying Warm-up Sets and Relative Intensities. <i>International Journal of Exercise Science</i> , 2021, 14, 971-979.  | 0.5 | 0         |