

# John P Thyfault

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1399148/john-p-thyfault-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179  
papers

6,160  
citations

44  
h-index

73  
g-index

191  
ext. papers

7,167  
ext. citations

3.9  
avg, IF

5.85  
L-index

#	Paper	IF	Citations
179	Lack of VMP1 Impairs Hepatic Lipoprotein Secretion and Promotes Nonalcoholic Steatohepatitis.. <i>Journal of Hepatology</i> , <b>2022</b> ,	13.4	1
178	Interactions Between Statins, Exercise, and Health: A Clinical Update. <i>Bioengineered</i> , <b>2022</b> , 11, 54-61	5.7	
177	Hepatocyte-Specific Hepatocyte Nuclear Factor 4 Alpha (HNF4) Deletion Decreases Resting Energy Expenditure by Disrupting Lipid and Carbohydrate Homeostasis. <i>Gene Expression</i> , <b>2021</b> , 20, 157-168	3.4	1
176	Estradiol treatment or modest exercise improves hepatic health and mitochondrial outcomes in female mice following ovariectomy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2021</b> , 320, E1020-E1031	6	2
175	Intrinsic Aerobic Capacity Affects Hippocampal pAkt and HSP72 Response to an Acute High Fat Diet and Heat Treatment in Rats. <i>Journal of Alzheimer's Disease Reports</i> , <b>2021</b> , 5, 469-475	3.3	0
174	Barriers in translating preclinical rodent exercise metabolism findings to human health. <i>Journal of Applied Physiology</i> , <b>2021</b> , 130, 182-192	3.7	7
173	Heat Treatment Improves Hepatic Mitochondrial Respiratory Efficiency via Mitochondrial Remodeling. <i>Function</i> , <b>2021</b> , 2, zqab001	6.1	1
172	An Omega-3-rich Anti-inflammatory Diet Improved Widespread Allodynia and Worsened Metabolic Outcomes in Adult Mice Exposed to Neonatal Maternal Separation. <i>Neuroscience</i> , <b>2021</b> , 468, 53-67	3.9	1
171	Critical Role for Hepatocyte-Specific eNOS in NAFLD and NASH. <i>Diabetes</i> , <b>2021</b> , 70, 2476-2491	0.9	3
170	Mild Cognitive Impairment and Donepezil Impact Mitochondrial Respiratory Capacity in Skeletal Muscle. <i>Function</i> , <b>2021</b> , 2, zqab045	6.1	4
169	Sedentary Behavior Counseling Intervention in Aging People With Type 2 Diabetes: A Feasibility Study. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , <b>2021</b> , 14, 11795514211040540	4.3	0
168	Intrinsic aerobic capacity, sex, and brain aging: Determinants of Alzheimer's disease risk.. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17 Suppl 3, e054940	1.2	
167	Exercise and metabolic health: beyond skeletal muscle. <i>Diabetologia</i> , <b>2020</b> , 63, 1464-1474	10.3	37
166	Exercise Combats Hepatic Steatosis: Potential Mechanisms and Clinical Implications. <i>Diabetes</i> , <b>2020</b> , 69, 517-524	0.9	25
165	Early life stress reduces voluntary exercise and its prevention of diet-induced obesity and metabolic dysfunction in mice. <i>Physiology and Behavior</i> , <b>2020</b> , 223, 113000	3.5	9
164	Exercise: One size does not fit all. <i>Journal of Physiology</i> , <b>2020</b> , 598, 3819-3820	3.9	2
163	Exercise-Pharmacology Interactions: Metformin, Statins, and Healthspan. <i>Physiology</i> , <b>2020</b> , 35, 338-347	9.8	6

162	Divergence in aerobic capacity impacts bile acid metabolism in young women. <i>Journal of Applied Physiology</i> , <b>2020</b> , 129, 768-778	3.7	3
161	Difference in Housing Temperature-Induced Energy Expenditure Elicits Sex-Specific Diet-Induced Metabolic Adaptations in Mice. <i>Obesity</i> , <b>2020</b> , 28, 1922-1931	8	5
160	Sex and BNIP3 genotype, rather than acute lipid injection, modulate hepatic mitochondrial function and steatosis risk in mice. <i>Journal of Applied Physiology</i> , <b>2020</b> , 128, 1251-1261	3.7	4
159	Oxylipin Profiling of Alzheimer's Disease in Nondiabetic and Type 2 Diabetic Elderly. <i>Metabolites</i> , <b>2019</b> , 9,	5.6	11
158	Mutational mimics of allosteric effectors: a genome editing design to validate allosteric drug targets. <i>Scientific Reports</i> , <b>2019</b> , 9, 9031	4.9	5
157	Preconceptional, Gestational, and Lactational Exposure to an Unconventional Oil and Gas Chemical Mixture Alters Energy Expenditure in Adult Female Mice. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 323	5.7	8
156	Intrinsic High Aerobic Capacity in Male Rats Protects Against Diet-Induced Insulin Resistance. <i>Endocrinology</i> , <b>2019</b> , 160, 1179-1192	4.8	6
155	Sex modulates hepatic mitochondrial adaptations to high-fat diet and physical activity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E298-E311	6	15
154	Developmental Exposure to a Mixture of Unconventional Oil and Gas Chemicals Increased Risk-Taking Behavior, Activity and Energy Expenditure in Aged Female Mice After a Metabolic Challenge. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 460	5.7	8
153	eNOS deletion impairs mitochondrial quality control and exacerbates Western diet-induced NASH. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E605-E616	6	11
152	Weight loss and fitness intervention increase markers of hepatic bile acid (BA) synthesis, while reducing serum total BA concentrations in sedentary, obese insulin resistant women. <i>FASEB Journal</i> , <b>2019</b> , 33, 536.15	0.9	
151	Acute Heat Therapy Increases Murine Hepatic Mitophagy. <i>FASEB Journal</i> , <b>2019</b> , 33, 699.8	0.9	
150	Novel Pilot Study Reveals that Heat Therapy Increases Muscle Mitochondrial Quality Control and Respiratory Efficiency in Healthy Human Subjects. <i>FASEB Journal</i> , <b>2019</b> , 33, 699.1	0.9	
149	Estradiol treatment and exercise improve hepatic mitochondrial outcomes in mice following ovariectomy. <i>FASEB Journal</i> , <b>2019</b> , 33, 699.5	0.9	
148	Region-specific differences in bioenergetic proteins and protein response to acute high fat diet in brains of low and high capacity runner rats. <i>Neuroscience Letters</i> , <b>2018</b> , 674, 49-53	3.3	3
147	Physiological Responses to Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , <b>2018</b> , 109-153	0.4	3
146	Influence of physical inactivity on arterial compliance during a glucose challenge. <i>Experimental Physiology</i> , <b>2018</b> , 103, 483-494	2.4	7
145	Soy Protein Isolate Suppresses Bone Resorption and Improves Trabecular Microarchitecture in Spontaneously Hyperphagic, Rapidly Growing Male OLETF Rats. <i>Current Developments in Nutrition</i> , <b>2018</b> , 2, nzy010	0.4	4

144	NCB5OR Deficiency in the Cerebellum and Midbrain Leads to Dehydration and Alterations in Thirst Response, Fasted Feeding Behavior, and Voluntary Exercise in Mice. <i>Cerebellum</i> , <b>2018</b> , 17, 152-164	4.3	2
143	Hepatic mitochondrial adaptations to physical activity: impact of sexual dimorphism, PGC1 $\alpha$ and BNIP3-mediated mitophagy. <i>Journal of Physiology</i> , <b>2018</b> , 596, 6157-6171	3.9	14
142	The serum metabolomics signature of type 2 diabetes is obscured in Alzheimer's disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2018</b> , 314, E584-E596	6	9
141	Heat shock protein 72 regulates hepatic lipid accumulation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 315, R696-R707	3.2	19
140	Insulin increases ventilation during euglycemia in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 315, R84-R89	3.2	13
139	Reduced mitochondrial reactive oxygen species production in peripheral nerves of mice fed a ketogenic diet. <i>Experimental Physiology</i> , <b>2018</b> , 103, 1206-1212	2.4	10
138	Fibroblast growth factor 21 increases hepatic oxidative capacity but not physical activity or energy expenditure in hepatic peroxisome proliferator-activated receptor $\alpha$ coactivator-1 deficient mice. <i>Experimental Physiology</i> , <b>2018</b> , 103, 408-418	2.4	7
137	P3-231: ALZHEIMER'S DISEASE SUBJECTS EXHIBIT IMPAIRED SYSTEMIC GLUCOSE METABOLISM FOLLOWING A MIXED MEAL <b>2018</b> , 14, P1159-P1160		1
136	Metabolic Derangements Contribute to Reduced sRAGE Isoforms in Subjects with Alzheimer's Disease. <i>Mediators of Inflammation</i> , <b>2018</b> , 2018, 2061376	4.3	11
135	Obesity, type 2 diabetes, and impaired insulin-stimulated blood flow: role of skeletal muscle NO synthase and endothelin-1. <i>Journal of Applied Physiology</i> , <b>2017</b> , 122, 38-47	3.7	38
134	Intrinsic (Genetic) Aerobic Fitness Impacts Susceptibility for Metabolic Disease. <i>Exercise and Sport Sciences Reviews</i> , <b>2017</b> , 45, 7-15	6.7	3
133	Voluntary Running Attenuates Metabolic Dysfunction in Ovariectomized Low-Fit Rats. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 254-264	1.2	10
132	Aerobic capacity mediates susceptibility for the transition from steatosis to steatohepatitis. <i>Journal of Physiology</i> , <b>2017</b> , 595, 4909-4926	3.9	21
131	A bioenergetics systems evaluation of ketogenic diet liver effects. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2017</b> , 42, 955-962	3	14
130	Sedentary Behavior and Cardiometabolic Health Associations in Obese 11-13-Year Olds. <i>Childhood Obesity</i> , <b>2017</b> , 13, 425-432	2.5	16
129	Effect of APOE $\epsilon$ Genotype on Metabolic Biomarkers in Aging and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , <b>2017</b> , 58, 1129-1135	4.3	12
128	Soy compared with milk protein in a Western diet changes fecal microbiota and decreases hepatic steatosis in obese OLETF rats. <i>Journal of Nutritional Biochemistry</i> , <b>2017</b> , 46, 125-136	6.3	22
127	Anti-inflammatory effects of exercise training in adipose tissue do not require FGF21. <i>Journal of Endocrinology</i> , <b>2017</b> , 235, 97-109	4.7	15

126	Role of Inactivity in Chronic Diseases: Evolutionary Insight and Pathophysiological Mechanisms. <i>Physiological Reviews</i> , <b>2017</b> , 97, 1351-1402	47.9	251
125	Rats bred for low and high running capacity display alterations in peripheral tissues and nerves relevant to neuropathy and pain. <i>Brain and Behavior</i> , <b>2017</b> , 7, e00780	3.4	4
124	Serum sclerostin decreases following 12months of resistance- or jump-training in men with low bone mass. <i>Bone</i> , <b>2017</b> , 96, 85-90	4.7	18
123	Exercise Test Performance Reveals Evidence of the Cardiorespiratory Fitness Hypothesis. <i>Journal of Aging and Physical Activity</i> , <b>2017</b> , 25, 240-246	1.6	12
122	Deficiency in the Heat Stress Response Could Underlie Susceptibility to Metabolic Disease. <i>Diabetes</i> , <b>2016</b> , 65, 3341-3351	0.9	21
121	A return to ad libitum feeding following caloric restriction promotes hepatic steatosis in hyperphagic OLETF rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 311, G387-95	5.1	7
120	Aerobic capacity and hepatic mitochondrial lipid oxidation alters susceptibility for chronic high-fat diet-induced hepatic steatosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 311, E749-E760	6	18
119	Red wine enhances glucose-dependent insulinotropic peptide (GIP) and insulin responses in type 2 diabetes during an oral glucose tolerance test. <i>Diabetology International</i> , <b>2016</b> , 7, 173-180	2.3	2
118	Effects of intrinsic aerobic capacity and ovariectomy on voluntary wheel running and nucleus accumbens dopamine receptor gene expression. <i>Physiology and Behavior</i> , <b>2016</b> , 164, 383-9	3.5	20
117	Effects of ovariectomy and intrinsic aerobic capacity on tissue-specific insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 310, E190-9	6	18
116	Impaired fasting glucose is associated with increased regional cerebral amyloid. <i>Neurobiology of Aging</i> , <b>2016</b> , 44, 138-142	5.6	21
115	The presence of the ovary prevents hepatic mitochondrial oxidative stress in young and aged female mice through glutathione peroxidase 1. <i>Experimental Gerontology</i> , <b>2016</b> , 73, 14-22	4.5	11
114	AMPK agonist AICAR delays the initial decline in lifetime-apex V o2 peak, while voluntary wheel running fails to delay its initial decline in female rats. <i>Physiological Genomics</i> , <b>2016</b> , 48, 101-15	3.6	10
113	Cognitively impaired elderly exhibit insulin resistance and no memory improvement with infused insulin. <i>Neurobiology of Aging</i> , <b>2016</b> , 39, 19-24	5.6	21
112	Exercise and Postprandial Glycemic Control in Type 2 Diabetes. <i>Current Diabetes Reviews</i> , <b>2016</b> , 12, 199-210	10	16
111	Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1259-69	1.2	8
110	Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. <i>Journal of Physiology</i> , <b>2016</b> , 594, 5271-84	3.9	31
109	Fibroblast growth factor 21 and exercise-induced hepatic mitochondrial adaptations. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 310, G832-43	5.1	15

108	Inverse association between carbohydrate consumption and plasma adipon concentrations in humans. <i>Obesity</i> , <b>2016</b> , 24, 1731-40	8	23
107	"Weighing" the effects of exercise and intrinsic aerobic capacity: are there beneficial effects independent of changes in weight?. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, 911-6	3	17
106	Increased aerobic capacity reduces susceptibility to acute high-fat diet-induced weight gain. <i>Obesity</i> , <b>2016</b> , 24, 1929-37	8	8
105	Vitamin E and vitamin C do not reduce insulin sensitivity but inhibit mitochondrial protein expression in exercising obese rats. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2015</b> , 40, 343-52	3	24
104	Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 308, R530-42	3.2	38
103	Prior exercise does not alter the incretin response to a subsequent meal in obese women. <i>Peptides</i> , <b>2015</b> , 71, 94-9	3.8	11
102	Effectiveness of resistance training or jumping-exercise to increase bone mineral density in men with low bone mass: A 12-month randomized, clinical trial. <i>Bone</i> , <b>2015</b> , 79, 203-12	4.7	57
101	Physiology of sedentary behavior and its relationship to health outcomes. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 1301-5	1.2	63
100	Acute inactivity impairs glycemic control but not blood flow to glucose ingestion. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 1087-94	1.2	19
99	A high-protein breakfast induces greater insulin and glucose-dependent insulinotropic peptide responses to a subsequent lunch meal in individuals with type 2 diabetes. <i>Journal of Nutrition</i> , <b>2015</b> , 145, 452-8	4.1	25
98	Combining metformin therapy with caloric restriction for the management of type 2 diabetes and nonalcoholic fatty liver disease in obese rats. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2015</b> , 40, 1038-47	3	27
97	High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. <i>Lipids</i> , <b>2015</b> , 50, 997-1008	1.6	43
96	Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. <i>Physiological Reports</i> , <b>2015</b> , 3, e12459	2.6	5
95	Role of habitual physical activity in modulating vascular actions of insulin. <i>Experimental Physiology</i> , <b>2015</b> , 100, 759-71	2.4	19
94	High Intrinsic Aerobic Capacity Protects against Ethanol-Induced Hepatic Injury and Metabolic Dysfunction: Study Using High Capacity Runner Rat Model. <i>Biomolecules</i> , <b>2015</b> , 5, 3295-308	5.9	3
93	Treating NAFLD in OLETF rats with vigorous-intensity interval exercise training. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 556-67	1.2	50
92	Postdinner resistance exercise improves postprandial risk factors more effectively than predinner resistance exercise in patients with type 2 diabetes. <i>Journal of Applied Physiology</i> , <b>2015</b> , 118, 624-34	3.7	48
91	Dipeptidyl peptidase-4 inhibition ameliorates Western diet-induced hepatic steatosis and insulin resistance through hepatic lipid remodeling and modulation of hepatic mitochondrial function. <i>Diabetes</i> , <b>2015</b> , 64, 1988-2001	0.9	59



90	Intrinsic aerobic capacity impacts susceptibility to acute high-fat diet-induced hepatic steatosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2014</b> , 307, E355-64	6	43
89	Validation of a New Skinfold Prediction Equation Based on Dual-Energy X-Ray Absorptiometry. <i>Measurement in Physical Education and Exercise Science</i> , <b>2014</b> , 18, 198-208	1.9	2
88	Combining metformin and aerobic exercise training in the treatment of type 2 diabetes and NAFLD in OLETF rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2014</b> , 306, E300-10	6	53
87	Differential effects of low-fat and high-fat diets on fed-state hepatic triacylglycerol secretion, hepatic fatty acid profiles, and DGAT-1 protein expression in obese-prone Sprague-Dawley rats. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2014</b> , 39, 472-9	3	9
86	The effects of improved metabolic risk factors on bone turnover markers after 12 weeks of simvastatin treatment with or without exercise. <i>Metabolism: Clinical and Experimental</i> , <b>2014</b> , 63, 1398-408	12.7	11
85	Differential vasomotor effects of insulin on gastrocnemius and soleus feed arteries in the OLETF rat model: role of endothelin-1. <i>Experimental Physiology</i> , <b>2014</b> , 99, 262-71	2.4	17
84	Timing and intensity of exercise for glucose control. Reply to Chacko E. [letter]. <i>Diabetologia</i> , <b>2014</b> , 57, 2427	10.3	
83	Adipose tissue and vascular phenotypic modulation by voluntary physical activity and dietary restriction in obese insulin-resistant OLETF rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 306, R596-606	3.2	28
82	One bout of exercise alters free-living postprandial glycemia in type 2 diabetes. <i>Medicine and Science in Sports and Exercise</i> , <b>2014</b> , 46, 232-8	1.2	46
81	Impact of various exercise modalities on hepatic mitochondrial function. <i>Medicine and Science in Sports and Exercise</i> , <b>2014</b> , 46, 1089-97	1.2	31
80	Low intrinsic aerobic fitness increases susceptibility to OVX-induced obesity and insulin resistance in the absence of adipose tissue inflammation (1028.3). <i>FASEB Journal</i> , <b>2014</b> , 28, 1028.3	0.9	
79	The role of angiotensin II in nonalcoholic steatohepatitis. <i>Molecular and Cellular Endocrinology</i> , <b>2013</b> , 378, 29-40	4.4	44
78	Reduced hepatic mitochondrial respiration following acute high-fat diet is prevented by PGC-1 $\alpha$ overexpression. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 305, G868-80	5.1	29
77	A step-defined sedentary lifestyle index: . <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2013</b> , 38, 100-143		201
76	Simvastatin impairs exercise training adaptations. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 709-14	15.1	171
75	Impact of reduced daily physical activity on conduit artery flow-mediated dilation and circulating endothelial microparticles. <i>Journal of Applied Physiology</i> , <b>2013</b> , 115, 1519-25	3.7	85
74	Hepatic steatosis development with four weeks of physical inactivity in previously active, hyperphagic OLETF rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 304, R763-71	3.2	17
73	Modification of insulin sensitivity and glycemic control by activity and exercise. <i>Medicine and Science in Sports and Exercise</i> , <b>2013</b> , 45, 1868-77	1.2	55

72	Metformin does not enhance insulin-stimulated vasodilation in skeletal muscle resistance arteries of the OLETF rat. <i>Microcirculation</i> , <b>2013</b> , 20, 764-75	2.9	7
71	Peripartum changes in the orexigenic CNS peptide neuropeptide-Y in gestational diabetics. <i>Journal of Diabetes Research &amp; Clinical Metabolism</i> , <b>2013</b> , 2, 23	0	
70	High-fat diet alters serum fatty acid profiles in obesity prone rats: implications for in-vitro studies. <i>FASEB Journal</i> , <b>2013</b> , 27, 373.7	0.9	
69	Five days of reduced physical activity selectively impairs endothelial function of the inactive limbs. <i>FASEB Journal</i> , <b>2013</b> , 27, 1136.12	0.9	
68	Voluntary wheel running selectively augments insulin-stimulated vasodilation in arterioles from white skeletal muscle of insulin-resistant rats. <i>Microcirculation</i> , <b>2012</b> , 19, 729-38	2.9	26
67	Modulating fibroblast growth factor 21 in hyperphagic OLETF rats with daily exercise and caloric restriction. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2012</b> , 37, 1054-62	3	28
66	Resistance exercise and aerobic exercise when paired with dietary energy restriction both reduce the clinical components of metabolic syndrome in previously physically inactive males. <i>European Journal of Applied Physiology</i> , <b>2012</b> , 112, 2035-44	3.4	19
65	Exercise and Omega-3 Polyunsaturated Fatty Acid Supplementation for the Treatment of Hepatic Steatosis in Hyperphagic OLETF Rats. <i>Journal of Nutrition and Metabolism</i> , <b>2012</b> , 2012, 268680	2.7	20
64	Acute impact of intermittent pneumatic leg compression frequency on limb hemodynamics, vascular function, and skeletal muscle gene expression in humans. <i>Journal of Applied Physiology</i> , <b>2012</b> , 112, 2099-109	3.7	28
63	PGC-1 $\beta$ overexpression results in increased hepatic fatty acid oxidation with reduced triacylglycerol accumulation and secretion. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 303, G979-92	5.1	93
62	Lowering physical activity impairs glycemic control in healthy volunteers. <i>Medicine and Science in Sports and Exercise</i> , <b>2012</b> , 44, 225-31	1.2	82
61	Functional adaptations in the skeletal muscle microvasculature to endurance and interval sprint training in the type 2 diabetic OLETF rat. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 1223-32	3.7	24
60	Reply to Scott, Sale, Greeves, and Fraser. <i>Journal of Applied Physiology</i> , <b>2012</b> , 112, 330-330	3.7	
59	Acetylcholine and insulin-mediated vasodilation in feed arteries and arterioles of rat skeletal muscle of different fiber type composition. <i>FASEB Journal</i> , <b>2012</b> , 26, 1142.20	0.9	
58	Effects of Endurance Exercise Training, Metformin, and Their Combination on Adipose Tissue Cytokine Secretion in a Rat Model of Type 2 Diabetes (T2D). <i>FASEB Journal</i> , <b>2012</b> , 26, 1142.13	0.9	
57	Voluntary wheel-running improves metabolic flexibility in the liver. <i>FASEB Journal</i> , <b>2012</b> , 26, lb719	0.9	1
56	Does physical inactivity cause nonalcoholic fatty liver disease?. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 1828-35	3.7	65
55	Metabolic disruptions induced by reduced ambulatory activity in free-living humans. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 1218-24	3.7	54



54	Seven days of aerobic exercise training improves conduit artery blood flow following glucose ingestion in patients with type 2 diabetes. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 657-64	3.7	28
53	Daily exercise vs. caloric restriction for prevention of nonalcoholic fatty liver disease in the OLETF rat model. <i>American Journal of Physiology - Renal Physiology</i> , <b>2011</b> , 300, G874-83	5.1	103
52	Wheel running prevents the accumulation of monounsaturated fatty acids in the liver of ovariectomized mice by attenuating changes in SCD-1 content. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2011</b> , 36, 798-810	3	18
51	Mitochondria and redox signaling in steatohepatitis. <i>Antioxidants and Redox Signaling</i> , <b>2011</b> , 15, 485-504	8.4	46
50	Lack of regular physical exercise or too much inactivity. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2011</b> , 14, 374-8	3.8	48
49	Acute response of plasma markers of bone turnover to a single bout of resistance training or plyometrics. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 1353-60	3.7	29
48	Insulin enhances the gain of arterial baroreflex control of muscle sympathetic nerve activity in humans. <i>Journal of Physiology</i> , <b>2010</b> , 588, 3593-603	3.9	77
47	Exercise: not just a medicine for muscle?. <i>Journal of Physiology</i> , <b>2010</b> , 588, 2687-8	3.9	1
46	Influence of endurance training on central sympathetic outflow to skeletal muscle in response to a mixed meal. <i>Journal of Applied Physiology</i> , <b>2010</b> , 108, 882-90	3.7	8
45	Metabolic profiling of muscle contraction in lean compared with obese rodents. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2010</b> , 299, R926-34	3.2	17
44	Changes in skeletal muscle mitochondria in response to the development of type 2 diabetes or prevention by daily wheel running in hyperphagic OLETF rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2010</b> , 298, E1179-87	6	42
43	Exercise and the metabolic syndrome with weight regain. <i>Journal of Applied Physiology</i> , <b>2010</b> , 109, 3-10	3.7	41
42	Mitochondrial dysfunction precedes insulin resistance and hepatic steatosis and contributes to the natural history of non-alcoholic fatty liver disease in an obese rodent model. <i>Journal of Hepatology</i> , <b>2010</b> , 52, 727-36	13.4	317
41	Skeletal muscle mitochondrial and metabolic responses to a high-fat diet in female rats bred for high and low aerobic capacity. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2010</b> , 35, 151-62	3	34
40	The effect of autoregulatory progressive resistance exercise vs. linear periodization on strength improvement in college athletes. <i>Journal of Strength and Conditioning Research</i> , <b>2010</b> , 24, 1718-23	3.2	65
39	Daily physical activity enhances reactivity to insulin in skeletal muscle arterioles of hyperphagic Otsuka Long-Evans Tokushima Fatty rats. <i>Journal of Applied Physiology</i> , <b>2010</b> , 109, 1203-10	3.7	47
38	A 2-wk reduction of ambulatory activity attenuates peripheral insulin sensitivity. <i>Journal of Applied Physiology</i> , <b>2010</b> , 108, 1034-40	3.7	198
37	The effects of resistance training on metabolic health with weight regain. <i>Journal of Clinical Hypertension</i> , <b>2010</b> , 12, 64-72	2.3	7

36	Physical inactivity rapidly alters glycemic control in young, lean, previously active volunteers. <i>FASEB Journal</i> , <b>2010</b> , 24, 1044.2	0.9	
35	Cessation of daily wheel running differentially alters fat oxidation capacity in liver, muscle, and adipose tissue. <i>Journal of Applied Physiology</i> , <b>2009</b> , 106, 161-8	3.7	55
34	Low aerobic capacity and high-fat diet contribute to oxidative stress and IRS-1 degradation in the kidney. <i>American Journal of Nephrology</i> , <b>2009</b> , 30, 112-9	4.6	17
33	Rats selectively bred for low aerobic capacity have reduced hepatic mitochondrial oxidative capacity and susceptibility to hepatic steatosis and injury. <i>Journal of Physiology</i> , <b>2009</b> , 587, 1805-16	3.9	120
32	Changes in visceral adipose tissue mitochondrial content with type 2 diabetes and daily voluntary wheel running in OLETF rats. <i>Journal of Physiology</i> , <b>2009</b> , 587, 3729-39	3.9	61
31	Linking aerobic fitness, nonalcoholic fatty liver disease and the metabolic syndrome. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2009</b> , 4, 299-301	4.1	1
30	Oxidative stress-mediated mitochondrial dysfunction contributes to angiotensin II-induced nonalcoholic fatty liver disease in transgenic Ren2 rats. <i>American Journal of Pathology</i> , <b>2009</b> , 174, 1329-37 <sup>58</sup>	5.8	48
29	Exercise modifies microvascular reactivity to insulin in the OLETF rat, a rodent model of hyperphagia-induced obesity and type II diabetes. <i>FASEB Journal</i> , <b>2009</b> , 23, LB58	0.9	
28	Cessation of daily exercise dramatically alters precursors of hepatic steatosis in Otsuka Long-Evans Tokushima Fatty (OLETF) rats. <i>Journal of Physiology</i> , <b>2008</b> , 586, 4241-9	3.9	78
27	Relationships between urinary inositol excretions and whole-body glucose tolerance and skeletal muscle insulin receptor phosphorylation. <i>Metabolism: Clinical and Experimental</i> , <b>2008</b> , 57, 1545-51	12.7	6
26	Angiotensin II-induced non-alcoholic fatty liver disease is mediated by oxidative stress in transgenic TG(mRen2)27(Ren2) rats. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 417-28	13.4	77
25	Daily exercise increases hepatic fatty acid oxidation and prevents steatosis in Otsuka Long-Evans Tokushima Fatty rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 294, G619-26	5.1	207
24	Setting the stage: possible mechanisms by which acute contraction restores insulin sensitivity in muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2008</b> , 294, R1103-10	3.2	32
23	Nonalcoholic fatty liver disease and mitochondrial dysfunction. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 193-9	5.6	245
22	Exercise-induced attenuation of obesity, hyperinsulinemia, and skeletal muscle lipid peroxidation in the OLETF rat. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 708-15	3.7	38
21	Non-alcoholic fatty liver disease and the metabolic syndrome: an update. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 185-92	5.6	237
20	Reduced physical activity and risk of chronic disease: the biology behind the consequences. <i>European Journal of Applied Physiology</i> , <b>2008</b> , 102, 381-90	3.4	133
19	Resistance training and dietary protein: effects on glucose tolerance and contents of skeletal muscle insulin signaling proteins in older persons. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 85, 1005-13 <sup>7</sup>	7	48

18	Rosuvastatin, a 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor, decreases cardiac oxidative stress and remodeling in Ren2 transgenic rats. <i>Endocrinology</i> , <b>2007</b> , 148, 2181-8	4.8	65
17	Contraction of insulin-resistant muscle normalizes insulin action in association with increased mitochondrial activity and fatty acid catabolism. <i>American Journal of Physiology - Cell Physiology</i> , <b>2007</b> , 292, C729-39	5.4	66
16	Artificial selection for high-capacity endurance running is protective against high-fat diet-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 293, E31-41	6	109
15	Inactivity induces increases in abdominal fat. <i>Journal of Applied Physiology</i> , <b>2007</b> , 102, 1341-7	3.7	55
14	Fat metabolism and acute resistance exercise in trained men. <i>Journal of Applied Physiology</i> , <b>2007</b> , 102, 1767-72	3.7	56
13	Urinary D-chiro inositol excretion is related to glucose control and skeletal muscle insulin receptor phosphorylation. <i>FASEB Journal</i> , <b>2007</b> , 21, A836	0.9	
12	Effect of moderate fat/high sucrose diet on glycogen synthesis rates in rat skeletal muscle upon the cessation of voluntary wheel running. <i>FASEB Journal</i> , <b>2007</b> , 21, A691	0.9	
11	Metabolic inflexibility in skeletal muscle: a prelude to the cardiometabolic syndrome?. <i>Journal of the Cardiometabolic Syndrome</i> , <b>2006</b> , 1, 184-9		24
10	The effect of acute pinitol supplementation on whole body and skeletal muscle insulin-mediated glucose metabolism. <i>FASEB Journal</i> , <b>2006</b> , 20, A594	0.9	
9	Resistance training increases and protein intake does not influence skeletal muscle aPKC zeta/lambda content in older men and women. <i>FASEB Journal</i> , <b>2006</b> , 20, A169	0.9	
8	Elevated stearyl-CoA desaturase-1 expression in skeletal muscle contributes to abnormal fatty acid partitioning in obese humans. <i>Cell Metabolism</i> , <b>2005</b> , 2, 251-61	24.6	298
7	Gestational diabetes is associated with depressed adiponectin levels. <i>Journal of the Society for Gynecologic Investigation</i> , <b>2005</b> , 12, 41-5		45
6	Rest-interval length affects leukocyte levels during heavy resistance exercise. <i>Journal of Strength and Conditioning Research</i> , <b>2005</b> , 19, 16-22	3.2	29
5	Impaired plasma fatty acid oxidation in extremely obese women. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2004</b> , 287, E1076-81	6	83
4	Pinitol supplementation does not affect insulin-mediated glucose metabolism and muscle insulin receptor content and phosphorylation in older humans. <i>Journal of Nutrition</i> , <b>2004</b> , 134, 2998-3003	4.1	18
3	Postprandial metabolism in resistance-trained versus sedentary males. <i>Medicine and Science in Sports and Exercise</i> , <b>2004</b> , 36, 709-16	1.2	4
2	EFFECTS OF LIQUID CARBOHYDRATE INGESTION ON MARKERS OF ANABOLISM FOLLOWING HIGH-INTENSITY RESISTANCE EXERCISE. <i>Journal of Strength and Conditioning Research</i> , <b>2004</b> , 18, 174-179 <sup>2</sup>	3.2	3
1	Effects of liquid carbohydrate ingestion on markers of anabolism following high-intensity resistance exercise. <i>Journal of Strength and Conditioning Research</i> , <b>2004</b> , 18, 174-9	3.2	14

