

Norma Macintyre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1400048/norma-macintyre-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

1,155
citations

18
h-index

33
g-index

44
ext. papers

1,324
ext. citations

2.9
avg, IF

4.46
L-index

#	Paper	IF	Citations
44	Inter-rater reliability of Dartfish movement analysis software for measuring maximum flexion and extension at the hip and knee in older adults with osteoporosis and osteopenia. <i>Physiotherapy Theory and Practice</i> , 2019 , 35, 577-585	1.5	2
43	Epidemiology of distal radius fractures and factors predicting risk and prognosis. <i>Journal of Hand Therapy</i> , 2016 , 29, 136-45	1.6	147
42	Reproducibility: Reliability and agreement of short version of Western Ontario Rotator Cuff Index (Short-WORC) in patients with rotator cuff disorders. <i>Journal of Hand Therapy</i> , 2016 , 29, 281-91	1.6	11
41	A systematic review of the measurement properties of the patient-rated wrist evaluation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 289-98	4.2	52
40	Fat Infiltration in the Leg is Associated with Bone Geometry and Physical Function in Healthy Older Women. <i>Calcified Tissue International</i> , 2015 , 97, 353-63	3.9	14
39	A scoping review of the proximal humerus fracture literature. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 112	2.8	27
38	Reliability and validity of selected measures associated with increased fall risk in females over the age of 45 years with distal radius fracture - A pilot study. <i>Journal of Hand Therapy</i> , 2015 , 28, 2-9; quiz 10	1.6	10
37	Characteristics of People with Hip or Knee Osteoarthritis Deemed Not Yet Ready for Total Joint Arthroplasty at Triage. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2015 , 67, 369-77	0.8	2
36	Age-related differences in the response of leg muscle cross-sectional area and water diffusivity measures to a period of supine rest. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2015 , 28, 279-90	2.8	4
35	Too Fit To Fracture: outcomes of a Delphi consensus process on physical activity and exercise recommendations for adults with osteoporosis with or without vertebral fractures. <i>Osteoporosis International</i> , 2015 , 26, 891-910	5.3	68
34	Too Fit To Fracture: exercise recommendations for individuals with osteoporosis or osteoporotic vertebral fracture. <i>Osteoporosis International</i> , 2014 , 25, 821-35	5.3	122
33	Inclinometer-based measures of standing posture in older adults with low bone mass are reliable and associated with self-reported, but not performance-based, physical function. <i>Osteoporosis International</i> , 2014 , 25, 721-8	5.3	15
32	Scores on the Safe Functional Motion test predict incident vertebral compression fracture. <i>Osteoporosis International</i> , 2014 , 25, 543-50	5.3	9
31	Too Fit To Fracture: a consensus on future research priorities in osteoporosis and exercise. <i>Osteoporosis International</i> , 2014 , 25, 1465-72	5.3	25
30	Self-management interventions for chronic disease: a systematic scoping review. <i>Clinical Rehabilitation</i> , 2014 , 28, 1067-77	3.3	66
29	Relationship of intermuscular fat volume in the thigh with knee extensor strength and physical performance in women at risk of or with knee osteoarthritis. <i>Arthritis Care and Research</i> , 2013 , 65, 44-52	4.7	56
28	Efficacy of low frequency pulsed subsensory threshold electrical stimulation vs placebo on pain and physical function in people with knee osteoarthritis: systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1281-9	6.2	23

27	The International Classification of Functioning, Disability and Health (ICF) Core Sets: application to a postmenopausal woman with rheumatoid arthritis and osteoporosis of the spine. <i>Physiotherapy Theory and Practice</i> , 2013 , 29, 547-61	1.5	3
26	Scores on the safe functional motion test are associated with prevalent fractures and fall history. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013 , 65, 75-83	0.8	9
25	Evidence-based management of hand and mouth disability in a woman living with diffuse systemic sclerosis (scleroderma). <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013 , 65, 317-20	0.8	6
24	Physical therapists in primary care are interested in high quality evidence regarding efficacy of therapeutic ultrasound for knee osteoarthritis: a provincial survey. <i>Scientific World Journal, The</i> , 2013 , 2013, 348014	2.2	3
23	Longitudinal changes in intermuscular fat volume and quadriceps muscle volume in the thighs of women with knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 22-9	4.7	41
22	Screening for signs and symptoms of rheumatoid arthritis by family physicians and nurse practitioners using the Gait, Arms, Legs, and Spine musculoskeletal examination. <i>Arthritis Care and Research</i> , 2012 , 64, 1923-7	4.7	8
21	Effect of low-intensity pulsed ultrasound on the cartilage repair in people with mild to moderate knee osteoarthritis: a double-blinded, randomized, placebo-controlled pilot study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 35-42	2.8	64
20	Sensory nerve action potentials and sensory perception in women with arthritis of the hand. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2012 , 9, 27	5.3	8
19	Intrarater reliability of dual-energy X-ray absorptiometry-based measures of vertebral height in postmenopausal women. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 405-412	3.5	5
18	Management of early- and late-stage rheumatoid arthritis: are physiotherapy students intended behaviours consistent with canadian best practice guidelines?. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 262-70	0.8	3
17	Imaging-Based Methods for Non-invasive Assessment of Bone Properties Influenced by Mechanical Loading. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 202-15	0.8	14
16	The Relationship between Radial Bone Properties and Disease Activity and Physical Function in Individuals with Rheumatoid Arthritis. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 284-91	0.8	3
15	Clinician's Commentary on Wilhelm et al.(1.). <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 395-6	0.8	
14	Muscle activation during hand dexterity tasks in women with hand osteoarthritis and control subjects. <i>Journal of Hand Therapy</i> , 2011 , 24, 207-14; quiz 215	1.6	12
13	The sensitivity, specificity and reliability of the GALS (gait, arms, legs and spine) examination when used by physiotherapists and physiotherapy students to detect rheumatoid arthritis. <i>Physiotherapy</i> , 2011 , 97, 196-202	3	8
12	Quantifying self-report measures: overestimation of mobility scores postarthroplasty. <i>Physical Therapy</i> , 2010 , 90, 1288-96	3.3	56
11	Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. <i>Journal of Clinical Densitometry</i> , 2010 , 13, 433-40	3.5	5
10	The Safe Functional Motion test is reliable for assessment of functional movements in individuals at risk for osteoporotic fracture. <i>Clinical Rheumatology</i> , 2010 , 29, 143-50	3.9	9

9	Efficacy of ultrasound therapy for the management of knee osteoarthritis: a systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1117-26	6.2	66
8	A single measure of patellar kinematics is an inadequate surrogate marker for patterns of three-dimensional kinematics in healthy knees. <i>Knee</i> , 2010 , 17, 135-40	2.6	8
7	Relationships between calf muscle density and muscle strength, mobility and bone status in the stroke survivors with subacute and chronic lower limb hemiparesis. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2010 , 10, 249-55	1.3	23
6	Construct validity of the AIMS-2 upper limb function scales as a measure of disability in individuals with osteoarthritis of the hand. <i>Clinical Rheumatology</i> , 2009 , 28, 573-8	3.9	8
5	Using an evidence-based approach to measure outcomes in clinical practice. <i>Hand Clinics</i> , 2009 , 25, 97-111, vii	1.7	21
4	Consistency of patellar spin, tilt and lateral translation side-to-side and over a 1 year period in healthy young males. <i>Journal of Biomechanics</i> , 2008 , 41, 3094-6	2.9	7
3	Magnetic resonance imaging for in vivo assessment of three-dimensional patellar tracking. <i>Journal of Biomechanics</i> , 2005 , 38, 1643-52	2.9	67
2	Accurate assessment of patellar tracking using fiducial and intensity-based fluoroscopic techniques. <i>Medical Image Analysis</i> , 2004 , 8, 343-51	15.4	26
1	In vivo measurement of apparent trabecular bone structure of the radius in women with low bone density discriminates patients with recent wrist fracture from those without fracture. <i>Journal of Clinical Densitometry</i> , 2003 , 6, 35-43	3.5	19