## Jun Dai

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1403767/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between adherence to the Mediterranean diet and oxidative stress. American Journal of Clinical Nutrition, 2008, 88, 1364-70.	4.7	175
2	Association of Major Depressive Disorder with Serum Myeloperoxidase and Other Markers of Inflammation: A Twin Study. Biological Psychiatry, 2008, 64, 476-483.	1.3	132
3	Adherence to the Mediterranean Diet Is Inversely Associated With Circulating Interleukin-6 Among Middle-Aged Men. Circulation, 2008, 117, 169-175.	1.6	122
4	Genetic and environmental influences on systemic markers of inflammation in middle-aged male twins. Atherosclerosis, 2008, 200, 213-220.	0.8	41
5	Mediterranean Dietary Pattern Is Associated With Improved Cardiac Autonomic Function Among Middle-Aged Men. Circulation: Cardiovascular Quality and Outcomes, 2010, 3, 366-373.	2.2	33
6	Psychosocial factors associated with diet quality in a working adult population. Research in Nursing and Health, 2013, 36, 242-256.	1.6	32
7	Higher usual alcohol consumption was associated with a lower 41-y mortality risk from coronary artery disease in men independent of genetic and common environmental factors: the prospective NHLBI Twin Study. American Journal of Clinical Nutrition, 2015, 102, 31-39.	4.7	25
8	High habitual dietary α-linolenic acid intake is associated with decreased plasma soluble interleukin-6 receptor concentrations in male twins. American Journal of Clinical Nutrition, 2010, 92, 177-185.	4.7	13
9	Circulating MicroRNAs and Life Expectancy Among Identical Twins. Annals of Human Genetics, 2016, 80, 247-256.	0.8	12
10	The Association between Postload Plasma Glucose Levels and 38-Year Mortality Risk of Coronary Heart Disease: The Prospective NHLBI Twin Study. PLoS ONE, 2013, 8, e69332.	2.5	11
11	Genetic and Environmental Influences on the Prospective Correlation Between Systemic Inflammation and Coronary Heart Disease Death in Male Twins. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 2168-2174.	2.4	10
12	Heritability of Usual Alcohol Intoxication and Hangover in Male Twins: The <scp>NAS</scp> â€ <scp>NRC</scp> Twin Registry. Alcoholism: Clinical and Experimental Research, 2014, 38, 2307-2313.	2.4	10
13	Growth of infants during the first 18 months of life in urban and rural areas of southern China. Journal of Paediatrics and Child Health, 2001, 37, 456-464.	0.8	8
14	Beneficial effects of designed dietary fatty acid compositions on lipids in triacylglycerol-rich lipoproteins among Chinese patients with type 2 diabetes mellitus. Metabolism: Clinical and Experimental, 2009, 58, 510-518.	3.4	8
15	Midlife moderation-quantified healthy diet and 40-year mortality risk from CHD: the prospective National Heart, Lung, and Blood Institute Twin Study. British Journal of Nutrition, 2016, 116, 326-334.	2.3	6
16	Growth and feeding practices of 4 and 8 months infants in Southern China. Nutrition Research, 2001, 21, 103-120.	2.9	5
17	Whole-Genome Differentially Hydroxymethylated DNA Regions among Twins Discordant for Cardiovascular Death. Genes, 2021, 12, 1183.	2.4	2
18	Alcohol feeding impedes early atherosclerosis in low-density lipoprotein receptor knockout mice: factors in addition to high-density lipoprotein-apolipoprotein A1 are involved. Alcoholism: Clinical and Experimental Research, 1997, 21, 11-8.	2.4	2

Jun Dai

#	Article	IF	CITATIONS
19	A New Look at Genetic and Environmental Architecture on Lipids Using Non-Normal Structural Equation Modeling in Male Twins: The NHLBI Twin Study. Behavior Genetics, 2017, 47, 425-433.	2.1	0
20	Evaluation of Reliability of the Recomputed Nutrient Intake Data in the National Heart, Lung, and Blood Institute Twin Study. Nutrients, 2019, 11, 109.	4.1	0
21	Wholeâ€genome DNA hydroxymethylation among monozygotic twins discordant for cardiovascular death: the prospective National Heart, Lung, and Blood Institute (NHLBI) Twin Study. FASEB Journal, 2018, 32, 755.5.	0.5	0
22	Methylation at CpG sites related to growth differentiation factor-15 was not prospectively associated with cardiovascular death in discordant monozygotic twins. Scientific Reports, 2022, 12, 4410.	3.3	0