Silvia Aparecida Oesterreich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/140427/publications.pdf

Version: 2024-02-01

26 papers 447 citations

759233 12 h-index 713466 21 g-index

26 all docs

26 docs citations

times ranked

26

805 citing authors

#	Article	IF	Citations
1	Molecular aspects of depression: A review from neurobiology to treatment. European Journal of Pharmacology, 2019, 851, 99-121.	3.5	85
2	Acute and subacute (28 days) oral toxicity assessment of the oil extracted from Acrocomia aculeata pulp in rats. Food and Chemical Toxicology, 2014, 74, 320-325.	3.6	77
3	Oral acute and subchronic toxicity studies of the oil extracted from pequi (Caryocar brasiliense,) Tj ETQq1 1 0.784	314 rgBT 3.6	/Oyerlock 10
4	Preclinical safety evaluation of the ethanolic extract from guavira fruits (Campomanesia pubescens) Tj ETQq0 0 0 Toxicology, 2018, 118, 1-12.	rgBT /Ove 3.6	rlock 10 Tf 5 22
5	Acute and subacute toxicity of the aqueous extract of Alibertia edulis (Rich.) A. Rich. ex DC. in rats. Journal of Ethnopharmacology, 2016, 194, 1096-1102.	4.1	20
6	Preclinical safety evaluation of the ethanolic extract from <i>Campomanesia pubescens </i> (Mart. ex) Tj ETQq0 0 C 2018, 9, 3707-3717.	rgBT /Ove 4.6	erlock 10 Tf . 18
7	Safety Assessment of Oil from Pequi (Caryocar brasilienseCamb.): Evaluation of the Potential Genotoxic and Clastogenic Effects. Journal of Medicinal Food, 2017, 20, 804-811.	1.5	17
8	The ethanolic extract obtained from i>Campomanesia pubescens io (D.C.) O.BERG fruits exerts anxiolytic and antidepressant effects on chronic mild stress model and on anxiety models in Wistar rats: Behavioral evidences. Nutritional Neuroscience, 2020, 23, 16-26.	3.1	16
9	Aqueous extract from Mangifera indica Linn. (Anacardiaceae) leaves exerts long-term hypoglycemic effect, increases insulin sensitivity and plasma insulin levels on diabetic Wistar rats. PLoS ONE, 2020, 15, e0227105.	2.5	16
10	Study on the Cytotoxic, Genotoxic and Clastogenic Potential of Attalea phalerata Mart. ex Spreng. Oil Pulp In Vitro and In Vivo Experimental Models. PLoS ONE, 2016, 11, e0165258.	2.5	13
11	Evaluation of embryotoxic and teratogenic effects of the oil extracted from Caryocar brasiliense Cambess pulp in rats. Food and Chemical Toxicology, 2017, 110, 74-82.	3.6	13
12	PartiallyÂHydrolyzedÂGuarÂGumÂIncreases FerroportinÂExpressionÂinÂtheÂColonÂofÂAnemic GrowingÂRats. Nutrients, 2017, 9, 228.	4.1	13
13	Comparative Meta-Analysis of the Effect of Concentrated, Hydrolyzed, and Isolated Whey Protein Supplementation on Body Composition of Physical Activity Practitioners. Nutrients, 2019, 11, 2047.	4.1	13
14	Correlates of metabolic syndrome among young Brazilian adolescents population. Nutrition Journal, 2018, 17, 66.	3.4	9
15	Preclinical safety evaluation of the aqueous extract from Mangifera indica Linn. (Anacardiaceae): genotoxic, clastogenic and cytotoxic assessment in experimental models of genotoxicity in rats to predict potential human risks. Journal of Ethnopharmacology, 2019, 243, 112086.	4.1	9
16	The New Coronavirus (SARS-CoV-2): A Comprehensive Review on Immunity and the Application of Bioinformatics and Molecular Modeling to the Discovery of Potential Anti-SARS-CoV-2 Agents. Molecules, 2020, 25, 4086.	3.8	9
17	Evaluation of the toxic potential of the aqueous extract from Mangifera indica Linn. (Anacardiaceae) in rats submitted to experimental models of acute and subacute oral toxicity. Journal of Ethnopharmacology, 2021, 275, 114100.	4.1	9
18	From general toxicology to DNA disruption: A safety assessment of Plinia cauliflora (Mart.) Kausel. Journal of Ethnopharmacology, 2020, 258, 112916.	4.1	8

#	Article	IF	CITATIONS
19	Safety Assessment and Botanical Standardization of an Edible Species from South America. Journal of Medicinal Food, 2017, 20, 519-525.	1.5	7
20	Clustering of Excess Body Weight-Related Behaviors in a Sample of Brazilian Adolescents. Nutrients, 2018, 10, 1505.	4.1	6
21	Cytotoxic, genotoxic and mutagenic evaluation of <i>Alibertia edulis</i> (rich.) a. Rich. ex DC: an indigenous species from Brazil. Drug and Chemical Toxicology, 2020, 43, 200-207.	2.3	6
22	Determination of preclinical safety of oil obtained from Pachira aquatica Aublet (Malvaceae) seeds: histopathological, biochemical, hematological, and genetic toxicity studies in rats. Drug and Chemical Toxicology, 2020, , 1-18.	2.3	3
23	ESTUDO DO EFEITO CENTRAL DO ÓLEO DA POLPA DE Attalea phalerata MART. EX SPRENG. EM MODELOS ANIMAIS DE ANSIEDADE E DEPRESSÃO. Revista Eletrônica De Farmácia, 2019, 16, .	0.3	2
24	Cytotoxicity, mutagenicity and acute oral toxicity of aqueous <i>Ocotea minarum</i> leaf extracts. Natural Product Research, 2022, 36, 1138-1142.	1.8	1
25	General and genetic toxicology studies of Aleurites moluccana (L.) Willd. seeds in vitro and in vivo assays. Journal of Ethnopharmacology, 2021, 280, 114478.	4.1	1
26	Ocorrência de SÃndrome de Burnout em profissionais da saúde no Brasil. Research, Society and Development, 2020, 9, e517997269.	0.1	0