## Francisco Antunes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1404666/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	HIV Infection: Time from Diagnosis to Initiation of Antiretroviral Therapy in Portugal, a Multicentric Study. Healthcare (Switzerland), 2021, 9, 797.	2.0	4
2	Handling of Fresh Vegetables: Knowledge, Hygienic Behavior of Vendors, Public Health in Maputo Markets, Mozambique. International Journal of Environmental Research and Public Health, 2020, 17, 6302.	2.6	15
3	Towards a Global Perspective of Environmental Health: Defining the Research Grounds of an Institute of Environmental Health. Sustainability, 2020, 12, 8963.	3.2	1
4	Atazanavir sulfate + cobicistat for the treatment of HIV infection. Expert Review of Anti-Infective Therapy, 2017, 15, 569-576.	4.4	9
5	Pneumocystis jirovecii and Pneumocystosis. , 2017, , 215-254.		5
6	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 338-340.	2.1	21
7	Cryptosporidium spp., Giardia duodenalis, Enterocytozoon bieneusi and Other Intestinal Parasites in Young Children in Lobata Province, Democratic Republic of São Tomé and Principe. PLoS ONE, 2014, 9, e97708.	2.5	48
8	Toxoplasma gondii prevalence in cats from Lisbon and in pigs from centre and south of Portugal. Veterinary Parasitology, 2014, 200, 8-12.	1.8	31
9	Long-term risk of mortality for acute kidney injury in HIV-infected patients: a cohort analysis. BMC Nephrology, 2013, 14, 32.	1.8	16
10	Cobicistat Versus Ritonavir as a Pharmacoenhancer of Atazanavir Plus Emtricitabine/Tenofovir Disoproxil Fumarate in Treatment-Naive HIV Type 1–Infected Patients: Week 48 Results. Journal of Infectious Diseases, 2013, 208, 32-39.	4.0	104
11	Study of the epidemiology of <i>Pneumocystis carinii</i> f. sp. <i>suis</i> in abattoir swine in Portugal. Medical Mycology, 2013, 51, 66-71.	0.7	9
12	Direct treatment costs of HIV/AIDS in Portugal. Revista De Saude Publica, 2013, 47, 865-872.	1.7	9
13	Therapeutic Potential of Caspofungin Combined with Trimethoprim-Sulfamethoxazole for Pneumocystis Pneumonia: A Pilot Study in Mice. PLoS ONE, 2013, 8, e70619.	2.5	49
14	Tuberculosis with malaria or HIV co-infection in a large hospital in Luanda, Angola. Journal of Infection in Developing Countries, 2013, 7, 269-272.	1.2	16
15	Baseline susceptibility of primary HIV-2 to entry inhibitors. Antiviral Therapy, 2012, 17, 565-570.	1.0	44
16	Resistance to antibody neutralization in HIV-2 infection occurs in late stage disease and is associated with X4 tropism. Aids, 2012, 26, 2275-2284.	2.2	23
17	Pneumocystis jirovecii multilocus genotyping in pooled DNA samples: a new approach for clinical and epidemiological studies. Clinical Microbiology and Infection, 2012, 18, E177-E184.	6.0	20
18	Genetic Diversity and Drug Resistance Profiles in HIV Type 1- and HIV Type 2-Infected Patients from Cape Verde Islands, AIDS Research and Human Retroviruses, 2012, 28, 510-522,	1.1	6

#	Article	IF	CITATIONS
19	Microsporidia as emerging pathogens and the implication for public health: A 10-year study on HIV-positive and -negative patients. International Journal for Parasitology, 2012, 42, 197-205.	3.1	89
20	The case of the disappearing mycobacteria in Ziehl–Neelsen-stained smears. International Journal of Infectious Diseases, 2011, 15, e291.	3.3	1
21	Hepatitis delta in HIV-infected individuals in Europe. Aids, 2011, 25, 1987-1992.	2.2	79
22	Nevirapine versus Atazanavir/Ritonavir, Each Combined with Tenofovir Disoproxil Fumarate/Emtricitabine, in Antiretroviral-Naive HIV-1 Patients: The Arten Trial. Antiviral Therapy, 2011, 16, 339-348.	1.0	89
23	Antiretroviral therapy for naÃ <sup>-</sup> ve and for treatment-experienced HIV patients, and prevention of HIV transmission. Current Opinion in HIV and AIDS, 2011, 6, S1-S2.	3.8	1
24	Cell-Associated Viral Burden Provides Evidence of Ongoing Viral Replication in Aviremic HIV-2-Infected Patients. Journal of Virology, 2011, 85, 2429-2438.	3.4	50
25	Acute kidney injury in hospitalized HIV-infected patients: a cohort analysis. Nephrology Dialysis Transplantation, 2011, 26, 3888-3894.	0.7	33
26	Clinical Relevance of Multiple Single-Nucleotide Polymorphisms in Pneumocystis jirovecii Pneumonia: Development of a Multiplex PCR-Single-Base-Extension Methodology. Journal of Clinical Microbiology, 2011, 49, 1810-1815.	3.9	35
27	Relationship between current level of immunodeficiency and nonâ€acquired immunodeficiency syndromeâ€defining malignancies. Cancer, 2010, 116, 5306-5315.	4.1	120
28	Population structure of Pneumocystis jirovecii isolated from immunodeficiency virus-positive patients. Infection, Genetics and Evolution, 2010, 10, 192-199.	2.3	49
29	Long-term risk of mortality after acute kidney injury in patients with sepsis: a contemporary analysis. BMC Nephrology, 2010, 11, 9.	1.8	65
30	Identification of relevant single-nucleotide polymorphisms in Pneumocystis jirovecii: relationship with clinical data. Clinical Microbiology and Infection, 2010, 16, 878-884.	6.0	41
31	Predictors of hepatitis B virus genotype and viraemia in HIV-infected patients with chronic hepatitis B in Europe. Journal of Antimicrobial Chemotherapy, 2010, 65, 548-555.	3.0	51
32	20 Years of HIVâ€2 Infection in Portugal: Trends and Changes in Epidemiology. Clinical Infectious Diseases, 2009, 48, 1166-1167.	5.8	50
33	Genetic characterization of the UCS and Kex1 loci of Pneumocystis jirovecii. European Journal of Clinical Microbiology and Infectious Diseases, 2009, 28, 175-178.	2.9	16
34	Occurrence ofCryptosporidiumandGiardiagenotypes and subtypes in raw and treated water in Portugal. Letters in Applied Microbiology, 2009, 48, 732-7.	2.2	43
35	Acute kidney injury in patients with sepsis: a contemporary analysis. International Journal of Infectious Diseases, 2009, 13, 176-181.	3.3	91
36	Pneumocystis jirovecii multilocus genotyping profiles in patients from Portugal and Spain. Clinical Microbiology and Infection, 2008, 14, 356-362.	6.0	61

#	Article	IF	CITATIONS
37	The role of the humoral immune response in the molecular evolution of the envelope C2, V3 and C3 regions in chronically HIV-2 infected patients. Retrovirology, 2008, 5, 78.	2.0	23
38	Subtype variability, virological response and drug resistance assessed on dried blood spots collected from HIV patients on antiretroviral therapy in Angola. Journal of Antimicrobial Chemotherapy, 2008, 61, 694-698.	3.0	53
39	Envelope-specific antibody response in HIV-2 infection: C2V3C3-specific lgG response is associated with disease progression. Aids, 2008, 22, 2257-2265.	2.2	16
40	Evolution of drug resistance in HIV-infected patients remaining on a virologically failing combination antiretroviral therapy regimen. Aids, 2007, 21, 721-732.	2.2	85
41	Efficacy and Safety of Atazanavir-Based Highly Active Antiretroviral Therapy in Patients with Virologic Suppression Switched from a Stable, Boosted or Unboosted Protease Inhibitor Treatment Regimen: The SWAN Study (AI424-097) 48-Week Results. Clinical Infectious Diseases, 2007, 44, 1484-1492.	5.8	143
42	Acute renal failure in critically ill HIV-infected patients. Critical Care, 2007, 11, 404.	5.8	12
43	Prognostic utility of RIFLE for acute renal failure in patients with sepsis. Critical Care, 2007, 11, 408.	5.8	42
44	Acute renal failure in patients with sepsis. Critical Care, 2007, 11, 411.	5.8	59
45	Predictors of CD4 count change over 8 months of follow up in HIV-1-infected patients with a CD4 count?300 cells/?L who were assigned to 7.5 MIU interleukin-2. HIV Medicine, 2007, 8, 112-123.	2.2	7
46	Low CD4 T-cell counts despite low levels of circulating HIV: Insights from the comparison of HIV-1 infected patients with a discordant response to antiretroviral therapy to patients with untreated advanced HIV-2 disease. Clinical Immunology, 2007, 125, 67-75.	3.2	9
47	An assessment of the RIFLE criteria for acute renal failure in critically ill HIV-infected patients. Critical Care, 2006, 11, 401.	5.8	31
48	Relationship between antiretrovirals used as part of a cART regimen and CD4 cell count increases in patients with suppressed viremia. Aids, 2006, 20, 1141-1150.	2.2	39
49	Distribution of Cryptosporidium Species and Subtypes in Water Samples in Portugal: A Preliminary Study. Journal of Eukaryotic Microbiology, 2006, 53, S24-S25.	1.7	16
50	Genotypes of Enterocytozoon bieneusi in Mammals in Portugal. Journal of Eukaryotic Microbiology, 2006, 53, S61-S64.	1.7	74
51	Multilocus Genotyping of Pneumocystis jirovecii in Immunocompromised Patients: Preliminary Results. Journal of Eukaryotic Microbiology, 2006, 53, S104-S105.	1.7	6
52	Distribution of Cryptosporidium subtypes in humans and domestic and wild ruminants in Portugal. Parasitology Research, 2006, 99, 287-292.	1.6	165
53	Genetic characterization of the dihydrofolate reductase gene of Pneumocystis jirovecii isolates from Portugal. Journal of Antimicrobial Chemotherapy, 2006, 58, 1246-1249.	3.0	22
54	Identification of Potentially Human-Pathogenic Enterocytozoon bieneusi Genotypes in Various Birds. Applied and Environmental Microbiology, 2006, 72, 7380-7382.	3.1	62

#	Article	IF	CITATIONS
55	Ritonavir-Boosted Tipranavir Demonstrates Superior Efficacy to Ritonavir-Boosted Protease Inhibitors in Treatment-Experienced HIV-Infected Patients: 24-Week Results of the RESIST-2 Trial. Clinical Infectious Diseases, 2006, 43, 1347-1356.	5.8	85
56	Identification and determination of the viability of Giardia lamblia cysts and Cryptosporidium parvum and Cryptosporidium hominis oocysts in human fecal and water supply samples by fluorescent in situ hybridization (FISH) and monoclonal antibodies. Parasitology Research, 2005, 98, 48-53.	1.6	36
57	Occurrence and molecular characterization of Cryptosporidium spp. in mammals and reptiles at the Lisbon Zoo. Parasitology Research, 2005, 97, 108-112.	1.6	38
58	Hepatitis B and HIV: prevalence, AIDS progression, response to highly active antiretroviral therapy and increased mortality in the EuroSIDA cohort. Aids, 2005, 19, 593-601.	2.2	472
59	Detection of Pneumocystis jirovecii dihydropteroate synthase polymorphisms in patients with Pneumocystis pneumonia. Scandinavian Journal of Infectious Diseases, 2005, 37, 766-771.	1.5	24
60	Tuberculosis, a re-emergent disease. European Journal of Radiology, 2005, 55, 154-157.	2.6	37
61	Is there a gender shift in HCV infection?. International Journal of Infectious Diseases, 2005, 9, 230-231.	3.3	2
62	<i>Cryptosporidium felis</i> and <i>C. meleagridis</i> in Persons with HIV, Portugal. Emerging Infectious Diseases, 2004, 10, 2256-2257.	4.3	47
63	HIV-2: the Portuguese Connection. Clinical Infectious Diseases, 2004, 39, 1553-1554.	5.8	6
64	Changing incidence of central nervous system diseases in the EuroSIDA cohort. Annals of Neurology, 2004, 55, 320-328.	5.3	273
65	The changing pattern of Kaposi sarcoma in patients with HIV, 1994–2003. Cancer, 2004, 100, 2644-2654.	4.1	132
66	HIV Infection and Non-tuberculous Mycobacteria: How Important in Southern European Countries?. Scandinavian Journal of Infectious Diseases, 2004, 36, 685-686.	1.5	2
67	Post-Exposure Prophylaxis of HIV Infection in Healthcare Workers: Recommendations for the European Setting. European Journal of Epidemiology, 2003, 19, 577-584.	5.7	22
68	Microsatellite Analysis of Cryptosporidium hominis and C. parvum in Portugal: a Preliminary Study. Journal of Eukaryotic Microbiology, 2003, 50, 529-530.	1.7	21
69	Microsporidia Detection in Stools from Pets and Animals from the Zoo in Portugal: A Preliminary Study. Journal of Eukaryotic Microbiology, 2003, 50, 581-582.	1.7	20
70	Dihydropteroate Synthase (DHPS) Genotyping by PCR-RFLP Analysis of Pneumocystis jirovecii Repeated Isolates from HIV-Infected Patients: A Preliminary Study. Journal of Eukaryotic Microbiology, 2003, 50, 607-608.	1.7	3
71	Pneumocystis jirovecii Carriage in Portuguese Immunocompetent Patients: Preliminary Results. Journal of Eukaryotic Microbiology, 2003, 50, 647-648.	1.7	6
72	Pneumocystis jiroveci in Portuguese immunocompromised patients: association of specific ITS genotypes with treatment failure, bad clinical outcome and childhood. Infection, Genetics and Evolution, 2003, 3, 281-285.	2.3	25

#	Article	IF	CITATIONS
73	CRYPTOSPORIDIUM SPP. IN RUMINANTS AT THE LISBON ZOO. Journal of Zoo and Wildlife Medicine, 2003, 34, 352-356.	0.6	13
74	Mutations in the dihydropteroate synthase gene of Pneumocystis jiroveci isolates from Portuguese patients with Pneumocystis pneumonia. International Journal of Antimicrobial Agents, 2003, 22, 516-520.	2.5	24
75	Subgenotype Analysis of Cryptosporidium Isolates from Humans, Cattle, and Zoo Ruminants in Portugal. Journal of Clinical Microbiology, 2003, 41, 2744-2747.	3.9	461
76	A randomized trial to study first-line combination therapy with or without a protease inhibitor in HIV-1-infected patients. Aids, 2003, 17, 987-999.	2.2	151
77	Diagnostic Use of 3 Techniques for Identification of Microsporidian Spores Among AIDS Patients in Portugal. Scandinavian Journal of Infectious Diseases, 2002, 34, 591-593.	1.5	10
78	Viral load outcome of non-nucleoside reverse transcriptase inhibitor regimens for 2203 mainly antiretroviral-experienced patients. Aids, 2001, 15, 2385-2395.	2.2	61
79	Multilocus Genotyping of Cryptosporidium Isolates from Human HIV-Infected and Animal Hosts. Journal of Eukaryotic Microbiology, 2001, 48, 17s-18s.	1.7	31
80	Methodology of the Diagnosis of Microsporidiosis in Urine and Pulmonary Specimens from AIDS Patients. Journal of Eukaryotic Microbiology, 2001, 48, 69s-70s.	1.7	5
81	PCR-RFLP Analysis of the DHPS gene for the Study of Resistance of Pneumocystis carinii to Sulpha Drugs in Patients with Co-infection PCP/HIV. Journal of Eukaryotic Microbiology, 2001, 48, 148s-149s.	1.7	10
82	A Dose-Ranging Study to Evaluate the Antiretroviral Activity and Safety of Amprenavir Alone and in Combination with Abacavir in HIV-Infected Adults with Limited Antiretroviral Experience. Antiviral Therapy, 2001, 6, 89-96.	1.0	5
83	Human immunodeficiency virus type 2 (HIV-2) in Portugal: Clinical spectrum, circulating subtypes, virus isolation, and plasma viral load. , 2000, 61, 111-116.		89
84	PCR–RFLP analysis of Cryptosporidium parvum isolates from HIV-infected patients in Lisbon, Portugal. Annals of Tropical Medicine and Parasitology, 2000, 94, 291-297.	1.6	12
85	Bulk Cytokine Production versus Frequency of Cytokine-Producing Cells in HIV1 Infection before and during HAART. Clinical Immunology, 2000, 97, 162-170.	3.2	9
86	Emergence of Drug Resistance Mutations in Human Immunodeficiency Virus Type 2-Infected Subjects Undergoing Antiretroviral Therapy. Journal of Clinical Microbiology, 2000, 38, 1370-1374.	3.9	81
87	Recombinant CagA enzyme-linked immunosorbent assay and western immunoblot for the detection of serum antibodies to Helicobacter pylori. Clinical Microbiology and Infection, 2000, 6, 149.	6.0	Ο
88	A phase II safety and efficacy study of amprenavir in combination with zidovudine and lamivudine in HIV-infected patients with limited antiretroviral experience. Aids, 1999, 13, 2411-2420.	2.2	26
89	Quantitation of Human Immunodeficiency Virus Type 2 DNA in Peripheral Blood Mononuclear Cells by Using a Quantitative-Competitive PCR Assay. Journal of Clinical Microbiology, 1999, 37, 453-456.	3.9	28
90	Changes in use of antiretroviral therapy in regions of Europe over time. Aids, 1998, 12, 2031-2039.	2.2	51

#	Article	IF	CITATIONS
91	A Controlled Trial of Zidovudine in Primary Human Immunodeficiency Virus Infection. New England Journal of Medicine, 1995, 333, 408-413.	27.0	326
92	Human immunodeficiency virus infection and systolic myocardial performance. International Journal of Angiology, 1994, 3, 148-153.	0.6	0
93	Seroprevalence of SARS-CoV-2 among Health Care Personnel in Portugal. , 0, , .		0