

Jeffrey Schlom

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1404807/jeffrey-schlom-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

343
papers

19,052
citations

71
h-index

125
g-index

354
ext. papers

21,786
ext. citations

6.3
avg, IF

6.57
L-index

#	Paper	IF	Citations
343	A Randomized Phase II Trial of mFOLFOX6 + Bevacizumab Alone or with AdCEA Vaccine + Avelumab Immunotherapy for Untreated Metastatic Colorectal Cancer.. <i>Oncologist</i> , 2022 , 27, 198-209	5.7	0
342	A randomized phase 2 study of bicalutamide with or without metformin for biochemical recurrence in overweight or obese prostate cancer patients (BIMET-1).. <i>Prostate Cancer and Prostatic Diseases</i> , 2022 ,	6.2	2
341	Joint-Predominant Rheumatic Complications of Immune Checkpoint Inhibitor Therapy in Patients with Thymic Epithelial Tumors.. <i>Oncologist</i> , 2022 , 27, e353-e356	5.7	1
340	Peptide-based vaccines 2022 , 155-173		
339	The immunocytokine M9241 in the treatment of prostate cancer (PCa): Clinical and immune data from a phase 1 study.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 127-127	2.2	0
338	Immunotherapy to prevent progression on active surveillance study (IPASS): A phase II, randomized, double-blind, controlled trial of PROSTVAC in prostate cancer patients who are candidates for active surveillance.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 249-249	2.2	
337	Evaluating the optimal sequence of immunotherapy and docetaxel in men with metastatic castration-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 130-130	2.2	1
336	Safety evaluation of M9241 in combination with docetaxel in metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 93-93	2.2	0
335	Cure of syngeneic carcinomas with targeted IL-12 through obligate reprogramming of lymphoid and myeloid immunity.. <i>JCI Insight</i> , 2022 , 7,	9.9	1
334	Preclinical and clinical studies of bintrafusp alfa, a novel bifunctional anti-PD-L1/TGFβII agent: Current status.. <i>Experimental Biology and Medicine</i> , 2022 , 15353702221089910	3.7	0
333	Therapy of Established Tumors with Rationally Designed Multiple Agents Targeting Diverse Immune-Tumor Interactions: Engage, Expand, Enable. <i>Cancer Immunology Research</i> , 2021 , 9, 239-252	12.5	5
332	Dual inhibition of TGF-β and PD-L1: a novel approach to cancer treatment. <i>Molecular Oncology</i> , 2021 ,	7.9	1
331	Clinical and immunologic impact of short-course enzalutamide alone and with immunotherapy in non-metastatic castration sensitive prostate cancer 2021 , 9,		2
330	Phase I study of a multitargeted recombinant Ad5 PSA/MUC-1/brachyury-based immunotherapy vaccine in patients with metastatic castration-resistant prostate cancer (mCRPC) 2021 , 9,		10
329	Interrogation of the cellular immunome of cancer patients with regard to the COVID-19 pandemic 2021 , 9,		1
328	Chimeric antigen receptor engineered NK cellular immunotherapy overcomes the selection of T-cell escape variant cancer cells 2021 , 9,		7
327	Characterization of recombinant gorilla adenovirus HPV therapeutic vaccine PRGN-2009. <i>JCI Insight</i> , 2021 , 6,	9.9	7

326	A phase 1 open label trial of intravenous administration of MVA-BN-Brachyury vaccine in patients with advanced cancer.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2617-2617	2.2	
325	Phase II evaluation of the triple combination of PDS0101, M9241, and bintrafusp alfa in patients with HPV 16 positive malignancies.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2501-2501	2.2	3
324	NHS-IL12, a Tumor-Targeting Immunocytokine. <i>ImmunoTargets and Therapy</i> , 2021 , 10, 155-169	9	5
323	A phase I study of bintrafusp alfa (M7824) and NHS-IL12 (M9241) alone and in combination with stereotactic body radiation therapy (SBRT) in adults with metastatic non-prostate genitourinary malignancies.. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS4599-TPS4599	2.2	1
322	A phase I/II study of bintrafusp alfa and NHS-IL12 in combination with docetaxel in adults with metastatic castration sensitive (mCSPC) and castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS5096-TPS5096	2.2	1
321	First-in-human phase I/II trial of PRGN-2009 vaccine as monotherapy or with bintrafusp alfa in patients with recurrent/metastatic (R/M) human papillomavirus (HPV)-associated cancers (HPVC) and as neoadjuvant/induction therapy in locoregionally advanced (LA) HPV oropharyngeal (OP) and cervical (Ct) squamous cell cancers (SCC).. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS6092-TPS6092	2.2	2
320	Preclinical study of a novel therapeutic vaccine for recurrent respiratory papillomatosis. <i>Npj Vaccines</i> , 2021 , 6, 86	9.5	0
319	Identification and validation of expressed HLA-binding breast cancer neoepitopes for potential use in individualized cancer therapy 2021 , 9,		2
318	Immunology of Lynch Syndrome. <i>Current Oncology Reports</i> , 2021 , 23, 96	6.3	2
317	Exploiting off-target effects of estrogen deprivation to sensitize estrogen receptor negative breast cancer to immune killing 2021 , 9,		3
316	Combination therapies utilizing neoepitope-targeted vaccines. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 875-885	7.4	6
315	Analysis of the tumor microenvironment and anti-tumor efficacy of subcutaneous vs systemic delivery of the bifunctional agent bintrafusp alfa. <i>Oncolmmunology</i> , 2021 , 10, 1915561	7.2	2
314	Vaccine Increases the Diversity and Activation of Intratumoral T Cells in the Context of Combination Immunotherapy. <i>Cancers</i> , 2021 , 13,	6.6	5
313	Differential combination immunotherapy requirements for inflamed (warm) tumors versus T cell excluded (cool) tumors: engage, expand, enable, and evolve 2021 , 9,		5
312	Randomized, Double-Blind, Placebo-Controlled Phase II Study of Yeast-Brachyury Vaccine (GI-6301) in Combination with Standard-of-Care Radiotherapy in Locally Advanced, Unresectable Chordoma. <i>Oncologist</i> , 2021 , 26, e847-e858	5.7	9
311	Tumour-targeted interleukin-12 and entinostat combination therapy improves cancer survival by reprogramming the tumour immune cell landscape. <i>Nature Communications</i> , 2021 , 12, 5151	17.4	5
310	Dual PD-L1 and TGF-b blockade in patients with recurrent respiratory papillomatosis 2021 , 9,		2
309	Phase 1 open-label trial of intravenous administration of MVA-BN-brachyury-TRICOM vaccine in patients with advanced cancer 2021 , 9,		3

308	Translational Advances in Cancer Prevention Agent Development (TACPAD) Virtual Workshop on Immunomodulatory Agents: Report.. <i>Journal of Cancer Prevention</i> , 2021 , 26, 309-317		3
307	Overcoming hypoxia-induced functional suppression of NK cells 2020 , 8,		22
306	The Use of a Humanized NSG- α m Model for Investigation of Immune and Anti-tumor Effects Mediated by the Bifunctional Immunotherapeutic Bintrafusp Alfa. <i>Frontiers in Oncology</i> , 2020 , 10, 549	5-3	9
305	Immunomodulation to enhance the efficacy of an HPV therapeutic vaccine 2020 , 8,		22
304	Phase I Trial of a Modified Vaccinia Ankara Priming Vaccine Followed by a Fowlpox Virus Boosting Vaccine Modified to Express Brachyury and Costimulatory Molecules in Advanced Solid Tumors. <i>Oncologist</i> , 2020 , 25, 560-e1006	5-7	10
303	Dual targeting of TGF- β and PD-L1 via a bifunctional anti-PD-L1/TGF- β II agent: status of preclinical and clinical advances 2020 , 8,		92
302	Simultaneous inhibition of CXCR1/2, TGF- β and PD-L1 remodels the tumor and its microenvironment to drive antitumor immunity 2020 , 8,		32
301	Neoadjuvant PROSTVAC prior to radical prostatectomy enhances T-cell infiltration into the tumor immune microenvironment in men with prostate cancer 2020 , 8,		21
300	Functional and mechanistic advantage of the use of a bifunctional anti-PD-L1/IL-15 superagonist 2020 , 8,		9
299	PD-L1 targeting high-affinity NK (t-haNK) cells induce direct antitumor effects and target suppressive MDSC populations 2020 , 8,		40
298	A randomized, double-blind, phase II clinical trial of GI-6301 (yeast-brachyury vaccine) versus placebo in combination with standard of care definitive radiotherapy in locally advanced, unresectable, chordoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 11527-11527	2-2	4
297	Tumor control via targeting PD-L1 with chimeric antigen receptor modified NK cells. <i>ELife</i> , 2020 , 9,	8-9	19
296	A Phase I Trial Using a Multitargeted Recombinant Adenovirus 5 (CEA/MUC1/Brachyury)-Based Immunotherapy Vaccine Regimen in Patients with Advanced Cancer. <i>Oncologist</i> , 2020 , 25, 479-e899	5-7	23
295	Cooperative Immune-Mediated Mechanisms of the HDAC Inhibitor Entinostat, an IL15 Superagonist, and a Cancer Vaccine Effectively Synergize as a Novel Cancer Therapy. <i>Clinical Cancer Research</i> , 2020 , 26, 704-716	12-9	12
294	Inhibition of MDSC Trafficking with SX-682, a CXCR1/2 Inhibitor, Enhances NK-Cell Immunotherapy in Head and Neck Cancer Models. <i>Clinical Cancer Research</i> , 2020 , 26, 1420-1431	12-9	67
293	The Development of Next-generation PBMC Humanized Mice for Preclinical Investigation of Cancer Immunotherapeutic Agents. <i>Anticancer Research</i> , 2020 , 40, 5329-5341	2-3	12
292	The Importance of Cellular Immunity in the Development of Vaccines and Therapeutics for COVID-19. <i>Journal of Infectious Diseases</i> , 2020 , 222, 1435-1438		7
291	Early changes in immune cell subsets with corticosteroids in patients with solid tumors: implications for COVID-19 management 2020 , 8,		8

290	A Case Report of Sequential Use of a Yeast-CEA Therapeutic Cancer Vaccine and Anti-PD-L1 Inhibitor in Metastatic Medullary Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2020 , 11, 490	5.7	5
289	Therapeutic Vaccines for HPV-Associated Malignancies. <i>ImmunoTargets and Therapy</i> , 2020 , 9, 167-200	9	19
288	Bintrafusp alfa, a bifunctional fusion protein targeting TGF- β and PD-L1, in patients with human papillomavirus-associated malignancies 2020 , 8,		21
287	Improving the Odds in Advanced Breast Cancer With Combination Immunotherapy: Stepwise Addition of Vaccine, Immune Checkpoint Inhibitor, Chemotherapy, and HDAC Inhibitor in Advanced Stage Breast Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 581801	5.3	4
286	Phase I trial of HuMax-IL8 (BMS-986253), an anti-IL-8 monoclonal antibody, in patients with metastatic or unresectable solid tumors 2019 , 7, 240		85
285	Direct and antibody-dependent cell-mediated cytotoxicity of head and neck squamous cell carcinoma cells by high-affinity natural killer cells. <i>Oral Oncology</i> , 2019 , 90, 38-44	4.4	14
284	Temporal changes within the (bladder) tumor microenvironment that accompany the therapeutic effects of the immunocytokine NHS-IL12 2019 , 7, 150		11
283	A Phase I Dose-Escalation Trial of BN-CV301, a Recombinant Poxviral Vaccine Targeting MUC1 and CEA with Costimulatory Molecules. <i>Clinical Cancer Research</i> , 2019 , 25, 4933-4944	12.9	27
282	Safety and clinical activity of PD-L1 blockade in patients with aggressive recurrent respiratory papillomatosis 2019 , 7, 119		15
281	Mechanisms involved in IL-15 superagonist enhancement of anti-PD-L1 therapy 2019 , 7, 82		45
280	First-in-Human Phase I Trial of a Tumor-Targeted Cytokine (NHS-IL12) in Subjects with Metastatic Solid Tumors. <i>Clinical Cancer Research</i> , 2019 , 25, 99-109	12.9	71
279	Efficient Tumor Clearance and Diversified Immunity through Neopeptide Vaccines and Combinatorial Immunotherapy. <i>Cancer Immunology Research</i> , 2019 , 7, 1359-1370	12.5	18
278	Efficacy and tolerability of anti-programmed death-ligand 1 (PD-L1) antibody (Avelumab) treatment in advanced thymoma 2019 , 7, 269		43
277	Abstract CT075: Phase I evaluation of M7824, a bifunctional fusion protein targeting TGF- β and PD-L1, in patients with human papillomavirus (HPV)-associated malignancies 2019 ,		12
276	Inhibiting myeloid-derived suppressor cell trafficking enhances T cell immunotherapy. <i>JCI Insight</i> , 2019 , 4,	9.9	95
275	Efficient ADCC killing of meningioma by avelumab and a high-affinity natural killer cell line, haNK. <i>JCI Insight</i> , 2019 , 4,	9.9	17
274	Pre-existing antiacetylcholine receptor autoantibodies and B cell lymphopaenia are associated with the development of myositis in patients with thymoma treated with avelumab, an immune checkpoint inhibitor targeting programmed death-ligand 1. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 150-152	2.4	56
273	The multi-functionality of N-809, a novel fusion protein encompassing anti-PD-L1 and the IL-15 superagonist fusion complex. <i>OncImmunology</i> , 2019 , 8, e1532764	7.2	15

272	An IL-15 superagonist/IL-15R α fusion complex protects and rescues NK cell-cytotoxic function from TGF- β -mediated immunosuppression. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 675-689	7.4	33
271	M7824, a novel bifunctional anti-PD-L1/TGF β trap fusion protein, promotes anti-tumor efficacy as monotherapy and in combination with vaccine. <i>Oncolmunology</i> , 2018 , 7, e1426519	7.2	109
270	Phase I Trial of M7824 (MSB0011359C), a Bifunctional Fusion Protein Targeting PD-L1 and TGF β in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2018 , 24, 1287-1295	12.9	195
269	Morphological changes induced by intraprostatic PSA-based vaccine in prostate cancer biopsies (phase I clinical trial). <i>Human Pathology</i> , 2018 , 78, 72-78	3.7	1
268	Stereotactic Ablative Radiation Therapy Induces Systemic Differences in Peripheral Blood Immunophenotype Dependent on Irradiated Site. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 1259-1270	4	34
267	A potential therapy for chordoma via antibody-dependent cell-mediated cytotoxicity employing NK or high-affinity NK cells in combination with cetuximab. <i>Journal of Neurosurgery</i> , 2018 , 128, 1419-1427	3.2	10
266	Inhibition of WEE1 kinase and cell cycle checkpoint activation sensitizes head and neck cancers to natural killer cell therapies 2018 , 6, 59		29
265	Immunotherapy for biochemically recurrent prostate cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 215-215		5
264	Immunotherapy utilizing the combined use of NK and ADCC mediating agents with PARP inhibition.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 5021-5021	2.2	
263	Anti-PD-L1/TGFR2 (M7824) fusion protein induces immunogenic modulation of human urothelial carcinoma cell lines, rendering them more susceptible to immune-mediated recognition and lysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 93.e1-93.e11	2.8	23
262	EXTH-63. EFFICIENT ADCC-MEDIATED KILLING OF MALIGNANT MENINGIOMA CELLS USING AVELUMAB AND AN ENGINEERED HIGH AVIDITY NATURAL KILLER CELL LINE, haNK. <i>Neuro-Oncology</i> , 2018 , 20, vi98-vi98	1	78
261	Vaccines as an Integral Component of Cancer Immunotherapy. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2195-2196	27.4	18
260	A Randomized, Double-blind, Phase II Trial of PSA-TRICOM (PROSTVAC) in Patients with Localized Prostate Cancer: The Immunotherapy to Prevent Progression on Active Surveillance Study. <i>European Urology Focus</i> , 2018 , 4, 636-638	5.1	8
259	Activity of durvalumab plus olaparib in metastatic castration-resistant prostate cancer in men with and without DNA damage repair mutations 2018 , 6, 141		132
258	Epigenetic priming of both tumor and NK cells augments antibody-dependent cellular cytotoxicity elicited by the anti-PD-L1 antibody avelumab against multiple carcinoma cell types. <i>Oncolmunology</i> , 2018 , 7, e1466018	7.2	32
257	Analyses of the peripheral immunome following multiple administrations of avelumab, a human IgG1 anti-PD-L1 monoclonal antibody 2017 , 5, 20		57
256	ADCC employing an NK cell line (haNK) expressing the high affinity CD16 allele with avelumab, an anti-PD-L1 antibody. <i>International Journal of Cancer</i> , 2017 , 141, 583-593	7.5	27
255	Identification and characterization of enhancer agonist human cytotoxic T-cell epitopes of the human papillomavirus type 16 (HPV16) E6/E7. <i>Vaccine</i> , 2017 , 35, 2605-2611	4.1	14

254	Avelumab for metastatic or locally advanced previously treated solid tumours (JAVELIN Solid Tumor): a phase 1a, multicohort, dose-escalation trial. <i>Lancet Oncology, The</i> , 2017 , 18, 587-598	21.7	194
253	Combination therapy with an OX40L fusion protein and a vaccine targeting the transcription factor twist inhibits metastasis in a murine model of breast cancer. <i>Oncotarget</i> , 2017 , 8, 90825-90841	3.3	11
252	A novel bifunctional anti-PD-L1/TGF- β Trap fusion protein (M7824) efficiently reverts mesenchymalization of human lung cancer cells. <i>Oncimmunology</i> , 2017 , 6, e1349589	7.2	91
251	Safety, tumor trafficking and immunogenicity of chimeric antigen receptor (CAR)-T cells specific for TAG-72 in colorectal cancer 2017 , 5, 22		136
250	Phase I Study of a Poxviral TRICOM-Based Vaccine Directed Against the Transcription Factor Brachyury. <i>Clinical Cancer Research</i> , 2017 , 23, 6833-6845	12.9	39
249	Abstract 594: Dual targeting of TGF β and PD-L1 promotes potent anti-tumor efficacy in multiple murine models of solid carcinomas 2017 ,		5
248	Preliminary results from a phase 1 trial of M7824 (MSB0011359C), a bifunctional fusion protein targeting PD-L1 and TGF- β in advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3006-3006	2.2	15
247	Near infrared photoimmunotherapy with avelumab, an anti-programmed death-ligand 1 (PD-L1) antibody. <i>Oncotarget</i> , 2017 , 8, 8807-8817	3.3	51
246	Enhanced antitumor effects by combining an IL-12/anti-DNA fusion protein with avelumab, an anti-PD-L1 antibody. <i>Oncotarget</i> , 2017 , 8, 20558-20571	3.3	34
245	Analyses of functions of an anti-PD-L1/TGFR2 bispecific fusion protein (M7824). <i>Oncotarget</i> , 2017 , 8, 75217-75231	3.3	33
244	Enhanced immunotherapy by combining a vaccine with a novel murine GITR ligand fusion protein. <i>Oncotarget</i> , 2017 , 8, 73469-73482	3.3	6
243	Enhanced killing of chordoma cells by antibody-dependent cell-mediated cytotoxicity employing the novel anti-PD-L1 antibody avelumab. <i>Oncotarget</i> , 2016 , 7, 33498-511	3.3	70
242	Malignant Mesothelioma Effusions Are Infiltrated by CD3 T Cells Highly Expressing PD-L1 and the PD-L1 Tumor Cells within These Effusions Are Susceptible to ADCC by the Anti-PD-L1 Antibody Avelumab. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1993-2005	8.9	77
241	Analyses of 123 Peripheral Human Immune Cell Subsets: Defining Differences with Age and between Healthy Donors and Cancer Patients Not Detected in Analysis of Standard Immune Cell Types. <i>Journal of Circulating Biomarkers</i> , 2016 , 5, 5	3.3	34
240	The association of clinical outcome and peripheral T-cell subsets in metastatic colorectal cancer patients receiving first-line FOLFIRI plus bevacizumab therapy. <i>Oncimmunology</i> , 2016 , 5, e1188243	7.2	20
239	Systemic Immunotherapy of Non-Muscle Invasive Mouse Bladder Cancer with Avelumab, an Anti-PD-L1 Immune Checkpoint Inhibitor. <i>Cancer Immunology Research</i> , 2016 , 4, 452-62	12.5	62
238	Abstract 1480: Systemic immunotherapeutic efficacy of an immunocytokine, NHS-muIL12, in a superficial murine orthotopic bladder cancer model 2016 ,		2
237	Safety and clinical activity of anti-programmed death-ligand 1 (PD-L1) antibody (ab) avelumab (MSB0010718C) in advanced thymic epithelial tumors (TETs).. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20106-e20106	22.6	106

236	Samarium-153-EDTMP (Quadramet [®]) with or without vaccine in metastatic castration-resistant prostate cancer: A randomized Phase 2 trial. <i>Oncotarget</i> , 2016 , 7, 69014-69023	3-3	31
235	IL-15 superagonist/IL-15R β ushi-Fc fusion complex (IL-15SA/IL-15R β u-Fc; ALT-803) markedly enhances specific subpopulations of NK and memory CD8 ⁺ T cells, and mediates potent anti-tumor activity against murine breast and colon carcinomas. <i>Oncotarget</i> , 2016 , 7, 16130-45	3-3	102
234	The IDO1 selective inhibitor epacadostat enhances dendritic cell immunogenicity and lytic ability of tumor antigen-specific T cells. <i>Oncotarget</i> , 2016 , 7, 37762-37772	3-3	76
233	An NK cell line (haNK) expressing high levels of granzyme and engineered to express the high affinity CD16 allele. <i>Oncotarget</i> , 2016 , 7, 86359-86373	3-3	99
232	A fully human IgG1 anti-PD-L1 MAb in an in vitro assay enhances antigen-specific T-cell responses. <i>Clinical and Translational Immunology</i> , 2016 , 5, e83	6.8	38
231	A phase I study of recombinant (r) vaccinia-CEA(6D)-TRICOM and rFowlpox-CEA(6D)-TRICOM vaccines with GM-CSF and IFN- β in patients with CEA-expressing carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2016 , 65, 1353-1364	7.4	19
230	Analyses of Pretherapy Peripheral Immunoscore and Response to Vaccine Therapy. <i>Cancer Immunology Research</i> , 2016 , 4, 755-65	12.5	25
229	Phase I Trial of a Yeast-Based Therapeutic Cancer Vaccine (GI-6301) Targeting the Transcription Factor Brachyury. <i>Cancer Immunology Research</i> , 2015 , 3, 1248-56	12.5	89
228	The impact of leukapheresis on immune-cell number and function in patients with advanced cancer. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 1429-35	7.4	2
227	Antibody-Dependent Cellular Cytotoxicity Activity of a Novel Anti-PD-L1 Antibody Avelumab (MSB0010718C) on Human Tumor Cells. <i>Cancer Immunology Research</i> , 2015 , 3, 1148-1157	12.5	281
226	Insights on Peptide Vaccines in Cancer Immunotherapy. <i>Cancer Drug Discovery and Development</i> , 2015 , 1-27	0.3	2
225	Docetaxel Alone or in Combination With a Therapeutic Cancer Vaccine (PANVAC) in Patients With Metastatic Breast Cancer: A Randomized Clinical Trial. <i>JAMA Oncology</i> , 2015 , 1, 1087-95	13.4	58
224	Antibody dependent cellular cytotoxicity activity of a novel anti-PD-L1 antibody, avelumab (MSB0010718C), on human tumor cells.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3038-3038	2.2	2
223	Pharmacokinetic profile and receptor occupancy of avelumab (MSB0010718C), an anti-PD-L1 monoclonal antibody, in a phase I, open-label, dose escalation trial in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3055-3055	2.2	14
222	The IDO inhibitor INCB024360 to enhance dendritic cell immunogenicity and anti-tumor immunity in vitro.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e14012-e14012	2.2	1
221	Prospect: A randomized double-blind phase 3 efficacy study of PROSTVAC-VF immunotherapy in men with asymptomatic/minimally symptomatic metastatic castration-resistant prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, TPS5081-TPS5081	2.2	4
220	Impact of standard chemotherapy on peripheral blood immune cell subsets in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 597-597	2.2	1
219	Aberrant expression of the embryonic transcription factor brachyury in human tumors detected with a novel rabbit monoclonal antibody. <i>Oncotarget</i> , 2015 , 6, 4853-62	3-3	21

218	ABO blood type correlates with survival on prostate cancer vaccine therapy. <i>Oncotarget</i> , 2015 , 6, 32244-56	3.6	12
217	The generation and analyses of a novel combination of recombinant adenovirus vaccines targeting three tumor antigens as an immunotherapeutic. <i>Oncotarget</i> , 2015 , 6, 31344-59	3.3	24
216	Combining active immunotherapy and immune checkpoint inhibitors in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e14008-e14008	2.2	1
215	Phase I trial of a recombinant yeast-CEA vaccine (GI-6207) in adults with metastatic CEA-expressing carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 225-34	7.4	70
214	Identification and characterization of agonist epitopes of the MUC1-C oncoprotein. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 161-74	7.4	21
213	Humoral response to a viral glycan correlates with survival on PROSTVAC-VF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1749-58	11.5	36
212	Overexpression of the EMT driver brachyury in breast carcinomas: association with poor prognosis. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	59
211	Identification and characterization of a cytotoxic T-lymphocyte agonist epitope of brachyury, a transcription factor involved in epithelial to mesenchymal transition and metastasis. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 1307-17	7.4	22
210	Identification by digital immunohistochemistry of intratumoral changes of immune infiltrates after vaccine in the absence of modifications of PBMC immune cell subsets. <i>International Journal of Cancer</i> , 2014 , 135, 862-70	7.5	4
209	Immune impact induced by PROSTVAC (PSA-TRICOM), a therapeutic vaccine for prostate cancer. <i>Cancer Immunology Research</i> , 2014 , 2, 133-41	12.5	93
208	Vaccine-mediated immunotherapy directed against a transcription factor driving the metastatic process. <i>Cancer Research</i> , 2014 , 74, 1945-57	10.1	30
207	Intratumoral delivery of recombinant vaccinia virus encoding for ErbB2/Neu inhibits the growth of salivary gland carcinoma cells. <i>Journal of Translational Medicine</i> , 2014 , 12, 122	8.5	13
206	A combination trial of vaccine plus ipilimumab in metastatic castration-resistant prostate cancer patients: immune correlates. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 407-18	7.4	71
205	The immunocytokine NHS-IL12 as a potential cancer therapeutic. <i>Oncotarget</i> , 2014 , 5, 1869-84	3.3	82
204	Pan-Bcl-2 inhibitor, GX15-070 (obatoclax), decreases human T regulatory lymphocytes while preserving effector T lymphocytes: a rationale for its use in combination immunotherapy. <i>Journal of Immunology</i> , 2014 , 192, 2622-33	5.3	21
203	Therapeutic cancer vaccines. <i>Advances in Cancer Research</i> , 2014 , 121, 67-124	5.9	49
202	Potential utility of the pan-Bcl-2 inhibitor GX15-070 (obatoclax) in cancer immunotherapy. <i>Oncolimmunology</i> , 2014 , 3, e29351	7.2	4
201	The Use of T Cell Costimulation to Enhance the Immunogenicity of Tumors 2014 , 315-334		

200	Phase I open-label, multiple ascending dose trial of MSB0010718C, an anti-PD-L1 monoclonal antibody, in advanced solid malignancies.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3064-3064	2.2	21
199	NCI experience using yeast-brachyury vaccine (GI-6301) in patients (pts) with advanced chordoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3081-3081	2.2	5
198	Effect of cabozantinib on immunosuppressive subsets in metastatic urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4501-4501	2.2	21
197	A phase I study of a yeast-based therapeutic cancer vaccine, GI-6301, targeting brachyury in patients with metastatic carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e14026-e14026	2.2	2
196	A randomized, prospective, phase II study to determine the efficacy of BCG given in combination with panvac versus BCG alone in adults with high grade non-muscle invasive bladder cancer who failed at least one induction course of BCG.. <i>Journal of Clinical Oncology</i> , 2014 , 32, TPS4590-TPS4590	2.2	5
195	TRICOM Poxviral-Based Vaccines for the Treatment of Cancer 2014 , 291-327		1
194	Recombinant cancer vaccines and new vaccine targets. Interview by Jenaid Rees. <i>Expert Review of Vaccines</i> , 2013 , 12, 1121-4	5.2	2
193	Recombinant TRICOM-based Therapeutic Cancer Vaccines: Lessons Learned 2013 , 309-331		1
192	Phase I study of intraprostatic vaccine administration in men with locally recurrent or progressive prostate cancer. <i>Cancer Immunology, Immunotherapy</i> , 2013 , 62, 1521-31	7.4	31
191	Serum antibodies to blood group A predict survival on PROSTVAC-VF. <i>Clinical Cancer Research</i> , 2013 , 19, 1290-9	12.9	43
190	Effect of talactoferrin alfa on the immune system in adults with non-small cell lung cancer. <i>Oncologist</i> , 2013 , 18, 821-2	5.7	8
189	Up-regulation of proliferative and migratory genes in regulatory T cells from patients with metastatic castration-resistant prostate cancer. <i>International Journal of Cancer</i> , 2013 , 133, 373-82	7.5	23
188	Soluble CD27-pool in humans may contribute to T cell activation and tumor immunity. <i>Journal of Immunology</i> , 2013 , 190, 6250-8	5.3	45
187	The role of soluble CD40L in immunosuppression. <i>Oncolimmunology</i> , 2013 , 2, e22546	7.2	18
186	Effects of conventional therapeutic interventions on the number and function of regulatory T cells. <i>Oncolimmunology</i> , 2013 , 2, e27025	7.2	105
185	A phase II randomized clinical trial of samarium-153 EDTMP (Sm-153) with or without PSA-TRICOM vaccine in metastatic castration-resistant prostate cancer (mCRPC) after docetaxel.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 102-102	2.2	13
184	Immunological targeting of tumor cells undergoing an epithelial-mesenchymal transition via a recombinant brachyury-yeast vaccine. <i>Oncotarget</i> , 2013 , 4, 1777-90	3.3	57
183	Safety profile of poxviral vaccines: NCI experience.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 85-85	2.2	

182	Introduction: Therapeutic cancer vaccines. <i>Seminars in Oncology</i> , 2012 , 39, 243-4	5.5	
181	Clinical evaluation of TRICOM vector therapeutic cancer vaccines. <i>Seminars in Oncology</i> , 2012 , 39, 296-304	5.5	68
180	Elevated serum soluble CD40 ligand in cancer patients may play an immunosuppressive role. <i>Blood</i> , 2012 , 120, 3030-8	2.2	81
179	Ipilimumab and a poxviral vaccine targeting prostate-specific antigen in metastatic castration-resistant prostate cancer: a phase 1 dose-escalation trial. <i>Lancet Oncology</i> , 2012 , 13, 501-8	21.7	299
178	Therapeutic cancer vaccines: current status and moving forward. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 599-613	9.7	207
177	Recent advances in therapeutic cancer vaccines. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2012 , 27, 2-5	3.9	10
176	Immunotherapy: shifting the balance of cell-mediated immunity and suppression in human prostate cancer. <i>Cancers</i> , 2012 , 4, 1333-48	6.6	4
175	Brachyury, a driver of the epithelial-mesenchymal transition, is overexpressed in human lung tumors: an opportunity for novel interventions against lung cancer. <i>Clinical Cancer Research</i> , 2012 , 18, 3868-79	12.9	93
174	Distinct effects of saracatinib on memory CD8+ T cell differentiation. <i>Journal of Immunology</i> , 2012 , 188, 4323-33	5.3	11
173	Interim analysis of a phase II randomized clinical trial of samrium-153 (Sm-153) with or without PSA-TRICOM vaccine in metastatic castration-resistant prostate cancer after docetaxel. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2526-2526	2.2	8
172	Maturation of human dendritic cells with <i>Saccharomyces cerevisiae</i> (yeast) reduces the number and function of regulatory T cells and enhances the ratio of antigen-specific effectors to regulatory T cells. <i>Vaccine</i> , 2011 , 29, 4992-9	4.1	17
171	Viral vector-based therapeutic cancer vaccines. <i>Cancer Journal (Sudbury, Mass)</i> , 2011 , 17, 359-71	2.2	115
170	Analysis of circulating regulatory T cells in patients with metastatic prostate cancer pre- versus post-vaccination. <i>Cancer Immunology, Immunotherapy</i> , 2011 , 60, 197-206	7.4	47
169	Tumor-infiltrating immune cells and prognosis: the potential link between conventional cancer therapy and immunity. <i>Experimental Biology and Medicine</i> , 2011 , 236, 567-79	3.7	215
168	A pilot safety trial investigating a vector-based vaccine targeting carcinoembryonic antigen in combination with radiotherapy in patients with gastrointestinal malignancies metastatic to the liver. <i>Expert Opinion on Biological Therapy</i> , 2011 , 11, 1409-18	5.4	20
167	A pilot study of MUC-1/CEA/TRICOM poxviral-based vaccine in patients with metastatic breast and ovarian cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 7164-73	12.9	95
166	The consequence of immune suppressive cells in the use of therapeutic cancer vaccines and their importance in immune monitoring. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 182413		7
165	IgG responses to tissue-associated antigens as biomarkers of immunological treatment efficacy. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 454861		12

164	Strategies to target molecules that control the acquisition of a mesenchymal-like phenotype by carcinoma cells. <i>Experimental Biology and Medicine</i> , 2011 , 236, 537-45	3.7	27
163	Overall survival analysis of a phase II randomized controlled trial of a Poxviral-based PSA-targeted immunotherapy in metastatic castration-resistant prostate cancer. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1099-105	2.2	786
162	A viral vaccine encoding prostate-specific antigen induces antigen spreading to a common set of self-proteins in prostate cancer patients. <i>Clinical Cancer Research</i> , 2010 , 16, 4046-56	12.9	45
161	Vaccines against human carcinomas: strategies to improve antitumor immune responses. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 380697		35
160	Strategies for cancer vaccine development. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010,		80
159	Therapeutic vaccines in metastatic castration-resistant prostate cancer: principles in clinical trial design. <i>Expert Opinion on Biological Therapy</i> , 2010 , 10, 19-28	5.4	26
158	The MUC1-C oncoprotein as a target in hematologic malignancies. <i>Cancer Biology and Therapy</i> , 2010 , 10, 492-4	4.6	3
157	The T-box transcription factor Brachyury promotes epithelial-mesenchymal transition in human tumor cells. <i>Journal of Clinical Investigation</i> , 2010 , 120, 533-44	15.9	199
156	Intratumoral immunotherapy of established solid tumors with chitosan/IL-12. <i>Journal of Immunotherapy</i> , 2010 , 33, 697-705	5	57
155	New gene expressed in prostate: a potential target for T cell-mediated prostate cancer immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2010 , 59, 63-71	7.4	23
154	Concurrent vaccination with two distinct vaccine platforms targeting the same antigen generates phenotypically and functionally distinct T-cell populations. <i>Cancer Immunology, Immunotherapy</i> , 2010 , 59, 397-408	7.4	34
153	Immunologic and prognostic factors associated with overall survival employing a poxviral-based PSA vaccine in metastatic castrate-resistant prostate cancer. <i>Cancer Immunology, Immunotherapy</i> , 2010 , 59, 663-74	7.4	249
152	Local delivery of recombinant vaccinia virus encoding for neu counteracts growth of mammary tumors more efficiently than systemic delivery in neu transgenic mice. <i>Cancer Immunology, Immunotherapy</i> , 2010 , 59, 1247-58	7.4	24
151	Vaccines as monotherapy and in combination therapy for prostate cancer. <i>Clinical and Translational Science</i> , 2010 , 3, 116-22	4.9	9
150	Effect of a small molecule BCL-2 inhibitor on immune function and use with a recombinant vaccine. <i>International Journal of Cancer</i> , 2010 , 127, 1603-13	7.5	35
149	Cancer Immunology, Immunotherapeutics, and Vaccine Approaches 2010 , 305-319		
148	Intravesical immunotherapy of superficial bladder cancer with chitosan/interleukin-12. <i>Cancer Research</i> , 2009 , 69, 6192-9	10.1	79
147	Antigen-presenting cells containing multiple costimulatory molecules promote activation and expansion of human antigen-specific memory CD8+ T cells. <i>Cancer Immunology, Immunotherapy</i> , 2009 , 58, 503-15	7.4	6

146	Chronic lymphocytic leukemia (CLL) cells genetically modified to express B7-1, ICAM-1, and LFA-3 confer APC capacity to T cells from CLL patients. <i>Cancer Immunology, Immunotherapy</i> , 2009 , 58, 955-65	7.4	16
145	TGF-beta modulates the functionality of tumor-infiltrating CD8+ T cells through effects on TCR signaling and Spred1 expression. <i>Cancer Immunology, Immunotherapy</i> , 2009 , 58, 1809-18	7.4	23
144	Human dendritic cell maturation and activation by a heat-killed recombinant yeast (<i>Saccharomyces cerevisiae</i>) vector encoding carcinoembryonic antigen. <i>Vaccine</i> , 2009 , 27, 987-94	4.1	41
143	Harnessing the unique local immunostimulatory properties of modified vaccinia Ankara (MVA) virus to generate superior tumor-specific immune responses and antitumor activity in a diversified prime and boost vaccine regimen. <i>Vaccine</i> , 2009 , 27, 4475-82	4.1	25
142	Recombinant <i>Saccharomyces cerevisiae</i> (yeast-CEA) as a potent activator of murine dendritic cells. <i>Vaccine</i> , 2008 , 26, 509-21	4.1	56
141	Combination of docetaxel and recombinant vaccine enhances T-cell responses and antitumor activity: effects of docetaxel on immune enhancement. <i>Clinical Cancer Research</i> , 2008 , 14, 3536-44	12.9	177
140	Analysis of overall survival in patients with nonmetastatic castration-resistant prostate cancer treated with vaccine, nilutamide, and combination therapy. <i>Clinical Cancer Research</i> , 2008 , 14, 4526-31	12.9	121
139	Tumor-induced impairment of TCR signaling results in compromised functionality of tumor-infiltrating regulatory T cells. <i>Journal of Immunology</i> , 2008 , 180, 5871-81	5.3	25
138	Paradigm shifts in cancer vaccine therapy. <i>Experimental Biology and Medicine</i> , 2008 , 233, 522-34	3.7	39
137	The use of chelated radionuclide (samarium-153-ethylenediaminetetramethylenephosphonate) to modulate phenotype of tumor cells and enhance T cell-mediated killing. <i>Clinical Cancer Research</i> , 2008 , 14, 4241-9	12.9	54
136	Vaccination with a recombinant <i>Saccharomyces cerevisiae</i> expressing a tumor antigen breaks immune tolerance and elicits therapeutic antitumor responses. <i>Clinical Cancer Research</i> , 2008 , 14, 4316-25	12.9	66
135	Translational Research Working Group developmental pathway for immune response modifiers. <i>Clinical Cancer Research</i> , 2008 , 14, 5692-9	12.9	29
134	Safety and immunologic response of a viral vaccine to prostate-specific antigen in combination with radiation therapy when metronomic-dose interleukin 2 is used as an adjuvant. <i>Clinical Cancer Research</i> , 2008 , 14, 5284-91	12.9	99
133	Pilot study of vaccination with recombinant CEA-MUC-1-TRICOM poxviral-based vaccines in patients with metastatic carcinoma. <i>Clinical Cancer Research</i> , 2008 , 14, 3060-9	12.9	181
132	Enhanced functionality of CD4+CD25(high)FoxP3+ regulatory T cells in the peripheral blood of patients with prostate cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 1032-40	12.9	120
131	Use of radiolabeled monoclonal antibody to enhance vaccine-mediated antitumor effects. <i>Cancer Immunology, Immunotherapy</i> , 2008 , 57, 1173-83	7.4	34
130	Clinical safety of a viral vector based prostate cancer vaccine strategy. <i>Journal of Urology</i> , 2007 , 178, 1515-20	2.5	109
129	Identification of cytotoxic T-lymphocyte epitope(s) and its agonist epitope(s) of a novel target for vaccine therapy (PAGE4). <i>International Journal of Cancer</i> , 2007 , 121, 595-605	7.5	18

128	Phase I trial of an enhanced prostate-specific antigen-based vaccine and anti-CTLA-4 antibody in patients with metastatic androgen-independent prostate cancer. <i>Clinical Genitourinary Cancer</i> , 2007 , 5, 347-50	3.3	10
127	The combined activation of positive costimulatory signals with modulation of a negative costimulatory signal for the enhancement of vaccine-mediated T-cell responses. <i>Cancer Immunology, Immunotherapy</i> , 2007 , 56, 1471-84	7.4	32
126	Intratumoral delivery of vector mediated IL-2 in combination with vaccine results in enhanced T cell avidity and anti-tumor activity. <i>Cancer Immunology, Immunotherapy</i> , 2007 , 56, 1897-910	7.4	17
125	Cancer vaccines: moving beyond current paradigms. <i>Clinical Cancer Research</i> , 2007 , 13, 3776-82	12.9	186
124	The human T-box mesodermal transcription factor Brachyury is a candidate target for T-cell-mediated cancer immunotherapy. <i>Clinical Cancer Research</i> , 2007 , 13, 2471-8	12.9	123
123	Acquisition of antigen presentasome (APS), an MHC/costimulatory complex, is a checkpoint of memory T-cell homeostasis. <i>Blood</i> , 2007 , 109, 2488-95	2.2	15
122	Chitosan solution enhances the immunoadjuvant properties of GM-CSF. <i>Vaccine</i> , 2007 , 25, 8673-86	4.1	50
121	IL-2 immunotoxin denileukin diftitox reduces regulatory T cells and enhances vaccine-mediated T-cell immunity. <i>Blood</i> , 2007 , 110, 3192-201	2.2	164
120	Preclinical and clinical studies of recombinant poxvirus vaccines for carcinoma therapy. <i>Critical Reviews in Immunology</i> , 2007 , 27, 451-62	1.8	39
119	Recombinant Viral and Bacterial Vaccines 2007 , 217-250		
118	TRICOM vector based cancer vaccines. <i>Current Pharmaceutical Design</i> , 2006 , 12, 351-61	3.3	45
117	Combination chemotherapy and radiation of human squamous cell carcinoma of the head and neck augments CTL-mediated lysis. <i>Clinical Cancer Research</i> , 2006 , 12, 1897-905	12.9	76
116	Radiation modulates the peptide repertoire, enhances MHC class I expression, and induces successful antitumor immunotherapy. <i>Journal of Experimental Medicine</i> , 2006 , 203, 1259-71	16.6	1110
115	A randomized phase II study of concurrent docetaxel plus vaccine versus vaccine alone in metastatic androgen-independent prostate cancer. <i>Clinical Cancer Research</i> , 2006 , 12, 1260-9	12.9	251
114	4-1BB ligand enhances tumor-specific immunity of poxvirus vaccines. <i>Vaccine</i> , 2006 , 24, 4975-86	4.1	32
113	Minimizing the immunogenicity of antibodies for clinical application. <i>Tumor Biology</i> , 2005 , 26, 31-43	2.9	32
112	Antiandrogen, vaccine and combination therapy in patients with nonmetastatic hormone refractory prostate cancer. <i>Journal of Urology</i> , 2005 , 174, 539-46	2.5	97
111	SDR grafting--a new approach to antibody humanization. <i>Methods</i> , 2005 , 36, 25-34	4.6	51

110	Inhibition of CD4(+)25+ T regulatory cell function implicated in enhanced immune response by low-dose cyclophosphamide. <i>Blood</i> , 2005 , 105, 2862-8	2.2	720
109	Physiological relevance of antigen presentasome (APS), an acquired MHC/costimulatory complex, in the sustained activation of CD4+ T cells in the absence of APCs. <i>Blood</i> , 2005 , 105, 3238-46	2.2	35
108	Potential approach to immunotherapy of chronic lymphocytic leukemia (CLL): enhanced immunogenicity of CLL cells via infection with vectors encoding for multiple costimulatory molecules. <i>Blood</i> , 2005 , 106, 3515-23	2.2	26
107	The requirement of multimodal therapy (vaccine, local tumor radiation, and reduction of suppressor cells) to eliminate established tumors. <i>Clinical Cancer Research</i> , 2005 , 11, 4533-44	12.9	71
106	Combining a recombinant cancer vaccine with standard definitive radiotherapy in patients with localized prostate cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 3353-62	12.9	323
105	Analyses of recombinant vaccinia and fowlpox vaccine vectors expressing transgenes for two human tumor antigens and three human costimulatory molecules. <i>Clinical Cancer Research</i> , 2005 , 11, 1597-607	12.9	38
104	Identification of novel human CTL epitopes and their agonist epitopes of mesothelin. <i>Clinical Cancer Research</i> , 2005 , 11, 6342-51	12.9	51
103	Induction of higher-avidity human CTLs by vector-mediated enhanced costimulation of antigen-presenting cells. <i>Clinical Cancer Research</i> , 2005 , 11, 5603-15	12.9	36
102	Induction of an antigen cascade by diversified subcutaneous/intratatumoral vaccination is associated with antitumor responses. <i>Clinical Cancer Research</i> , 2005 , 11, 2416-26	12.9	70
101	Multiple costimulatory modalities enhance CTL avidity. <i>Journal of Immunology</i> , 2005 , 174, 5994-6004	5.3	122
100	Vaccines with enhanced costimulation maintain high avidity memory CTL. <i>Journal of Immunology</i> , 2005 , 175, 3715-23	5.3	45
99	Phase I study of sequential vaccinations with fowlpox-CEA(6D)-TRICOM alone and sequentially with vaccinia-CEA(6D)-TRICOM, with and without granulocyte-macrophage colony-stimulating factor, in patients with carcinoembryonic antigen-expressing carcinomas. <i>Journal of Clinical Oncology</i> , 2005 , 23, 720-31	2.2	255
98	Phase II randomized study of vaccine treatment of advanced prostate cancer (E7897): a trial of the Eastern Cooperative Oncology Group. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2122-32	2.2	202
97	Sublethal irradiation of human tumor cells modulates phenotype resulting in enhanced killing by cytotoxic T lymphocytes. <i>Cancer Research</i> , 2004 , 64, 7985-94	10.1	410
96	Intratatumoral vaccination and diversified subcutaneous/ intratumoral vaccination with recombinant poxviruses encoding a tumor antigen and multiple costimulatory molecules. <i>Clinical Cancer Research</i> , 2004 , 10, 1090-9	12.9	35
95	A human cytotoxic T-lymphocyte epitope and its agonist epitope from the nonvariable number of tandem repeat sequence of MUC-1. <i>Clinical Cancer Research</i> , 2004 , 10, 2139-49	12.9	57
94	External beam radiation of tumors alters phenotype of tumor cells to render them susceptible to vaccine-mediated T-cell killing. <i>Cancer Research</i> , 2004 , 64, 4328-37	10.1	368
93	Amplification of the lytic potential of effector/memory CD8+ cells by vector-based enhancement of ICAM-1 (CD54) in target cells: implications for intratumoral vaccine therapy. <i>Cancer Gene Therapy</i> , 2004 , 11, 665-80	5.4	33

92	Combination of a poxvirus-based vaccine with a cyclooxygenase-2 inhibitor (celecoxib) elicits antitumor immunity and long-term survival in CEA.Tg/MIN mice. <i>Cancer Research</i> , 2004 , 64, 3668-78	10.1	75
91	SDR grafting of a murine antibody using multiple human germline templates to minimize its immunogenicity. <i>Molecular Immunology</i> , 2004 , 41, 863-72	4.3	45
90	Pox Viral Vaccines 2004 , 175-191		
89	Modification of B-CLL Cells Via Infection with a Replication-Defective MVA Virus Encoding Three Costimulatory Molecules: A Potential Approach to Tumor Cell Immunotherapy of B-CLL.. <i>Blood</i> , 2004 , 104, 2516-2516	2.2	
88	Strategies for the development of PSA-based vaccines for the treatment of advanced prostate cancer. <i>Expert Review of Vaccines</i> , 2003 , 2, 483-93	5.2	9
87	General keynote: vaccine strategies for the therapy of ovarian cancer. <i>Gynecologic Oncology</i> , 2003 , 88, S97-104; discussion S110-3	4.9	11
86	A novel ELISPOT assay to enhance detection of antigen-specific T cells employing antigen-presenting cells expressing vector-driven human B7-1. <i>Journal of Immunological Methods</i> , 2003 , 279, 183-92	2.5	5
85	Enhanced expression of lymphotactin by CD8+ T cells is selectively induced by enhancer agonist peptides of tumor-associated antigens. <i>Cytokine</i> , 2003 , 24, 128-42	4	12
84	Minimizing immunogenicity of the SDR-grafted humanized antibody CC49 by genetic manipulation of the framework residues. <i>Molecular Immunology</i> , 2003 , 40, 337-49	4.3	21
83	Selective induction of high avidity CTL by altering the balance of signals from APC. <i>Journal of Immunology</i> , 2003 , 170, 2523-30	5.3	116
82	Differential gene expression profiles in a human T-cell line stimulated with a tumor-associated self-peptide versus an enhancer agonist peptide. <i>Clinical Cancer Research</i> , 2003 , 9, 1616-27	12.9	6
81	Vaccine therapy of established tumors in the absence of autoimmunity. <i>Clinical Cancer Research</i> , 2003 , 9, 1837-49	12.9	73
80	Modified vaccinia virus ankara recombinants are as potent as vaccinia recombinants in diversified prime and boost vaccine regimens to elicit therapeutic antitumor responses. <i>Cancer Research</i> , 2003 , 63, 7942-9	10.1	48
79	In vitro affinity maturation of a specificity-determining region-grafted humanized anticarcinoma antibody: isolation and characterization of minimally immunogenic high-affinity variants. <i>Clinical Cancer Research</i> , 2003 , 9, 5521-31	12.9	18
78	Surface plasmon resonance-based competition assay to assess the sera reactivity of variants of humanized antibodies. <i>Journal of Immunological Methods</i> , 2002 , 268, 197-210	2.5	43
77	Vector-based delivery of tumor-associated antigens and T-cell co-stimulatory molecules in the induction of immune responses and anti-tumor immunity. <i>Cancer Detection and Prevention</i> , 2002 , 26, 275-91		16
76	Phase I study of a vaccine using recombinant vaccinia virus expressing PSA (rV-PSA) in patients with metastatic androgen-independent prostate cancer. <i>Prostate</i> , 2002 , 53, 109-17	4.2	193
75	Grafting of "abbreviated" complementarity-determining regions containing specificity-determining residues essential for ligand contact to engineer a less immunogenic humanized monoclonal antibody. <i>Journal of Immunology</i> , 2002 , 169, 3076-84	5.3	33

74	Acquisition of CD80 by human T cells at early stages of activation: functional involvement of CD80 acquisition in T cell to T cell interaction. <i>Journal of Immunology</i> , 2002 , 169, 6162-9	5.3	75
73	Identification and characterization of a human agonist cytotoxic T-lymphocyte epitope of human prostate-specific antigen. <i>Clinical Cancer Research</i> , 2002 , 8, 41-53	12.9	60
72	Identification of an interferon-gamma-inducible carcinoembryonic antigen (CEA) CD8(+) T-cell epitope, which mediates tumor killing in CEA transgenic mice. <i>Cancer Research</i> , 2002 , 62, 5058-64	10.1	31
71	Vector-based vaccine/cytokine combination therapy to enhance induction of immune responses to a self-antigen and antitumor activity. <i>Cancer Research</i> , 2002 , 62, 5770-7	10.1	69
70	Vaccine-based therapy directed against carcinoembryonic antigen demonstrates antitumor activity on spontaneous intestinal tumors in the absence of autoimmunity. <i>Cancer Research</i> , 2002 , 62, 6944-51	10.1	73
69	Vector-driven hyperexpression of a triad of costimulatory molecules confers enhanced T-cell stimulatory capacity to DC precursors. <i>Critical Reviews in Oncology/Hematology</i> , 2001 , 39, 43-57	7	11
68	Acquisition of CD80 (B7-1) by T cells. <i>Journal of Immunology</i> , 2001 , 166, 2505-13	5.3	85
67	Enhancing the potency of peptide-pulsed antigen presenting cells by vector-driven hyperexpression of a triad of costimulatory molecules. <i>Vaccine</i> , 2001 , 19, 3552-67	4.1	35
66	Clinical trial designs for the early clinical development of therapeutic cancer vaccines. <i>Journal of Clinical Oncology</i> , 2001 , 19, 1848-54	2.2	98
65	Vaccination with a recombinant vaccinia vaccine containing the B7-1 co-stimulatory molecule causes no significant toxicity and enhances T cell-mediated cytotoxicity. <i>International Journal of Cancer</i> , 2000 , 85, 508-17	7.5	8
64	Agonist peptide from a cytotoxic t-lymphocyte epitope of human carcinoembryonic antigen stimulates production of tc1-type cytokines and increases tyrosine phosphorylation more efficiently than cognate peptide. <i>International Journal of Cancer</i> , 2000 , 85, 829-38	7.5	61
63	Rational antigen modification as a strategy to upregulate or downregulate antigen recognition. <i>Current Opinion in Immunology</i> , 2000 , 12, 85-91	7.8	19
62	The use of a rapid ELISPOT assay to analyze peptide-specific immune responses in carcinoma patients to peptide vs. recombinant poxvirus vaccines. <i>Cancer Immunology, Immunotherapy</i> , 2000 , 49, 517-29	7.4	68
61	Phase I clinical trial of a recombinant canarypoxvirus (ALVAC) vaccine expressing human carcinoembryonic antigen and the B7.1 co-stimulatory molecule. <i>Cancer Immunology, Immunotherapy</i> , 2000 , 49, 504-14	7.4	184
60	Phase I study in advanced cancer patients of a diversified prime-and-boost vaccination protocol using recombinant vaccinia virus and recombinant nonreplicating avipox virus to elicit anti-carcinoembryonic antigen immune responses. <i>Journal of Clinical Oncology</i> , 2000 , 18, 3964-73	2.2	307
59	Structural correlates of an anticarcinoma antibody: identification of specificity-determining residues (SDRs) and development of a minimally immunogenic antibody variant by retention of SDRs only. <i>Journal of Immunology</i> , 2000 , 164, 1432-41	5.3	53
58	Anti-tumor immunity elicited by a recombinant vaccinia virus expressing CD70 (CD27L). <i>Human Gene Therapy</i> , 1999 , 10, 1095-103	4.8	58
57	Induction of anti-tumor immunity elicited by tumor cells expressing a murine LFA-3 analog via a recombinant vaccinia virus. <i>Human Gene Therapy</i> , 1999 , 10, 623-31	4.8	23

56	The diversity of T-cell co-stimulation in the induction of antitumor immunity. <i>Immunological Reviews</i> , 1999 , 170, 73-84	11.3	27
55	Persistence, immune specificity, and functional ability of murine mutant ras epitope-specific CD4(+) and CD8(+) T lymphocytes following in vivo adoptive transfer. <i>Cellular Immunology</i> , 1999 , 194, 78-89	4.4	15
54	CDR substitutions of a humanized monoclonal antibody (CC49): contributions of individual CDRs to antigen binding and immunogenicity. <i>Molecular Immunology</i> , 1999 , 36, 1079-91	4.3	26
53	A phase I vaccine trial with peptides reflecting ras oncogene mutations of solid tumors. <i>Journal of Immunotherapy</i> , 1999 , 22, 155-65	5	99
52	Identification of a human CD8+ T lymphocyte neo-epitope created by a ras codon 12 mutation which is restricted by the HLA-A2 allele. <i>Cellular Immunology</i> , 1998 , 187, 103-16	4.4	26
51	In vivo evaluation of a lead-labeled monoclonal antibody using the DOTA ligand. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998 , 25, 471-80	8.8	17
50	Cancer vaccine development. <i>Expert Opinion on Investigational Drugs</i> , 1998 , 7, 1439-52	5.9	2
49	Construction and characterization of a recombinant vaccinia virus expressing murine intercellular adhesion molecule-1: induction and potentiation of antitumor responses. <i>Human Gene Therapy</i> , 1997 , 8, 851-60	4.8	45
48	Immunization with a syngeneic tumor infected with recombinant vaccinia virus expressing granulocyte-macrophage colony-stimulating factor (GM-CSF) induces tumor regression and long-lasting systemic immunity. <i>Journal of Immunotherapy</i> , 1997 , 20, 449-59	5	25
47	Intraperitoneal radioimmunotherapy of ovarian cancer with ¹⁷⁷ Lu-CC49: a phase I/II study. <i>Gynecologic Oncology</i> , 1997 , 65, 94-101	4.9	150
46	In vitro generation of human cytotoxic T lymphocytes specific for peptides derived from prostate-specific antigen. <i>Journal of the National Cancer Institute</i> , 1997 , 89, 293-300	9.7	201
45	Diversified prime and boost protocols using recombinant vaccinia virus and recombinant non-replicating avian pox virus to enhance T-cell immunity and antitumor responses. <i>Vaccine</i> , 1997 , 15, 759-68	4.1	145
44	Generation of stable CD4+ and CD8+ T cell lines from patients immunized with ras oncogene-derived peptides reflecting codon 12 mutations. <i>Cellular Immunology</i> , 1997 , 182, 137-51	4.4	74
43	Quantitative analysis of CEA expression in colorectal adenocarcinoma and serum: lack of correlation. <i>International Journal of Cancer</i> , 1997 , 72, 949-54	7.5	43
42	Strategies for the development of recombinant vaccines for the immunotherapy of breast cancer. <i>Breast Cancer Research and Treatment</i> , 1996 , 38, 27-39	4.4	33
41	Identification of overlapping epitopes in mutant ras oncogene peptides that activate CD4+ and CD8+ T cell responses. <i>European Journal of Immunology</i> , 1996 , 26, 435-43	6.1	52
40	Phase I study of recombinant CEA vaccinia virus vaccine with post vaccination CEA peptide challenge. <i>Human Gene Therapy</i> , 1996 , 7, 1381-94	4.8	45
39	Generation, characterization, and in vivo studies of humanized anticarcinoma antibody CC49. <i>Hybridoma</i> , 1995 , 14, 461-73		58

38	CA 72-4 serum marker--a new tool in the management of carcinoma patients. <i>Cancer Investigation</i> , 1995 , 13, 227-38	2.1	37
37	Peptide-specific activation of cytolytic CD4+ T lymphocytes against tumor cells bearing mutated epitopes of K-ras p21. <i>European Journal of Immunology</i> , 1995 , 25, 2588-97	6.1	38
36	A recombinant vaccinia virus expressing human prostate-specific antigen (PSA): safety and immunogenicity in a non-human primate. <i>International Journal of Cancer</i> , 1995 , 63, 231-7	7.5	87
35	Generation, purification, and characterization of a recombinant source of human prostate-specific antigen. <i>Journal of Clinical Laboratory Analysis</i> , 1995 , 9, 261-8	3	12
34	Potential for recombinant immunoglobulin constructs in the management of carcinoma. <i>Cancer</i> , 1994 , 73, 1105-13	6.4	14
33	Biodistribution and preclinical radioimmunotherapy studies using radiolanthanide-labeled immunoconjugates. <i>Cancer</i> , 1994 , 73, 993-8	6.4	31
32	Monoclonal antibody gene transfer. Implications for tumor-specific cell-mediated cytotoxicity. <i>Annals of the New York Academy of Sciences</i> , 1994 , 716, 154-65; discussion 165-6	6.5	3
31	Enhanced immune responses and anti-tumor activity by baculovirus recombinant carcinoembryonic antigen (CEA) in mice primed with the recombinant vaccinia CEA. <i>Journal of Immunotherapy</i> , 1994 , 16, 275-82	5	20
30	Definition of the expression of the human carcinoembryonic antigen and non-specific cross-reacting antigen in human breast and lung carcinomas. <i>International Journal of Cancer</i> , 1993 , 53, 892-7	7.5	34
29	TAG-72 (CA 72-4 assay) as a complementary serum tumor antigen to carcinoembryonic antigen in monitoring patients with colorectal cancer. <i>Cancer</i> , 1993 , 72, 2098-106	6.4	44
28	Biologic properties of a CH2 domain-deleted recombinant immunoglobulin. <i>International Journal of Cancer</i> , 1993 , 53, 97-103	7.5	41
27	Crystallographic studies and primary structure of the antitumor monoclonal CC49 FabQProteins: <i>Structure, Function and Bioinformatics</i> , 1993 , 17, 438-43	4.2	3
26	Carcinoembryonic antigen regulation in human colorectal tumor cells by a site-selective cyclic AMP analogue: a comparison with interferon-gamma. <i>International Journal of Cancer</i> , 1991 , 48, 413-22	7.5	11
25	A recombinant vaccinia virus expressing human carcinoembryonic antigen (CEA). <i>International Journal of Cancer</i> , 1991 , 48, 900-7	7.5	64
24	Tumor-associated glycoprotein-72 serum levels complement carcinoembryonic antigen levels in monitoring patients with gastrointestinal carcinoma. A longitudinal study. <i>Cancer</i> , 1991 , 68, 2443-50	6.4	33
23	Applications of monoclonal antibodies and recombinant cytokines for the treatment of human colorectal and other carcinomas. <i>Journal of Surgical Oncology</i> , 1991 , 2, 9-13	2.8	7
22	Clinical evaluation of serum tumor-associated glycoprotein-72 as a novel tumor marker for colorectal cancer patients. <i>Journal of Surgical Oncology</i> , 1991 , 2, 16-20	2.8	8
21	Monoclonal antibodies in the management of carcinoma patients. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1991 , 8, 223-8		

20	Lymphokine-activated killer cell cytotoxicity against human colon carcinomas enhanced by monoclonal antibody D612. <i>International Journal of Cancer</i> , 1990 , 46, 1021-8	7.5	7
19	Assay for the detection of anti-idiotypic antibodies to monoclonal antibody B72.3. <i>Journal of Clinical Laboratory Analysis</i> , 1990 , 4, 465-73	3	4
18	mRNA expression of transforming growth factor alpha in human breast carcinomas and its activity in effusions of breast cancer patients. <i>Journal of the National Cancer Institute</i> , 1989 , 81, 1165-71	9.7	39
17	Serologic mapping and biochemical characterization of the carcinoembryonic antigen epitopes using fourteen distinct monoclonal antibodies. <i>International Journal of Cancer</i> , 1989 , 44, 208-18	7.5	44
16	CA 72-4 radioimmunoassay for the detection of the TAG-72 carcinoma-associated antigen in serum of patients. <i>Journal of Clinical Laboratory Analysis</i> , 1989 , 3, 360-9	3	58
15	Intraoperative radioimmunolocalization of colorectal carcinoma with a hand-held gamma probe and MAb B72.3: comparison of in vivo gamma probe counts with in vitro MAb radiolocalization. <i>International Journal of Cancer</i> , 1988 , 42, 352-8	7.5	37
14	Comparative studies on the expression of tumor-associated glycoprotein (TAG-72), CA 19-9 and DU-PAN-2 in normal, benign and malignant pancreatic tissue. <i>International Journal of Cancer</i> , 1988 , 42, 681-6	7.5	26
13	Applications of immunocytochemistry to clinical cytology. <i>Cancer Investigation</i> , 1987 , 5, 593-611	2.1	19
12	Immunohistochemical evaluation of ras oncogene expression in pulmonary and pleural neoplasms. <i>Vigiliae Christianae</i> , 1987 , 53, 146-52	0.2	25
11	ras oncogene p21 as a tumor marker in the cytodiagnosis of gastric and colonic carcinomas. <i>Cancer</i> , 1987 , 60, 2432-6	6.4	27
10	Complementation of anti-CEA and anti-TAG-72 monoclonal antibodies in reactivity to human gastric adenocarcinomas. <i>International Journal of Cancer</i> , 1987 , 40, 726-33	7.5	47
9	A radioimmunoassay for the detection of a human tumor-associated glycoprotein (TAG-72) using monoclonal antibody B72.3. <i>International Journal of Cancer</i> , 1986 , 37, 659-66	7.5	54
8	Development of quantitative liquid competition radioimmunoassays for the ras oncogene and proto-oncogene p21 products. <i>International Journal of Cancer</i> , 1986 , 38, 587-95	7.5	7
7	Tumor-associated glycoprotein (TAG-72) detected in adenocarcinomas and benign lesions of the stomach. <i>International Journal of Cancer</i> , 1986 , 38, 643-50	7.5	46
6	Monoclonal antibody immunoradiometric assay for an antigenic determinant (CA 72) on a novel pancarcinoma antigen (TAG-72). <i>International Journal of Cancer</i> , 1986 , 38, 661-9	7.5	69
5	Tumor-associated antigen TAG-72: correlation of expression in primary and metastatic breast carcinoma lesions. <i>Breast Cancer Research and Treatment</i> , 1985 , 6, 49-56	4.4	24
4	Monoclonal antibody DF3 correlates with tumor differentiation and hormone receptor status in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 1985 , 5, 269-76	4.4	54
3	Monoclonal antibodies to breast cancer-associated antigens as potential reagents in the management of breast cancer. <i>Cancer</i> , 1984 , 54, 2777-94	6.4	46

- | | | |
|---|---|--------|
| 2 | Differential reactivity of a novel monoclonal antibody (DF3) with human malignant versus benign breast tumors. <i>Hybridoma</i> , 1984 , 3, 223-32 | 442 |
| 1 | Differential reactivity of monoclonal antibodies with human colon adenocarcinomas and adenomas. <i>International Journal of Cancer</i> , 1983 , 31, 543-52 | 75 168 |