
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1405805/publications.pdf Version: 2024-02-01



RIZU GELAVE

#	Article	lF	CITATIONS
1	Epidemiology of maternal depression, risk factors, and child outcomes in low-income and middle-income countries. Lancet Psychiatry,the, 2016, 3, 973-982.	7.4	673
2	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. Nature Communications, 2019, 10, 4558.	12.8	363
3	Validity of the patient health questionnaire-9 for depression screening and diagnosis in East Africa. Psychiatry Research, 2013, 210, 653-661.	3.3	327
4	Adverse childhood experiences are associated with adult sleep disorders: a systematic review. Sleep Medicine, 2015, 16, 320-330.	1.6	258
5	Diagnostic Validity of the Generalized Anxiety Disorder - 7 (GAD-7) among Pregnant Women. PLoS ONE, 2015, 10, e0125096.	2.5	173
6	Systematic review of burnout among healthcare providers in sub-Saharan Africa. BMC Public Health, 2019, 19, 1247.	2.9	124
7	Sleep quality and sleep patterns in relation to consumption of energy drinks, caffeinated beverages, and other stimulants among Thai college students. Sleep and Breathing, 2013, 17, 1017-1028.	1.7	115
8	Associations of Early Pregnancy Sleep Duration with Trimester-Specific Blood Pressures and Hypertensive Disorders in Pregnancy. Sleep, 2010, 33, 1363-1371.	1.1	114
9	Suicidal ideation in pregnancy: an epidemiologic review. Archives of Women's Mental Health, 2016, 19, 741-751.	2.6	111
10	Association of Childhood Physical and Sexual Abuse with Intimate Partner Violence, Poor General Health and Depressive Symptoms among Pregnant Women. PLoS ONE, 2015, 10, e0116609.	2.5	110
11	Comparative performance of Patient Health Questionnaire-9 and Edinburgh Postnatal Depression Scale for screening antepartum depression. Journal of Affective Disorders, 2014, 162, 1-7.	4.1	94
12	Body composition status and the risk of migraine. Neurology, 2017, 88, 1795-1804.	1.1	89
13	Validity of the posttraumatic stress disorders (PTSD) checklist in pregnant women. BMC Psychiatry, 2017, 17, 179.	2.6	82
14	Psychometric Properties of the Pittsburgh Sleep Quality Index (PSQI) in a Cohort of Peruvian Pregnant Women. Journal of Clinical Sleep Medicine, 2015, 11, 869-877.	2.6	79
15	Construct validity and factor structure of the Pittsburgh Sleep Quality Index among pregnant women in a Pacific-Northwest cohort. Sleep and Breathing, 2016, 20, 293-301.	1.7	79
16	Poor sleep quality, antepartum depression and suicidal ideation among pregnant women. Journal of Affective Disorders, 2017, 209, 195-200.	4.1	79
17	Cross-cultural validity of the Spanish version of PHQ-9 among pregnant Peruvian women: A Rasch item response theory analysis. Journal of Affective Disorders, 2014, 158, 148-153.	4.1	78
18	Sleep characteristics and health-related quality of life among a national sample of American young adults: assessment of possible health disparities. Quality of Life Research, 2014, 23, 613-625.	3.1	78

#	Article	IF	CITATIONS
19	Maternal Early Pregnancy Serum Metabolites and Risk of Gestational Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4348-4356.	3.6	76
20	Sleep-Disordered Breathing and Gestational Diabetes Mellitus. Diabetes Care, 2013, 36, 3353-3360.	8.6	75
21	Construct Validity and Factor Structure of the Pittsburgh Sleep Quality Index and Epworth Sleepiness Scale in a Multi-National Study of African, South East Asian and South American College Students. PLoS ONE, 2014, 9, e116383.	2.5	69
22	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	8.8	67
23	Prevalence of hypertension and diabetes among Ethiopian adults. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2012, 6, 36-41.	3.6	66
24	The Epidemiology of Sleep Quality, Sleep Patterns, Consumption of Caffeinated Beverages, and Khat Use among Ethiopian College Students. Sleep Disorders, 2012, 2012, 1-11.	1.4	66
25	Using the Patient Health Questionnaire (PHQ-9) and the Edinburgh Postnatal Depression Scale (EPDS) to assess suicidal ideation among pregnant women in Lima, Peru. Archives of Women's Mental Health, 2015, 18, 783-792.	2.6	66
26	A systematic review of randomized controlled trials of interventions designed to decrease child abuse in high-risk families. Child Abuse and Neglect, 2017, 65, 48-57.	2.6	66
27	History of childhood sexual abuse and risk of prenatal and postpartum depression or depressive symptoms: an epidemiologic review. Archives of Women's Mental Health, 2015, 18, 659-671.	2.6	63
28	Good quality sleep is associated with better academic performance among university students in Ethiopia. Sleep and Breathing, 2014, 18, 257-263.	1.7	57
29	Association between insulin resistance and c-reactive protein among Peruvian adults. Diabetology and Metabolic Syndrome, 2010, 2, 30.	2.7	52
30	Association of poor subjective sleep quality with suicidal ideation among pregnant Peruvian women. General Hospital Psychiatry, 2015, 37, 441-447.	2.4	52
31	Risk of spontaneous preterm birth in relation to maternal depressive, anxiety, and stress symptoms. Journal of reproductive medicine, The, 2013, 58, 25-33.	0.2	52
32	Risk of Spontaneous Preterm Birth in Relation to Maternal Exposure to Intimate Partner Violence During Pregnancy in Peru. Maternal and Child Health Journal, 2013, 17, 485-492.	1.5	49
33	Hair cortisol in relation to sociodemographic and lifestyle characteristics in a multiethnic US sample. Annals of Epidemiology, 2015, 25, 90-95.e2.	1.9	49
34	Low-coverage sequencing cost-effectively detects known and novel variation in underrepresented populations. American Journal of Human Genetics, 2021, 108, 656-668.	6.2	49
35	Concordance between self-reported pre-pregnancy body mass index (BMI) and BMI measured at the first prenatal study contact. BMC Pregnancy and Childbirth, 2016, 16, 187.	2.4	47
36	Eveningness Chronotype, Daytime Sleepiness, Caffeine Consumption, and Use of Other Stimulants Among Peruvian University Students. Journal of Caffeine Research, 2014, 4, 21-27.	0.9	46

#	Article	IF	CITATIONS
37	Screening pregnant women for suicidal behavior in electronic medical records: diagnostic codes vs. clinical notes processed by natural language processing. BMC Medical Informatics and Decision Making, 2018, 18, 30.	3.0	46
38	Psychometric properties and factor structure of the General Health Questionnaire as a screening tool for anxiety and depressive symptoms in a multi-national study of young adults. Journal of Affective Disorders, 2015, 187, 197-202.	4.1	43
39	Adverse obstetric and neonatal outcomes complicated by psychosis among pregnant women in the United States. BMC Pregnancy and Childbirth, 2018, 18, 120.	2.4	43
40	Association of social support and antepartum depression among pregnant women. Journal of Affective Disorders, 2020, 264, 201-205.	4.1	43
41	Depressive Symptoms Among Female College Students Experiencing Gender-Based Violence in Awassa, Ethiopia. Journal of Interpersonal Violence, 2009, 24, 464-481.	2.0	41
42	Comparison of Measures of Adiposity in Identifying Cardiovascular Disease Risk Among Ethiopian Adults. Obesity, 2012, 20, 1887-1895.	3.0	41
43	Daytime Sleepiness, Poor Sleep Quality, Eveningness Chronotype, and Common Mental Disorders Among Chilean College Students. Journal of American College Health, 2014, 62, 441-448.	1.5	40
44	Sleep quality, sleep patterns and consumption of energy drinks and other caffeinated beverages among Peruvian college students. Health, 2013, 05, 26-35.	0.3	39
45	Association of decreased serum brain-derived neurotrophic factor (BDNF) concentrations in early pregnancy with antepartum depression. BMC Psychiatry, 2015, 15, 43.	2.6	39
46	The Epidemiology of Sleep Quality and Consumption of Stimulant Beverages among Patagonian Chilean College Students. Sleep Disorders, 2013, 2013, 1-10.	1.4	38
47	Prevalence and risk factors of gestational diabetes mellitus: findings from a universal screening feasibility program in Lima, Peru. BMC Pregnancy and Childbirth, 2018, 18, 303.	2.4	38
48	Use of natural language processing in electronic medical records to identify pregnant women with suicidal behavior: towards a solution to the complex classification problem. European Journal of Epidemiology, 2019, 34, 153-162.	5.7	37
49	Sleep duration, vital exhaustion, and odds of spontaneous preterm birth: a case–control study. BMC Pregnancy and Childbirth, 2014, 14, 337.	2.4	36
50	Sleep Disturbances and Common Mental Disorders in College Students. Health Behavior and Policy Review, 2014, 1, 229-237.	0.4	35
51	High risk for obstructive sleep apnea and other sleep disorders among overweight and obese pregnant women. BMC Pregnancy and Childbirth, 2015, 15, 198.	2.4	35
52	Prevalence and Correlates of Mental Distress Among Working Adults in Ethiopia. Clinical Practice and Epidemiology in Mental Health, 2012, 8, 126-133.	1.2	34
53	Smoking and perceived stress in relation to short salivary telomere length among caregivers of children with disabilities. Stress, 2015, 18, 20-28.	1.8	33
54	Childhood sexual abuse and posttraumatic stress disorder among pregnant and postpartum women: review of the literature. Archives of Women's Mental Health, 2015, 18, 61-72.	2.6	33

#	Article	IF	CITATIONS
55	The association between maternal cortisol and depression during pregnancy, a systematic review. Archives of Women's Mental Health, 2018, 21, 43-53.	2.6	33
56	Association Between Intimate Partner Violence, Migraine and Probable Migraine. Headache, 2011, 51, 208-219.	3.9	32
57	Morningness/eveningness chronotype, poor sleep quality, and daytime sleepiness in relation to common mental disorders among Peruvian college students. Psychology, Health and Medicine, 2015, 20, 345-352.	2.4	32
58	Diagnostic validity of the Patient Health Questionnaire-2 (PHQ-2) among Ethiopian adults. Comprehensive Psychiatry, 2016, 70, 216-221.	3.1	32
59	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. Sleep, 2020, 43, .	1.1	32
60	Circadian rhythm characteristics, poor sleep quality, daytime sleepiness and common psychiatric disorders among Thai college students. Asia-Pacific Psychiatry, 2015, 7, 182-189.	2.2	31
61	Childhood abuse is associated with stress-related sleep disturbance and poor sleep quality in pregnancy. Sleep Medicine, 2015, 16, 1274-1280.	1.6	30
62	Stress and hair cortisol concentrations from preconception to the third trimester. Stress, 2019, 22, 60-69.	1.8	30
63	Placental Genome and Maternal-Placental Genetic Interactions: A Genome-Wide and Candidate Gene Association Study of Placental Abruption. PLoS ONE, 2014, 9, e116346.	2.5	29
64	Assessing validity of a depression screening instrument in the absence of a gold standard. Annals of Epidemiology, 2014, 24, 527-531.	1.9	28
65	Maternal history of childhood sexual abuse and preterm birth: an epidemiologic review. BMC Pregnancy and Childbirth, 2015, 15, 174.	2.4	28
66	Childhood abuse and suicidal ideation in a cohort of pregnant Peruvian women. American Journal of Obstetrics and Gynecology, 2016, 215, 501.e1-501.e8.	1.3	28
67	Caregivers' hair cortisol: a possible biomarker of chronic stress is associated with obesity measures among children with disabilities. BMC Pediatrics, 2015, 15, 9.	1.7	27
68	Polygenic prediction and GWAS of depression, PTSD, and suicidal ideation/self-harm in a Peruvian cohort. Neuropsychopharmacology, 2020, 45, 1595-1602.	5.4	27
69	Sleep disturbances and quality of life in Sub-Saharan African migraineurs. Journal of Headache and Pain, 2015, 16, 18.	6.0	25
70	Depression, anxiety and stress among pregnant migraineurs in a pacific-northwest cohort. Journal of Affective Disorders, 2015, 172, 390-396.	4.1	25
71	Association of suicidal ideation with poor sleep quality among Ethiopian adults. Sleep and Breathing, 2016, 20, 1319-1326.	1.7	25
72	A Randomized Trial of Ketorolac vs Sumatripan vs Placebo Nasal Spray (KSPN) for Acute Migraine. Headache, 2016, 56, 331-340.	3.9	24

#	Article	IF	CITATIONS
73	Childhood physical and sexual abuse experiences associated with post-traumatic stress disorder among pregnant women. Annals of Epidemiology, 2017, 27, 716-723.e1.	1.9	23
74	Association of antepartum depression, generalized anxiety, and posttraumatic stress disorder with infant birth weight and gestational age at delivery. Journal of Affective Disorders, 2020, 262, 310-316.	4.1	23
75	Adverse obstetric outcomes during delivery hospitalizations complicated by suicidal behavior among US pregnant women. PLoS ONE, 2018, 13, e0192943.	2.5	23
76	Daytime Sleepiness, Circadian Preference, Caffeine Consumption and Khat Use among College Students in Ethiopia. Journal of Sleep Disorders Treatment & Care, 2014, 03, .	0.1	22
77	lctal adipokines are associated with pain severity and treatment response in episodic migraine. Neurology, 2015, 84, 1409-1418.	1.1	22
78	Maternal intake of fried foods and risk of gestational diabetes mellitus. Annals of Epidemiology, 2017, 27, 384-390.e1.	1.9	22
79	SARS-CoV-2 morbidity and mortality in racial/ethnic minority populations: A window into the stress related inflammatory basis of health disparities?. Brain, Behavior, & Immunity - Health, 2020, 9, 100158.	2.5	22
80	Obstructive Sleep Apnea and Multiple Anthropometric Indices of General Obesity and Abdominal Obesity among Young Adults. International Journal of Social Science Studies, 2014, 2, 89-99.	0.1	22
81	Physical Activity and Metabolic Syndrome among Ethiopian Adults. American Journal of Hypertension, 2013, 26, 535-540.	2.0	21
82	Daytime sleepiness, circadian preference, caffeine consumption and use of other stimulants among Thai college students. Journal of Public Health and Epidemiology, 2014, 8, 202-210.	0.3	21
83	Childhood Abuse, Intimate Partner Violence and Risk of Migraine Among Pregnant Women: An Epidemiologic Study. Headache, 2016, 56, 976-986.	3.9	21
84	Major depressive disorder and suicidal behavior among urban dwelling Ethiopian adult outpatients at a general hospital. Journal of Affective Disorders, 2016, 197, 58-65.	4.1	21
85	Suicidal behavior-related hospitalizations among pregnant women in the USA, 2006–2012. Archives of Women's Mental Health, 2016, 19, 463-472.	2.6	21
86	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. Biological Psychiatry, 2022, 91, 626-636.	1.3	21
87	Increasing diversity in genomics requires investment in equitable partnerships and capacity building. Nature Genetics, 2022, 54, 740-745.	21.4	20
88	Risk of gestational diabetes mellitus in relation to maternal dietary calcium intake. Public Health Nutrition, 2017, 20, 1082-1089.	2.2	19
89	Association of stress-related sleep disturbance with psychiatric symptoms among pregnant women. Sleep Medicine, 2020, 70, 27-32.	1.6	19
90	Relationship between Poor Sleep Quality and Psychological Problems among Undergraduate Students in the Southern Thailand. Walailak Journal of Science and Technology, 2016, 13, 235-242.	0.5	19

BIZU GELAYE

#	Article	IF	CITATIONS
91	Migraine and Psychiatric Comorbidities Among Subâ€Saharan African Adults. Headache, 2013, 53, 310-321.	3.9	18
92	Risk of spontaneous preterm birth in relation to maternal experience of serious life events during pregnancy. International Journal of Women's Health, 2014, 6, 249.	2.6	18
93	Childhood Abuse and Early Menarche Among Peruvian Women. Journal of Adolescent Health, 2015, 56, 197-202.	2.5	18
94	Association of Migraine Headaches With Suicidal Ideation Among Pregnant Women in Lima, Peru. Headache, 2016, 56, 741-749.	3.9	18
95	Causal Model of the Association of Social Support With Antepartum Depression: A Marginal Structural Modeling Approach. American Journal of Epidemiology, 2018, 187, 1871-1879.	3.4	18
96	Maternal Early Pregnancy Serum Metabolomics Profile and Abnormal Vaginal Bleeding as Predictors of Placental Abruption: A Prospective Study. PLoS ONE, 2016, 11, e0156755.	2.5	18
97	Nocturnal cognitive hyperarousal, perinatal-focused rumination, and insomnia are associated with suicidal ideation in perinatal women with mild to moderate depression. Sleep Medicine, 2021, 81, 439-442.	1.6	17
98	Longitudinal Plasma Metabolomics Profile in Pregnancy—A Study in an Ethnically Diverse U.S. Pregnancy Cohort. Nutrients, 2021, 13, 3080.	4.1	17
99	Anger expression, negative life events and violent behaviour among male college students in Ethiopia. Scandinavian Journal of Public Health, 2008, 36, 538-545.	2.3	16
100	The Relationship between High Risk for Obstructive Sleep Apnea and General and Central Obesity: Findings from a Sample of Chilean College Students. ISRN Obesity, 2014, 2014, 1-8.	2.2	16
101	Dietary intake and urinary metals among pregnant women in the Pacific Northwest. Environmental Pollution, 2018, 236, 680-688.	7.5	16
102	Sleep disturbances among pregnant women with history of migraines: A cross-sectional study. Cephalalgia, 2015, 35, 1092-1102.	3.9	15
103	Trauma and traumatic stress in a sample of pregnant women. Psychiatry Research, 2017, 257, 506-513.	3.3	15
104	Genetic variations related to maternal whole blood mitochondrial DNA copy number: a genome-wide and candidate gene study. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 2433-2439.	1.5	15
105	Genetic variations and risk of placental abruption: A genome-wide association study and meta-analysis of genome-wide association studies. Placenta, 2018, 66, 8-16.	1.5	15
106	Abruptio placentae risk and genetic variations in mitochondrial biogenesis and oxidative phosphorylation: replication of a candidate gene association study. American Journal of Obstetrics and Gynecology, 2018, 219, 617.e1-617.e17.	1.3	15
107	Suicide risk assessment: examining transitions in suicidal behaviors among pregnant women in Perú. Archives of Women's Mental Health, 2019, 22, 65-73.	2.6	15
108	REACH for mental health in the COVID19 pandemic: an urgent call for public health action. Högre Utbildning, 2020, 11, 1762995.	3.0	15

#	Article	IF	CITATIONS
109	Intimate Partner Violence Is Associated with Stress-Related Sleep Disturbance and Poor Sleep Quality during Early Pregnancy. PLoS ONE, 2016, 11, e0152199.	2.5	14
110	Correlates of Violent Response Among Peruvian Women Abused by an Intimate Partner. Journal of Interpersonal Violence, 2010, 25, 136-151.	2.0	13
111	Short-term effects of particulate matter exposure on daily mortality in Thailand: a case-crossover study. Air Quality, Atmosphere and Health, 2018, 11, 639-647.	3.3	13
112	The psychometric properties of the 16-item version of the Prodromal Questionnaire (PQ-16) as a screening instrument for perinatal psychosis. Archives of Women's Mental Health, 2018, 21, 563-572.	2.6	13
113	Childhood abuse and adult-onset asthma among Peruvian women. Journal of Asthma, 2018, 55, 430-436.	1.7	13
114	Association Between Migraine and Suicidal Behaviors: A Nationwide Study in the USA. Headache, 2018, 58, 371-380.	3.9	13
115	Secular trends in stillbirth by maternal socioeconomic status in Spain 2007–15: a population-based study of 4 million births. European Journal of Public Health, 2019, 29, 1043-1048.	0.3	13
116	Association of antepartum suicidal ideation during the third trimester with infant birth weight and gestational age at delivery. Psychology, Health and Medicine, 2019, 24, 127-136.	2.4	13
117	High Risk for Obstructive Sleep Apnea in Relation to Hypertension Among Southeast Asian Young Adults: Role of Obesity as an Effect Modifier. American Journal of Hypertension, 2014, 27, 229-236.	2.0	12
118	Serum brain-derived neurotrophic factor (BDNF) concentrations in pregnant women with post-traumatic stress disorder and comorbid depression. Archives of Women's Mental Health, 2016, 19, 979-986.	2.6	12
119	Metabolomic markers of antepartum depression and suicidal ideation. Journal of Affective Disorders, 2020, 262, 422-428.	4.1	12
120	Fasting Lipid and Lipoproteins Concentrations in Pregnant Women With a History of Migraine. Headache, 2015, 55, 646-657.	3.9	11
121	Major depressive disorder and cardiometabolic disease risk among sub-Saharan African adults. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2015, 9, 183-191.	3.6	11
122	Trauma exposure and post-traumatic stress disorder in a cohort of pregnant Peruvian women. Archives of Women's Mental Health, 2018, 21, 193-202.	2.6	11
123	Psychometric properties of the Spanish version of the 10-item Connor Davidson Resilience Scale (CD-RISC) among adolescent mothers in Peru. Journal of Child and Adolescent Trauma, 2021, 14, 29-40.	1.9	11
124	School-based intervention: evaluating the role of water, latrines and hygiene education on trachoma and intestinal parasitic infections in Ethiopia. Journal of Water Sanitation and Hygiene for Development, 2014, 4, 120-130.	1.8	10
125	Circadian clock-related genetic risk scores and risk of placental abruption. Placenta, 2015, 36, 1480-1486.	1.5	10
126	Psychometric Evaluation of the Ford Insomnia Response to Stress Test (FIRST) in Early Pregnancy. Journal of Clinical Sleep Medicine, 2016, 12, 579-587.	2.6	10

BIZU GELAYE

#	Article	IF	CITATIONS
127	Associations of self-reported and objectively measured sleep disturbances with depression among primary caregivers of children with disabilities. Nature and Science of Sleep, 2016, 8, 181.	2.7	10
128	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10
129	The Use of Wearable Technology to Objectively Measure Sleep Quality and Physical Activity Among Pregnant Women in Urban Lima, Peru: A Pilot Feasibility Study. Maternal and Child Health Journal, 2020, 24, 823-828.	1.5	10
130	An evaluation of distal hair cortisol concentrations collected at delivery. Stress, 2018, 21, 355-365.	1.8	9
131	Physical Exertion Immediately Prior to Placental Abruption: A Case-Crossover Study. American Journal of Epidemiology, 2018, 187, 2073-2079.	3.4	9
132	Childhood abuse, intimate partner violence, and placental abruption among Peruvian women. Annals of Epidemiology, 2019, 31, 26-31.	1.9	9
133	Evaluation of actigraphy-measured sleep patterns among children with disabilities and associations with caregivers' educational attainment: results from a cross-sectional study. BMJ Open, 2015, 5, e008589.	1.9	8
134	Construct validity and factor structure of a Spanish-language Social Support Questionnaire during early pregnancy. International Journal of Women's Health, 2018, Volume 10, 379-385.	2.6	8
135	Psychometric properties and factor structure of the Kessler-10 among Ethiopian adults. Journal of Affective Disorders, 2022, 303, 180-186.	4.1	8
136	A Systematic Review of Interventions That Integrate Perinatal Mental Health Care Into Routine Maternal Care in Low- and Middle-Income Countries. Frontiers in Psychiatry, 2022, 13, 859341.	2.6	8
137	Attitudes, beliefs, and perceptions of caregivers and rehabilitation providers about disabled children's sleep health: a qualitative study. BMC Pediatrics, 2014, 14, 245.	1.7	7
138	Association between migraine and suicidal behavior among Ethiopian adults. BMC Psychiatry, 2018, 18, 46.	2.6	7
139	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ ^{°,} control study. Psychological Medicine, 2022, 52, 3668-3676.	4.5	7
140	Traumatic experiences assessed with the life events checklist for Kenyan adults. Journal of Affective Disorders, 2022, 303, 161-167.	4.1	7
141	Placental telomere length and risk of placental abruption. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 2767-2772.	1.5	6
142	Correlates of early pregnancy serum brain-derived neurotrophic factor in a Peruvian population. Archives of Women's Mental Health, 2017, 20, 777-785.	2.6	6
143	Validation of the patient health Questionnaire-9 (PHQ-9) for detecting depression among pregnant women in Lima, Peru. Current Psychology, 2022, 41, 3797-3805.	2.8	6
144	Measuring psychological distress using the K10 in Kenya. Journal of Affective Disorders, 2022, 303, 155-160.	4.1	6

BIZU GELAYE

#	Article	IF	CITATIONS
145	Resilience mediates the relationship between household dysfunction in childhood and postpartum depression in adolescent mothers in Peru. Comprehensive Psychiatry, 2021, 104, 152215.	3.1	5
146	Cross-country variations in the reporting of psychotic symptoms among sub-Saharan African adults: A psychometric evaluation of the Psychosis Screening Questionnaire. Journal of Affective Disorders, 2022, 304, 85-92.	4.1	5
147	The Intergenerational Impact of Prenatal Stress: Time to Focus on Prevention?. Biological Psychiatry, 2018, 83, 92-93.	1.3	4
148	Evaluating the performance of the Pain Interference Index and the Short Form McGill Pain Questionnaire among Chilean injured working adults. PLoS ONE, 2022, 17, e0268672.	2.5	4
149	Migraine and the risk of post-traumatic stress disorder among a cohort of pregnant women. Journal of Headache and Pain, 2017, 18, 67.	6.0	3
150	Associations of antepartum suicidal behaviour with adverse infant and obstetric outcomes. Paediatric and Perinatal Epidemiology, 2019, 33, 137-144.	1.7	3
151	Maternal-fetal genetic interactions, imprinting, and risk of placental abruption. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 3473-3482.	1.5	3
152	Association between omentin-1 and indices of glucose metabolism in early pregnancy: a pilot study. Archives of Gynecology and Obstetrics, 2022, 305, 589-596.	1.7	3
153	Risk of Common Mental Disorders in Relation to Symptoms of Obstructive Sleep Apnea Syndrome among Ethiopian College Students. Journal of Sleep Disorders Treatment & Care, 2015, 04, .	0.1	2
154	Relation of outbursts of anger and the acute risk of placental abruption: A caseâ€crossover study. Paediatric and Perinatal Epidemiology, 2019, 33, 405-411.	1.7	2
155	Immediate risk of myocardial infarction following physical exertion, tea, and coffee: A case-crossover study in Thailand. PLoS ONE, 2019, 14, e0210959.	2.5	2
156	Associations between adverse childhood experiences and migraine among teenage mothers in Peru. Journal of Psychosomatic Research, 2021, 147, 110507.	2.6	2
157	Construct validity and factor structure of the K-10 among Ugandan adults. Journal of Affective Disorders, 2022, 311, 143-147.	4.1	2
158	Poor sleep Quality and Obstructive Sleep Apnea are Associated with Maternal Mood, and Anxiety Disorders in Pregnancy. Maternal and Child Health Journal, 0, , .	1.5	2
159	Association between Ancestry-Specific 6q25 Variants and Breast Cancer Subtypes in Peruvian Women. Cancer Epidemiology Biomarkers and Prevention, 0, , OF1-OF8.	2.5	2
160	Physical Exertion Immediately Before Early Preterm Delivery. Epidemiology, 2019, 30, 582-589.	2.7	1
161	Longitudinal Metabolomic Profile Trajectories in Healthy Pregnancy and Variation by BMI and Fetal Sex. Current Developments in Nutrition, 2020, 4, nzaa054_113.	0.3	1
162	How Early Life Adversities Influence Later Life Family Interactions for Individuals with Schizophrenia in Outpatient Treatment: A Qualitative Analysis. Community Mental Health Journal, 2020, 56, 1188-1200.	2.0	1

#	Article	IF	CITATIONS
163	Mobile Technology Access and Use Among Adolescent Mothers in Lima, Peru: Mixed Methods Study. JMIR Pediatrics and Parenting, 2021, 4, e30240.	1.6	1
164	Author response to: Sleep and beverage drinking among Thai college students. Sleep and Breathing, 2013, 17, 897-897.	1.7	0
165	Chahal et al. Respond to "Physical Exertion and Placental Abruption― American Journal of Epidemiology, 2018, 187, 2083-2084.	3.4	0
166	Interconnections in Violence Over the Life Course. JAMA Internal Medicine, 2019, 179, 896.	5.1	0
167	Association of morningness-eveningness with psychiatric symptoms among pregnant women. Chronobiology International, 2022, , 1-7.	2.0	0
168	Comparative Performance of the Resilience Inventory (IRES) and Resilience Scale-14 (RS-14) Spanish Versions Among Postpartum Adolescent Mothers. Journal of Child and Adolescent Trauma, 0, , 1.	1.9	0