

Bizu Gelaye

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1405805/bizu-gelaye-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

4,154
citations

35
h-index

57
g-index

173
ext. papers

5,327
ext. citations

4.6
avg, IF

5.67
L-index

#	Paper	IF	Citations
165	Psychometric Properties and Factor Structure of the Kessler-10 among Ethiopian Adults.. <i>Journal of Affective Disorders</i> , 2022 , 303, 180-180	6.6	0
164	Measuring psychological distress using the K10 in Kenya.. <i>Journal of Affective Disorders</i> , 2022 ,	6.6	1
163	Traumatic Experiences Assessed with the Life Events Checklist for Kenyan Adults.. <i>Journal of Affective Disorders</i> , 2022 , 303, 161-161	6.6	2
162	Association of morningness-eveningness with psychiatric symptoms among pregnant women.. <i>Chronobiology International</i> , 2022 , 1-7	3.6	
161	A Systematic Review of Interventions That Integrate Perinatal Mental Health Care Into Routine Maternal Care in Low- and Middle-Income Countries.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 859341	5	0
160	Evaluating the performance of the Pain Interference Index and the Short Form McGill Pain Questionnaire among Chilean injured working adults.. <i>PLoS ONE</i> , 2022 , 17, e0268672	3.7	1
159	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
158	Low-coverage sequencing cost-effectively detects known and novel variation in underrepresented populations. <i>American Journal of Human Genetics</i> , 2021 , 108, 656-668	11	10
157	Nocturnal cognitive hyperarousal, perinatal-focused rumination, and insomnia are associated with suicidal ideation in perinatal women with mild to moderate depression. <i>Sleep Medicine</i> , 2021 , 81, 439-442	4.6	4
156	Resilience mediates the relationship between household dysfunction in childhood and postpartum depression in adolescent mothers in Peru. <i>Comprehensive Psychiatry</i> , 2021 , 104, 152215	7.3	1
155	Psychometric properties of the Spanish version of the 10-item Connor Davidson Resilience Scale (CD-RISC) among adolescent mothers in Peru. <i>Journal of Child and Adolescent Trauma</i> , 2021 , 14, 29-40	1.5	4
154	Association between omentin-1 and indices of glucose metabolism in early pregnancy: a pilot study. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	
153	Associations between adverse childhood experiences and migraine among teenage mothers in Peru. <i>Journal of Psychosomatic Research</i> , 2021 , 147, 110507	4.1	
152	Longitudinal Plasma Metabolomics Profile in Pregnancy-A Study in an Ethnically Diverse U.S. Pregnancy Cohort. <i>Nutrients</i> , 2021 , 13,	6.7	1
151	Mobile Technology Access and Use Among Adolescent Mothers in Lima, Peru: Mixed Methods Study. <i>JMIR Pediatrics and Parenting</i> , 2021 , 4, e30240	4.2	
150	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
149	How Early Life Adversities Influence Later Life Family Interactions for Individuals with Schizophrenia in Outpatient Treatment: A Qualitative Analysis. <i>Community Mental Health Journal</i> , 2020 , 56, 1188-1200	2.1	1

148	The Use of Wearable Technology to Objectively Measure Sleep Quality and Physical Activity Among Pregnant Women in Urban Lima, Peru: A Pilot Feasibility Study. <i>Maternal and Child Health Journal</i> , 2020 , 24, 823-828	2.4	2
147	Validation of the patient health Questionnaire-9 (PHQ-9) for detecting depression among pregnant women in Lima, Peru. <i>Current Psychology</i> , 2020 , 1	1.4	1
146	Association of stress-related sleep disturbance with psychiatric symptoms among pregnant women. <i>Sleep Medicine</i> , 2020 , 70, 27-32	4.6	8
145	Polygenic prediction and GWAS of depression, PTSD, and suicidal ideation/self-harm in a Peruvian cohort. <i>Neuropsychopharmacology</i> , 2020 , 45, 1595-1602	8.7	9
144	Association of antepartum depression, generalized anxiety, and posttraumatic stress disorder with infant birth weight and gestational age at delivery. <i>Journal of Affective Disorders</i> , 2020 , 262, 310-316	6.6	11
143	Metabolomic markers of antepartum depression and suicidal ideation. <i>Journal of Affective Disorders</i> , 2020 , 262, 422-428	6.6	10
142	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
141	Association of social support and antepartum depression among pregnant women. <i>Journal of Affective Disorders</i> , 2020 , 264, 201-205	6.6	22
140	Maternal-fetal genetic interactions, imprinting, and risk of placental abruption. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-10	2	1
139	SARS-CoV-2 morbidity and mortality in racial/ethnic minority populations: A window into the stress related inflammatory basis of health disparities?. <i>Brain, Behavior, & Immunity - Health</i> , 2020 , 9, 100158	5.1	11
138	Longitudinal Metabolomic Profile Trajectories in Healthy Pregnancy and Variation by BMI and Fetal Sex. <i>Current Developments in Nutrition</i> , 2020 , 4, 1041-1041	0.4	0
137	REACH for mental health in the COVID19 pandemic: an urgent call for public health action. <i>Høge Utbildning</i> , 2020 , 11, 1762995	5	8
136	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
135	Relation of outbursts of anger and the acute risk of placental abruption: A case-crossover study. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 405-411	2.7	0
134	Systematic review of burnout among healthcare providers in sub-Saharan Africa. <i>BMC Public Health</i> , 2019 , 19, 1247	4.1	48
133	Immediate risk of myocardial infarction following physical exertion, tea, and coffee: A case-crossover study in Thailand. <i>PLoS ONE</i> , 2019 , 14, e0210959	3.7	1
132	Interconnections in Violence Over the Life Course: From Cradle to Grave. <i>JAMA Internal Medicine</i> , 2019 , 179, 896-897	11.5	
131	Associations of antepartum suicidal behaviour with adverse infant and obstetric outcomes. <i>Paediatric and Perinatal Epidemiology</i> , 2019 , 33, 137-144	2.7	1

130	Suicide risk assessment: examining transitions in suicidal behaviors among pregnant women in Peru. <i>Archives of Women's Mental Health</i> , 2019 , 22, 65-73	5	6
129	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
128	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
127	Secular trends in stillbirth by maternal socioeconomic status in Spain 2007-15: a population-based study of 4 million births. <i>European Journal of Public Health</i> , 2019 , 29, 1043-1048	2.1	6
126	Childhood abuse, intimate partner violence, and placental abruption among Peruvian women. <i>Annals of Epidemiology</i> , 2019 , 31, 26-31	6.4	4
125	Physical Exertion Immediately Before Early Preterm Delivery: A Case-Crossover Study. <i>Epidemiology</i> , 2019 , 30, 582-589	3.1	1
124	Stress and hair cortisol concentrations from preconception to the third trimester. <i>Stress</i> , 2019 , 22, 60-69		15
123	Association of antepartum suicidal ideation during the third trimester with infant birth weight and gestational age at delivery. <i>Psychology, Health and Medicine</i> , 2019 , 24, 127-136	2.1	4
122	Use of natural language processing in electronic medical records to identify pregnant women with suicidal behavior: towards a solution to the complex classification problem. <i>European Journal of Epidemiology</i> , 2019 , 34, 153-162	12.1	16
121	Short-term effects of particulate matter exposure on daily mortality in Thailand: a case-crossover study. <i>Air Quality, Atmosphere and Health</i> , 2018 , 11, 639-647	5.6	12
120	Genetic variations and risk of placental abruption: A genome-wide association study and meta-analysis of genome-wide association studies. <i>Placenta</i> , 2018 , 66, 8-16	3.4	9
119	An evaluation of distal hair cortisol concentrations collected at delivery. <i>Stress</i> , 2018 , 21, 355-365	3	5
118	Causal Model of the Association of Social Support With Antepartum Depression: A Marginal Structural Modeling Approach. <i>American Journal of Epidemiology</i> , 2018 , 187, 1871-1879	3.8	11
117	The psychometric properties of the 16-item version of the Prodromal Questionnaire (PQ-16) as a screening instrument for perinatal psychosis. <i>Archives of Women's Mental Health</i> , 2018 , 21, 563-572	5	4
116	Dietary intake and urinary metals among pregnant women in the Pacific Northwest. <i>Environmental Pollution</i> , 2018 , 236, 680-688	9.3	6
115	Childhood abuse and adult-onset asthma among Peruvian women. <i>Journal of Asthma</i> , 2018 , 55, 430-436	1.9	9
114	The association between maternal cortisol and depression during pregnancy, a systematic review. <i>Archives of Women's Mental Health</i> , 2018 , 21, 43-53	5	26
113	Trauma exposure and post-traumatic stress disorder in a cohort of pregnant Peruvian women. <i>Archives of Women's Mental Health</i> , 2018 , 21, 193-202	5	8

112	Chahal et al. Respond to "Physical Exertion and Placental Abruption". <i>American Journal of Epidemiology</i> , 2018 , 187, 2083-2084	3.8	
111	Physical Exertion Immediately Prior to Placental Abruption: A Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2018 , 187, 2073-2079	3.8	5
110	Prevalence and risk factors of gestational diabetes mellitus: findings from a universal screening feasibility program in Lima, Peru. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 303	3.2	18
109	Adverse obstetric and neonatal outcomes complicated by psychosis among pregnant women in the United States. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 120	3.2	22
108	Association between migraine and suicidal behavior among Ethiopian adults. <i>BMC Psychiatry</i> , 2018 , 18, 46	4.2	4
107	Screening pregnant women for suicidal behavior in electronic medical records: diagnostic codes vs. clinical notes processed by natural language processing. <i>BMC Medical Informatics and Decision Making</i> , 2018 , 18, 30	3.6	25
106	Adverse obstetric outcomes during delivery hospitalizations complicated by suicidal behavior among US pregnant women. <i>PLoS ONE</i> , 2018 , 13, e0192943	3.7	19
105	The Intergenerational Impact of Prenatal Stress: Time to Focus on Prevention?. <i>Biological Psychiatry</i> , 2018 , 83, 92-93	7.9	4
104	Association Between Migraine and Suicidal Behaviors: A Nationwide Study in the USA. <i>Headache</i> , 2018 , 58, 371-380	4.2	9
103	Abruption placentae risk and genetic variations in mitochondrial biogenesis and oxidative phosphorylation: replication of a candidate gene association study. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 617.e1-617.e17	6.4	8
102	Construct validity and factor structure of a Spanish-language Social Support Questionnaire during early pregnancy. <i>International Journal of Women's Health</i> , 2018 , 10, 379-385	2.8	4
101	A systematic review of randomized controlled trials of interventions designed to decrease child abuse in high-risk families. <i>Child Abuse and Neglect</i> , 2017 , 65, 48-57	4.3	50
100	Body composition status and the risk of migraine: A meta-analysis. <i>Neurology</i> , 2017 , 88, 1795-1804	6.5	63
99	Maternal intake of fried foods and risk of gestational diabetes mellitus. <i>Annals of Epidemiology</i> , 2017 , 27, 384-390.e1	6.4	17
98	Risk of gestational diabetes mellitus in relation to maternal dietary calcium intake. <i>Public Health Nutrition</i> , 2017 , 20, 1082-1089	3.3	11
97	Childhood physical and sexual abuse experiences associated with post-traumatic stress disorder among pregnant women. <i>Annals of Epidemiology</i> , 2017 , 27, 716-723.e1	6.4	14
96	Migraine and the risk of post-traumatic stress disorder among a cohort of pregnant women. <i>Journal of Headache and Pain</i> , 2017 , 18, 67	8.8	1
95	Trauma and traumatic stress in a sample of pregnant women. <i>Psychiatry Research</i> , 2017 , 257, 506-513	9.9	11

94	Correlates of early pregnancy serum brain-derived neurotrophic factor in a Peruvian population. <i>Archives of Women's Mental Health</i> , 2017 , 20, 777-785	5	3
93	Validity of the posttraumatic stress disorders (PTSD) checklist in pregnant women. <i>BMC Psychiatry</i> , 2017 , 17, 179	4.2	39
92	Genetic variations related to maternal whole blood mitochondrial DNA copy number: a genome-wide and candidate gene study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 2433-2439 ⁹		
91	Poor sleep quality, antepartum depression and suicidal ideation among pregnant women. <i>Journal of Affective Disorders</i> , 2017 , 209, 195-200	6.6	46
90	Psychometric Evaluation of the Ford Insomnia Response to Stress Test (FIRST) in Early Pregnancy. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 579-87	3.1	7
89	Diagnostic validity of the Patient Health Questionnaire-2 (PHQ-2) among Ethiopian adults. <i>Comprehensive Psychiatry</i> , 2016 , 70, 216-21	7.3	19
88	Epidemiology of maternal depression, risk factors, and child outcomes in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2016 , 3, 973-982	23.3	427
87	Association of suicidal ideation with poor sleep quality among Ethiopian adults. <i>Sleep and Breathing</i> , 2016 , 20, 1319-1326	3.1	19
86	Concordance between self-reported pre-pregnancy body mass index (BMI) and BMI measured at the first prenatal study contact. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 187	3.2	37
85	Suicidal ideation in pregnancy: an epidemiologic review. <i>Archives of Women's Mental Health</i> , 2016 , 19, 741-51	5	80
84	Association of Migraine Headaches With Suicidal Ideation Among Pregnant Women in Lima, Peru. <i>Headache</i> , 2016 , 56, 741-9	4.2	11
83	Major depressive disorder and suicidal behavior among urban dwelling Ethiopian adult outpatients at a general hospital. <i>Journal of Affective Disorders</i> , 2016 , 197, 58-65	6.6	16
82	Suicidal behavior-related hospitalizations among pregnant women in the USA, 2006-2012. <i>Archives of Women's Mental Health</i> , 2016 , 19, 463-72	5	18
81	Placental telomere length and risk of placental abruption. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2767-72	2	3
80	Intimate Partner Violence Is Associated with Stress-Related Sleep Disturbance and Poor Sleep Quality during Early Pregnancy. <i>PLoS ONE</i> , 2016 , 11, e0152199	3.7	11
79	Maternal Early Pregnancy Serum Metabolomics Profile and Abnormal Vaginal Bleeding as Predictors of Placental Abruption: A Prospective Study. <i>PLoS ONE</i> , 2016 , 11, e0156755	3.7	12
78	Relationship between Poor Sleep Quality and Psychological Problems among Undergraduate Students in the Southern Thailand. <i>Walailak Journal of Science and Technology</i> , 2016 , 13, 235-242	1.5	17
77	Associations of self-reported and objectively measured sleep disturbances with depression among primary caregivers of children with disabilities. <i>Nature and Science of Sleep</i> , 2016 , 8, 181-8	3.6	7

76	Childhood Abuse, Intimate Partner Violence and Risk of Migraine Among Pregnant Women: An Epidemiologic Study. <i>Headache</i> , 2016 , 56, 976-86	4.2	11
75	A Randomized Trial of Ketorolac vs. Sumatripan vs. Placebo Nasal Spray (KSPN) for Acute Migraine. <i>Headache</i> , 2016 , 56, 331-40	4.2	18
74	Serum brain-derived neurotrophic factor (BDNF) concentrations in pregnant women with post-traumatic stress disorder and comorbid depression. <i>Archives of Women's Mental Health</i> , 2016 , 19, 979-986	5	9
73	Construct validity and factor structure of the Pittsburgh Sleep Quality Index among pregnant women in a Pacific-Northwest cohort. <i>Sleep and Breathing</i> , 2016 , 20, 293-301	3.1	51
72	Childhood abuse and suicidal ideation in a cohort of pregnant Peruvian women. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 501.e1-8	6.4	18
71	Circadian rhythm characteristics, poor sleep quality, daytime sleepiness and common psychiatric disorders among Thai college students. <i>Asia-Pacific Psychiatry</i> , 2015 , 7, 182-9	3.2	18
70	Morningness/eveningness chronotype, poor sleep quality, and daytime sleepiness in relation to common mental disorders among Peruvian college students. <i>Psychology, Health and Medicine</i> , 2015 , 20, 345-52	2.1	21
69	Childhood sexual abuse and posttraumatic stress disorder among pregnant and postpartum women: review of the literature. <i>Archives of Women's Mental Health</i> , 2015 , 18, 61-72	5	22
68	Childhood abuse is associated with stress-related sleep disturbance and poor sleep quality in pregnancy. <i>Sleep Medicine</i> , 2015 , 16, 1274-80	4.6	25
67	Fasting lipid and lipoproteins concentrations in pregnant women with a history of migraine. <i>Headache</i> , 2015 , 55, 646-57	4.2	9
66	Adverse childhood experiences are associated with adult sleep disorders: a systematic review. <i>Sleep Medicine</i> , 2015 , 16, 320-30	4.6	167
65	Using the Patient Health Questionnaire (PHQ-9) and the Edinburgh Postnatal Depression Scale (EPDS) to assess suicidal ideation among pregnant women in Lima, Peru. <i>Archives of Women's Mental Health</i> , 2015 , 18, 783-92	5	50
64	Ictal adipokines are associated with pain severity and treatment response in episodic migraine. <i>Neurology</i> , 2015 , 84, 1409-18	6.5	19
63	Sleep disturbances and quality of life in Sub-Saharan African migraineurs. <i>Journal of Headache and Pain</i> , 2015 , 16, 18	8.8	19
62	Caregivers' cortisol: a possible biomarker of chronic stress is associated with obesity measures among children with disabilities. <i>BMC Pediatrics</i> , 2015 , 15, 9	2.6	22
61	Association of decreased serum brain-derived neurotrophic factor (BDNF) concentrations in early pregnancy with antepartum depression. <i>BMC Psychiatry</i> , 2015 , 15, 43	4.2	35
60	Sleep disturbances among pregnant women with history of migraines: A cross-sectional study. <i>Cephalalgia</i> , 2015 , 35, 1092-102	6.1	13
59	History of childhood sexual abuse and risk of prenatal and postpartum depression or depressive symptoms: an epidemiologic review. <i>Archives of Women's Mental Health</i> , 2015 , 18, 659-71	5	52

58	Psychometric properties and factor structure of the General Health Questionnaire as a screening tool for anxiety and depressive symptoms in a multi-national study of young adults. <i>Journal of Affective Disorders</i> , 2015 , 187, 197-202	6.6	28
57	Maternal Early Pregnancy Serum Metabolites and Risk of Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4348-56	5.6	46
56	Major depressive disorder and cardiometabolic disease risk among sub-Saharan African adults. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015 , 9, 183-91	8.9	8
55	Maternal history of childhood sexual abuse and preterm birth: an epidemiologic review. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 174	3.2	19
54	Depression, anxiety and stress among pregnant migraineurs in a pacific-northwest cohort. <i>Journal of Affective Disorders</i> , 2015 , 172, 390-6	6.6	19
53	Circadian clock-related genetic risk scores and risk of placental abruption. <i>Placenta</i> , 2015 , 36, 1480-6	3.4	8
52	Evaluation of actigraphy-measured sleep patterns among children with disabilities and associations with caregiversEducational attainment: results from a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e008589	3.3	4
51	High risk for obstructive sleep apnea and other sleep disorders among overweight and obese pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 198	3.2	26
50	Risk of Common Mental Disorders in Relation to Symptoms of Obstructive Sleep Apnea Syndrome among Ethiopian College Students. <i>Journal of Sleep Disorders-- Treatment & Care</i> , 2015 , 4,		2
49	Diagnostic Validity of the Generalized Anxiety Disorder - 7 (GAD-7) among Pregnant Women. <i>PLoS ONE</i> , 2015 , 10, e0125096	3.7	100
48	Psychometric Properties of the Pittsburgh Sleep Quality Index (PSQI) in a Cohort of Peruvian Pregnant Women. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 869-77	3.1	48
47	Association of poor subjective sleep quality with suicidal ideation among pregnant Peruvian women. <i>General Hospital Psychiatry</i> , 2015 , 37, 441-7	5.6	38
46	Childhood abuse and early menarche among Peruvian women. <i>Journal of Adolescent Health</i> , 2015 , 56, 197-202	5.8	14
45	Hair cortisol in relation to sociodemographic and lifestyle characteristics in a multiethnic US sample. <i>Annals of Epidemiology</i> , 2015 , 25, 90-5, 95.e1-2	6.4	37
44	Smoking and perceived stress in relation to short salivary telomere length among caregivers of children with disabilities. <i>Stress</i> , 2015 , 18, 20-8	3	28
43	Association of childhood physical and sexual abuse with intimate partner violence, poor general health and depressive symptoms among pregnant women. <i>PLoS ONE</i> , 2015 , 10, e0116609	3.7	90
42	Good quality sleep is associated with better academic performance among university students in Ethiopia. <i>Sleep and Breathing</i> , 2014 , 18, 257-63	3.1	34
41	Eveningness Chronotype, Daytime Sleepiness, Caffeine Consumption, and Use of Other Stimulants Among Peruvian University Students. <i>Journal of Caffeine Research</i> , 2014 , 4, 21-27		35

40	Comparative performance of Patient Health Questionnaire-9 and Edinburgh Postnatal Depression Scale for screening antepartum depression. <i>Journal of Affective Disorders</i> , 2014 , 162, 1-7	6.6	71
39	Daytime sleepiness, poor sleep quality, eveningness chronotype, and common mental disorders among Chilean college students. <i>Journal of American College Health</i> , 2014 , 62, 441-8	2.2	26
38	School-Based Intervention: Evaluating the role of Water, Latrines and Hygiene Education on Trachoma and Intestinal Parasitic Infections in Ethiopia. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2014 , 4, 120-130	1.5	6
37	Sleep Disturbances and Common Mental Disorders in College Students. <i>Health Behavior and Policy Review</i> , 2014 , 1, 229-237	1.2	29
36	Daytime Sleepiness, Circadian Preference, Caffeine Consumption and Use of Other Stimulants among Thai College Students. <i>Journal of Public Health and Epidemiology</i> , 2014 , 8, 202-210	0.3	18
35	Risk of spontaneous preterm birth in relation to maternal experience of serious life events during pregnancy. <i>International Journal of Women's Health</i> , 2014 , 6, 249-57	2.8	15
34	Attitudes, beliefs, and perceptions of caregivers and rehabilitation providers about disabled children's sleep health: a qualitative study. <i>BMC Pediatrics</i> , 2014 , 14, 245	2.6	6
33	Sleep duration, vital exhaustion, and odds of spontaneous preterm birth: a case-control study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 337	3.2	31
32	The Relationship between High Risk for Obstructive Sleep Apnea and General and Central Obesity: Findings from a Sample of Chilean College Students. <i>ISRN Obesity</i> , 2014 , 2014, 871681		13
31	High risk for obstructive sleep apnea in relation to hypertension among southeast Asian young adults: role of obesity as an effect modifier. <i>American Journal of Hypertension</i> , 2014 , 27, 229-36	2.3	5
30	Assessing validity of a depression screening instrument in the absence of a gold standard. <i>Annals of Epidemiology</i> , 2014 , 24, 527-31	6.4	20
29	Cross-cultural validity of the Spanish version of PHQ-9 among pregnant Peruvian women: a Rasch item response theory analysis. <i>Journal of Affective Disorders</i> , 2014 , 158, 148-53	6.6	63
28	Sleep characteristics and health-related quality of life among a national sample of American young adults: assessment of possible health disparities. <i>Quality of Life Research</i> , 2014 , 23, 613-25	3.7	58
27	Obstructive Sleep Apnea and Multiple Anthropometric Indices of General Obesity and Abdominal Obesity among Young Adults. <i>International Journal of Social Science Studies</i> , 2014 , 2, 89-99	3	11
26	Placental genome and maternal-placental genetic interactions: a genome-wide and candidate gene association study of placental abruption. <i>PLoS ONE</i> , 2014 , 9, e116346	3.7	22
25	Construct validity and factor structure of the pittsburgh sleep quality index and epworth sleepiness scale in a multi-national study of African, South East Asian and South American college students. <i>PLoS ONE</i> , 2014 , 9, e116383	3.7	44
24	Risk of spontaneous preterm birth in relation to maternal exposure to intimate partner violence during pregnancy in Peru. <i>Maternal and Child Health Journal</i> , 2013 , 17, 485-92	2.4	39
23	Author response to: Sleep and beverage drinking among Thai college students. <i>Sleep and Breathing</i> , 2013 , 17, 897	3.1	

22	Sleep quality and sleep patterns in relation to consumption of energy drinks, caffeinated beverages, and other stimulants among Thai college students. <i>Sleep and Breathing</i> , 2013 , 17, 1017-28	3.1	81
21	Sleep-disordered breathing and gestational diabetes mellitus: a meta-analysis of 9,795 participants enrolled in epidemiological observational studies. <i>Diabetes Care</i> , 2013 , 36, 3353-60	14.6	61
20	Validity of the Patient Health Questionnaire-9 for depression screening and diagnosis in East Africa. <i>Psychiatry Research</i> , 2013 , 210, 653-61	9.9	242
19	Daytime Sleepiness, Circadian Preference, Caffeine Consumption and Khat Use among College Students in Ethiopia. <i>Journal of Sleep Disorders-- Treatment & Care</i> , 2013 , 3,		18
18	Physical activity and metabolic syndrome among Ethiopian adults. <i>American Journal of Hypertension</i> , 2013 , 26, 535-40	2.3	17
17	The Epidemiology of Sleep Quality and Consumption of Stimulant Beverages among Patagonian Chilean College Students. <i>Sleep Disorders</i> , 2013 , 2013, 910104	1.7	32
16	Migraine and psychiatric comorbidities among sub-saharan african adults. <i>Headache</i> , 2013 , 53, 310-21	4.2	17
15	Sleep Quality, Sleep Patterns and Consumption of Energy Drinks and Other Caffeinated Beverages among Peruvian College Students. <i>Health</i> , 2013 , 5, 26-35	0.4	28
14	Risk of spontaneous preterm birth in relation to maternal depressive, anxiety, and stress symptoms. <i>Journal of reproductive medicine, The</i> , 2013 , 58, 25-33		45
13	Prevalence of hypertension and diabetes among Ethiopian adults. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2012 , 6, 36-41	8.9	57
12	The Epidemiology of Sleep Quality, Sleep Patterns, Consumption of Caffeinated Beverages, and Khat Use among Ethiopian College Students. <i>Sleep Disorders</i> , 2012 , 2012, 583510	1.7	51
11	Prevalence and correlates of mental distress among working adults in ethiopia. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012 , 8, 126-33	3.2	30
10	Comparison of measures of adiposity in identifying cardiovascular disease risk among Ethiopian adults. <i>Obesity</i> , 2012 , 20, 1887-95	8	34
9	Association between intimate partner violence, migraine and probable migraine. <i>Headache</i> , 2011 , 51, 208-19	4.2	23
8	Associations of early pregnancy sleep duration with trimester-specific blood pressures and hypertensive disorders in pregnancy. <i>Sleep</i> , 2010 , 33, 1363-71	1.1	97
7	Correlates of violent response among Peruvian women abused by an intimate partner. <i>Journal of Interpersonal Violence</i> , 2010 , 25, 136-51	2.2	12
6	Association between insulin resistance and c-reactive protein among Peruvian adults. <i>Diabetology and Metabolic Syndrome</i> , 2010 , 2, 30	5.6	41
5	Depressive symptoms among female college students experiencing gender-based violence in Awassa, Ethiopia. <i>Journal of Interpersonal Violence</i> , 2009 , 24, 464-81	2.2	33

4	Anger expression, negative life events and violent behaviour among male college students in Ethiopia. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 538-45	3	10
3	Low-coverage sequencing cost-effectively detects known and novel variation in underrepresented populations ²		
2	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
1	Comparative Performance of the Resilience Inventory (IRES) and Resilience Scale-14 (RS-14) Spanish Versions Among Postpartum Adolescent Mothers. <i>Journal of Child and Adolescent Trauma</i> , ¹		1.5