

Chunsheng Xiao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1406754/chunsheng-xiao-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

5,583
citations

45
h-index

70
g-index

165
ext. papers

6,457
ext. citations

7.1
avg. IF

5.96
L-index

#	Paper	IF	Citations
149	Cationic amphiphilic dendrons with effective antibacterial performance.. <i>Journal of Materials Chemistry B</i> , 2022 ,	7.3	1
148	Low-Molecular-Weight Polylysines with Excellent Antibacterial Properties and Low Hemolysis.. <i>ACS Biomaterials Science and Engineering</i> , 2022 ,	5.5	1
147	Minocycline-Loaded Poly(Lipoic Acid)-Methylprednisolone Prodrug Nanoparticles for the Combined Anti-Inflammatory Treatment of Spinal Cord Injury.. <i>International Journal of Nanomedicine</i> , 2022 , 17, 91-104	7.3	1
146	Photosensitizer-Polypeptides Conjugate with Synergistic Antibacterial Efficacy.. <i>Macromolecular Bioscience</i> , 2022 , e2200105	5.5	
145	Re-exploring β Cyano-4-Hydroxycinnamic Acid as a Reactive Matrix for Selective Detection of Glutathione via MALDI-MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 2837-2841	3.5	0
144	Nanomedicine-Based Therapeutics to Combat Acute Lung Injury. <i>International Journal of Nanomedicine</i> , 2021 , 16, 2247-2269	7.3	10
143	Monomer Controlled Switchable Copolymerization: A Feasible Route for the Functionalization of Poly(lactide). <i>Angewandte Chemie</i> , 2021 , 133, 9360-9364	3.6	0
142	Polypeptides-Drug Conjugates for Anticancer Therapy. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2001974	16.1	6
141	Nanoparticles Composed of PEGylated Alternating Copolymer-Combretastatin A4 Conjugate for Cancer Therapy. <i>Macromolecular Bioscience</i> , 2021 , 21, e2100077	5.5	2
140	The Host-Defense-Peptide-Mimicking Synthetic Polypeptides Effectively Enhance Antitumor Immunity through Promoting Immunogenic Tumor Cell Death. <i>Macromolecular Bioscience</i> , 2021 , 21, e2100171	5.5	1
139	An oxidative stress-responsive electrospun polyester membrane capable of releasing anti-bacterial and anti-inflammatory agents for postoperative anti-adhesion. <i>Journal of Controlled Release</i> , 2021 , 335, 359-368	11.7	14
138	Effective Oxidation-Responsive Polyester Nanocarriers for Anti-Inflammatory Drug Delivery. <i>International Journal of Nanomedicine</i> , 2021 , 16, 5053-5064	7.3	3
137	Injectable In Situ Forming Double-Network Hydrogel To Enhance Transplanted Cell Viability and Retention. <i>Chemistry of Materials</i> , 2021 , 33, 5885-5895	9.6	2
136	A PEGylated alternating copolymeric prodrug of sulfur dioxide with glutathione responsiveness for Irinotecan delivery. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 187-194	7.3	7
135	A sulfur dioxide polymer prodrug showing combined effect with doxorubicin in combating subcutaneous and metastatic melanoma. <i>Bioactive Materials</i> , 2021 , 6, 1365-1374	16.7	12
134	Venetoclax nanomedicine alleviates acute lung injury via increasing neutrophil apoptosis. <i>Biomaterials Science</i> , 2021 , 9, 4746-4754	7.4	3
133	Stimuli-responsive polypeptides for controlled drug delivery. <i>Chemical Communications</i> , 2021 , 57, 9489-9503	9.5	12

132	Organocatalyzed Ring-Opening Polymerization of Cyclic Lysine Derivative: Sustainable Access to Cationic Poly(Lysine) Mimics. <i>Macromolecules</i> , 2021 , 54, 2226-2231	5.5	6
131	Monomer Controlled Switchable Copolymerization: A Feasible Route for the Functionalization of Poly(lactide). <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 9274-9278	16.4	8
130	Injectable Self-Healing Hydrogel Wound Dressing with Cysteine-Specific On-Demand Dissolution Property Based on Tandem Dynamic Covalent Bonds. <i>Advanced Functional Materials</i> , 2021 , 31, 2011230	15.6	31
129	Reactive oxide species-scavenging lipid-polymer nanoparticles for neuroprotection after spinal cord injury. <i>Applied Materials Today</i> , 2021 , 24, 101109	6.6	7
128	A dual-mode reactive matrix for sensitive and quantitative analysis of carbohydrates by MALDI-TOF MS. <i>Talanta</i> , 2021 , 235, 122792	6.2	2
127	Dextran sulfate-triamcinolone acetonide conjugate nanoparticles for targeted treatment of osteoarthritis. <i>International Journal of Biological Macromolecules</i> , 2020 , 158, 1082-1089	7.9	7
126	Acid-responsive dextran-based therapeutic nanoplatforms for photodynamic-chemotherapy against multidrug resistance. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 233-240	7.9	8
125	Constructing Thermally Reversible Dynamic Hydrogels via Catalysis-Free Knoevenagel Condensation. <i>ACS Macro Letters</i> , 2020 , 9, 830-835	6.6	3
124	Hypoxia-Responsive Polypeptide Nanoparticles Loaded with Doxorubicin for Breast Cancer Therapy. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 2167-2174	5.5	26
123	Celastrol Self-Stabilized Nanoparticles for Effective Treatment of Melanoma. <i>International Journal of Nanomedicine</i> , 2020 , 15, 1205-1214	7.3	7
122	GSH-triggered release of sulfur dioxide gas to regulate redox balance for enhanced photodynamic therapy. <i>Chemical Communications</i> , 2020 , 56, 5645-5648	5.8	20
121	Construction of carrier-free porphyrin-based drug self-framed delivery system to reverse multidrug resistance through photodynamic-chemotherapy. <i>Dyes and Pigments</i> , 2020 , 177, 107922	4.6	6
120	A Multistage Cooperative Nanoplatform Enables Intracellular Co-Delivery of Proteins and Chemotherapeutics for Cancer Therapy. <i>Advanced Materials</i> , 2020 , 32, e2000013	24	48
119	Antineoplastic Drug-Free Anticancer Strategy Enabled by Host-Defense-Peptides-Mimicking Synthetic Polypeptides. <i>Advanced Materials</i> , 2020 , 32, e2001108	24	28
118	Highly efficient imidazolium-containing oligomers for preventing MRSA biofilm and postoperative spinal infection. <i>European Polymer Journal</i> , 2020 , 137, 109910	5.2	1
117	Selenium-Doped Carbon Quantum Dots Efficiently Ameliorate Secondary Spinal Cord Injury via Scavenging Reactive Oxygen Species. <i>International Journal of Nanomedicine</i> , 2020 , 15, 10113-10125	7.3	12
116	Synthesis of polypeptide bearing 1,4-dithiane pendants for ROS-responsive drug release. <i>Chinese Chemical Letters</i> , 2020 , 31, 1129-1132	8.1	12
115	Enhanced nanoparticle accumulation by tumor-acidity-activatable release of sildenafil to induce vasodilation. <i>Biomaterials Science</i> , 2020 , 8, 3052-3062	7.4	10

114	Synthesis of PEGylated Salicylaldehyde Azine via Metal-free Click Chemistry for Cellular Imaging Applications. <i>Chemical Research in Chinese Universities</i> , 2019 , 35, 929-936	2.2	1
113	2-Phenyl-3-(4-aminophenyl) Acrylonitrile: A Reactive Matrix for Sensitive and Selective Analysis of Glycans by MALDI-MS. <i>Analytical Chemistry</i> , 2019 , 91, 8801-8807	7.8	16
112	Intratumoral delivery of M-CSF by calcium crosslinked polymer micelles enhances cancer immunotherapy. <i>Biomaterials Science</i> , 2019 , 7, 2769-2776	7.4	14
111	A pyrene linked peptide probe for quantitative analysis of protease activity via MALDI-TOF-MS. <i>Talanta</i> , 2019 , 200, 236-241	6.2	4
110	PEGylated polylysine derived copolymers with reduction-responsive side chains for anticancer drug delivery. <i>Polymer International</i> , 2019 , 68, 1817-1825	3.3	8
109	Rapidly quantitative analysis of Eglutamyltranspeptidase activity in the lysate and blood via a rational design of the molecular probe by matrix-assisted laser desorption ionization mass spectrometry. <i>Talanta</i> , 2019 , 205, 120141	6.2	5
108	A PEGylated alternating copolymer with oxidation-sensitive phenylboronic ester pendants for anticancer drug delivery. <i>Biomaterials Science</i> , 2019 , 7, 3898-3905	7.4	16
107	Synthesis of Y-Shaped OEGylated Poly(amino acid)s: The Impact of OEG Architecture. <i>Biomacromolecules</i> , 2019 , 20, 1655-1666	6.9	14
106	Quantitation of Glutathione by Quinoline-5, 8-Dione-Based Tag Strategy Using MALDI Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 625-633	3.5	4
105	pH-responsive hydrogels based on the self-assembly of short polypeptides for controlled release of peptide and protein drugs. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	12
104	Enhancing the Stability of Hydrogels by Doubling the Schiff Base Linkages. <i>Macromolecular Chemistry and Physics</i> , 2019 , 220, 1800484	2.6	14
103	Electrospun polymer biomaterials. <i>Progress in Polymer Science</i> , 2019 , 90, 1-34	29.6	303
102	Facile Synthesis of Resveratrol Nanogels with Enhanced Fluorescent Emission. <i>Macromolecular Bioscience</i> , 2019 , 19, e1800438	5.5	3
101	A reduction-sensitive thermo-responsive polymer: Synthesis, characterization, and application in controlled drug release. <i>European Polymer Journal</i> , 2018 , 101, 183-189	5.2	12
100	A Multifunctional Polypeptide via Ugi Reaction for Compact and Biocompatible Quantum Dots with Efficient Bioconjugation. <i>Bioconjugate Chemistry</i> , 2018 , 29, 1335-1343	6.3	13
99	A glutathione-responsive sulfur dioxide polymer prodrug as a nanocarrier for combating drug-resistance in cancer chemotherapy. <i>Biomaterials</i> , 2018 , 178, 706-719	15.6	87
98	DBDA as a Novel Matrix for the Analyses of Small Molecules and Quantification of Fatty Acids by Negative Ion MALDI-TOF MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 704-710	3.5	11
97	A high sensitive and contaminant tolerant matrix for facile detection of membrane proteins by matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2018 , 999, 114-122	6.6	4

96	2,2'-Dithiodisuccinic acid-stabilized polyion complex micelles for pH and reduction dual-responsive drug delivery. <i>Journal of Colloid and Interface Science</i> , 2018 , 522, 74-81	9.3	15
95	Injectable Enzymatically Cross-linked Hydrogels with Light-Controlled Degradation Profile. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1800272	4.8	18
94	From Antimicrobial Peptides to Antimicrobial Poly(β-amino acid)s. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1800354	10.1	61
93	5'-(CGA) sequence-assisted pH-controlled assembly of supramolecular DNA nanostructure. <i>Royal Society Open Science</i> , 2018 , 5, 180123	3.3	
92	PEGylated Poly(β-lipoic acid) Loaded with Doxorubicin as a pH and Reduction Dual Responsive Nanomedicine for Breast Cancer Therapy. <i>Biomacromolecules</i> , 2018 , 19, 4492-4503	6.9	34
91	Synthesis of PEGylated alternating copolymer bearing thioether pendants for oxidation responsive drug delivery. <i>European Polymer Journal</i> , 2018 , 107, 308-314	5.2	9
90	Glutathione-triggered dual release of doxorubicin and camptothecin for highly efficient synergistic anticancer therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 169, 273-279	6	15
89	A Surface Pattern on MALDI Steel Plate for One-Step In-Situ Self-Desalting and Enrichment of Peptides/Proteins. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 428-433	3.5	9
88	Multi-responsive core-crosslinked poly (thioether ester) micelles for smart drug delivery. <i>Polymer</i> , 2017 , 110, 235-241	3.9	14
87	Multidentate Comb-Shaped Polypeptides Bearing Trithiocarbonate Functionality: Synthesis and Application for Water-Soluble Quantum Dots. <i>Biomacromolecules</i> , 2017 , 18, 924-930	6.9	12
86	Core cross-linked poly(ethylene glycol)-graft-Dextran nanoparticles for reduction and pH dual responsive intracellular drug delivery. <i>Journal of Colloid and Interface Science</i> , 2017 , 496, 201-210	9.3	40
85	Injectable Polypeptide Hydrogel as Biomimetic Scaffolds with Tunable Bioactivity and Controllable Cell Adhesion. <i>Biomacromolecules</i> , 2017 , 18, 1411-1418	6.9	43
84	Enzymatically crosslinked hydrogels based on linear poly(ethylene glycol) polymer: performance and mechanism. <i>Polymer Chemistry</i> , 2017 , 8, 7017-7024	4.9	12
83	Rapid fluorescence imaging of spinal cord following epidural administration of a nerve-highlighting fluorophore. <i>Theranostics</i> , 2017 , 7, 1863-1874	12.1	8
82	A cool and high salt-tolerant ionic liquid matrix for preferential ionization of phosphopeptides by negative ion MALDI-MS. <i>New Journal of Chemistry</i> , 2017 , 41, 12241-12249	3.6	5
81	One-pot synthesis of pH and ROS dual responsive nanogels for anti-cancer drug delivery. <i>Journal of Controlled Release</i> , 2017 , 259, e154	11.7	6
80	Synthesis of a phenylboronic ester-linked PEG-lipid conjugate for ROS-responsive drug delivery. <i>Polymer Chemistry</i> , 2017 , 8, 6209-6216	4.9	37
79	Injectable electroactive hydrogels based on Pluronic® F127 and tetraaniline copolymer. <i>European Polymer Journal</i> , 2017 , 88, 67-74	5.2	13

78	Ugi Reaction of Natural Amino Acids: A General Route toward Facile Synthesis of Polypeptoids for Bioapplications. <i>ACS Macro Letters</i> , 2016 , 5, 1049-1054	6.6	55
77	Amino-functionalized poly(N-vinylcaprolactam) derived from lysine: a sustainable polymer with thermo and pH dual stimuli response. <i>Polymer Chemistry</i> , 2016 , 7, 7101-7107	4.9	6
76	Reactive Oxygen Species (ROS) Responsive Polymers for Biomedical Applications. <i>Macromolecular Bioscience</i> , 2016 , 16, 635-46	5.5	210
75	Thermosensitive Polypeptide Hydrogels as a Platform for ROS-Triggered Cargo Release with Innate Cytoprotective Ability under Oxidative Stress. <i>Advanced Healthcare Materials</i> , 2016 , 5, 1979-90	10.1	49
74	(E)-Propyl β -Cyano-4-Hydroxyl Cinnamylate: A High Sensitive and Salt Tolerant Matrix for Intact Protein Profiling by MALDI Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2016 , 27, 709-18	3.5	14
73	One-Step "Click Chemistry"-Synthesized Cross-Linked Prodrug Nanogel for Highly Selective Intracellular Drug Delivery and Upregulated Antitumor Efficacy. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 10673-82	9.5	59
72	A comparative study of linear, Y-shaped and linear-dendritic methoxy poly(ethylene glycol)-block-polyamidoamine-block-poly(L-glutamic acid) block copolymers for doxorubicin delivery in vitro and in vivo. <i>Acta Biomaterialia</i> , 2016 , 40, 243-253	10.8	18
71	Glucose-sensitive polymer nanoparticles for self-regulated drug delivery. <i>Chemical Communications</i> , 2016 , 52, 7633-52	5.8	72
70	Injectable glycopolypeptide hydrogels as biomimetic scaffolds for cartilage tissue engineering. <i>Biomaterials</i> , 2015 , 51, 238-249	15.6	172
69	Versatile preparation of intracellular-acidity-sensitive oxime-linked polysaccharide-doxorubicin conjugate for malignancy therapeutic. <i>Biomaterials</i> , 2015 , 54, 72-86	15.6	108
68	Drug Delivery: pH-Responsive Reversible PEGylation Improves Performance of Antineoplastic Agent (Adv. Healthcare Mater. 6/2015). <i>Advanced Healthcare Materials</i> , 2015 , 4, 786-786	10.1	1
67	Competitive binding-accelerated insulin release from a polypeptide nanogel for potential therapy of diabetes. <i>Polymer Chemistry</i> , 2015 , 6, 3807-3815	4.9	45
66	Acid-labile boronate-bridged dextran-bortezomib conjugate with up-regulated hypoxic tumor suppression. <i>Chemical Communications</i> , 2015 , 51, 6812-5	5.8	51
65	β Methacryloyl-L-lysine based polypeptides and their thiol-ene click functionalization. <i>Polymer Chemistry</i> , 2015 , 6, 1758-1767	4.9	9
64	Synthesis of thermal and oxidation dual responsive polymers for reactive oxygen species (ROS)-triggered drug release. <i>Polymer Chemistry</i> , 2015 , 6, 738-747	4.9	88
63	Polyion complex micelles with gradient pH-sensitivity for adjustable intracellular drug delivery. <i>Polymer Chemistry</i> , 2015 , 6, 397-405	4.9	69
62	pH-sensitive polyion complex micelles for tunable intracellular drug delivery. <i>Journal of Controlled Release</i> , 2015 , 213, e55	11.7	
61	Two-way combination chemotherapy for synergistic tumor capture. <i>Journal of Controlled Release</i> , 2015 , 213, e113-4	11.7	

60	Self-programmed pH-sensitive polymeric prodrug micelle for synergistic cancer therapy. <i>Journal of Controlled Release</i> , 2015 , 213, e135-6	11.7	4
59	PEG-based thermo-responsive poly (Ehioether ester) for ROS-triggered drug delivery. <i>Journal of Controlled Release</i> , 2015 , 213, e22	11.7	4
58	Phenylboronic acid-functionalized polypeptide nanogel for glucose-responsive insulin release under physiological pH. <i>Journal of Controlled Release</i> , 2015 , 213, e69	11.7	8
57	New chemosynthetic route to linear Epoly-lysine. <i>Chemical Science</i> , 2015 , 6, 6385-6391	9.4	31
56	Emerging antitumor applications of extracellularly reengineered polymeric nanocarriers. <i>Biomaterials Science</i> , 2015 , 3, 988-1001	7.4	36
55	pH-Responsive Reversible PEGylation Improves Performance of Antineoplastic Agent. <i>Advanced Healthcare Materials</i> , 2015 , 4, 844-55	10.1	28
54	Poly(L-glutamic acid) Microsphere: Preparation and Application in Oral Drug Controlled Release. <i>Acta Chimica Sinica</i> , 2015 , 73, 60	3.3	12
53	New bio-renewable polyester with rich side amino groups from L-lysine via controlled ring-opening polymerization. <i>Polymer Chemistry</i> , 2014 , 5, 6495-6502	4.9	38
52	Core-cross-linked micellar nanoparticles from a linear-dendritic prodrug for dual-responsive drug delivery. <i>Polymer Chemistry</i> , 2014 , 5, 2801-2808	4.9	48
51	Co-delivery of doxorubicin and paclitaxel with linear-dendritic block copolymer for enhanced anti-cancer efficacy. <i>Science China Chemistry</i> , 2014 , 57, 624-632	7.9	24
50	Efficient recovery of precious metal based on AuE bond and electrostatic interaction. <i>Green Chemistry</i> , 2014 , 16, 4875-4878	10	28
49	Preclinical evaluation of antitumor activity of acid-sensitive PEGylated doxorubicin. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 21202-14	9.5	68
48	Side chain impacts on pH- and thermo-responsiveness of tertiary amine functionalized polypeptides. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 671-679	2.5	19
47	Noncovalent interaction-assisted polymeric micelles for controlled drug delivery. <i>Chemical Communications</i> , 2014 , 50, 11274-90	5.8	139
46	Redox-sensitive shell-crosslinked polypeptide-block-polysaccharide micelles for efficient intracellular anticancer drug delivery. <i>Macromolecular Bioscience</i> , 2013 , 13, 1249-58	5.5	51
45	Thermosensitive hydrogels based on polypeptides for localized and sustained delivery of anticancer drugs. <i>Biomaterials</i> , 2013 , 34, 10338-47	15.6	93
44	Cationic dendron-bearing lipids: investigating structure-activity relationships for small interfering RNA delivery. <i>Biomacromolecules</i> , 2013 , 14, 4289-300	6.9	30
43	pH- and thermo-responsive poly(N-isopropylacrylamide-co-acrylic acid derivative) copolymers and hydrogels with LCST dependent on pH and alkyl side groups. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 5578-5587	7.3	98

42	Efficacious hepatoma-targeted nanomedicine self-assembled from galactopeptide and doxorubicin driven by two-stage physical interactions. <i>Journal of Controlled Release</i> , 2013 , 169, 193-203	11.7	76
41	Biodegradable pH-responsive polyacrylic acid derivative hydrogels with tunable swelling behavior for oral delivery of insulin. <i>Polymer</i> , 2013 , 54, 1786-1793	3.9	104
40	The effect of alkyl side groups on the secondary structure and crystallization of poly(ethylene glycol)-block-polypeptide copolymers. <i>Polymer</i> , 2013 , 54, 2466-2472	3.9	5
39	Self-reinforced endocytoses of smart polypeptide nanogels for "on-demand" drug delivery. <i>Journal of Controlled Release</i> , 2013 , 172, 444-55	11.7	101
38	Disulfide crosslinked PEGylated starch micelles as efficient intracellular drug delivery platforms. <i>Soft Matter</i> , 2013 , 9, 2224	3.6	110
37	Biocompatible reduction-responsive polypeptide micelles as nanocarriers for enhanced chemotherapy efficacy in vitro. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 69-81	7.3	127
36	Intracellular pH-sensitive supramolecular amphiphiles based on host-guest recognition between benzimidazole and β -cyclodextrin as potential drug delivery vehicles. <i>Polymer Chemistry</i> , 2013 , 4, 3265	4.9	83
35	Thermo-responsive hairy-rod polypeptides for smart antitumor drug delivery. <i>Polymer Chemistry</i> , 2013 , 4, 3345	4.9	60
34	Reduction-responsive cross-linked micelles based on PEGylated polypeptides prepared via click chemistry. <i>Polymer Chemistry</i> , 2013 , 4, 3851	4.9	50
33	Versatile biofunctionalization of polypeptide-based thermosensitive hydrogels via click chemistry. <i>Biomacromolecules</i> , 2013 , 14, 468-75	6.9	56
32	Facile one-pot synthesis of glucose-sensitive nanogel via thiol-ene click chemistry for self-regulated drug delivery. <i>Acta Biomaterialia</i> , 2013 , 9, 6535-43	10.8	55
31	Multi-armed poly(aspartate-g-OEI) copolymers as versatile carriers of pDNA/siRNA. <i>Acta Biomaterialia</i> , 2013 , 9, 6943-52	10.8	12
30	Thermosensitive polyion complex micelles prepared by self-assembly of two oppositely charged diblock copolymers. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 318-324	3.5	10
29	Photo cross-linked biodegradable hydrogels for enhanced vancomycin loading and sustained release. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 1697-1705	3.5	24
28	Co-delivery of 10-hydroxycamptothecin with doxorubicin conjugated prodrugs for enhanced anticancer efficacy. <i>Macromolecular Bioscience</i> , 2013 , 13, 584-94	5.5	55
27	Direct formation of cationic polypeptide vesicle as potential carrier for drug and gene. <i>Materials Letters</i> , 2012 , 73, 17-20	3.3	27
26	Synthesis and characterization of biodegradable pH-sensitive poly(acrylic acid) hydrogels crosslinked by 2-hydroxyethyl methacrylate modified poly(L-glutamic acid). <i>Materials Letters</i> , 2012 , 77, 74-77	3.3	27
25	Photo-cross-linked biodegradable thermo- and pH-responsive hydrogels for controlled drug release. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 2923-2932	2.9	18

24	Glucose-sensitive polypeptide micelles for self-regulated insulin release at physiological pH. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12319		84
23	Intracellular microenvironment responsive PEGylated polypeptide nanogels with ionizable cores for efficient doxorubicin loading and triggered release. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14168		121
22	Decisive role of hydrophobic side groups of polypeptides in thermosensitive gelation. <i>Biomacromolecules</i> , 2012 , 13, 2053-9	6.9	88
21	pH-responsive drug delivery systems based on clickable poly(L-glutamic acid)-grafted comb copolymers. <i>Macromolecular Research</i> , 2012 , 20, 292-301	1.9	26
20	Facile construction of functional biosurface via SI-ATRP and "click glycosylation". <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 93, 188-94	6	21
19	Versatile synthesis of temperature-sensitive polypeptides by click grafting of oligo(ethylene glycol). <i>Polymer Chemistry</i> , 2011 , 2, 2627	4.9	79
18	One-step preparation of reduction-responsive poly(ethylene glycol)-poly(amino acid)s nanogels as efficient intracellular drug delivery platforms. <i>Polymer Chemistry</i> , 2011 , 2, 2857	4.9	195
17	Preparation of photo-cross-linked pH-responsive polypeptide nanogels as potential carriers for controlled drug delivery. <i>Journal of Materials Chemistry</i> , 2011 , 21, 11383		125
16	Synthesis of amphiphilic alternating polyesters with oligo(ethylene glycol) side chains and potential use for sustained release drug delivery. <i>Biomacromolecules</i> , 2011 , 12, 2466-74	6.9	55
15	An efficient pH sensitive oral insulin delivery system enhanced by deoxycholic acid. <i>Journal of Controlled Release</i> , 2011 , 152 Suppl 1, e184-6	11.7	14
14	pH and dual redox responsive nanogel based on poly(L-glutamic acid) as potential intracellular drug carrier. <i>Journal of Controlled Release</i> , 2011 , 152 Suppl 1, e11-3	11.7	31
13	Facile synthesis of thermo- and pH-responsive biodegradable microgels. <i>Colloid and Polymer Science</i> , 2011 , 289, 447-451	2.4	25
12	Poly(L-glutamic acid) grafted with oligo(2-(2-(2-methoxyethoxy)ethoxy)ethyl methacrylate): Thermal phase transition, secondary structure, and self-assembly. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 2665-2676	2.5	69
11	Highly efficient "grafting from" an helical polypeptide backbone by atom transfer radical polymerization. <i>Macromolecular Bioscience</i> , 2011 , 11, 192-8	5.5	66
10	Synthesis of temperature and pH-responsive crosslinked micelles from polypeptide-based graft copolymer. <i>Journal of Colloid and Interface Science</i> , 2011 , 359, 436-42	9.3	22
9	Facile preparation of a cationic poly(amino acid) vesicle for potential drug and gene co-delivery. <i>Nanotechnology</i> , 2011 , 22, 494012	3.4	57
8	SYNTHESIS AND SWELLING BEHAVIOR OF DEGRADABLE pH-SENSITIVE HYDROGELS COMPOSED OF POLY(L-GLUTAMIC ACID) AND POLY(ACRYLIC ACID). <i>Acta Polymerica Sinica</i> , 2011 , 011, 883-888		10
7	Facile Synthesis of Glycopolypeptides by Combination of Ring-Opening Polymerization of an Alkyne-Substituted N-carboxyanhydride and Click "Glycosylation". <i>Macromolecular Rapid Communications</i> , 2010 , 31, 991-7	4.8	142

6	Synthesis of amphiphilic block copolymers bearing stable nitroxyl radicals. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 5404-5410	2.5	27
5	Recent developments in intelligent biomedical polymers. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 117-130		14
4	Synthesis of biodegradable thermo- and pH-responsive hydrogels for controlled drug release. <i>Polymer</i> , 2009 , 50, 4308-4316	3.9	134
3	Kinetics and Mechanism of 2-Ethoxy-2-oxo-1,3,2-dioxaphospholane Polymerization Initiated by Stannous Octoate. <i>Macromolecules</i> , 2006 , 39, 6825-6831	5.5	92
2	Synthesis and micellization of amphiphilic brush-coil block copolymer based on poly(epsilon-caprolactone) and PEGylated polyphosphoester. <i>Biomacromolecules</i> , 2006 , 7, 1898-903	6.9	76
1	A Two-In-One Nanoprodrug for Photoacoustic Imaging-Guided Enhanced Sonodynamic Therapy. <i>Small</i> , 2202558	11	1