## Stephenie D Prokopec

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1406964/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Whole-genome profiling of nasopharyngeal carcinoma reveals viral-host co-operation in in inflammatory NF-κB activation and immune escape. Nature Communications, 2021, 12, 4193.	12.8	56
2	Sex differences in oncogenic mutational processes. Nature Communications, 2020, 11, 4330.	12.8	60
3	Sex disparities in head & neck cancer driver genes: An analysis of the TCGA dataset. Oral Oncology, 2020, 104, 104614.	1.5	21
4	Transgenerational epigenetic and transcriptomic effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure in rat. Archives of Toxicology, 2020, 94, 1613-1624.	4.2	8
5	Mutational analysis of head and neck squamous cell carcinoma stratified by smoking status. JCI Insight, 2019, 4, .	5.0	25
6	Comparative toxicoproteogenomics of mouse and rat liver identifies TCDD-resistance genes. Archives of Toxicology, 2019, 93, 2961-2978.	4.2	3
7	Rethinking Lupus Nephritis Classification on a Molecular Level. Journal of Clinical Medicine, 2019, 8, 1524.	2.4	21
8	BPG: Seamless, automated and interactive visualization of scientific data. BMC Bioinformatics, 2019, 20, 42.	2.6	64
9	Transcriptomic Impact of IMA-08401, a Novel AHR Agonist Resembling Laquinimod, on Rat Liver. International Journal of Molecular Sciences, 2019, 20, 1370.	4.1	4
10	2,3,7,8 Tetrachlorodibenzo-p-dioxin-induced RNA abundance changes identify Ackr3, Col18a1, Cyb5a and Glud1 as candidate mediators of toxicity. Archives of Toxicology, 2017, 91, 325-338.	4.2	5
11	Compendium of TCDD-mediated transcriptomic response datasets in mammalian model systems. BMC Genomics, 2017, 18, 78.	2.8	19
12	Transcriptional profiling of rat hypothalamus response to 2,3,7,8-tetrachlorodibenzo- ϕdioxin. Toxicology, 2015, 328, 93-101.	4.2	9
13	Sex-related differences in murine hepatic transcriptional and proteomic responses to TCDD. Toxicology and Applied Pharmacology, 2015, 284, 188-196.	2.8	18
14	Male and female mice show significant differences in hepatic transcriptomic response to 2,3,7,8-tetrachlorodibenzo-p-dioxin. BMC Genomics, 2015, 16, 625.	2.8	41
15	Transcriptional profiling of rat white adipose tissue response to 2,3,7,8-tetrachlorodibenzo-ϕdioxin. Toxicology and Applied Pharmacology, 2015, 288, 223-231.	2.8	10
16	Identification of Reference Proteins for Western Blot Analyses in Mouse Model Systems of 2,3,7,8-Tetrachlorodibenzo-P-Dioxin (TCDD) Toxicity. PLoS ONE, 2014, 9, e110730.	2.5	7
17	Cross-species transcriptomic analysis elucidates constitutive aryl hydrocarbon receptor activity. BMC Genomics, 2014, 15, 1053.	2.8	10
18	TCDD dysregulation of 13 AHR-target genes in rat liver. Toxicology and Applied Pharmacology, 2014, 274, 445-454	2.8	33

#	Article	IF	CITATIONS
19	Validating reference genes within a mouse model system of 2,3,7,8-tetrachlorodibenzo- p -dioxin (TCDD) toxicity. Chemico-Biological Interactions, 2013, 205, 63-71.	4.0	8
20	Systematic evaluation of medium-throughput mRNA abundance platforms. Rna, 2013, 19, 51-62.	3.5	79
21	Inter-strain heterogeneity in rat hepatic transcriptomic responses to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicology and Applied Pharmacology, 2012, 260, 135-145.	2.8	25
22	Hepatic transcriptomic responses to TCDD in dioxin-sensitive and dioxin-resistant rats during the onset of toxicity. Toxicology and Applied Pharmacology, 2011, 251, 119-129.	2.8	38