Jennifer S Gewandter

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1407851/jennifer-s-gewandter-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers 1,348 21 35 g-index

73 1,736 4.8 4.03 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
70	Evaluation of the psychometric properties of patient-reported and clinician-reported outcome measures of chemotherapy-induced peripheral neuropathy: a COSMIN systematic review protocol <i>BMJ Open</i> , 2022 , 12, e057950	3	
69	Brain Imaging Biomarkers for Chronic Pain Frontiers in Neurology, 2021, 12, 734821	4.1	1
68	Design and reporting characteristics of clinical trials investigating sedation practices in the paediatric intensive care unit: a scoping review by SCEPTER (Sedation Consortium on Endpoints and Procedures for Treatment, Education and Research). <i>BMJ Open</i> , 2021 , 11, e053519	3	O
67	Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. <i>Pain</i> , 2021 , 162, 2669-2681	8	3
66	Systematic Review of Research Methods and Reporting Quality of Randomized Clinical Trials of Spinal Cord Stimulation for Pain. <i>Journal of Pain</i> , 2021 , 22, 127-142	5.2	3
65	Diagnostic criteria for idiopathic small fiber neuropathy: A systematic review. <i>Muscle and Nerve</i> , 2021 , 63, 170-177	3.4	9
64	Research design considerations for chronic pain prevention clinical trials: IMMPACT recommendations. <i>Pain Reports</i> , 2021 , 6, e895	3.5	1
63	Composite outcomes for pain clinical trials: considerations for design and interpretation. <i>Pain</i> , 2021 , 162, 1899-1905	8	4
62	Research design considerations for randomized controlled trials of spinal cord stimulation for pain: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials/Institute of Neuromodulation/International Neuromodulation Society recommendations. <i>Pain</i> , 2021 , 162, 1935-19	8 56	9
61	Evaluating predictors of pain reduction after genicular nerve radiofrequency ablation for chronic knee pain. <i>Pain Management</i> , 2021 , 11, 669-677	2.3	1
60	Peripheral edema: A common and persistent health problem for older Americans <i>PLoS ONE</i> , 2021 , 16, e0260742	3.7	1
59	When should non-significant results influence clinical decisions?: Interpreting confidence intervals. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 548-549	3.7	
58	Are there really only 2 kinds of people in the world? Evaluating the distribution of change from baseline in pain clinical trials. <i>Pain</i> , 2020 , 161, 195-201	8	3
57	Comparison of a Pain Tolerability Question With the Numeric Rating Scale for Assessment of Self-reported Chronic Pain. <i>JAMA Network Open</i> , 2020 , 3, e203155	10.4	1
56	Improving Study Conduct and Data Quality in Clinical Trials of Chronic Pain Treatments: IMMPACT Recommendations. <i>Journal of Pain</i> , 2020 , 21, 931-942	5.2	20
55	Utility of topical agents for radiation dermatitis and pain: a randomized clinical trial. <i>Supportive Care in Cancer</i> , 2020 , 28, 3303-3311	3.9	10
54	Estimands and missing data in clinical trials of chronic pain treatments: advances in design and analysis. <i>Pain</i> , 2020 , 161, 2308-2320	8	9

53	Idiopathic distal sensory polyneuropathy: ACTTION diagnostic criteria. <i>Neurology</i> , 2020 , 95, 1005-1014	6.5	18
52	Chemotherapy-induced peripheral neuropathy (CIPN) and its treatment: an NIH Collaboratory study of claims data. <i>Supportive Care in Cancer</i> , 2020 , 28, 2553-2562	3.9	18
51	Overview and critical revision of clinical assessment tools in chemotherapy-induced peripheral neurotoxicity. <i>Journal of the Peripheral Nervous System</i> , 2019 , 24 Suppl 2, S13-S25	4.7	23
50	Demonstrating Heterogeneity of Treatment Effects Among Patients: An Overlooked but Important Step Toward Precision Medicine. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 204-210	6.1	6
49	The effect of structured exercise during chemotherapy on chemotherapy-induced peripheral neuropathy (CIPN): A role for interoceptive brain circuitry <i>Journal of Clinical Oncology</i> , 2019 , 37, 11590)- 1 1759(01
48	Extended-release gabapentin for failed back surgery syndrome: results from a randomized double-blind cross-over study. <i>Pain</i> , 2019 , 160, 1029-1036	8	3
47	Navigating trials of personalized pain treatments: we V e going to need a bigger boat. <i>Pain</i> , 2019 , 160, 1235-1239	8	7
46	Clinician-rated measures for distal symmetrical axonal polyneuropathy: ACTTION systematic review. <i>Neurology</i> , 2019 , 93, 346-360	6.5	14
45	Wireless transcutaneous electrical nerve stimulation device for chemotherapy-induced peripheral neuropathy: an open-label feasibility study. <i>Supportive Care in Cancer</i> , 2019 , 27, 1765-1774	3.9	17
44	Design and Reporting Characteristics of Clinical Trials of Select Chronic and Recurrent Pediatric Pain Conditions: An Analgesic, Anesthetic, and Addiction Clinical Trial Translations, Innovations, Opportunities, and Networks Systematic Review. <i>Journal of Pain</i> , 2019 , 20, 394-404	5.2	6
43	Response to Crevenna and Ashbury, Vallance and Bolam, and Crevenna and Keilani regarding the effects of exercise on chemotherapy-induced peripheral neuropathy. <i>Supportive Care in Cancer</i> , 2019 , 27, 7-8	3.9	3
42	Checklist for the preparation and review of pain clinical trial publications: a pain-specific supplement to CONSORT. <i>Pain Reports</i> , 2019 , 4, e621	3.5	20
41	Research Design Characteristics of Published Pharmacologic Randomized Clinical Trials for Irritable Bowel Syndrome and Chronic Pelvic Pain Conditions: An ACTTION Systematic Review. <i>Journal of Pain</i> , 2018 , 19, 717-726	5.2	4
40	Effects of exercise during chemotherapy on chemotherapy-induced peripheral neuropathy: a multicenter, randomized controlled trial. <i>Supportive Care in Cancer</i> , 2018 , 26, 1019-1028	3.9	136
39	Trial designs for chemotherapy-induced peripheral neuropathy prevention: ACTTION recommendations. <i>Neurology</i> , 2018 , 91, 403-413	6.5	42
38	Why are there no drugs indicated for sciatica, the most common chronic neuropathic syndrome of all?. <i>Drug Discovery Today</i> , 2018 , 23, 1904-1909	8.8	6
37	Identifying chemotherapy-induced peripheral neuropathy (CIPN) and its treatment using claims data: A URCC NCORP and NIH Collaboratory study <i>Journal of Clinical Oncology</i> , 2018 , 36, e18707-e187	07.2	
36	Pretreatment physical activity to predict short- and long-term chemotherapy-induced peripheral neuropathy (CIPN) in a nationwide longitudinal study of paclitaxel for breast cancer <i>Journal of Clinical Oncology</i> , 2018 , 36, 10018-10018	2.2	

35	Oral curcumin for radiation dermatitis: a URCC NCORP study of 686 breast cancer patients. <i>Supportive Care in Cancer</i> , 2018 , 26, 1543-1552	3.9	27
34	Evaluation of composite responder outcomes of pain intensity and physical function in neuropathic pain clinical trials: an ACTTION individual patient data analysis. <i>Pain</i> , 2018 , 159, 2245-2254	8	22
33	Reporting of data monitoring boards in publications of randomized clinical trials is often deficient: ACTTION systematic review. <i>Journal of Clinical Epidemiology</i> , 2017 , 83, 101-107	5.7	7
32	The ACTTION-APS-AAPM Pain Taxonomy (AAAPT) Multidimensional Approach to Classifying Acute Pain Conditions. <i>Pain Medicine</i> , 2017 , 18, 947-958	2.8	27
31	The ACTTION-APS-AAPM Pain Taxonomy (AAAPT) Multidimensional Approach to Classifying Acute Pain Conditions. <i>Journal of Pain</i> , 2017 , 18, 479-489	5.2	31
30	Interpretation of CIs in clinical trials with non-significant results: systematic review and recommendations. <i>BMJ Open</i> , 2017 , 7, e017288	3	21
29	Chemotherapy-induced peripheral neuropathy clinical trials: Review and recommendations. <i>Neurology</i> , 2017 , 89, 859-869	6.5	28
28	Reply. <i>Pain</i> , 2017 , 158, 182-183	8	1
27	Painful chemotherapy-induced peripheral neuropathy: lack of treatment efficacy or the wrong clinical trial methodology?. <i>Pain</i> , 2017 , 158, 30-33	8	16
26	Participant Preferences for Pharmacologic Chronic Pain Treatment Trial Characteristics: An ACTTION Adaptive Choice-Based Conjoint Study. <i>Journal of Pain</i> , 2016 , 17, 1198-1206	5.2	4
25	Reporting of cross-over clinical trials of analgesic treatments for chronic pain: Analgesic, Anesthetic, and Addiction Clinical Trial Translations, Innovations, Opportunities, and Networks systematic review and recommendations. <i>Pain</i> , 2016 , 157, 2544-2551	8	11
24	Pain intensity rating training: results from an exploratory study of the ACTTION PROTECCT system. <i>Pain</i> , 2016 , 157, 1056-1064	8	33
23	Measures of outcome for stimulant trials: ACTTION recommendations and research agenda. <i>Drug and Alcohol Dependence</i> , 2016 , 158, 1-7	4.9	42
22	Deficiencies in reporting of statistical methodology in recent randomized trials of nonpharmacologic pain treatments: ACTTION systematic review. <i>Journal of Clinical Epidemiology</i> , 2016 , 72, 56-65	5.7	10
21	Assessment of physical function and participation in chronic pain clinical trials: IMMPACT/OMERACT recommendations. <i>Pain</i> , 2016 , 157, 1836-1850	8	106
20	Reporting of sample size calculations in analgesic clinical trials: ACTTION systematic review. <i>Journal of Pain</i> , 2015 , 16, 199-206.e1-7	5.2	26
19	Reporting of adverse events and statistical details of efficacy estimates in randomized clinical trials of pain in temporomandibular disorders: Analgesic, Anesthetic, and Addiction Clinical Trial Translations, Innovations, Opportunities, and Networks systematic review. <i>Journal of the American</i>	1.9	4
18	Dental Association, 2015, 146, 246-54.e6 Evaluation of outcome measures for neurogenic claudication: A patient-centered approach. Neurology, 2015, 85, 1250-6	6.5	10

LIST OF PUBLICATIONS

17	Associations between a patient-reported outcome (PRO) measure of sarcopenia and falls, functional status, and physical performance in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2015 , 6, 433-41	3.6	19
16	Data interpretation in analgesic clinical trials with statistically nonsignificant primary analyses: an ACTTION systematic review. <i>Journal of Pain</i> , 2015 , 16, 3-10	5.2	36
15	Interpretation of urine drug testing results in patients using transdermal buprenorphine preparations for the treatment of chronic noncancer pain. <i>Pain Medicine</i> , 2015 , 16, 1132-6	2.8	2
14	Research design considerations for chronic pain prevention clinical trials: IMMPACT recommendations. <i>Pain</i> , 2015 , 156, 1184-1197	8	83
13	Double-blind, randomized, controlled, crossover trial of pregabalin for neurogenic claudication. <i>Neurology</i> , 2015 , 84, 265-72	6.5	29
12	A phase III randomized, placebo-controlled study of topical amitriptyline and ketamine for chemotherapy-induced peripheral neuropathy (CIPN): a University of Rochester CCOP study of 462 cancer survivors. <i>Supportive Care in Cancer</i> , 2014 , 22, 1807-14	3.9	72
11	DNA double-strand breaks activate ATM independent of mitochondrial dysfunction in A549 cells. <i>Free Radical Biology and Medicine</i> , 2014 , 75, 30-9	7.8	7
10	Reporting of missing data and methods used to accommodate them in recent analgesic clinical trials: ACTTION systematic review and recommendations. <i>Pain</i> , 2014 , 155, 1871-1877	8	31
9	The ACTTION-American Pain Society Pain Taxonomy (AAPT): an evidence-based and multidimensional approach to classifying chronic pain conditions. <i>Journal of Pain</i> , 2014 , 15, 241-9	5.2	131
8	Research designs for proof-of-concept chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2014 , 155, 1683-1695	8	77
7	Reporting of intention-to-treat analyses in recent analgesic clinical trials: ACTTION systematic review and recommendations. <i>Pain</i> , 2014 , 155, 2714-2719	8	9
6	Reporting of primary analyses and multiplicity adjustment in recent analgesic clinical trials: ACTTION systematic review and recommendations. <i>Pain</i> , 2014 , 155, 461-466	8	23
5	EXCAP exercise to improve fatigue, cardiopulmonary function, and strength: A phase II RCT among older prostate cancer patients receiving radiation and androgen deprivation therapy <i>Journal of Clinical Oncology</i> , 2012 , 30, 9010-9010	2.2	1
4	YOCAS yoga for musculoskeletal symptoms in breast cancer patients receiving aromatase inhibitors: A URCC CCOP randomized, controlled clinical trial <i>Journal of Clinical Oncology</i> , 2012 , 30, 90)2 8-3 02	28 ¹
3	Pain, sleep disturbance, and fatigue symptom cluster in patients suffering from chronic chemotherapy-induced neuropathic pain (CINP) <i>Journal of Clinical Oncology</i> , 2012 , 30, 9113-9113	2.2	2
2	Falls, physical performance deficits, and functional losses in cancer survivors with chemotherapy-induced neuropathy (CIPN): A University of Rochester CCOP study <i>Journal of Clinical Oncology</i> , 2012 , 30, 9014-9014	2.2	
1	Physical symptoms and psychological distress in head and neck cancer patients <i>Journal of Clinical Oncology</i> . 2012 . 30. e16056-e16056	2.2	