

Jennifer S Gewandter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1407851/publications.pdf>

Version: 2024-02-01

73
papers

2,060
citations

218381

26
h-index

253896

43
g-index

73
all docs

73
docs citations

73
times ranked

2940
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Effects of exercise during chemotherapy on chemotherapy-induced peripheral neuropathy: a multicenter, randomized controlled trial. <i>Supportive Care in Cancer</i> , 2018, 26, 1019-1028. | 1.0 | 208 |
| 2 | The ACTION-American Pain Society Pain Taxonomy (AAPT): An Evidence-Based and Multidimensional Approach to Classifying Chronic Pain Conditions. <i>Journal of Pain</i> , 2014, 15, 241-249. | 0.7 | 159 |
| 3 | Assessment of physical function and participation in chronic pain clinical trials: IMMPACT/OMERACT recommendations. <i>Pain</i> , 2016, 157, 1836-1850. | 2.0 | 152 |
| 4 | Research design considerations for chronic pain prevention clinical trials. <i>Pain</i> , 2015, 156, 1184-1197. | 2.0 | 115 |
| 5 | Research designs for proof-of-concept chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2014, 155, 1683-1695. | 2.0 | 99 |
| 6 | A phase III randomized, placebo-controlled study of topical amitriptyline and ketamine for chemotherapy-induced peripheral neuropathy (CIPN): a University of Rochester CCOP study of 462 cancer survivors. <i>Supportive Care in Cancer</i> , 2014, 22, 1807-1814. | 1.0 | 92 |
| 7 | Trial designs for chemotherapy-induced peripheral neuropathy prevention. <i>Neurology</i> , 2018, 91, 403-413. | 1.5 | 63 |
| 8 | Measures of outcome for stimulant trials: ACTION recommendations and research agenda. <i>Drug and Alcohol Dependence</i> , 2016, 158, 1-7. | 1.6 | 49 |
| 9 | Idiopathic distal sensory polyneuropathy. <i>Neurology</i> , 2020, 95, 1005-1014. | 1.5 | 49 |
| 10 | Pain intensity rating training. <i>Pain</i> , 2016, 157, 1056-1064. | 2.0 | 48 |
| 11 | Oral curcumin for radiation dermatitis: a URCC NCORP study of 686 breast cancer patients. <i>Supportive Care in Cancer</i> , 2018, 26, 1543-1552. | 1.0 | 46 |
| 12 | Data Interpretation in Analgesic Clinical Trials With Statistically Nonsignificant Primary Analyses: An ACTION Systematic Review. <i>Journal of Pain</i> , 2015, 16, 3-10. | 0.7 | 42 |
| 13 | The ACTIONâ€‘APSâ€‘AAPM Pain Taxonomy (AAAPT) Multidimensional Approach to Classifying Acute Pain Conditions. <i>Pain Medicine</i> , 2017, 18, 947-958. | 0.9 | 42 |
| 14 | Double-blind, randomized, controlled, crossover trial of pregabalin for neurogenic claudication. <i>Neurology</i> , 2015, 84, 265-272. | 1.5 | 39 |
| 15 | The ACTIONâ€‘APSâ€‘AAPM Pain Taxonomy (AAAPT) Multidimensional Approach to Classifying Acute Pain Conditions. <i>Journal of Pain</i> , 2017, 18, 479-489. | 0.7 | 38 |
| 16 | Research design considerations for randomized controlled trials of spinal cord stimulation for pain: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials/Institute of Neuromodulation/International Neuromodulation Society recommendations. <i>Pain</i> , 2021, 162, 1935-1956. | 2.0 | 38 |
| 17 | Chemotherapy-induced peripheral neuropathy clinical trials. <i>Neurology</i> , 2017, 89, 859-869. | 1.5 | 37 |
| 18 | Improving Study Conduct and Data Quality in Clinical Trials of Chronic Pain Treatments: IMMPACT Recommendations. <i>Journal of Pain</i> , 2020, 21, 931-942. | 0.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Evaluation of composite responder outcomes of pain intensity and physical function in neuropathic pain clinical trials: an ACTION individual patient data analysis. <i>Pain</i> , 2018, 159, 2245-2254. | 2.0 | 36 |
| 20 | Composite outcomes for pain clinical trials: considerations for design and interpretation. <i>Pain</i> , 2021, 162, 1899-1905. | 2.0 | 35 |
| 21 | Reporting of missing data and methods used to accommodate them in recent analgesic clinical trials: ACTION systematic review and recommendations. <i>Pain</i> , 2014, 155, 1871-1877. | 2.0 | 34 |
| 22 | Overview and critical revision of clinical assessment tools in chemotherapy-induced peripheral neurotoxicity. <i>Journal of the Peripheral Nervous System</i> , 2019, 24, S13-S25. | 1.4 | 34 |
| 23 | Chemotherapy-induced peripheral neuropathy (CIPN) and its treatment: an NIH Collaboratory study of claims data. <i>Supportive Care in Cancer</i> , 2020, 28, 2553-2562. | 1.0 | 33 |
| 24 | Reporting of Sample Size Calculations in Analgesic Clinical Trials: ACTION Systematic Review. <i>Journal of Pain</i> , 2015, 16, 199-206.e7. | 0.7 | 32 |
| 25 | Wireless transcutaneous electrical nerve stimulation device for chemotherapy-induced peripheral neuropathy: an open-label feasibility study. <i>Supportive Care in Cancer</i> , 2019, 27, 1765-1774. | 1.0 | 29 |
| 26 | Interpretation of CIs in clinical trials with non-significant results: systematic review and recommendations. <i>BMJ Open</i> , 2017, 7, e017288. | 0.8 | 26 |
| 27 | Checklist for the preparation and review of pain clinical trial publications: a pain-specific supplement to CONSORT. <i>Pain Reports</i> , 2019, 4, e621. | 1.4 | 26 |
| 28 | Reporting of primary analyses and multiplicity adjustment in recent analgesic clinical trials: ACTION systematic review and recommendations. <i>Pain</i> , 2014, 155, 461-466. | 2.0 | 25 |
| 29 | Demonstrating Heterogeneity of Treatment Effects Among Patients: An Overlooked but Important Step Toward Precision Medicine. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 204-210. | 2.3 | 24 |
| 30 | Associations between a patient-reported outcome (PRO) measure of sarcopenia and falls, functional status, and physical performance in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2015, 6, 433-441. | 0.5 | 23 |
| 31 | Utility of topical agents for radiation dermatitis and pain: a randomized clinical trial. <i>Supportive Care in Cancer</i> , 2020, 28, 3303-3311. | 1.0 | 23 |
| 32 | Diagnostic criteria for idiopathic small fiber neuropathy: A systematic review. <i>Muscle and Nerve</i> , 2021, 63, 170-177. | 1.0 | 22 |
| 33 | Painful chemotherapy-induced peripheral neuropathy: lack of treatment efficacy or the wrong clinical trial methodology?. <i>Pain</i> , 2017, 158, 30-33. | 2.0 | 21 |
| 34 | Estimands and missing data in clinical trials of chronic pain treatments: advances in design and analysis. <i>Pain</i> , 2020, 161, 2308-2320. | 2.0 | 21 |
| 35 | Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. <i>Pain</i> , 2021, 162, 2669-2681. | 2.0 | 20 |
| 36 | Clinician-rated measures for distal symmetrical axonal polyneuropathy. <i>Neurology</i> , 2019, 93, 346-360. | 1.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Reporting of cross-over clinical trials of analgesic treatments for chronic pain: Analgesic, Anesthetic, and Addiction Clinical Trial Translations, Innovations, Opportunities, and Networks systematic review and recommendations. <i>Pain</i> , 2016, 157, 2544-2551. | 2.0 | 16 |
| 38 | Navigating trials of personalized pain treatments: we're going to need a bigger boat. <i>Pain</i> , 2019, 160, 1235-1239. | 2.0 | 15 |
| 39 | Evaluation of outcome measures for neurogenic claudication. <i>Neurology</i> , 2015, 85, 1250-1256. | 1.5 | 14 |
| 40 | Deficiencies in reporting of statistical methodology in recent randomized trials of nonpharmacologic pain treatments: ACTION systematic review. <i>Journal of Clinical Epidemiology</i> , 2016, 72, 56-65. | 2.4 | 13 |
| 41 | Reporting of intention-to-treat analyses in recent analgesic clinical trials: ACTION systematic review and recommendations. <i>Pain</i> , 2014, 155, 2714-2719. | 2.0 | 12 |
| 42 | Comparison of a Pain Tolerability Question With the Numeric Rating Scale for Assessment of Self-reported Chronic Pain. <i>JAMA Network Open</i> , 2020, 3, e203155. | 2.8 | 12 |
| 43 | Brain Imaging Biomarkers for Chronic Pain. <i>Frontiers in Neurology</i> , 2021, 12, 734821. | 1.1 | 12 |
| 44 | Reporting of data monitoring boards in publications of randomized clinical trials is often deficient: ACTION systematic review. <i>Journal of Clinical Epidemiology</i> , 2017, 83, 101-107. | 2.4 | 9 |
| 45 | Systematic Review of Research Methods and Reporting Quality of Randomized Clinical Trials of Spinal Cord Stimulation for Pain. <i>Journal of Pain</i> , 2021, 22, 127-142. | 0.7 | 9 |
| 46 | Peripheral edema: A common and persistent health problem for older Americans. <i>PLoS ONE</i> , 2021, 16, e0260742. | 1.1 | 9 |
| 47 | Participant Preferences for Pharmacologic Chronic Pain Treatment Trial Characteristics: An ACTION Adaptive Choice-Based Conjoint Study. <i>Journal of Pain</i> , 2016, 17, 1198-1206. | 0.7 | 8 |
| 48 | Why are there no drugs indicated for sciatica, the most common chronic neuropathic syndrome of all?. <i>Drug Discovery Today</i> , 2018, 23, 1904-1909. | 3.2 | 8 |
| 49 | Design and Reporting Characteristics of Clinical Trials of Select Chronic and Recurrent Pediatric Pain Conditions: An Analgesic, Anesthetic, and Addiction Clinical Trial Translations, Innovations, Opportunities, and Networks Systematic Review. <i>Journal of Pain</i> , 2019, 20, 394-404. | 0.7 | 8 |
| 50 | DNA double-strand breaks activate ATM independent of mitochondrial dysfunction in A549 cells. <i>Free Radical Biology and Medicine</i> , 2014, 75, 30-39. | 1.3 | 7 |
| 51 | Reporting of adverse events and statistical details of efficacy estimates in randomized clinical trials of pain in temporomandibular disorders. <i>Journal of the American Dental Association</i> , 2015, 146, 246-254.e6. | 0.7 | 7 |
| 52 | Research Design Characteristics of Published Pharmacologic Randomized Clinical Trials for Irritable Bowel Syndrome and Chronic Pelvic Pain Conditions: An ACTION Systematic Review. <i>Journal of Pain</i> , 2018, 19, 717-726. | 0.7 | 7 |
| 53 | Extended-release gabapentin for failed back surgery syndrome: results from a randomized double-blind cross-over study. <i>Pain</i> , 2019, 160, 1029-1036. | 2.0 | 7 |
| 54 | EXCAP exercise to improve fatigue, cardiopulmonary function, and strength: A phase II RCT among older prostate cancer patients receiving radiation and androgen deprivation therapy.. <i>Journal of Clinical Oncology</i> , 2012, 30, 9010-9010. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Partnering with patients in clinical trials of pain treatments: a narrative review. <i>Pain</i> , 2022, 163, 1862-1873. | 2.0 | 6 |
| 56 | Interpretation of Urine Drug Testing Results in Patients Using Transdermal Buprenorphine Preparations for the Treatment of Chronic Noncancer Pain: Table 1. <i>Pain Medicine</i> , 2015, 16, 1132-1136. | 0.9 | 5 |
| 57 | Research design considerations for chronic pain prevention clinical trials: IMMPACT recommendations. <i>Pain Reports</i> , 2021, 6, e895. | 1.4 | 5 |
| 58 | Are there really only 2 kinds of people in the world? Evaluating the distribution of change from baseline in pain clinical trials. <i>Pain</i> , 2020, 161, 195-201. | 2.0 | 4 |
| 59 | Benefit-risk assessment and reporting in clinical trials of chronic pain treatments: IMMPACT recommendations. <i>Pain</i> , 2022, 163, 1006-1018. | 2.0 | 4 |
| 60 | Evaluating predictors of pain reduction after genicular nerve radiofrequency ablation for chronic knee pain. <i>Pain Management</i> , 2021, 11, 669-677. | 0.7 | 4 |
| 61 | Response to Crevenna and Ashbury, Vallance and Bolam, and Crevenna and Keilani regarding the effects of exercise on chemotherapy-induced peripheral neuropathy. <i>Supportive Care in Cancer</i> , 2019, 27, 7-8. | 1.0 | 3 |
| 62 | Predicting Treatment Response with Sensory Phenotyping in Post-Traumatic Neuropathic Pain. <i>Pain Medicine</i> , 2022, 23, 1726-1732. | 0.9 | 3 |
| 63 | YOCAS yoga for musculoskeletal symptoms in breast cancer patients receiving aromatase inhibitors: A URCC CCOP randomized, controlled clinical trial.. <i>Journal of Clinical Oncology</i> , 2012, 30, 9028-9028. | 0.8 | 2 |
| 64 | Pain, sleep disturbance, and fatigue symptom cluster in patients suffering from chronic chemotherapy-induced neuropathic pain (CINP).. <i>Journal of Clinical Oncology</i> , 2012, 30, 9113-9113. | 0.8 | 2 |
| 65 | Design and reporting characteristics of clinical trials investigating sedation practices in the paediatric intensive care unit: a scoping review by SCEPTER (Sedation Consortium on Endpoints and Tj ETQq1 1 0.784314 reg /Over | 0.8 | 2 |
| 66 | The effect of structured exercise during chemotherapy on chemotherapy-induced peripheral neuropathy (CIPN): A role for interoceptive brain circuitry.. <i>Journal of Clinical Oncology</i> , 2019, 37, 11590-11590. | 0.8 | 2 |
| 67 | Reply. <i>Pain</i> , 2017, 158, 182-183. | 2.0 | 1 |
| 68 | Identifying chemotherapy-induced peripheral neuropathy (CIPN) and its treatment using claims data: A URCC NCORP and NIH Collaboratory study.. <i>Journal of Clinical Oncology</i> , 2018, 36, e18707-e18707. | 0.8 | 1 |
| 69 | Evaluation of the psychometric properties of patient-reported and clinician-reported outcome measures of chemotherapy-induced peripheral neuropathy: a COSMIN systematic review protocol. <i>BMJ Open</i> , 2022, 12, e057950. | 0.8 | 1 |
| 70 | When should non-significant results influence clinical decisions?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 548-549. | 1.1 | 0 |
| 71 | Falls, physical performance deficits, and functional losses in cancer survivors with chemotherapy-induced neuropathy (CIPN): A University of Rochester CCOP study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 9014-9014. | 0.8 | 0 |
| 72 | Physical symptoms and psychological distress in head and neck cancer patients.. <i>Journal of Clinical Oncology</i> , 2012, 30, e16056-e16056. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Pretreatment physical activity to predict short- and long-term chemotherapy-induced peripheral neuropathy (CIPN) in a nationwide longitudinal study of paclitaxel for breast cancer.. Journal of Clinical Oncology, 2018, 36, 10018-10018. | 0.8 | 0 |