

Conxita Royo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1408080/publications.pdf>

Version: 2024-02-01

118
papers

8,007
citations

53794

45
h-index

53230

85
g-index

118
all docs

118
docs citations

118
times ranked

5371
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Are the agronomic performance and grain quality characteristics of bread wheat Mediterranean landraces related to the climate prevalent in their area of origin?. <i>Journal of Cereal Science</i> , 2022, 105, 103478. | 3.7 | 10 |
| 2 | Using Unmanned Aerial Vehicle and Ground-Based RGB Indices to Assess Agronomic Performance of Wheat Landraces and Cultivars in a Mediterranean-Type Environment. <i>Remote Sensing</i> , 2021, 13, 1187. | 4.0 | 6 |
| 3 | Labelling Selective Sweeps Used in Durum Wheat Breeding from a Diverse and Structured Panel of Landraces and Cultivars. <i>Biology</i> , 2021, 10, 258. | 2.8 | 6 |
| 4 | Performance of the Two-Source Energy Balance (TSEB) Model as a Tool for Monitoring the Response of Durum Wheat to Drought by High-Throughput Field Phenotyping. <i>Frontiers in Plant Science</i> , 2021, 12, 658357. | 3.6 | 15 |
| 5 | Agronomic, Physiological and Genetic Changes Associated With Evolution, Migration and Modern Breeding in Durum Wheat. <i>Frontiers in Plant Science</i> , 2021, 12, 674470. | 3.6 | 15 |
| 6 | Global loss of climatically suitable areas for durum wheat growth in the future. <i>Environmental Research Letters</i> , 2021, 16, 104049. | 5.2 | 22 |
| 7 | Effect of allele combinations at <i>Ppd-1</i> loci on durum wheat grain filling at contrasting latitudes. <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 64-75. | 3.5 | 16 |
| 8 | Agronomic performance of durum wheat landraces and modern cultivars and its association with genotypic variation in vernalization response (<i>Vrn-1</i>) and photoperiod sensitivity (<i>Ppd-1</i>) genes. <i>European Journal of Agronomy</i> , 2020, 120, 126129. | 4.1 | 23 |
| 9 | The Effect of Photoperiod Genes and Flowering Time on Yield and Yield Stability in Durum Wheat. <i>Plants</i> , 2020, 9, 1723. | 3.5 | 8 |
| 10 | Allelic Variation at the Vernalization Response (<i>Vrn-1</i>) and Photoperiod Sensitivity (<i>Ppd-1</i>) Genes and Their Association With the Development of Durum Wheat Landraces and Modern Cultivars. <i>Frontiers in Plant Science</i> , 2020, 11, 838. | 3.6 | 24 |
| 11 | Phytoene synthase 1 (<i>Psy-1</i>) and lipoxygenase 1 (<i>Lpx-1</i>) Genes Influence on Semolina Yellowness in Wheat Mediterranean Germplasm. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4669. | 4.1 | 8 |
| 12 | Exploring the Genetic Architecture of Root-Related Traits in Mediterranean Bread Wheat Landraces by Genome-Wide Association Analysis. <i>Agronomy</i> , 2020, 10, 613. | 3.0 | 24 |
| 13 | Genetic Dissection of the Seminal Root System Architecture in Mediterranean Durum Wheat Landraces by Genome-Wide Association Study. <i>Agronomy</i> , 2019, 9, 364. | 3.0 | 35 |
| 14 | From landraces to improved cultivars: Assessment of genetic diversity and population structure of Mediterranean wheat using SNP markers. <i>PLoS ONE</i> , 2019, 14, e0219867. | 2.5 | 66 |
| 15 | Unravelling the relationship between adaptation pattern and yield formation strategies in Mediterranean durum wheat landraces. <i>European Journal of Agronomy</i> , 2019, 107, 43-52. | 4.1 | 13 |
| 16 | Effect of <i>Ppd-1</i> photoperiod sensitivity genes on dry matter production and allocation in durum wheat. <i>Field Crops Research</i> , 2018, 221, 358-367. | 5.1 | 37 |
| 17 | Pasta-Making Quality QTLome From Mediterranean Durum Wheat Landraces. <i>Frontiers in Plant Science</i> , 2018, 9, 1512. | 3.6 | 30 |
| 18 | Durum Wheat Landraces from East and West Regions of the Mediterranean Basin Are Genetically Distinct for Yield Components and Phenology. <i>Frontiers in Plant Science</i> , 2018, 9, 80. | 3.6 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Optimizing Winter Wheat Resilience to Climate Change in Rain Fed Crop Systems of Turkey and Iran. <i>Frontiers in Plant Science</i> , 2018, 9, 563. | 3.6 | 18 |
| 20 | Effect of Ppd-A1 and Ppd-B1 Allelic Variants on Grain Number and Thousand Kernel Weight of Durum Wheat and Their Impact on Final Grain Yield. <i>Frontiers in Plant Science</i> , 2018, 9, 888. | 3.6 | 39 |
| 21 | Dissecting the old Mediterranean durum wheat genetic architecture for phenology, biomass and yield formation by association mapping and QTL meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0178290. | 2.5 | 93 |
| 22 | Genetic Diversity and Association Mapping for Agromorphological and Grain Quality Traits of a Structured Collection of Durum Wheat Landraces Including subsp. durum, turgidum and diccocon. <i>PLoS ONE</i> , 2016, 11, e0166577. | 2.5 | 51 |
| 23 | Genetic Structure of Modern Durum Wheat Cultivars and Mediterranean Landraces Matches with Their Agronomic Performance. <i>PLoS ONE</i> , 2016, 11, e0160983. | 2.5 | 92 |
| 24 | Effect of <i>Ppd-1</i> genes on durum wheat flowering time and grain filling duration in a wide range of latitudes. <i>Journal of Agricultural Science</i> , 2016, 154, 612-631. | 1.3 | 36 |
| 25 | Changes in durum wheat root and aerial biomass caused by the introduction of the Rht-B1b dwarfing allele and their effects on yield formation. <i>Plant and Soil</i> , 2016, 403, 291-304. | 3.7 | 36 |
| 26 | Transcripts levels of Phytoene synthase 1 (<i>Psy-1</i>) are associated to semolina yellowness variation in durum wheat (<i>Triticum turgidum</i> L. ssp. durum). <i>Journal of Cereal Science</i> , 2016, 68, 155-163. | 3.7 | 7 |
| 27 | Association of phytoene synthase <i>Psy1-A1</i> and <i>Psy1-B1</i> allelic variants with semolina yellowness in durum wheat (<i>Triticum turgidum</i> L. var. durum). <i>Euphytica</i> , 2016, 207, 109-117. | 1.2 | 14 |
| 28 | Daylength, Temperature and Solar Radiation Effects on the Phenology and Yield Formation of Spring Durum Wheat. <i>Journal of Agronomy and Crop Science</i> , 2016, 202, 203-216. | 3.5 | 40 |
| 29 | Short communication: Emergence of a new race of leaf rust with combined virulence to <i>Lr14a</i> and <i>Lr72</i> genes on durum wheat. <i>Spanish Journal of Agricultural Research</i> , 2016, 14, e10SC02. | 0.6 | 21 |
| 30 | Dissecting the Genetic Architecture of Leaf Rust Resistance in Wheat by QTL Meta-Analysis. <i>Phytopathology</i> , 2015, 105, 1585-1593. | 2.2 | 69 |
| 31 | Breeding effects on dry matter accumulation and partitioning in Spanish bread wheat during the 20th century. <i>Euphytica</i> , 2015, 203, 321-336. | 1.2 | 10 |
| 32 | Breeding effects on the cultivar×environment interaction of durum wheat yield. <i>European Journal of Agronomy</i> , 2015, 68, 78-88. | 4.1 | 54 |
| 33 | Changes in bread-making quality attributes of bread wheat varieties cultivated in Spain during the 20th century. <i>European Journal of Agronomy</i> , 2015, 63, 79-88. | 4.1 | 53 |
| 34 | Exploiting genetic diversity from landraces in wheat breeding for adaptation to climate change. <i>Journal of Experimental Botany</i> , 2015, 66, 3477-3486. | 4.8 | 356 |
| 35 | Breeding progress in the pasta-making quality of durum wheat cultivars released in Italy and Spain during the 20th Century. <i>Crop and Pasture Science</i> , 2014, 65, 16. | 1.5 | 83 |
| 36 | QTL dissection of yield components and morpho-physiological traits in a durum wheat elite population tested in contrasting thermo-pluviometric conditions. <i>Crop and Pasture Science</i> , 2014, 65, 80. | 1.5 | 79 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Transcriptomic and proteomic analyses of a pale-green durum wheat mutant shows variations in photosystem components and metabolic deficiencies under drought stress. <i>BMC Genomics</i> , 2014, 15, 125. | 2.8 | 37 |
| 38 | Durum wheat (<i>Triticum durum</i> Desf.) Mediterranean landraces as sources of variability for allelic combinations at Glu-1/Glu-3 loci affecting gluten strength and pasta cooking quality. <i>Genetic Resources and Crop Evolution</i> , 2014, 61, 1219-1236. | 1.6 | 33 |
| 39 | The climate of the zone of origin of Mediterranean durum wheat (<i>Triticum durum</i> Desf.) landraces affects their agronomic performance. <i>Genetic Resources and Crop Evolution</i> , 2014, 61, 1345-1358. | 1.6 | 87 |
| 40 | Variability in glutenin subunit composition of Mediterranean durum wheat germplasm and its relationship with gluten strength. <i>Journal of Agricultural Science</i> , 2014, 152, 379-393. | 1.3 | 47 |
| 41 | Genetic improvement of bread wheat yield and associated traits in Spain during the 20th century. <i>Journal of Agricultural Science</i> , 2013, 151, 105-118. | 1.3 | 108 |
| 42 | Creation and Validation of the Spanish Durum Wheat Core Collection. <i>Crop Science</i> , 2013, 53, 2530-2537. | 1.8 | 19 |
| 43 | Diversity and Genetic Structure of a Collection of Spanish Durum Wheat Landraces. <i>Crop Science</i> , 2012, 52, 2262-2275. | 1.8 | 41 |
| 44 | Can Mediterranean durum wheat landraces contribute to improved grain quality attributes in modern cultivars?. <i>Euphytica</i> , 2012, 185, 1-17. | 1.2 | 92 |
| 45 | Breeding effects on the genotype×environment interaction for yield of bread wheat grown in Spain during the 20th century. <i>Field Crops Research</i> , 2012, 126, 79-86. | 5.1 | 36 |
| 46 | Association mapping in durum wheat grown across a broad range of water regimes. <i>Journal of Experimental Botany</i> , 2011, 62, 409-438. | 4.8 | 270 |
| 47 | Changes in duration of developmental phases of durum wheat caused by breeding in Spain and Italy during the 20th century and its impact on yield. <i>Annals of Botany</i> , 2011, 107, 1355-1366. | 2.9 | 72 |
| 48 | Understanding the relationships between genetic and phenotypic structures of a collection of elite durum wheat accessions. <i>Field Crops Research</i> , 2010, 119, 91-105. | 5.1 | 54 |
| 49 | Durum Wheat Breeding., 2009, , 199-226. | | 32 |
| 50 | Relationships among adaptation patterns, morphophysiological traits and molecular markers in durum wheat. <i>Plant Breeding</i> , 2009, 128, 164-171. | 1.9 | 18 |
| 51 | Breeding for Yield Potential and Stress Adaptation in Cereals. <i>Critical Reviews in Plant Sciences</i> , 2008, 27, 377-412. | 5.7 | 638 |
| 52 | Old and modern durum wheat varieties from Italy and Spain differ in main spike components. <i>Field Crops Research</i> , 2008, 106, 86-93. | 5.1 | 51 |
| 53 | Quantitative Trait Loci for Grain Yield and Adaptation of Durum Wheat (<i>Triticum durum</i> Desf.) Across a Wide Range of Water Availability. <i>Genetics</i> , 2008, 178, 489-511. | 2.9 | 397 |
| 54 | Breeding Effects on Grain Filling, Biomass Partitioning, and Remobilization in Mediterranean Durum Wheat. <i>Agronomy Journal</i> , 2008, 100, 361. | 1.8 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Grain Filling and Dry Matter Translocation Responses to Source-Sink Modifications in a Historical Series of Durum Wheat. <i>Crop Science</i> , 2008, 48, 1523-1531. | 1.8 | 69 |
| 56 | Changes in Yield and Carbon Isotope Discrimination of Italian and Spanish Durum Wheat during the 20th Century. <i>Agronomy Journal</i> , 2008, 100, 352-360. | 1.8 | 42 |
| 57 | Breeding Effects on Grain Filling, Biomass Partitioning, and Remobilization in Mediterranean Durum Wheat. <i>Agronomy Journal</i> , 2008, 100, 361-370. | 1.8 | 69 |
| 58 | Changes in Yield and Carbon Isotope Discrimination of Italian and Spanish Durum Wheat during the 20th Century. <i>Agronomy Journal</i> , 2008, 100, 352. | 1.8 | 31 |
| 59 | Contribution of main stem and tillers to durum wheat (<i>Triticum turgidum</i> L. var. durum) grain yield and its components grown in Mediterranean environments. <i>Field Crops Research</i> , 2007, 103, 25-35. | 5.1 | 85 |
| 60 | Usefulness of remote sensing for the assessment of growth traits in individual cereal plants grown in the field. <i>International Journal of Remote Sensing</i> , 2007, 28, 2497-2512. | 2.9 | 16 |
| 61 | Environmentally Induced Changes in Amino Acid Composition in the Grain of Durum Wheat Grown under Different Water and Temperature Regimes in a Mediterranean Environment. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 8144-8151. | 5.2 | 39 |
| 62 | Morphological Traits above the Flag Leaf Node as Indicators of Drought Susceptibility Index in Durum Wheat. <i>Journal of Agronomy and Crop Science</i> , 2007, 193, 103-116. | 3.5 | 27 |
| 63 | Genetic changes in durum wheat yield components and associated traits in Italian and Spanish varieties during the 20th century. <i>Euphytica</i> , 2007, 155, 259-270. | 1.2 | 142 |
| 64 | Dispersal of durum wheat [<i>Triticum turgidum</i> L. ssp. <i>turgidum</i> convar. durum (Desf.) MacKey] landraces across the Mediterranean basin assessed by AFLPs and microsatellites. <i>Genetic Resources and Crop Evolution</i> , 2007, 54, 1133-1144. | 1.6 | 53 |
| 65 | A panel of elite accessions of durum wheat (<i>Triticum durum</i> Desf.) suitable for association mapping studies. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2006, 4, 79-85. | 0.8 | 54 |
| 66 | Yield formation strategies of durum wheat landraces with distinct pattern of dispersal within the Mediterranean basin. <i>Field Crops Research</i> , 2006, 95, 182-193. | 5.1 | 44 |
| 67 | Yield formation strategies of durum wheat landraces with distinct pattern of dispersal within the Mediterranean basin I: Yield components. <i>Field Crops Research</i> , 2006, 95, 194-205. | 5.1 | 90 |
| 68 | Grain growth and yield formation of durum wheat grown at contrasting latitudes and water regimes in a Mediterranean environment. <i>Cereal Research Communications</i> , 2006, 34, 1021-1028. | 1.6 | 46 |
| 69 | Durum Wheat under Mediterranean Conditions as Affected by Seed Size. <i>Journal of Agronomy and Crop Science</i> , 2006, 192, 257-266. | 3.5 | 18 |
| 70 | Genetic Diversity of Glutenin Protein Subunits Composition in Durum Wheat Landraces [<i>Triticum turgidum</i> ssp. <i>turgidum</i> Convar. durum (Desf.) MacKey] from the Mediterranean Basin. <i>Genetic Resources and Crop Evolution</i> , 2006, 53, 993-1002. | 1.6 | 62 |
| 71 | Promising eco-physiological traits for genetic improvement of cereal yields in Mediterranean environments. <i>Annals of Applied Biology</i> , 2005, 146, 61-70. | 2.5 | 248 |
| 72 | Yield Formation in Mediterranean durum wheats under two contrasting water regimes based on path-coefficient analysis. <i>Euphytica</i> , 2005, 146, 203-212. | 1.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Using AFLPs to determine phylogenetic relationships and genetic erosion in durum wheat cultivars released in Italy and Spain throughout the 20th century. <i>Field Crops Research</i> , 2005, 91, 107-116. | 5.1 | 70 |
| 74 | Assessment of durum wheat yield using visible and near-infrared reflectance spectra of canopies. <i>Field Crops Research</i> , 2005, 94, 126-148. | 5.1 | 59 |
| 75 | Growth and yield responses of spring and winter triticale cultivated under Mediterranean conditions. <i>European Journal of Agronomy</i> , 2004, 20, 281-292. | 4.1 | 27 |
| 76 | Leaf and green area development of durum wheat genotypes grown under Mediterranean conditions. <i>European Journal of Agronomy</i> , 2004, 20, 419-430. | 4.1 | 41 |
| 77 | Effect of sensor view angle on the assessment of agronomic traits by ground level hyper-spectral reflectance measurements in durum wheat under contrasting Mediterranean conditions. <i>International Journal of Remote Sensing</i> , 2004, 25, 1131-1152. | 2.9 | 38 |
| 78 | Physiology of Yield and Adaptation in Wheat and Barley Breeding. <i>Books in Soils, Plants, and the Environment</i> , 2004, , . | 0.1 | 0 |
| 79 | Breeding cereals for Mediterranean conditions: ecophysiological clues for biotechnology application. <i>Annals of Applied Biology</i> , 2003, 142, 129-141. | 2.5 | 157 |
| 80 | Durum wheat quality in Mediterranean environments. <i>Field Crops Research</i> , 2003, 80, 123-131. | 5.1 | 85 |
| 81 | Durum wheat quality in Mediterranean environments. <i>Field Crops Research</i> , 2003, 80, 133-140. | 5.1 | 94 |
| 82 | Durum wheat quality in Mediterranean environments. <i>Field Crops Research</i> , 2003, 80, 141-146. | 5.1 | 51 |
| 83 | Usefulness of spectral reflectance indices as durum wheat yield predictors under contrasting Mediterranean conditions. <i>International Journal of Remote Sensing</i> , 2003, 24, 4403-4419. | 2.9 | 116 |
| 84 | Evaluation of Grain Yield and Its Components in Durum Wheat under Mediterranean Conditions. <i>Agronomy Journal</i> , 2003, 95, 266. | 1.8 | 180 |
| 85 | Seedling development and biomass as affected by seed size and morphology in durum wheat. <i>Journal of Agricultural Science</i> , 2002, 139, 143-150. | 1.3 | 38 |
| 86 | Relationship between Growth Traits and Spectral Vegetation Indices in Durum Wheat. <i>Crop Science</i> , 2002, 42, 1547-1555. | 1.8 | 158 |
| 87 | Comparative performance of carbon isotope discrimination and canopy temperature depression as predictors of genotype differences in durum wheat yield in Spain. <i>Australian Journal of Agricultural Research</i> , 2002, 53, 561. | 1.5 | 67 |
| 88 | Plant Breeding and Drought in C3 Cereals: What Should We Breed For?. <i>Annals of Botany</i> , 2002, 89, 925-940. | 2.9 | 987 |
| 89 | Patterns of grain filling of spring and winter hexaploid triticals. <i>European Journal of Agronomy</i> , 2002, 16, 219-230. | 4.1 | 32 |
| 90 | Biomass Accumulation and Main Stem Elongation of Durum Wheat Grown under Mediterranean Conditions. <i>Annals of Botany</i> , 2001, 88, 617-627. | 2.9 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Near infrared reflectance spectroscopy as a potential surrogate method for the analysis of D13C in mature kernels of durum wheat. <i>Australian Journal of Agricultural Research</i> , 2001, 52, 809. | 1.5 | 26 |
| 92 | Environmental and genetic determination of protein content and grain yield in durum wheat under Mediterranean conditions. <i>Plant Breeding</i> , 2001, 120, 381-388. | 1.9 | 90 |
| 93 | Assessing genotypic variability for plant development in spring and winter triticale. <i>Cereal Research Communications</i> , 2001, 29, 359-366. | 1.6 | 0 |
| 94 | Photosynthetic and developmental traits associated with genotypic differences in durum wheat yield across the Mediterranean basin. <i>Australian Journal of Agricultural Research</i> , 2000, 51, 891. | 1.5 | 28 |
| 95 | Spectral Vegetation Indices as Nondestructive Tools for Determining Durum Wheat Yield. <i>Agronomy Journal</i> , 2000, 92, 83-91. | 1.8 | 339 |
| 96 | Amino-Acid Composition and Protein and Carbohydrate Accumulation in the Grain of Triticale Grown under Terminal Water Stress Simulated by a Senescing Agent. <i>Journal of Cereal Science</i> , 2000, 32, 249-258. | 3.7 | 37 |
| 97 | Triticale grain growth and morphometry as affected by drought stress, late sowing and simulated drought stress. <i>Functional Plant Biology</i> , 2000, 27, 1051. | 2.1 | 34 |
| 98 | Remobilization of Pre-anthesis Assimilates to the Grain for Grain Only and Dual-Purpose (Forage and) Triticale. <i>Journal of Agronomy and Crop Science</i> , 2000, 182, 175-184. | 1.8 | 33 |
| 99 | Plant Recovery and Grain-Yield Formation in Barley and Triticale Following Forage Removal at Two Cutting Stages. <i>Journal of Agronomy and Crop Science</i> , 1999, 182, 175-184. | 3.5 | 11 |
| 100 | Growth Analysis of Five Spring and Five Winter Triticale Genotypes. <i>Agronomy Journal</i> , 1999, 91, 305-311. | 1.8 | 26 |
| 101 | Use of potassium iodide to mimic drought stress in triticale. <i>Field Crops Research</i> , 1998, 59, 201-212. | 5.1 | 14 |
| 102 | Effect of Sowing Date and Cutting Stage on Yield and Quality of Irrigated Barley and Triticale Used for Forage and Grain. <i>Journal of Agronomy and Crop Science</i> , 1997, 179, 227-234. | 3.5 | 19 |
| 103 | Grain yield and yield components as affected by forage removal in winter and spring triticale. <i>Grass and Forage Science</i> , 1997, 52, 63-72. | 2.9 | 10 |
| 104 | Triticale and barley for grain and for dual-purpose (forage+grain) in a Mediterranean-type environment. II. Yield, yield components, and quality. <i>Australian Journal of Agricultural Research</i> , 1997, 48, 423. | 1.5 | 18 |
| 105 | Triticale and barley for grain and for dual-purpose (forage+grain) in a Mediterranean-type environment. I. Growth analyses. <i>Australian Journal of Agricultural Research</i> , 1997, 48, 411. | 1.5 | 12 |
| 106 | Grain yield, biomass and leaf area of triticale in response to sowing date and cutting stage in three contrasting Mediterranean environments. <i>Journal of Agricultural Science</i> , 1996, 126, 253-258. | 1.3 | 3 |
| 107 | Likening Between the Effect of Drought and Terminal Water-stress Simulated by a Senescing Agent in Triticale. <i>Journal of Agronomy and Crop Science</i> , 1996, 176, 31-38. | 3.5 | 7 |
| 108 | Effect of forage removal at the first detectable node stage on the growth of winter and spring triticale. <i>Grass and Forage Science</i> , 1996, 51, 170-179. | 2.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Yield and quality of winter and spring triticales for forage and grain. <i>Grass and Forage Science</i> , 1996, 51, 449-455. | 2.9 | 10 |
| 110 | Agronomical and morphological differentiation among winter and spring triticales. <i>Plant Breeding</i> , 1995, 114, 413-416. | 1.9 | 19 |
| 111 | Yield and quality of spring triticales used for forage and grain as influenced by sowing date and cutting stage. <i>Field Crops Research</i> , 1994, 37, 161-168. | 5.1 | 26 |
| 112 | Differential Adaptation of Complete and Substituted Triticales. <i>Plant Breeding</i> , 1993, 111, 113-119. | 1.9 | 28 |
| 113 | Triticales and other small grain cereals for forage and grain in Mediterranean conditions. <i>Grass and Forage Science</i> , 1993, 48, 11-17. | 2.9 | 20 |
| 114 | Hot Water Extracts in a Mutant Derived from the Barley Cultivar Troubadour. <i>Journal of Cereal Science</i> , 1993, 18, 69-74. | 3.7 | 4 |
| 115 | Carbon Isotope Ratios in Ear Parts of Triticales. <i>Plant Physiology</i> , 1992, 100, 1033-1035. | 4.8 | 32 |
| 116 | Effectiveness of Twenty-Four Barley Resistance Genes Against Powdery Mildew (<i>Erysiphe graminis</i> DC f.) Tj ETQq0 Q Q rgBT /Overlock 10 | 1.9 | 4 |
| 117 | Field Measurements of Canopy Spectra for Biomass Assessment of Small-Grain Cereals. , 0, , . | | 9 |
| 118 | Wheat: A Crop in the Bottom of the Mediterranean Diet Pyramid. , 0, , . | | 19 |