

Jinfang Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1410497/publications.pdf>

Version: 2024-02-01

68
papers

990
citations

471509

17
h-index

477307

29
g-index

69
all docs

69
docs citations

69
times ranked

940
citing authors

#	ARTICLE	IF	CITATIONS
1	A Unique Cd ₄ -Cluster-Based Coordination Polymer with Efficient Luminescent Detection of 2,4,6-Trinitrophenol and MnO ₄ ²⁻ . <i>Journal of Cluster Science</i> , 2023, 34, 943-951.	3.3	3
2	Ionothermal Synthesis of Two New Thioantimonates with Transition Metal Regulation. <i>Journal of Cluster Science</i> , 2022, 33, 1457-1465.	3.3	1
3	A new photochromic-ligand-based luminescent coordination polymer as a MnO ₄ ²⁻ sensor with extremely high sensitivity and excellent selectivity. <i>Journal of Materials Chemistry C</i> , 2022, 10, 1672-1680.	5.5	18
4	An Unusual Luminescent Mo/S/Cu Cluster-Based Metal-Organic Framework for Efficient Detection of TNP. <i>Journal of Cluster Science</i> , 2021, 32, 279-285.	3.3	2
5	Two Zn(II)-organic frameworks based on α -shaped terpyridine ligand and dicarboxylic ligands: Fascinating architectures and efficient luminescent aqueous-phase dual-responsive detection. <i>Journal of Solid State Chemistry</i> , 2021, 294, 121849.	2.9	5
6	Two W/S/Cu-Cluster-Containing Metal-Organic Frameworks Fabricated by Multidentate Organic Ligands: New Topologies, Strong NLO Properties, and Efficient Luminescent Detection. <i>Crystal Growth and Design</i> , 2021, 21, 3225-3233.	3.0	18
7	Naphthalene/anthracene chromophore-based W/S/Cu cluster-organic frameworks with adjustable Fe ³⁺ sensing properties. <i>Journal of Solid State Chemistry</i> , 2021, 298, 122123.	2.9	6
8	A naphthalene-chromophore-based luminescent Zn(II)-organic framework as efficient TNP sensor. <i>Polyhedron</i> , 2021, 205, 115313.	2.2	3
9	Two unusual metal-organic frameworks based on W/S/Cu clusters and Tetrakis(4-pyridyl)benzene: Enhanced nonlinear optics and efficient luminescence sensing. <i>Journal of Solid State Chemistry</i> , 2021, 301, 122349.	2.9	1
10	Dicarboxylic ligands directing two Zn(II)-organic frameworks with distinct structures and significantly enhanced luminescence detection performances. <i>Dyes and Pigments</i> , 2021, 196, 109760.	3.7	7
11	A Water-Stable Luminescent W/S/Cu Heteroatom Cluster for Detection of TNP. <i>Journal of Cluster Science</i> , 2020, 31, 1383-1388.	3.3	2
12	AIE-ligand-based luminescent Cd-organic framework as the first α -turn-on Fe ³⁺ sensor in aqueous medium. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1427-1432.	5.5	61
13	Two 1,2,4,5-tetra(4-pyridyl)benzene-based Zn(II)-organic frameworks: Structures and luminescence sensing property. <i>Polyhedron</i> , 2020, 182, 114484.	2.2	2
14	Three AIE-ligand-based Cu coordination polymers: synthesis, structures and luminescence sensing of TNP. <i>New Journal of Chemistry</i> , 2020, 44, 5285-5292.	2.8	13
15	An ultra-stable Cd coordination polymer based on double-chelated ligand for efficient dual-response of TNP and MnO ₄ ⁻ . <i>Sensors and Actuators B: Chemical</i> , 2020, 317, 128230.	7.8	27
16	Decanuclear Cluster-Based Metal-Organic Framework with a (3,11)-Connected Topology and Highly Sensitive 2,4,6-Trinitrophenol Detection. <i>Inorganic Chemistry</i> , 2019, 58, 9749-9755.	4.0	37
17	<i>In situ</i> formed [M(CN) ₉] (M = W, Mo) as a building block for the construction of two nona-cyanometalate-bridged heterometallic coordination polymers. <i>CrystEngComm</i> , 2019, 21, 4363-4372.	2.6	3
18	A α -(4-carboxyphenyl)-3,2,6-terpyridine-based luminescent cadmium(II) coordination polymer for the detection of 2,4,6-trinitrophenol. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 508-513.	0.5	4

#	ARTICLE	IF	CITATIONS
19	Auxiliary ligand-induced structural diversities of octacyanometalate-based heterobimetallic coordination polymers towards diverse magnetic properties. Dalton Transactions, 2019, 48, 7666-7676.	3.3	4
20	Two 4-((4-carboxyphenyl)-3,2,6-terpyridine)-based luminescent Zn(II) coordination polymers for detection of 2,4,6-trinitrophenol. Polyhedron, 2019, 169, 51-57.	2.2	7
21	Two mixed-ligand Cd(II) organic frameworks with unique topologies: selective luminescence sensing of TNP and Cu ²⁺ ions with recyclable performances. New Journal of Chemistry, 2019, 43, 16078-16088.	2.8	20
22	An Eicosanuclear Heterothiometallic Mo/S/Cu Cluster: Synthesis and Third-Order Nonlinear Optical Property. Journal of Cluster Science, 2018, 29, 385-390.	3.3	4
23	Synthetically tuned structural variations in coordination polymers based on dicyanamide toward diverse physical properties. Molecular Crystals and Liquid Crystals, 2018, 665, 181-193.	0.9	0
24	A new Zn(II) coordination polymer based on 4-(pyridin-4-yl)benzoic and formic acids: <i>in-situ</i> synthesis, crystal structure and luminescence properties. Acta Crystallographica Section C, Structural Chemistry, 2018, 74, 1133-1137.	0.5	5
25	Multiresponsive water-stable luminescent Cd coordination polymer for detection of TNP and Cu ²⁺ . Sensors and Actuators B: Chemical, 2018, 272, 166-174.	7.8	101
26	Water-Stable Luminescent Zn(II) Metal-Organic Framework as Rare Multifunctional Sensor for Cr(VI) and TNP. ChemistrySelect, 2017, 2, 7465-7473.	1.5	14
27	Two luminescent Zn(II)/Cd(II) metal-organic frameworks as rare multifunctional sensors. New Journal of Chemistry, 2017, 41, 8107-8117.	2.8	58
28	Two distinct Cd-2,6-bip coordination polymers: Auxiliary ligand affected structures, luminescence and nitrobenzene sensing properties. Polyhedron, 2017, 123, 62-68.	2.2	9
29	A Unique Mixed-Valence CuI/CuII Organic-Inorganic Hybrid Supramolecular Cluster: Syntheses, Crystal Structure, Luminescence and 2,4,6-Trinitrophenol Sensing Properties. Journal of Cluster Science, 2016, 27, 1353-1364.	3.3	8
30	Four distinct anionic heterothiometallic W/S/Ag polymeric clusters directed by solvent-coordinated metal cations. Polyhedron, 2016, 109, 67-74.	2.2	1
31	Construction of two unique W/S/Cu cluster-based coordination polymers affected by pseudohalogen ligands. Polyhedron, 2016, 107, 68-77.	2.2	3
32	Ammonium-crown ether supramolecular cation-templated assembly of an unprecedented heterobimetallic metal coordination polymer with enhanced NLO properties. Chemical Communications, 2016, 52, 3797-3800.	4.1	28
33	Three Distinct Silver(I) Coordination Polymers: Bridging-Ligand Directed Syntheses, Crystal Structures, Luminescence, and Nitrobenzene Sensing Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2015, 641, 1366-1373.	1.2	9
34	Tetrazine Chromophore-Based Metal-Organic Frameworks with Unusual Configurations: Synthetic, Structural, Theoretical, Fluorescent, and Nonlinear Optical Studies. Chemistry - A European Journal, 2015, 21, 7914-7926.	3.3	41
35	A supra-cubane-like Mo/S/Cu cluster: Cation-directed synthesis, crystal structure and nonlinear optical property. Polyhedron, 2015, 101, 1-5.	2.2	5
36	External-Template-Assisted Formation of Octacyanometalate-Based M ^V -Mn ^{II} (M) Tj ETQqO O O rgBT / Chemistry, 2015, 2015, 2110-2119.	2.0	11

#	ARTICLE	IF	CITATIONS
37	Two distinct dimeric heterothiometallic W/S/Cu clusters: syntheses, crystal structures, and photocatalytic properties. <i>Polyhedron</i> , 2015, 92, 93-98.	2.2	5
38	Solvent-induced syntheses of three heterothiometallic W/S/Cu cluster-based coordination polymers with isomeric architectures and effective photocatalytic properties. <i>Transition Metal Chemistry</i> , 2015, 40, 405-412.	1.4	7
39	Two Distinct Dimeric Heterothiometallic W/S/Cu Clusters with Effective Photocatalytic Property. <i>Journal of Cluster Science</i> , 2015, 26, 1857-1872.	3.3	1
40	Single cyanide-bridged Mo(W)/S/Cu cluster-based coordination polymers: Reactant- and stoichiometry-dependent syntheses, effective photocatalytic properties. <i>Journal of Solid State Chemistry</i> , 2015, 231, 230-238.	2.9	9
41	Synthesis, Crystal Structure, Theoretical Study, and Luminescence Property of a Copper(I) Complex with Dipyrido[3,2-f:2â€²,3â€²-h]-quinoxaline. <i>Molecular Crystals and Liquid Crystals</i> , 2014, 605, 187-196.	0.9	2
42	Synthesis, Crystal Structure, Theoretical Study, and Luminescence Spectroscopy of A W/Cu/S Cluster with 1, 10â€²-Phenanthroline. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 2212-2216.	1.2	1
43	A Three-Dimensional Hetero-Bimetallic Coordination Polymer with Unusual (4,5)-Connected Topology and Ferrimagnetic Property Based on Octacyanotungstate and Polydentate Ligand. <i>Crystal Growth and Design</i> , 2014, 14, 2288-2295.	3.0	8
44	Synthesis, Crystal Structure, Theoretical Study, Thermal Behavior, and Luminescence Property of A Bromide-Bridged Silver(I) Complex with 4, 4â€²-(diazenediyl)dipyridine. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 974-979.	1.2	5
45	Amino-coumarin based fluorescence ratiometric sensors for acidic pH and their application for living cells imaging. <i>RSC Advances</i> , 2013, 3, 12204.	3.6	62
46	Metal-Cation-Directed Synthesis, Structures, and Optical Properties of Mo(W)/S(Se)/Ag Clusters: A Brief Overview. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 328-346.	2.0	15
47	Solvent-Induced Assembly of Octacyanometalates-Based Coordination Polymers with Unique <i>afm</i> 1 Topology and Magnetic Properties. <i>Crystal Growth and Design</i> , 2013, 13, 5211-5219.	3.0	9
48	A twofold interwoven two-dimensional two-dimensional (2-Dâ€²2-D) cluster-organic network based on the [Cu ₂ Cl ₂] cluster and the 4,4â€²-(diazenediyl)dipyridine ligand: poly[[1/4₂-4,4â€²-(diazenediyl)dipyridine]-1/4₂-iodido-copper(I)]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 123-126.	0.4	3
49	catena-Poly[[tetrakis(hexamethylphosphoramidate-â€²O)bis(nitrato-â€²O, Oâ€²)terbium(III)] [silver(I)-di-1/4-sulfido-tungstate(VI)-di-1/4-sulfido]]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m843-m844.	0.2	2
50	Hexakis(dimethyl sulfoxide-â€²O)calcium 1/4₆-oxido-dodecakis-1/4₂-oxido-hexaoxidohexatungstate(VI). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m702-m702.	0.2	4
51	catena-Poly[[tetrakis(hexamethylphosphoramidate-â€²O)bis(nitrato-â€² ²) Tj ETQq1 1 0.784314 rgBT /Overlock Section E: Structure Reports Online, 2012, 68, m770-m771.	0.2	4
52	Solvent-induced syntheses of 2D/3D [AgSCN] _n -based supramolecular isomers with unusual topologies: structural, theoretical and nonlinear optical studies. <i>CrystEngComm</i> , 2012, 14, 2787.	2.6	23
53	Syntheses, Structural, Theoretical, and Nonlinear Optical Studies of Non-Interpenetrating Three-Dimensional Nest-Shaped-Cluster [MoOS ₃ Cu ₃]-Based Coordination Polymers. <i>Crystal Growth and Design</i> , 2011, 11, 100-109.	3.0	50
54	Syntheses and NLO properties of 1D heterothiometallic anionic W/S/Ag clusters possessing solvento-ytterbium cation-directed isomeric skeletons. <i>New Journal of Chemistry</i> , 2011, 35, 328-338.	2.8	21

#	ARTICLE	IF	CITATIONS
55	Two 3D coordination assemblies with same cluster configuration showing different magnetic behaviors: a ferromagnetic $\{[W(CN)_8Co_2(DMF)_3(NO)_3]_n\}$ and a paramagnetic $\{W(CN)_8Cu_2(py)_8\}_n$. CrystEngComm, 2011, 12, 517-522.	2.6	19
56	catena-Poly[[tetrakis(hexamethylphosphoramidato)bis(nitrato)ytterbium(III)] [silver(I)-di- μ_4 -sulfido-molybdenum(VI)-di- μ_4 -sulfido]]. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m1206-m1207.	0.2	5
57	catena-Poly[[tetrakis(hexamethylphosphoramidato)bis(nitrato)samarium(III)] [silver(I)-di- μ_4 -sulfido-tungstate(VI)-di- μ_4 -sulfido]]. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m1365-m1365.	0.2	6
58	Facile Syntheses and Tunable Nonlinear Optical Properties of Heterothiometallic Clusters with $[MS_4Ag_2]$ Units (M=Mo, W). Chemistry - A European Journal, 2010, 16, 13946-13950.	3.3	31
59	Innentitelbild: Dodecanuclear-Ellipse and Decanuclear-Wheel Nickel(II) Thiolato Clusters with Efficient Femtosecond Nonlinear Absorption (Angew. Chem. 25/2010). Angewandte Chemie, 2010, 122, 4240-4240.	2.0	0
60	Inside Cover: Dodecanuclear-Ellipse and Decanuclear-Wheel Nickel(II) Thiolato Clusters with Efficient Femtosecond Nonlinear Absorption (Angew. Chem. Int. Ed. 25/2010). Angewandte Chemie - International Edition, 2010, 49, 4146-4146.	13.8	0
61	catena-Poly[[tetrakis(hexamethylphosphoramidato)bis(nitrato)dysprosium(III)] [molybdenum(VI)-di- μ_4 -sulfido-silver(I)-di- μ_4 -sulfido]]. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m1479-m1479.	0.2	7
62	catena-Poly[[[(triphenylphosphane)copper(I)-di- μ_4 -iodido-[(triphenylphosphane)copper(I)- μ_4 -[3,6-bis(4-pyridyl)-1,2,4,5-tetrazine]] acetonitrile disolvate]]. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m1480-m1480.	0.2	1
63	catena-Poly[[bis[(dicyanamido)silver(I)]- μ_2 -4,4'-bipyridine- μ_2]] ₂ N. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1703-m1703.	0.2	0
64	catena-Poly[[bis(dimethylformamidato)cadmium(II)-di- μ_2 -dicyanamido]4N1:N5]. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1550-m1550.	0.2	2
65	Modulation of Third-Order Nonlinear Optical Properties by Backbone Modification of Polymeric Pillared Layer Heterometallic Clusters. Advanced Materials, 2008, 20, 1870-1875.	21.0	97
66	A Single-Bridge Strategy for Synthesis of a 3-D Heterobimetallic Cluster with a Heavily Distorted Diamondoid Topology and Enhanced Third-Order Nonlinear Optical Properties. Crystal Growth and Design, 2008, 8, 387-390.	3.0	39
67	Unique Cluster-Metal Framework Constructed by Multidentate N-Donating Ligand for TNP Detection. Journal of Cluster Science, 0, , 1.	3.3	0
68	Multinary Thioantimonates(III) with d10 Transition Metals: Ionothermal Synthesis, Crystal Structures and Physical Properties. Journal of Cluster Science, 0, , 1.	3.3	0