

# Jess M Gonzalez

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1410499/jesus-m-gonzalez-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

232  
papers

2,101  
citations

24  
h-index

34  
g-index

236  
ext. papers

2,189  
ext. citations

2.5  
avg, IF

4  
L-index

#	Paper	IF	Citations
232	Role of the interfaces in the crystallization and hysteresis mechanisms of amorphous Fe-B thin films. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 869, 159276	5.7	1
231	Local coercivity at X-ray nanobeam irradiated regions in amorphous Fe <sub>80</sub> B <sub>20</sub> stripes. <i>AIP Advances</i> , <b>2021</b> , 11, 015318	1.5	
230	Temperature dependence of the magnetic interactions taking place in monodisperse magnetite nanoparticles having different morphologies. <i>AIP Advances</i> , <b>2021</b> , 11, 015025	1.5	1
229	Critical magnetic behavior in [Ag <sub>8</sub> /Co <sub>0.5</sub> ] <sub>x64</sub> , [Ag <sub>8</sub> /Co <sub>1</sub> ] <sub>x32</sub> and [Ag <sub>16</sub> /Co <sub>1</sub> ] <sub>x32</sub> epitaxial multilayers. <i>AIP Advances</i> , <b>2021</b> , 11, 025220	1.5	
228	Antiphase resonance at X-ray irradiated microregions in amorphous Fe <sub>80</sub> B <sub>20</sub> stripes. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2021</b> , 520, 167017	2.8	3
227	Spin waves excitation at micron-sized, anisotropy modified regions in amorphous Fe <sub>80</sub> B <sub>20</sub> stripes: Local properties and inter-regions coupling. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2021</b> , 271, 115258	3.1	2
226	Magnetization reversal mechanisms in Fe/NiO bilayers grown onto nanoporous alumina membranes and Si wafers. <i>AIP Advances</i> , <b>2020</b> , 10, 015113	1.5	
225	Dynamic magnetic properties of amorphous Fe <sub>80</sub> B <sub>20</sub> thin films and their relation to interfaces. <i>AIP Advances</i> , <b>2020</b> , 10, 015013	1.5	7
224	Low temperature superspin glass behavior in a Co/Ag multilayer. <i>AIP Advances</i> , <b>2019</b> , 9, 125327	1.5	1
223	Slow magnetic relaxation in well crystallized, monodispersed, octahedral and spherical magnetite nanoparticles. <i>AIP Advances</i> , <b>2019</b> , 9, 125143	1.5	2
222	Remanence enhancement for stray field-based applications in arrays of crystalline nanomagnets. <i>Journal Physics D: Applied Physics</i> , <b>2019</b> , 52, 095002	3	
221	Anisotropy and hysteretic behavior of single-crystal Fe triangular nanomagnets. <i>Physica B: Condensed Matter</i> , <b>2018</b> , 549, 35-39	2.8	3
220	Development of an Advanced Laboratory for ETCS Applications. <i>Transportation Research Procedia</i> , <b>2016</b> , 14, 1894-1903	2.4	2
219	Coercivity and morphology in Fe/NiO films deposited on nanoporous Al <sub>2</sub> O <sub>3</sub> membranes. <i>Boletin De La Sociedad Espanola De Ceramica Y Vidrio</i> , <b>2015</b> , 54, 241-246	1.9	
218	Breaking the configurational anisotropy in Fe single crystal nanomagnets. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 102406	3.4	4
217	A superconducting/magnetic hybrid rectifier based on Fe single-crystal nanocentres: role of magnetic and geometric asymmetries. <i>Journal Physics D: Applied Physics</i> , <b>2013</b> , 46, 095302	3	5
216	Preparation and characterization of CrO <sub>2</sub> films by Low Pressure Chemical Vapor Deposition from CrO <sub>3</sub> . <i>Thin Solid Films</i> , <b>2013</b> , 539, 1-11	2.2	9

215	Evidence of magnetic dipolar interaction in micrometric powders of the Fe <sub>50</sub> Mn <sub>10</sub> Al <sub>40</sub> system: Melted alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2013</b> , 327, 137-145	2.8	9
214	Nanostructured Magnetic Materials. <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-2	3.2	1
213	Low temperature study of micrometric powder of melted Fe <sub>50</sub> Mn <sub>10</sub> Al <sub>40</sub> alloy. <i>Physica B: Condensed Matter</i> , <b>2012</b> , 407, 2306-2312	2.8	2
212	Ferromagnetic resonance and magneto-optic study of submicron epitaxial Fe(001) stripes. <i>Journal of Applied Physics</i> , <b>2012</b> , 111, 123917	2.5	5
211	Evidence of dipolar magnetic field in mechanically alloyed Fe <sub>50</sub> Al <sub>50</sub> samples. <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 536, S377-S380	5.7	7
210	Scaling of the coercivity with the geometrical parameters in epitaxial Fe antidot arrays. <i>Journal of Applied Physics</i> , <b>2012</b> , 111, 073908	2.5	14
209	Magnetic Capsules for NMR Imaging: Effect of Magnetic Nanoparticles Spatial Distribution and Aggregation. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 6257-6264	3.8	72
208	Magneto-optical and magnetoplasmonic properties of epitaxial and polycrystalline Au/Fe/Au trilayers. <i>Physical Review B</i> , <b>2011</b> , 83,	3.3	33
207	Control of magnetization reversal by combining shape and magnetocrystalline anisotropy in epitaxial Fe planar nanowires. <i>Nanotechnology</i> , <b>2010</b> , 21, 255301	3.4	17
206	Disorder effect on the magnetic behavior of mechanically alloyed Fe <sub>1-x</sub> Al <sub>x</sub> (0.2 ≤ x ≤ 0.4). <i>Physical Review B</i> , <b>2009</b> , 79,	3.3	39
205	Comparative study between melted and mechanically alloyed samples of the Fe <sub>50</sub> Mn <sub>10</sub> Al <sub>40</sub> nanostructured system <b>2008</b> , 511-517		
204	Magnetic phase diagrams for Fe <sub>54</sub> Al <sub>36</sub> Nb <sub>10</sub> and Fe <sub>48</sub> Al <sub>32</sub> Nb <sub>20</sub> alloys. <i>Journal Physics D: Applied Physics</i> , <b>2008</b> , 41, 155010	3	2
203	Coercivity mechanisms in lithographed antidot arrays. <i>Europhysics Letters</i> , <b>2008</b> , 84, 67002	1.6	16
202	Comparative study between melted and mechanically alloyed samples of the Fe <sub>50</sub> Mn <sub>10</sub> Al <sub>40</sub> nanostructured system. <i>Hyperfine Interactions</i> , <b>2008</b> , 184, 97-103	0.8	3
201	Hysteresis in Fe particles with surface and magnetoelastic anisotropies: Experiment and micromagnetic modeling. <i>Physica B: Condensed Matter</i> , <b>2008</b> , 403, 469-472	2.8	2
200	Preparation of hard magnetic materials in thin film form. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2008</b> , 320, 1966-1971	2.8	6
199	Ferromagnetism in Twinned Pt Nanoparticles Obtained by Laser Ablation. <i>Chemistry of Materials</i> , <b>2007</b> , 19, 889-893	9.6	44
198	Thermal dependence of coercivity in granular CoNiCu glass coated microwires. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 310, e867-e869	2.8	1

197	Magnetic properties of ball-milled Fe <sub>0.6</sub> Mn <sub>0.1</sub> Al <sub>0.3</sub> alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 316, e418-e421	2.8	5
196	On the Effect of Nanocrystallization and Disorder on the Magnetic Properties of Cu-Rich, FeMnCu Alloys. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2007</b> , 7, 610-617	1.3	3
195	Magnetoelastic sensors as a new tool for laryngeal research. <i>Acta Oto-Laryngologica</i> , <b>2007</b> , 127, 1182-7	1.6	2
194	Crystallization and magnetic hardening of SmCo thin films. <i>Journal of Non-Crystalline Solids</i> , <b>2007</b> , 353, 786-789	3.9	5
193	Temperature dependence of the magnetic properties in LaMnO <sub>3</sub> +□ <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 08A702	2.5	4
192	Polymer Bonded Anisotropic Thick Hard Films for Micromotors/Microgenerators. <i>Journal of Iron and Steel Research International</i> , <b>2006</b> , 13, 240-251	1.2	2
191	Anisotropic polymer bonded hard-magnetic films for microelectromechanical system applications. <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 08N303	2.5	17
190	Experimental and computational analysis of the angular dependence of the hysteresis processes in an antidots array. <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 08S503	2.5	6
189	Structural, chemical and magnetic characterization of iron nitride thin films. <i>Surface and Interface Analysis</i> , <b>2006</b> , 38, 392-395	1.5	6
188	Effect of Si on the magnetic properties of the Fe <sub>70</sub> Al <sub>30</sub> alloy. <i>Physica B: Condensed Matter</i> , <b>2006</b> , 384, 313-315	2.8	11
187	A micromagnetic study of the hysteretic behavior of antidot Fe films. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 149-152	2.8	17
186	Magnetic properties of ball milled Cu <sub>70</sub> Fe <sub>15</sub> Mn <sub>15</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 602-605	2.8	9
185	Magnetostrictive thin films prepared by RF sputtering. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 823-825	2.8	3
184	Coercivity in SmCo hard magnetic films for MEMS applications. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 1234-1236	2.8	24
183	Magnetization reversal in textured Fe nanoparticles having different aspect ratios. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 479-481	2.8	1
182	Thermally activated demagnetization in (La <sub>0.97</sub> Ca <sub>0.03</sub> ) <sub>0.96</sub> Mn <sub>0.96</sub> O <sub>3</sub> +□ <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 290-291, 482-485	2.8	1
181	Reversible magnetization variations in large field ranges associated to periodic arrays of antidots. <i>IEEE Transactions on Magnetism</i> , <b>2005</b> , 41, 3106-3108	2	9
180	Barrier characteristic in Nb/Ni planar tunnel junctions. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2005</b> , 286, 146-149	2.8	3

179	Mecanismos de inversi3n de la magnetizaci3n e interacciones en sistemas magn3ticos: campo coercitivo versus campo de conmutaci3n y desimanaci3n t3cnicamente asistida. <i>Boletin De La Sociedad Espanola De Ceramica Y Vidrio</i> , <b>2005</b> , 44, 169-176	1.9	4
178	Spin-wave excitations in ribbon-shaped Fe nanoparticles. <i>Physical Review B</i> , <b>2004</b> , 69,	3.3	19
177	CoFe <sub>2</sub> O <sub>4</sub> /Polypyrrole (PPy) nanocomposites: new multifunctional materials. <i>Nanotechnology</i> , <b>2004</b> , 15, S322-S327	3.4	38
176	Study of the Decrystallization Process Induced by Mechanical Alloying in the Fe <sub>100-x</sub> B <sub>x</sub> System. <i>Journal of Metastable and Nanocrystalline Materials</i> , <b>2004</b> , 20-21, 449-454	0.2	1
175	Thermal dependence of the magnetization of antiferromagnetic copper(II) oxide nanoparticles. <i>Solid State Communications</i> , <b>2004</b> , 130, 247-251	1.6	21
174	Temperature dependence of the hysteretic properties in SmCo films. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2004</b> , 272-276, E833-E835	2.8	4
173	Decrystallization in Fe <sub>100</sub> B system by mechanical alloying. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 375-377, 849-852	5.3	1
172	Finite size effects and spin transition in ball-milled [(FeMn) <sub>30</sub> Cu <sub>70</sub> ] nanostructured alloys. <i>Physica B: Condensed Matter</i> , <b>2004</b> , 354, 174-182	2.8	2
171	Thermally activated demagnetization in elongated oxide-coated metal particles. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2004</b> , 272-276, 1528-1529	2.8	1
170	Development of magnetic softness in high-energy ball milling alloyed Fe <sub>50</sub> B <sub>50</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>2003</b> , 261, 337-346	2.8	7
169	Brownian dynamics approach to interacting magnetic moments. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2003</b> , 266, 28-35	2.8	27
168	Monte Carlo technique with a quantified time step: Application to the motion of magnetic moments. <i>Physical Review B</i> , <b>2003</b> , 67,	3.3	34
167	Pinning Mechanisms in a-Axis-Oriented EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /PrBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> and EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /SrTiO <sub>3</sub> Multilayers <b>2002</b> , 539-544		
166	Interactions and hysteresis behaviour of Fe/SiO <sub>2</sub> nanocomposites. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2002</b> , 242-245, 1103-1105	2.8	14
165	Two routes to disorder in a system with competitive interactions. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2002</b> , 242-245, 879-881	2.8	3
164	Crossover from local to collective magnetic relaxation modes in Co/Ni multilayers. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2002</b> , 242-245, 518-520	2.8	
163	M3ssbauer Study of Iron-Containing Carbon Nanotubes. <i>Hyperfine Interactions</i> , <b>2002</b> , 139/140, 535-542	0.8	55
162	M3ssbauer Study of Fe x Mn <sub>0.65</sub> Al <sub>0.35</sub> Disordered Alloys Series. <i>Hyperfine Interactions</i> , <b>2002</b> , 141/142, 415-418	0.8	2

161	Anisotropy, hysteresis, and morphology of self-patterned epitaxial Fe/MgO/GaAs films. <i>Physical Review B</i> , <b>2002</b> , 66,	3.3	29
160	Hysteresis shift in Fe-filled carbon nanotubes due to $\bar{\Gamma}$ Fe. <i>Physical Review B</i> , <b>2002</b> , 65,	3.3	108
159	Mössbauer Study of Iron-Containing Carbon Nanotubes <b>2002</b> , 535-542		
158	Langevin dynamic simulation of spin waves in a micromagnetic model. <i>Physical Review B</i> , <b>2002</b> , 65,	3.3	32
157	The transverse biased initial susceptibility measurements simulated in a two-zoned 2D system. <i>Computational Materials Science</i> , <b>2002</b> , 25, 519-524	3.2	
156	Micromagnetic simulation of transverse biased initial susceptibility measurements. <i>Physica B: Condensed Matter</i> , <b>2001</b> , 299, 205-214	2.8	2
155	Some open problems related to the link between structure, morphology and extrinsic magnetic properties in layered nanostructures. <i>Physica B: Condensed Matter</i> , <b>2001</b> , 299, 270-279	2.8	1
154	Micromagnetic simulations of magnetization reversal in Co/Ni multilayers. <i>Physica B: Condensed Matter</i> , <b>2001</b> , 306, 38-43	2.8	2
153	Magnetoelastic sensor as a probe for muscular activity: An in vivo experiment. <i>Sensors and Actuators A: Physical</i> , <b>2001</b> , 91, 99-102	3.9	6
152	A Comparative Study on the Magnetic Properties of Arc-Melted and Ball-Milled Fe <sub>0.9</sub> Mn <sub>0.1</sub> Al <sub>x</sub> Alloys. <i>Hyperfine Interactions</i> , <b>2001</b> , 134, 27-35	0.8	4
151	Magnetic Properties of the Mechanically Alloyed (Fe <sub>0.85</sub> Mn <sub>0.15</sub> ) <sub>0.3</sub> Cu <sub>0.7</sub> System. <i>Hyperfine Interactions</i> , <b>2001</b> , 134, 199-206	0.8	2
150	Magnetic properties of Co and Ni based alloy nanoparticles dispersed in a silica matrix. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2001</b> , 175-177, 479-484	1.2	23
149	Layer thickness and magnetic relaxation properties in sputtered Co/Ni multilayers. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2001</b> , 226-230, 1792-1794	2.8	
148	Magnetization reversal and anisotropy in CoO/permalloy/Cu/permalloy/NiO layered structures. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2001</b> , 226-230, 1764-1766	2.8	1
147	Transverse biased initial susceptibility:. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2001</b> , 226-230, 1203-1205	2.8	1
146	Stray field fluctuations in soft-hard nanostructured materials: Its influence on the shift of minor hysteresis loops. <i>Physical Review B</i> , <b>2001</b> , 63,	3.3	5
145	Magnetic and hysteretic properties of Fe-filled nanotubes. <i>IEEE Transactions on Magnetics</i> , <b>2001</b> , 37, 2117-2119	2	18
144	Structural and magnetic properties of mechanically alloyed (Fe <sub>0.5</sub> Mn <sub>0.5</sub> ) <sub>x</sub> Cu <sub>100-x</sub> nanocrystalline compounds. <i>Journal of Non-Crystalline Solids</i> , <b>2001</b> , 287, 268-271	3.9	6

143	Surfactant control of growth and interface quality in granular magnetic {CoCu}/Cu(111) superlattices. <i>Surface Science</i> , <b>2001</b> , 482-485, 1077-1082	1.8	2
142	Room Temperature Magnetic Properties of the Mechanically Alloyed Fe <sub>0.8</sub> Mn <sub>x</sub> Al <sub>0.2</sub> System. <i>Physica Status Solidi (B): Basic Research</i> , <b>2000</b> , 220, 429-434	1.3	2
141	Magnetic and Structural Study of Mechanically Alloyed Fe <sub>0.7</sub> Mn <sub>x</sub> Al <sub>0.3</sub> . <i>Physica Status Solidi (B): Basic Research</i> , <b>2000</b> , 220, 445-448	1.3	4
140	Influence of the microstructure on the anisotropy behavior of a-axis oriented systems in the vortex liquid phase. <i>Physica C: Superconductivity and Its Applications</i> , <b>2000</b> , 341-348, 1211-1212	1.3	
139	Effect of the annealing conditions and grain size on the soft magnetic character of FeCu(Nb/Ta)SiB nanocrystalline alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 218, 53-59	2.8	22
138	Thermal dependence of coercivity in Co-based nanostructures. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 172-177	2.8	8
137	Magnetic behaviour and percolation in mechanically alloyed FeBiO <sub>2</sub> granular solids. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 207-214	2.8	13
136	Micromagnetic modelling of thermal decay in interacting systems. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 132-136	2.8	7
135	On the relationship between the hysteresis loop shift and the dipolar interactions in hard/soft nanocomposite samples. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 221, 187-195	2.8	14
134	Long-range magnetostatic interactions in arrays of nanowires. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 222, 227-232	2.8	60
133	Field and thermally activated demagnetization processes in ultra-thin films with in-plane anisotropy: occurrence of non-equivalent reversal modes. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2000</b> , 222, 314-326	2.8	6
132	Soft and hard nanostructured magnetic materials. <i>Hyperfine Interactions</i> , <b>2000</b> , 130, 221-240	0.8	31
131	Temperature dependence of the magnetization processes in Co/Al oxide/Permalloy trilayers. <i>IEEE Transactions on Magnetics</i> , <b>2000</b> , 36, 2957-2959	2	4
130	Magnetic properties of Fe <sub>x</sub> Mn <sub>0.3</sub> Al <sub>0.7-x</sub> (0.275 ≤ x ≤ 0.525) disordered alloys. <i>Journal of Physics Condensed Matter</i> , <b>2000</b> , 12, 611-621	1.8	12
129	Hysteresis and relaxation of hard/soft nanocomposite samples. <i>Journal of Applied Physics</i> , <b>2000</b> , 87, 4759-4761	2.5	4
128	Evaluation of the anisotropy constant using transverse biased initial susceptibility method. <i>IEEE Transactions on Magnetics</i> , <b>2000</b> , 36, 3260-3262	2	2
127	Magnetic properties of disordered Fe <sub>0.9</sub> Mn <sub>0.1</sub> Al <sub>x</sub> alloys. <i>Journal of Applied Physics</i> , <b>2000</b> , 87, 7425-7429	2.5	19
126	Interplay between the vortex phase coherence and extended disorder defects in the vortex-liquid regime of thin films and superlattices of 123 superconductors. <i>Physical Review B</i> , <b>2000</b> , 62, 8707-8710	3.3	2

125	Dipolar interactions in hard-soft nanocomposites. <i>IEEE Transactions on Magnetics</i> , <b>2000</b> , 36, 3342-3344	2	2
124	Real time quantification of Monte Carlo steps for different time scales. <i>Journal of Applied Physics</i> , <b>2000</b> , 87, 4798-4800	2.5	12
123	Thermally activated demagnetization in Co/Ni multilayers involving discrete identifiable stages. <i>Applied Physics Letters</i> , <b>1999</b> , 75, 847-849	3.4	9
122	Magnetic properties of the mechanically alloyed Fe <sub>0.9-x</sub> Mn <sub>0.1</sub> Al <sub>x</sub> system <b>1999</b> , 122, 189-199		11
121	Magnetic viscosity of granular Fe films prepared by laser ablation. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 96-98	2.8	4
120	Magnetic relaxation in Co/Ni multilayers with different bilayer thickness: an example of non-Arrhenius behavior. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 99-100	2.8	1
119	Micromagnetic modeling of field and thermally activated demagnetization processes in ultrathin films with in-plane anisotropy. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 238-239	2.8	1
118	Correlation between thermal expansion and magnetic behavior in cold deformed Fe <sub>2</sub> Al alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 240-242	2.8	1
117	Magnetic viscosity in multilayers: a micromagnetic approach. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 810-812	2.8	2
116	Characterization of Joule-heated Co-rich amorphous alloys under applied tensile stress by the inductance spectroscopy method. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 196-197, 830-831	2.8	6
115	A micromagnetic approach, based on the Monte Carlo algorithm, to the thermally activated magnetization reversal processes. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 18-22	2.8	13
114	Mössbauer analysis of the phase distribution present in nanoparticulate Fe/SiO <sub>2</sub> samples. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 175-177	2.8	11
113	Coercivity analysis in the Co <sub>x</sub> /(SiO <sub>2</sub> ) <sub>100-x</sub> nanoparticulate system. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 205-207	2.8	2
112	The effective anisotropy of nanocrystallized Co-based alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 211-213	2.8	6
111	Transverse biased initial susceptibility in amorphous ultra-thin films: a micromagnetic simulation. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1999</b> , 203, 274-276	2.8	2
110	Simulation of magnetic relaxation by a Monte Carlo technique with correlations and quantified time steps. <i>IEEE Transactions on Magnetics</i> , <b>1999</b> , 35, 3730-3732	2	4
109	Coercivity analysis in sputtered SmCo thin films. <i>Journal of Applied Physics</i> , <b>1999</b> , 85, 6148-6150	2.5	20
108	Magnetic Properties of the Highly Diluted Al-Fe Disordered System. <i>Springer Proceedings in Physics</i> , <b>1999</b> , 27-32	0.2	



107	Dimensional behavior of the anisotropy in the mixed state of a-axis oriented EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /PrBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> and EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /SrTiO <sub>3</sub> multilayers. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 495-496	2.8	
106	Magnetic viscosity and coercivity analysis in mechanically alloyed and melt-spun NdDyFeB magnets. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 185, 180-186	2.8	10
105	Barkhausen jump distributions in a micromagnetic model. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 184, L257-L261	2.8	5
104	Avalanches as propagating domain walls in a micromagnetic model. <i>Physica D: Nonlinear Phenomena</i> , <b>1998</b> , 113, 382-386	3.3	9
103	Magnetic interactions in FeBa hexaferrite nanocomposite materials. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 6277-6279	2.5	3
102	Magnetization reversal mechanisms in colloidal dispersions of magnetite particles. <i>IEEE Transactions on Magnetics</i> , <b>1998</b> , 34, 2114-2116	2	3
101	Phase diagram of a highly diluted, disordered Ising system: The Al-rich, AlBe system. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 7249-7251	2.5	7
100	Evidences of non-Arrhenius magnetic relaxation in macroscopic systems: Experiments and related simulations. <i>Europhysics Letters</i> , <b>1998</b> , 41, 671-676	1.6	11
99	Magnetic properties of Ni nanoparticles dispersed in silica prepared by high-energy ball milling. <i>Europhysics Letters</i> , <b>1998</b> , 42, 91-96	1.6	13
98	Influence of the system parameters on the non-Arrhenius magnetic relaxation of systems having distributed properties. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 6509-6511	2.5	1
97	Influence of the configurational degeneracy on the hysteretic behavior of a system of magnetostatically coupled magnetic moments. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 7393-7395	2.5	6
96	Local and global demagnetization process: Is there any self-organized critical behavior?. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 7228-7230	2.5	3
95	Compositional dependence of the effective magnetic anisotropy in nanocrystalline FeZrB(Cu) alloys. <i>Journal of Applied Physics</i> , <b>1998</b> , 83, 6338-6340	2.5	15
94	Highly homogeneous nanoparticulate Fe films prepared by laser ablation. <i>IEEE Transactions on Magnetics</i> , <b>1998</b> , 34, 1108-1110	2	3
93	Quantitative analysis of the collective behavior in a micromagnetic model. <i>Physical Review B</i> , <b>1997</b> , 55, 921-930	3.3	17
92	Effect of the Cu and Nb additives on the effective magnetic anisotropy in FeSiB alloys. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4646-4648	2.5	1
91	Detailed analysis of the crystallization of the Co-P amorphous system: Kinetics, influence of magnetic order, and formation of textures. <i>Physical Review B</i> , <b>1997</b> , 56, 6056-6065	3.3	13
90	Occurrence of self-organized criticality in ordered magnetic systems. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4413-4415	2.5	2

89	Magnetization reversal models and the temperature dependence of the coercive force in melt spun PrNdFeB magnets. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4431-4433	2.5	4
88	The effect of magnetic interaction in barium hexaferrite particles. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 3812-3814	2.5	7
87	Magnetic properties of the $\text{Fe}_{x}\text{Mn}_{0.70-x}\text{Al}_{0.30}$ (0.40 $\leq x \leq$ 0.58) alloy series. <i>Journal of Applied Physics</i> , <b>1997</b> , 82, 6165-6169	2.5	25
86	Creep-induced magnetic anisotropy and magnetostriction in a nanocrystalline Co based alloy. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 5683-5685	2.5	2
85	Magnetization reversal processes linked to interphase exchange and dipolar coupling in hard-soft nanocomposite magnets. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4983-4985	2.5	2
84	Monte Carlo study of the magnetic properties of Fe-rich AlBe disordered alloys. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 5270-5272	2.5	7
83	Micromagnetic simulation of the relaxation processes taking place in systems with distributed properties. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 5573-5575	2.5	3
82	Monte Carlo simulation of the field sweep rate dependence of the coercivity in a micromagnetic model. <i>IEEE Transactions on Magnetics</i> , <b>1997</b> , 33, 4179-4181	2	
81	Micromagnetic analysis of the small angle magnetization rotation (SAMR) method response of a twisted low-magnetostrictive wire. <i>IEEE Transactions on Magnetics</i> , <b>1997</b> , 33, 3955-3957	2	
80	Mössbauer analysis of the phase distribution of $\text{Fe}_{64.5}\text{Co}_{18}\text{B}_{16}\text{Si}_{0.5}$ soft magnetic samples in powder form. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4655-4657	2.5	
79	Effective anisotropy and magnetostriction of the amorphous and nanocrystalline $\text{Fe}_{73}\text{B}_8\text{Cu}_2$ alloy. <i>IEEE Transactions on Magnetics</i> , <b>1997</b> , 33, 3919-3921	2	2
78	On the role of dipolar coupling in the magnetization reversal process in hard-soft nanocomposite magnets. <i>IEEE Transactions on Magnetics</i> , <b>1997</b> , 33, 3892-3894	2	3
77	On the fluctuation field in multidomain barium hexaferrite particles. <i>Journal of Materials Research</i> , <b>1997</b> , 12, 2643-2647	2.5	
76	Avalanches Size Distribution in Model Hard Magnetic Materials Having Different Textures <b>1997</b> , 121-124		
75	Magnetic Characterization of Ni Nanoparticles Dispersed in Silica <b>1997</b> , 327-331		
74	Magnetization Dependence on Temperature and Grain Size in Nanostructured Samples <b>1997</b> , 315-319		
73	On the relationships between the temperature dependence of the magnetization and the average grain size in nanostructured samples. <i>Journal of Applied Physics</i> , <b>1997</b> , 81, 4658-4660	2.5	5
72	Fabrication and properties of c-axis and a-axis oriented $\text{EuBa}_2\text{Cu}_3\text{O}_7/\text{SrTiO}_3$ superlattices. <i>Journal of Alloys and Compounds</i> , <b>1997</b> , 251, 218-221	5.7	2

71	Saturation magnetostriction dependence on torsion in amorphous wire as measured by modified small angle magnetization rotation method. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1997</b> , 169, 169-177	2.8	6
70	Magnetic interactions in nanocrystalline SmFeCo. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 6312	2.5	6
69	On the intergranular coupling in soft nanocrystalline materials. <i>Journal of Materials Research</i> , <b>1996</b> , 11, 512-517	2.5	25
68	Magnetic phase diagram of the Fe <sub>x</sub> Mn <sub>0.6-x</sub> Al <sub>0.40</sub> alloys series. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 6155	2.5	18
67	Magnetic viscosity and microstructure: Particle size dependence of the activation volume. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 5955	2.5	2
66	On the relaxation of simple magnetic systems. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 6479	2.5	8
65	Low-temperature Mössbauer study of the mechanically alloyed Fe <sub>x</sub> Mn <sub>0.7-x</sub> Al <sub>0.3</sub> (0.4 ≤ x ≤ 0.5) series. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 6611	2.5	3
64	Magnetization processes in ultrathin films with high magnetization and perpendicular anisotropy. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1996</b> , 156, 145-147	2.8	1
63	Magnetization reversal on recoil curves in SmCo <sub>5</sub> and nanocrystalline SmFeCo. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1996</b> , 157-158, 529-530	2.8	4
62	Modelling the time dependence of the magnetization in a system with many degrees of freedom. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1996</b> , 157-158, 363-365	2.8	4
61	Interactions and magnetic viscosity: Nonmonotonic time variation of the magnetization during relaxation at constant demagnetizing field. <i>Applied Physics Letters</i> , <b>1996</b> , 69, 4251-4253	3-4	7
60	Mechanically ground Fe <sub>73.5</sub> Cu <sub>1</sub> Nb <sub>3</sub> Si <sub>13.5</sub> B <sub>9</sub> : A soft magnetic material in powdered form. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 5479	2.5	6
59	Coercivity and remanence of amorphous and nanocrystalline Fe <sub>70</sub> (Cu,Ta) <sub>10</sub> Si <sub>10</sub> B <sub>10</sub> ribbons. <i>Journal of Applied Physics</i> , <b>1996</b> , 79, 5465	2.5	2
58	Relaxation processes and coercivity in hard magnets. <i>IEEE Transactions on Magnetics</i> , <b>1996</b> , 32, 4350-4355		3
57	Collective demagnetization processes in systems of exchange coupled grains. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 1843-1844	2.8	2
56	From metastable to stable states in a magnetic system with many degrees of freedom. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 1847-1848	2.8	4
55	Magnetic properties of mechanically alloyed amorphous Fe <sub>50</sub> B <sub>50</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 249-250	2.8	6
54	Magnetostriction of nanocrystalline Fe <sub>66</sub> Cr <sub>8</sub> Cu <sub>1</sub> Nb <sub>3</sub> Si <sub>13</sub> B <sub>9</sub> alloy. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 439-440	2.8	2

53	Magnetic viscosity in melt spun magnets prepared by crystallization of amorphous precursors using different heating rates. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 1055-1056	2.8	2
52	Magnetic viscosity in Fe <sub>2</sub> SiO <sub>2</sub> granular solids. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 375-376	2.8	
51	Angular dependence of coercivity in Nd-Fe-B sintered magnets: Proof that coherent rotation is not involved. <i>Physical Review B</i> , <b>1995</b> , 52, 13511-13518	3.3	42
50	Non-Arrhenius relaxation in micromagnetic models of systems with many degrees of freedom. <i>Physical Review B</i> , <b>1995</b> , 52, 16034-16040	3.3	30
49	Phase segregation and interactions in Dy-substituted melt spun Nd-Fe-B alloys. <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 3683-3685	2	4
48	Coercivity and magnetic viscosity of NdDyFeB mechanically alloyed magnets. <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 3647-3649	2	2
47	Magnetic hardening of melt-spun 2:14:1-based materials by high heating rate and short time crystallization treatments. <i>Journal of Materials Research</i> , <b>1995</b> , 10, 292-296	2.5	7
46	Influence of Cu and Ta on the stress induced anisotropy in FeSiB amorphous ribbons. <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 3781-3783	2	1
45	Influence of Cr addition on the magnetic softness of nanocrystalline FeCuNbSiB alloys. <i>Scripta Metallurgica Et Materialia</i> , <b>1995</b> , 33, 1757-1764		5
44	Soft magnetic properties of Fe-B prepared by mechanical alloying. <i>Scripta Metallurgica Et Materialia</i> , <b>1995</b> , 33, 1725-1730		8
43	Thermally activated demagnetization in Fe-SiO <sub>2</sub> granular solids. <i>Scripta Metallurgica Et Materialia</i> , <b>1995</b> , 33, 1709-1716		5
42	Enhanced remanence in flash-annealed Nd <sub>4</sub> /Fe <sub>78</sub> /B <sub>18</sub> . <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 3614-3616	2	16
41	Coercivity relaxation in mechanically alloyed amorphous Fe <sub>50</sub> /B <sub>50</sub> samples. <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 4023-4025	2	3
40	Crystallization by ball milling: a way to produce soft magnetic materials in powdered form. <i>IEEE Transactions on Magnetics</i> , <b>1995</b> , 31, 3904-3906	2	4
39	The effect of the distribution of vacancies on the magnetic properties of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> particles. <i>Journal of Materials Research</i> , <b>1994</b> , 9, 135-141	2.5	24
38	Experimental Comparison and Analysis of Coercivity Models. <i>Europhysics Letters</i> , <b>1994</b> , 28, 143-148	1.6	8
37	Coercivity Acquisition in Permanent Magnet Materials: an Exchange-Controlled Mechanism. <i>Japanese Journal of Applied Physics</i> , <b>1994</b> , 33, 4606-4613	1.4	4
36	. <i>IEEE Transactions on Magnetics</i> , <b>1994</b> , 30, 1015-1017	2	6

35	. <i>IEEE Transactions on Magnetics</i> , <b>1994</b> , 30, 4359-4361	2	2
34	. <i>IEEE Transactions on Magnetics</i> , <b>1994</b> , 30, 631-633	2	2
33	Magnetic hardening by crystallization of amorphous precursors using very high heating rates. <i>Journal of Applied Physics</i> , <b>1994</b> , 76, 6840-6842	2.5	2
32	Coercivity of Fe-SiO <sub>2</sub> nanocomposite materials prepared by ball milling. <i>Journal of Applied Physics</i> , <b>1994</b> , 76, 6573-6575	2.5	35
31	Stress annealing in Fe <sub>73.5</sub> Cu <sub>1</sub> Ta <sub>3</sub> Si <sub>13.5</sub> B <sub>9</sub> amorphous alloy: Induced magnetic anisotropy and variation of the magnetostriction constant. <i>Journal of Applied Physics</i> , <b>1994</b> , 76, 1131-1134	2.5	25
30	. <i>IEEE Transactions on Magnetics</i> , <b>1994</b> , 30, 772-774	2	5
29	. <i>IEEE Transactions on Magnetics</i> , <b>1993</b> , 29, 3108-3110	2	1
28	Phase distribution and magnetic properties of mechanically alloyed Sm-Fe. <i>IEEE Transactions on Magnetics</i> , <b>1993</b> , 29, 2857-2859	2	5
27	Role of the heating rate up to the annealing temperature on the hysteretic properties of hard magnetic materials prepared from amorphous precursors. <i>Journal of Alloys and Compounds</i> , <b>1993</b> , 191, 127-130	5.7	16
26	Polarizing effects of magnetization on the crystallization of Co <sub>100-x</sub> P <sub>x</sub> amorphous alloys. <i>Journal of Applied Physics</i> , <b>1993</b> , 73, 5372-5374	2.5	6
25	Modeling the influence of intergranular phases on the hysteretic behavior of hard magnetic polycrystals. <i>Journal of Applied Physics</i> , <b>1993</b> , 73, 6943-6945	2.5	11
24	Preparation and magnetic properties of monodispersed Zn ferrites of submicrometric size. <i>Journal of Materials Science</i> , <b>1993</b> , 28, 2962-2966	4.3	13
23	Microstructural study of the crystallization product of the Co <sub>100-x</sub> P <sub>x</sub> amorphous system. <i>Journal of Materials Research</i> , <b>1993</b> , 8, 105-111	2.5	7
22	On the Role of Intergranular Exchange Coupling in the Magnetization Process of Permanent-Magnet Materials. <i>Europhysics Letters</i> , <b>1992</b> , 20, 175-180	1.6	53
21	Coercivity through controlled crystallization in melt-spun Nd <sub>2</sub> Fe <sub>2</sub> B amorphous alloys. <i>Journal of Alloys and Compounds</i> , <b>1992</b> , 182, 211-221	5.7	12
20	Study of the surface roughness of Co-based amorphous alloys by STM. <i>Ultramicroscopy</i> , <b>1992</b> , 42-44, 1329-1336	3.1	3
19	Hysteretic behaviour of melt-spun Nd <sub>13</sub> Fe <sub>79</sub> B <sub>8</sub> after different crystallization treatments. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1992</b> , 104-107, 1141-1142	2.8	4
18	Coercivity of crystallized melt-spun Nd <sub>15-x</sub> Dy <sub>x</sub> Fe <sub>76</sub> B <sub>9</sub> (x = 3, 6, 9, 12, 15). <i>Journal of Magnetism and Magnetic Materials</i> , <b>1992</b> , 104-107, 1179-1181	2.8	7

17	Thermomagnetic behaviour of mechanically alloyed Fe-Si. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1991</b> , 101, 119-121	2.8	5
16	Correlation between high field magnetization measurements and STM imaging of the atomic structure in amorphous Co <sub>100-x</sub> Px. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1991</b> , 101, 199-201	2.8	3
15	Hysteretic behaviour of rapidly solidified Nd <sub>15</sub> Dy Fe <sub>76</sub> B <sub>9</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>1991</b> , 101, 397-398	2.8	8
14	. <i>IEEE Transactions on Magnetics</i> , <b>1990</b> , 26, 2223-2225	2	3
13	On the surface charge density of a moving sphere. <i>American Journal of Physics</i> , <b>1990</b> , 58, 73-75	0.7	1
12	Transport and magnetic properties versus hole doping in (La,Nd) <sub>2</sub> NiO <sub>4</sub> + $\square$ <i>Journal of the Less Common Metals</i> , <b>1990</b> , 164-165, 853-861		4
11	. <i>IEEE Transactions on Magnetics</i> , <b>1989</b> , 25, 3363-3365	2	15
10	Comment on Relation between charge density and curvature of surface of charged conductor, by Kun-Mu Liu [Am. J. Phys. 55, 849-852 (1987)]. <i>American Journal of Physics</i> , <b>1989</b> , 57, 1044-1046	0.7	2
9	Correlation between positron lifetime results and magnetic behaviour upon relaxation and crystallization of an iron-based amorphous alloy. <i>Solid State Communications</i> , <b>1988</b> , 65, 1457-1460	1.6	2
8	Transverse susceptibility and inhomogeneities in the local anisotropy of amorphous alloys. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1988</b> , 72, 187-193	2.8	5
7	Different kinds of magnetic anisotropies induced by current annealing in metallic glasses. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1987</b> , 68, 151-156	2.8	38
6	Determination of internal stresses distribution for a nearly-zero magnetostriction amorphous alloy. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1986</b> , 54-57, 261-262	2.8	8
5	Surface and bulk magnetic anisotropy in amorphous alloys. <i>Journal of Applied Physics</i> , <b>1985</b> , 57, 5400-5405	2.5	18
4	Experiments concerning the origin of stress anneal induced magnetic anisotropy in metallic glass ribbons. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1985</b> , 46, 341-349	2.8	55
3	Helical anisotropy induced by annealing in metglas 2826. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1983</b> , 31-34, 1553-1554	2.8	12
2	Magnetic properties of amorphous sputtered Co <sub>x</sub> Si <sub>1-x</sub> films. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1983</b> , 38, 105-108	2.8	11
1	Torsional elastic behaviour in Metglass Fe <sub>40</sub> Ni <sub>40</sub> P <sub>14</sub> B <sub>6</sub> . <i>Journal Physics D: Applied Physics</i> , <b>1981</b> , 14, 2243-2246	3	