

# Xin Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1410801/publications.pdf>

Version: 2024-02-01

116  
papers

3,929  
citations

136950

32  
h-index

149698

56  
g-index

124  
all docs

124  
docs citations

124  
times ranked

5685  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Characteristics and Prognosis of Allergic Bronchopulmonary Aspergillosis: A Retrospective Cohort Study. <i>Journal of Asthma and Allergy</i> , 2022, Volume 15, 53-62.	3.4	9
2	NAFLD-related gene polymorphisms and all-cause and cause-specific mortality in an Asian population: the Shanghai Changfeng Study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 705-721.	3.7	17
3	Image enhancement of color fundus photographs for age-related macular degeneration: the Shanghai Changfeng Study. <i>International Journal of Ophthalmology</i> , 2022, 15, 268-275.	1.1	5
4	Genetic Characteristics of Incidental Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1835-e1842.	3.6	6
5	Metabolically healthy obesity: Is it really healthy for type 2 diabetes mellitus?. <i>World Journal of Diabetes</i> , 2022, 13, 70-84.	3.5	5
6	Editorial: opposite effects of genetic polymorphisms known to induce <sc>NAFLD</sc> on hepatic and cardiovascular outcomes in Chinese population—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 878-879.	3.7	0
7	Mass spectrometry-based cortisol profiling during adrenal venous sampling reveals misdiagnosis for subtyping primary aldosteronism. <i>Clinical Endocrinology</i> , 2022, 96, 680-689.	2.4	5
8	ROS-Responsive miR-150-5p Downregulation Contributes to Cigarette Smoke-Induced COPD via Targeting IRE1 $\pm$ . <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-23.	4.0	3
9	N6-Methyladenosine Reader Protein YT521 $\beta$ Homology Domain-Containing 2 Suppresses Liver Steatosis by Regulation of mRNA Stability of Lipogenic Genes. <i>Hepatology</i> , 2021, 73, 91-103.	7.3	128
10	Sarcopenia, sarcopenic overweight/obesity and risk of cardiovascular disease and cardiac arrhythmia: A cross-sectional study. <i>Clinical Nutrition</i> , 2021, 40, 571-580.	5.0	57
11	Incidental Brain Magnetic Resonance Imaging Findings and the Cognitive and Motor Performance in the Elderly: The Shanghai Changfeng Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 631087.	2.8	6
12	Diagnosis of Fibrosis Using Blood Markers and Logistic Regression in Southeast Asian Patients With Non-alcoholic Fatty Liver Disease. <i>Frontiers in Medicine</i> , 2021, 8, 637652.	2.6	8
13	Thyroid function and non-alcoholic fatty liver disease in hyperthyroidism patients. <i>BMC Endocrine Disorders</i> , 2021, 21, 27.	2.2	9
14	Performance of liver stiffness measurements obtained with FibroScan is affected by glucose metabolism in patients with nonalcoholic fatty liver disease. <i>Lipids in Health and Disease</i> , 2021, 20, 27.	3.0	8
15	Bile Acid Profiles Are Distinct among Patients with Different Etiologies of Chronic Liver Disease. <i>Journal of Proteome Research</i> , 2021, 20, 2340-2351.	3.7	27
16	Conjugated secondary 12 $\pm$ -hydroxylated bile acids promote liver fibrogenesis. <i>EBioMedicine</i> , 2021, 66, 103290.	6.1	47
17	Insights into contribution of genetic variants towards the susceptibility of MAFLD revealed by the NMR-based lipoprotein profiling. <i>Journal of Hepatology</i> , 2021, 74, 974-977.	3.7	26
18	Co-Existence of Sarcoidosis and Sjögren's Syndrome with Hypercalcemia and Renal Involvement: A Case Report and Literature Review. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2021, 21, 768-776.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Liver fat content is independently associated with microalbuminuria in a normotensive, euglycaemic Chinese population: a community-based, cross-sectional study. <i>BMJ Open</i> , 2021, 11, e044237.	1.9	0
20	Genetically predicted body composition in relation to cardiometabolic traits: a Mendelian randomization study. <i>European Journal of Epidemiology</i> , 2021, 36, 1157-1168.	5.7	12
21	Biomarker Discovery in Atherosclerotic Diseases Using Quantitative Nuclear Magnetic Resonance Metabolomics. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 681444.	2.4	9
22	Acute Effects of Sleeve Gastrectomy on Glucose Variability, Glucose Metabolism, and Ghrelin Response. <i>Obesity Surgery</i> , 2021, 31, 4005-4014.	2.1	10
23	Prediction of Metabolic Disorders Using NMR-Based Metabolomics: The Shanghai Changfeng Study. <i>Phenomics</i> , 2021, 1, 186-198.	2.9	8
24	Identification of circulating sphingosine kinase-related metabolites for prediction of type 2 diabetes. <i>Journal of Translational Medicine</i> , 2021, 19, 393.	4.4	6
25	DRAK2 aggravates nonalcoholic fatty liver disease progression through SRSF6-associated RNA alternative splicing. <i>Cell Metabolism</i> , 2021, 33, 2004-2020.e9.	16.2	38
26	Small Proline-Rich Protein 3 Regulates IL-33/ILC2 Axis to Promote Allergic Airway Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 758829.	4.8	10
27	Skeletal muscle loss is associated with diabetes in middle-aged and older Chinese men without non-alcoholic fatty liver disease. <i>World Journal of Diabetes</i> , 2021, 12, 2119-2129.	3.5	4
28	CREBZF as a Key Regulator of STAT3 Pathway in the Control of Liver Regeneration in Mice. <i>Hepatology</i> , 2020, 71, 1421-1436.	7.3	32
29	Investigation of Daily Glucose Profile of Inpatients in Non-endocrinology Departments in Chinese Population. <i>Frontiers in Public Health</i> , 2020, 8, 521227.	2.7	0
30	Association between non-alcoholic fatty liver disease-associated hepatic fibrosis and bone mineral density in postmenopausal women with type 2 diabetes or impaired glucose regulation. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000999.	2.8	20
31	Sino-European Differences in the Genetic Landscape and Clinical Presentation of Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3295-3307.	3.6	34
32	Molecular subgrouping of medulloblastoma based on few-shot learning of multitasking using conventional MR images: a retrospective multicenter study. <i>Neuro-Oncology Advances</i> , 2020, 2, vdaa079.	0.7	5
33	Regulation of hepatic insulin signaling and glucose homeostasis by sphingosine kinase 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24434-24442.	7.1	29
34	DS21, a new noninvasive technology, is effective and safe for screening for prediabetes and diabetes in Chinese population. <i>BioMedical Engineering OnLine</i> , 2020, 19, 78.	2.7	2
35	Regional difference in the susceptibility of non-alcoholic fatty liver disease in China. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001311.	2.8	3
36	Serum metabolite profiles are associated with the presence of advanced liver fibrosis in Chinese patients with chronic hepatitis B viral infection. <i>BMC Medicine</i> , 2020, 18, 144.	5.5	33

#	ARTICLE	IF	CITATIONS
37	Thrombospondin 1 improves hepatic steatosis in diet-induced insulin-resistant mice and is associated with hepatic fat content in humans. <i>EBioMedicine</i> , 2020, 57, 102849.	6.1	33
38	Fasting Serum Fructose Levels Are Associated With Risk of Incident Type 2 Diabetes in Middle-Aged and Older Chinese Population. <i>Diabetes Care</i> , 2020, 43, 2217-2225.	8.6	14
39	The Association between eGFR and the Aldosterone-to-Renin Ratio and Its Effect on Screening for Primary Aldosteronism. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	1.5	2
40	Efficacy of exenatide and insulin glargine on nonalcoholic fatty liver disease in patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3292.	4.0	68
41	Osteocalcin and Non-Alcoholic Fatty Liver Disease: Lessons From Two Population-Based Cohorts and Animal Models. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 712-728.	2.8	22
42	Type 2 Diabetes Is Causally Associated With Reduced Serum Osteocalcin: A Genomewide Association and Mendelian Randomization Study. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 1694-1707.	2.8	23
43	NAFLD and Diabetes: Two Sides of the Same Coin? Rationale for Gene-Based Personalized NAFLD Treatment. <i>Frontiers in Pharmacology</i> , 2019, 10, 877.	3.5	86
44	The major causes and risk factors of total and cause-specific mortality during 5.4-year follow-up: the Shanghai Changfeng Study. <i>European Journal of Epidemiology</i> , 2019, 34, 939-949.	5.7	11
45	The PNPLA3 rs738409 C>G variant influences the association between low skeletal muscle mass and NAFLD: the Shanghai Changfeng Study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 684-695.	3.7	11
46	Preoperative Thyroid Autoimmune Status and Changes in Thyroid Function and Body Weight After Bariatric Surgery. <i>Obesity Surgery</i> , 2019, 29, 2904-2911.	2.1	8
47	FoxO3 regulates hepatic triglyceride metabolism via modulation of the expression of sterol regulatory-element binding protein 1c. <i>Lipids in Health and Disease</i> , 2019, 18, 197.	3.0	14
48	Sex-specific association of metabolic risk factors with brain ischemic lesions by severity and location. <i>Biology of Sex Differences</i> , 2019, 10, 40.	4.1	2
49	The PNPLA3 rs738409 C>G variant interacts with changes in body weight over time to aggravate liver steatosis, but reduces the risk of incident type 2 diabetes. <i>Diabetologia</i> , 2019, 62, 644-654.	6.3	22
50	Berberine attenuates nonalcoholic hepatic steatosis through the AMPK-SREBP-1c-SCD1 pathway. <i>Free Radical Biology and Medicine</i> , 2019, 141, 192-204.	2.9	147
51	Berberine promotes the recruitment and activation of brown adipose tissue in mice and humans. <i>Cell Death and Disease</i> , 2019, 10, 468.	6.3	77
52	Berberine alleviates nonalcoholic fatty liver induced by a high-fat diet in mice by activating SIRT3. <i>FASEB Journal</i> , 2019, 33, 7289-7300.	0.5	53
53	Contribution and interaction of the low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and triglyceride to diabetes in hypertensive patients: A cross-sectional study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 131-138.	2.4	16
54	Hepatic F-Box Protein FBXW7 Maintains Glucose Homeostasis Through Degradation of Fetuin-A. <i>Diabetes</i> , 2018, 67, 818-830.	0.6	37

#	ARTICLE	IF	CITATIONS
55	Hepatic CREBZF couples insulin to lipogenesis by inhibiting insig activity and contributes to hepatic steatosis in diet-induced insulin-resistant mice. <i>Hepatology</i> , 2018, 68, 1361-1375.	7.3	37
56	Interleukin-6 receptor antagonists: Protective factors against new-onset diabetes after renal transplantation. <i>Journal of Diabetes</i> , 2018, 10, 857-865.	1.8	2
57	Dorzagliatin monotherapy in Chinese patients with type 2 diabetes: a dose-ranging, randomised, double-blind, placebo-controlled, phase 2 study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 627-636.	11.4	61
58	Association of bone metabolism markers with coronary atherosclerosis and coronary artery disease in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 352-363.	2.7	7
59	Serum folic acid levels are associated with the presence and severity of liver steatosis in Chinese adults. <i>Clinical Nutrition</i> , 2018, 37, 1752-1758.	5.0	30
60	Berberine attenuates hepatic steatosis and enhances energy expenditure in mice by inducing autophagy and fibroblast growth factor 21. <i>British Journal of Pharmacology</i> , 2018, 175, 374-387.	5.4	116
61	Serum ferritin levels are associated with insulin resistance in Chinese men and post-menopausal women: the Shanghai Changfeng study. <i>British Journal of Nutrition</i> , 2018, 120, 863-871.	2.3	11
62	Molecular evaluation of a sporadic paraganglioma with concurrent IDH1 and ATRX mutations. <i>Endocrine</i> , 2018, 61, 216-223.	2.3	7
63	Association of visceral adiposity and its longitudinal increase with the risk of diabetes in Chinese adults: A prospective cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3048.	4.0	41
64	Metformin attenuates triglyceride accumulation in HepG2 cells through decreasing stearyl-coenzyme A desaturase 1 expression. <i>Lipids in Health and Disease</i> , 2018, 17, 114.	3.0	49
65	Serum triglyceride, high-density lipoprotein cholesterol, apolipoprotein B, and coronary heart disease in a Chinese population undergoing coronary angiography. <i>Journal of Clinical Lipidology</i> , 2017, 11, 646-656.	1.5	14
66	The prevalence of multiple non-communicable diseases among middle-aged and elderly people: the Shanghai Changfeng Study. <i>European Journal of Epidemiology</i> , 2017, 32, 159-163.	5.7	30
67	Postprandial Blood Glucose Outweighs Fasting Blood Glucose and HbA1c in screening Coronary Heart Disease. <i>Scientific Reports</i> , 2017, 7, 14212.	3.3	22
68	Berberine ameliorates fatty acid-induced oxidative stress in human hepatoma cells. <i>Scientific Reports</i> , 2017, 7, 11340.	3.3	38
69	Relationship between non-high-density lipoprotein cholesterol and carotid atherosclerosis in normotensive and euglycemic Chinese middle-aged and elderly adults. <i>Lipids in Health and Disease</i> , 2017, 16, 55.	3.0	11
70	Donor liver steatosis: A risk factor for early new-onset diabetes after liver transplantation. <i>Journal of Diabetes Investigation</i> , 2017, 8, 181-187.	2.4	23
71	Serum-Free Thyroxine Levels Were Associated with Pulmonary Hypertension and Pulmonary Artery Systolic Pressure in Euthyroid Patients with Coronary Artery Disease. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-8.	1.5	1
72	Effect of age on the diagnostic efficiency of HbA1c for diabetes in a Chinese middle-aged and elderly population: The Shanghai Changfeng Study. <i>PLoS ONE</i> , 2017, 12, e0184607.	2.5	37

#	ARTICLE	IF	CITATIONS
73	Effect of Metabolic Syndrome Score, Metabolic Syndrome, and Its Individual Components on the Prevalence and Severity of Angiographic Coronary Artery Disease. Chinese Medical Journal, 2017, 130, 669-677.	2.3	18
74	Optimal Vitamin D Status in a Middle-Aged and Elderly Population Residing in Shanghai, China. Medical Science Monitor, 2017, 23, 6001-6011.	1.1	14
75	The Potential Mechanisms of Berberine in the Treatment of Nonalcoholic Fatty Liver Disease. Molecules, 2016, 21, 1336.	3.8	45
76	Effect of interleukin-2 receptor antagonists on new-onset diabetes after liver transplantation: A retrospective cohort study. Journal of Diabetes, 2016, 8, 579-587.	1.8	4
77	A indicator of visceral adipose dysfunction to evaluate metabolic health in adult Chinese. Scientific Reports, 2016, 6, 38214.	3.3	111
78	Hepatic ATF6 Increases Fatty Acid Oxidation to Attenuate Hepatic Steatosis in Mice Through Peroxisome Proliferator-Activated Receptor $\alpha$ . Diabetes, 2016, 65, 1904-1915.	0.6	96
79	Effectiveness of clinical alternatives to nerve conduction studies for screening for diabetic distal symmetrical polyneuropathy: A multi-center study. Diabetes Research and Clinical Practice, 2016, 115, 150-156.	2.8	6
80	Lipid profiling of the therapeutic effects of berberine in patients with nonalcoholic fatty liver disease. Journal of Translational Medicine, 2016, 14, 266.	4.4	67
81	Acetylation of Mitochondrial Trifunctional Protein $\beta$ -Subunit Enhances Its Stability To Promote Fatty Acid Oxidation and Is Decreased in Nonalcoholic Fatty Liver Disease. Molecular and Cellular Biology, 2016, 36, 2553-2567.	2.3	55
82	The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic $\beta$ -cells. Nature Communications, 2016, 7, 11740.	12.8	47
83	The association of liver fat content and serum alanine aminotransferase with bone mineral density in middle-aged and elderly Chinese men and postmenopausal women. Journal of Translational Medicine, 2016, 14, 11.	4.4	39
84	A novel APOC2 gene mutation identified in a Chinese patient with severe hypertriglyceridemia and recurrent pancreatitis. Lipids in Health and Disease, 2016, 15, 12.	3.0	15
85	Serum retinol binding protein 4 is negatively related to estrogen in Chinese women with obesity: a cross-sectional study. Lipids in Health and Disease, 2016, 15, 52.	3.0	7
86	Deletion of sphingosine kinase 1 ameliorates hepatic steatosis in diet-induced obese mice: Role of PPAR $\alpha$ . Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 138-147.	2.4	41
87	Relationship between glycated albumin and glycated hemoglobin according to glucose tolerance status: A multicenter study. Diabetes Research and Clinical Practice, 2016, 115, 17-23.	2.8	23
88	Cdx-2 polymorphism in Vitamin D Receptor gene was associated with serum 25-hydroxyvitamin D levels, bone mineral density and fracture in middle-aged and elderly Chinese women. Molecular and Cellular Endocrinology, 2016, 427, 155-161.	3.2	16
89	Preliminary Curative Effect Analysis of Metabolic Surgery for Obese Patients With/Without Diabetes Mellitus. Journal of Computational and Theoretical Nanoscience, 2016, 13, 252-258.	0.4	1
90	Vitamin D Levels Are Inversely Associated with Liver Fat Content and Risk of Non-Alcoholic Fatty Liver Disease in a Chinese Middle-Aged and Elderly Population: The Shanghai Changfeng Study. PLoS ONE, 2016, 11, e0157515.	2.5	23

#	ARTICLE	IF	CITATIONS
91	Influence of Ethnicity on the Accuracy of Non-Invasive Scores Predicting Non-Alcoholic Fatty Liver Disease. PLoS ONE, 2016, 11, e0160526.	2.5	26
92	Serum ferritin levels are associated with carotid atherosclerosis in Chinese postmenopausal women: the Shanghai Changfeng Study. British Journal of Nutrition, 2015, 114, 1064-1071.	2.3	10
93	Effect of Berberine on promoting the excretion of cholesterol in high-fat diet-induced hyperlipidemic hamsters. Journal of Translational Medicine, 2015, 13, 278.	4.4	60
94	Assessment of liver fat content using quantitative ultrasonography to evaluate risks for metabolic diseases. Obesity, 2015, 23, 1929-1937.	3.0	25
95	Efficacy of Berberine in Patients with Non-Alcoholic Fatty Liver Disease. PLoS ONE, 2015, 10, e0134172.	2.5	163
96	Liver Fat Content Is Associated with Elevated Serum Uric Acid in the Chinese Middle-Aged and Elderly Populations: Shanghai Changfeng Study. PLoS ONE, 2015, 10, e0140379.	2.5	7
97	Thyroid Function, Prevalent Coronary Heart Disease, and Severity of Coronary Atherosclerosis in Patients Undergoing Coronary Angiography. International Journal of Endocrinology, 2015, 2015, 1-9.	1.5	18
98	Serum retinol binding protein 4 is associated with visceral fat in human with nonalcoholic fatty liver disease without known diabetes: a cross-sectional study. Lipids in Health and Disease, 2015, 14, 28.	3.0	18
99	New-onset diabetes after liver transplantation and its impact on complications and patient survival. Journal of Diabetes, 2015, 7, 881-890.	1.8	51
100	Berberine ameliorates nonalcoholic fatty liver disease by a global modulation of hepatic mRNA and lncRNA expression profiles. Journal of Translational Medicine, 2015, 13, 24.	4.4	92
101	Sphingosine Kinase 1 Protects Hepatocytes from Lipotoxicity via Down-regulation of IRE1 $\beta$ Protein Expression. Journal of Biological Chemistry, 2015, 290, 23282-23290.	3.4	28
102	Berberine reverses abnormal expression of L-type pyruvate kinase by DNA demethylation and histone acetylation in the livers of the non-alcoholic fatty disease rat. International Journal of Clinical and Experimental Medicine, 2015, 8, 7535-43.	1.3	11
103	Tetramethylpyrazine Ameliorates High Glucose-Induced Endothelial Dysfunction by Increasing Mitochondrial Biogenesis. PLoS ONE, 2014, 9, e88243.	2.5	29
104	Mean Platelet Volume in Relation to Carotid Atherosclerosis in Normotensive, Euglycemic, and Normolipidemic Chinese Middle-Aged and Elderly Adults. Angiology, 2014, 65, 512-518.	1.8	12
105	Serum 25-hydroxyvitamin D levels are associated with carotid atherosclerosis in normotensive and euglycemic Chinese postmenopausal women: the Shanghai Changfeng study. BMC Cardiovascular Disorders, 2014, 14, 197.	1.7	9
106	Association of Non-alcoholic Fatty Liver Disease with Chronic Kidney Disease: A Systematic Review and Meta-analysis. PLoS Medicine, 2014, 11, e1001680.	8.4	507
107	Serum levels of osteocalcin in relation to glucose metabolism and carotid atherosclerosis in Chinese middle-aged and elderly male adults: The Shanghai Changfeng Study. European Journal of Internal Medicine, 2014, 25, 259-264.	2.2	16
108	The Significance of Screening for Microvascular Diseases in Chinese Community-Based Subjects with Various Metabolic Abnormalities. PLoS ONE, 2014, 9, e97928.	2.5	18

#	ARTICLE	IF	CITATIONS
109	Influencing Factors of New-Onset Diabetes after a Renal Transplant and Their Effects on Complications and Survival Rate. PLoS ONE, 2014, 9, e99406.	2.5	32
110	Diagnosis and management of non-alcoholic fatty liver disease and related metabolic disorders: Consensus statement from the Study Group of Liver and Metabolism, Chinese Society of Endocrinology (《...》, 2013, 5, 406-415.	1.8	97
111	Serum retinol binding protein 4 is negatively related to beta cell function in Chinese women with non-alcoholic fatty liver disease: a cross-sectional study. Lipids in Health and Disease, 2013, 12, 157.	3.0	15
112	Relationship between HbA1c and Continuous Glucose Monitoring in Chinese Population: A Multicenter Study. PLoS ONE, 2013, 8, e83827.	2.5	29
113	Standardized Ultrasound Hepatic/Renal Ratio and Hepatic Attenuation Rate to Quantify Liver Fat Content: An Improvement Method. Obesity, 2012, 20, 444-452.	3.0	116
114	Tetramethylpyrazine protects palmitate-induced oxidative damage and mitochondrial dysfunction in C2C12 myotubes. Life Sciences, 2011, 88, 803-809.	4.3	45
115	The Shanghai Changfeng Study: a community-based prospective cohort study of chronic diseases among middle-aged and elderly: objectives and design. European Journal of Epidemiology, 2010, 25, 885-893.	5.7	56
116	Hyperuricemia Associated with Low Skeletal Muscle in the Middle-Aged and Elderly Population in China. Experimental and Clinical Endocrinology and Diabetes, 0, , .	1.2	4