

Nae Yoon Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/14120/nae-yoon-lee-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

1,829
citations

25
h-index

37
g-index

104
ext. papers

2,252
ext. citations

5.5
avg. IF

5.87
L-index

#	Paper	IF	Citations
100	Fabrication of a fully integrated paper microdevice for point-of-care testing of infectious disease using Safranin O dye coupled with loop-mediated isothermal amplification.. <i>Biosensors and Bioelectronics</i> , 2022 , 204, 114080	11.8	0
99	Advances in Nucleic Acid Amplification-Based Microfluidic Devices for Clinical Microbial Detection. <i>Chemosensors</i> , 2022 , 10, 123	4	1
98	Emerging bismuth-based direct Z-scheme photocatalyst for the degradation of organic dye and antibiotic residues.. <i>Chemosphere</i> , 2022 , 134227	8.4	1
97	Recent advances in the fabrication strategies of paper-based microfluidic devices for rapid detection of bacteria and viruses. <i>Microchemical Journal</i> , 2022 , 180, 107548	4.8	1
96	Off-Grid Electrical Cell Lysis Microfluidic Device Utilizing Thermoelectricity and Thermal Radiation. <i>Chemosensors</i> , 2021 , 9, 292	4	0
95	Poly(acrylic acid) as an adhesion promoter for UV-assisted thermoplastic bonding: Application for the in vitro construction of human blood vessels. <i>Materials Science and Engineering C</i> , 2021 , 122, 111874	8.3	3
94	Paper-Based Fluorescence Chemosensors for Metal Ion Detection in Biological and Environmental Samples. <i>Biochip Journal</i> , 2021 , 15, 216-232	4	5
93	Microfluidic electrical cell lysis for high-throughput and continuous production of cell-free varicella-zoster virus. <i>Journal of Biotechnology</i> , 2021 , 335, 19-26	3.7	2
92	Spinning and Fully Integrated Microdevice for Rapid Screening of Vancomycin-Resistant. <i>ACS Sensors</i> , 2021 , 6, 2902-2910	9.2	1
91	Nucleic acid amplification-based microfluidic approaches for antimicrobial susceptibility testing. <i>Analyst, The</i> , 2021 , 146, 3101-3113	5	1
90	Construction of microfluidic blood-brain barrier model assisted by 3D coculture on cellulose fiber. <i>Microsystem Technologies</i> , 2021 , 27, 3917-3926	1.7	1
89	Ultraviolet-induced gold nanoparticles for point-of-care testing of infectious diseases in loop-mediated isothermal amplification. <i>Lab on A Chip</i> , 2021 , 21, 700-709	7.2	10
88	Recent progress in smartphone-based techniques for food safety and the detection of heavy metal ions in environmental water. <i>Chemosphere</i> , 2021 , 275, 130096	8.4	26
87	Ferrowax microvalves for fully automated serial dilution on centrifugal microfluidic platforms. <i>Biotechnology Journal</i> , 2021 , 16, e2100131	5.6	
86	Polydopamine aggregation: A novel strategy for power-free readout of loop-mediated isothermal amplification integrated into a paper device for multiplex pathogens detection. <i>Biosensors and Bioelectronics</i> , 2021 , 189, 113353	11.8	6
85	Pop-up paper-based and fully integrated microdevice for point-of-care testing of vancomycin-resistant Enterococcus. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130362	8.5	7
84	Microfluidic-based fabrication of alginate microparticles for protein delivery and its application in the in vitro chondrogenesis of mesenchymal stem cells. <i>Journal of Drug Delivery Science and Technology</i> , 2021 , 66, 102735	4.5	2

83	Ultrasensitive biosensors based on waveguide-coupled long-range surface plasmon resonance (WC-LRSPR) for enhanced fluorescence spectroscopy.. <i>RSC Advances</i> , 2021 , 11, 22450-22460	3.7	
82	A paper-based colorimetric chemosensor for rapid and highly sensitive detection of sulfide for environmental monitoring. <i>Analytical Methods</i> , 2021 , 13, 1332-1339	3.2	6
81	Pressure-Free Assembling of Poly(methyl methacrylate) Microdevices via Microwave-Assisted Solvent Bonding and Its Biomedical Applications.. <i>Biosensors</i> , 2021 , 11,	5.9	2
80	Nanohybrid biodegradable scaffolds for TGF- β release for the chondrogenic differentiation of human mesenchymal stem cells. <i>International Journal of Pharmaceutics</i> , 2020 , 581, 119248	6.5	8
79	A fully integrated microdevice for capturing, amplification, and colorimetric detection of foodborne pathogens. <i>Microsystem Technologies</i> , 2020 , 26, 3875-3883	1.7	1
78	Fabrication of polycaprolactone nanofibrous membrane-embedded microfluidic device for water filtration. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49207	2.9	0
77	Integrated Microfluidic Preconcentration and Nucleic Amplification System for Detection of Influenza A Virus H1N1 in Saliva. <i>Micromachines</i> , 2020 , 11,	3.3	15
76	Fabrication of a foldable all-in-one point-of-care molecular diagnostic microdevice for the facile identification of multiple pathogens. <i>Sensors and Actuators B: Chemical</i> , 2020 , 314, 128057	8.5	14
75	Heat and pressure-resistant room temperature irreversible sealing of hybrid PDMS-thermoplastic microfluidic devices carbon-nitrogen covalent bonding and its application in a continuous-flow polymerase chain reaction.. <i>RSC Advances</i> , 2020 , 10, 16502-16509	3.7	6
74	Microfluidic device fabrication mediated by surface chemical bonding. <i>Analyst, The</i> , 2020 , 145, 4096-4110	9	21
73	Microfluidic Approach to Generate a Tadpole-Egg-Shaped Alginate Fiber and Its Application in Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 1663-1670	5.5	3
72	Rapid Fabrication of Poly(methyl methacrylate) Devices for Lab-on-a-Chip Applications Using Acetic Acid and UV Treatment. <i>ACS Omega</i> , 2020 , 5, 17396-17404	3.9	10
71	Bimetallic Thin-Film Combination of Surface Plasmon Resonance-Based Optical Fiber Cladding with the Polarizing Homodyne Balanced Detection Method and Biomedical Assay Application. <i>Langmuir</i> , 2020 , 36, 9967-9976	4	0
70	Chemically robust succinimide-group-assisted irreversible bonding of poly(dimethylsiloxane)-thermoplastic microfluidic devices at room temperature. <i>Analyst, The</i> , 2020 , 145, 6887-6894	5	6
69	Monolayer/spheroid co-culture of cells on a PDMS well plate mediated by selective polydopamine coating. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10108-10116	7.3	1
68	Chitosan-polydopamine hydrogel complex: a novel green adhesion agent for reversibly bonding thermoplastic microdevice and its application for cell-friendly microfluidic 3D cell culture. <i>Lab on A Chip</i> , 2020 , 20, 3524-3534	7.2	7
67	Bioengineering strategies for bone and cartilage tissue regeneration using growth factors and stem cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 394-411	5.4	25
66	Fully Integrated and Foldable Microdevice Encapsulated with Agarose for Long-Term Storage Potential for Point-of-Care Testing of Multiplex Foodborne Pathogens. <i>ACS Sensors</i> , 2019 , 4, 2754-2762	9.2	17

65	Advancements and frontiers in nano-based 3D and 4D scaffolds for bone and cartilage tissue engineering. <i>International Journal of Nanomedicine</i> , 2019 , 14, 4333-4351	7.3	60
64	Fully integrated and slidable paper-embedded plastic microdevice for point-of-care testing of multiple foodborne pathogens. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 120-128	11.8	42
63	Fabrication of a polycarbonate microdevice and boronic acid-mediated surface modification for on-chip sample purification and amplification of foodborne pathogens. <i>Biomedical Microdevices</i> , 2019 , 21, 72	3.7	1
62	Paper-Based All-in-One Origami Microdevice for Nucleic Acid Amplification Testing for Rapid Colorimetric Identification of Live Cells for Point-of-Care Testing. <i>Analytical Chemistry</i> , 2019 , 91, 11013-11022	7.8	30
61	A foldable isothermal amplification microdevice for fuchsin-based colorimetric detection of multiple foodborne pathogens. <i>Lab on A Chip</i> , 2019 , 19, 1397-1405	7.2	26
60	Spatially Defined, High-Contrast, and Deformation-Free Dopamine Subtractive Thermal Transfer Printing Using a Nonelastomeric Polymeric Mold and Its Multifunctional Applications. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800485	6.8	5
59	Clog-free and reliable solvent bonding of poly(methyl methacrylate) microdevice mediated by eco-friendly acetic acid at room temperature and its application for polymerase chain reaction and human cell culture. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 1008-1017	8.5	11
58	Nanoporous anodic aluminum oxide internalized with gold nanoparticles for on-chip PCR and direct detection by surface-enhanced Raman scattering. <i>Analyst, The</i> , 2018 , 143, 808-812	5	6
57	Glass-polytetrafluoroethylene-glass based sandwich microdevice for continuous-flow polymerase chain reaction and its application for fast identification of foodborne pathogens. <i>Talanta</i> , 2018 , 176, 544-550	6.2	16
56	One-step DNA purification and amplification on an integrated plastic microdevice for on-site identification of foodborne pathogens. <i>Analytica Chimica Acta</i> , 2018 , 1040, 63-73	6.6	10
55	A review on microscale polymerase chain reaction based methods in molecular diagnosis, and future prospects for the fabrication of fully integrated portable biomedical devices. <i>Mikrochimica Acta</i> , 2018 , 185, 285	5.8	14
54	A rapid and eco-friendly isothermal amplification microdevice for multiplex detection of foodborne pathogens. <i>Lab on A Chip</i> , 2018 , 18, 2369-2377	7.2	40
53	Fabrication of 3D continuous-flow reverse-transcription polymerase chain reaction microdevice integrated with on-chip fluorescence detection for semi-quantitative assessment of gene expression. <i>Analyst, The</i> , 2018 , 143, 5692-5701	5	1
52	Fabrication of an integrated polystyrene microdevice for pre-concentration and amplification of Escherichia coli O157:H7 from raw milk. <i>Analytical Methods</i> , 2018 , 10, 5071-5077	3.2	3
51	Lab-on-a-Chip Technology for Environmental Monitoring of Microorganisms. <i>Biochip Journal</i> , 2018 , 12, 173-183	4	40
50	Microfluidic approach for the fabrication of cell-laden hollow fibers for endothelial barrier research. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 6057-6066	7.3	18
49	Microdevice-based solid-phase polymerase chain reaction for rapid detection of pathogenic microorganisms. <i>Biotechnology and Bioengineering</i> , 2018 , 115, 2194-2204	4.9	6
48	Fabrication of a 3D Teflon microdevice for energy free homogeneous liquid flow inside a long microchannel and its application to continuous-flow PCR. <i>RSC Advances</i> , 2017 , 7, 10624-10630	3.7	9

47	A portable microreactor with minimal accessories for polymerase chain reaction: application to the determination of foodborne pathogens. <i>Mikrochimica Acta</i> , 2017 , 184, 4225-4233	5.8	14
46	Solvent-assisted low-temperature and low-pressure poly(methylmethacrylate) bonding coupled with selective microchannel hydrophobic coating for reliable sealing. <i>Sensors and Actuators A: Physical</i> , 2017 , 265, 168-173	3.9	5
45	Integration of a microfluidic polymerase chain reaction device and surface plasmon resonance fiber sensor into an inline all-in-one platform for pathogenic bacteria detection. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 1-8	8.5	66
44	Imprint Molding of a Microfluidic Optical Cell on Thermoplastics with Reduced Surface Roughness for the Detection of Copper Ions. <i>Analytical Sciences</i> , 2016 , 32, 85-92	1.7	2
43	Thermally robust and biomolecule-friendly room-temperature bonding for the fabrication of elastomer-plastic hybrid microdevices. <i>Lab on A Chip</i> , 2016 , 16, 3251-9	7.2	17
42	Fabrication of Polymerase Chain Reaction Plastic Lab-on-a-Chip Device for Rapid Molecular Diagnoses. <i>International Neurology Journal</i> , 2016 , 20, S38-48	2.6	22
41	A functionally integrated thermoplastic microdevice for one-step solid-phase-based nucleic acid purification and isothermal amplification for facile detection of foodborne pathogen. <i>Biotechnology and Bioengineering</i> , 2016 , 113, 2614-2623	4.9	10
40	An integrated microfluidic PCR system with immunomagnetic nanoparticles for the detection of bacterial pathogens. <i>Biomedical Microdevices</i> , 2016 , 18, 116	3.7	24
39	Portable plastic syringe as a self-actuated pump for long-distance uniform delivery of liquid inside a microchannel and its application for flow-through polymerase chain reaction on chip. <i>RSC Advances</i> , 2015 , 5, 12071-12077	3.7	18
38	Instantaneous room temperature bonding of a wide range of non-silicon substrates with poly(dimethylsiloxane) (PDMS) elastomer mediated by a mercaptosilane. <i>Lab on A Chip</i> , 2015 , 15, 2819-25 ²	7.2	44
37	Miniaturized polymerase chain reaction device for rapid identification of genetically modified organisms. <i>Food Control</i> , 2015 , 57, 238-245	6.2	14
36	Flow-through polymerase chain reaction inside a seamless 3D helical microreactor fabricated utilizing a silicone tube and a paraffin mold. <i>Analyst, The</i> , 2015 , 140, 1416-20	5	16
35	Non-silicon substrate bonding mediated by poly(dimethylsiloxane) interfacial coating. <i>Applied Surface Science</i> , 2015 , 327, 233-240	6.7	19
34	Non-photolithographic plastic-mold-based fabrication of cylindrical and multi-tiered poly(dimethylsiloxane) microchannels for biomimetic lab-on-a-chip applications. <i>RSC Advances</i> , 2015 , 5, 100905-100911	3.7	15
33	One-step surface modification for irreversible bonding of various plastics with a poly(dimethylsiloxane) elastomer at room temperature. <i>Lab on A Chip</i> , 2014 , 14, 1564-71	7.2	44
32	Bent polydimethylsiloxane/polycarbonate hybrid microdevice for on-chip flow-through polymerase chain reaction employing a single heater. <i>Mikrochimica Acta</i> , 2014 , 181, 1697-1705	5.8	6
31	Planar poly(dimethylsiloxane) (PDMS)/glass hybrid microdevice for a flow-through polymerase chain reaction (PCR) employing a single heater assisted by an intermediate metal alloy layer for temperature gradient formation. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 177-184	8.5	25
30	Modification of polycarbonate with hydrophilic/hydrophobic coatings for the fabrication of microdevices. <i>Sensors and Actuators B: Chemical</i> , 2014 , 193, 599-607	8.5	26

29	Polycarbonate bonding assisted by surface chemical modification without plasma treatment and its application for the construction of plastic-based cell arrays. <i>Sensors and Actuators A: Physical</i> , 2014 , 206, 57-66	3.9	17
28	One-step glass-like coating of polycarbonate for seamless DNA purification and amplification on an integrated monolithic microdevice. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 1281-1289	8.5	11
27	Pressure-driven one-step solid phase-based on-chip sample preparation on a microfabricated plastic device and integration with flow-through polymerase chain reaction (PCR). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 936, 88-94	3.2	11
26	Spatially defined hydrophobic coating of a microwell-patterned hydrophilic polymer substrate for targeted adhesion with high-resolution soft lithography. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 111, 313-20	6	10
25	Ethanol and UV-assisted instantaneous bonding of PMMA assemblies and tuning in bonding reversibility. <i>Sensors and Actuators B: Chemical</i> , 2013 , 181, 955-962	8.5	44
24	Two-layer microdevice for parallel flow-through PCRs employing plastic syringes for semi-automated sample injection and a single heater for amplification: Toward process simplification and system miniaturization. <i>Sensors and Actuators B: Chemical</i> , 2013 , 181, 756-765	8.5	16
23	Solid-phase based on-chip DNA purification through a valve-free stepwise injection of multiple reagents employing centrifugal force combined with a hydrophobic capillary barrier pressure. <i>Analyst, The</i> , 2013 , 138, 1750-7	5	16
22	Recent Progress in Lab-on-a-Chip Technology and Its Potential Application to Clinical Diagnoses. <i>International Neurourology Journal</i> , 2013 , 17, 2-10	2.6	17
21	Flow-through PCR on a 3D qian-du-shaped polydimethylsiloxane (PDMS) microdevice employing a single heater: toward microscale multiplex PCR. <i>Analyst, The</i> , 2012 , 137, 2069-76	5	32
20	Electrochemical DNA detection using Hoechst dyes in microfluidic chips. <i>Current Applied Physics</i> , 2012 , 12, 1493-1496	2.6	8
19	Hand-held syringe as a portable plastic pump for on-chip continuous-flow PCR: miniaturization of sample injection device. <i>Analyst, The</i> , 2012 , 137, 983-90	5	27
18	A rotary microsystem for simple, rapid and automatic RNA purification. <i>Lab on A Chip</i> , 2012 , 12, 3875-81	7.2	38
17	Three-dimensional on-chip continuous-flow polymerase chain reaction employing a single heater. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 2053-60	4.4	35
16	Bubble-free on-chip continuous-flow polymerase chain reaction: concept and application. <i>Analyst, The</i> , 2011 , 136, 2287-93	5	38
15	A facile route for irreversible bonding of plastic-PDMS hybrid microdevices at room temperature. <i>Lab on A Chip</i> , 2010 , 10, 1274-80	7.2	204
14	Targeted cell adhesion on selectively micropatterned polymer arrays on a poly(dimethylsiloxane) surface. <i>Biomedical Microdevices</i> , 2010 , 12, 13-21	3.7	7
13	Micro-perforated elastomeric poly(dimethylsiloxane) mask fabricated using high-aspect-ratio micro-pillar arrays for spatially defined surface modification: an unconventional method for establishing a microarray platform. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1227-32	4.4	2
12	Novel poly(dimethylsiloxane) bonding strategy via room temperature "chemical gluing". <i>Langmuir</i> , 2009 , 25, 3861-6	4	74

11	A Simple Imprint Method for Multi-Tiered Polymer Nanopatterning on Large Flexible Substrates Employing a Flexible Mold and Hemispherical PDMS Elastomer. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 1995-2000	4.8	9
10	A poly(dimethylsiloxane)-coated flexible mold for nanoimprint lithography. <i>Nanotechnology</i> , 2007 , 18, 415303	3.4	14
9	Multilayer transfer printing on microreservoir-patterned substrate employing hydrophilic composite mold for selective immobilization of biomolecules. <i>Langmuir</i> , 2006 , 22, 7689-94	4	24
8	Hydrophilic composite elastomeric mold for high-resolution soft lithography. <i>Langmuir</i> , 2006 , 22, 9018-22	4	29
7	Selective patterning and immobilization of biomolecules within precisely-defined micro-reservoirs. <i>Biosensors and Bioelectronics</i> , 2006 , 21, 2188-93	11.8	30
6	On-chip colorimetric biosensor based on polydiacetylene (PDA) embedded in photopolymerized poly(ethylene glycol) diacrylate (PEG-DA) hydrogel. <i>Biochemical Engineering Journal</i> , 2006 , 29, 103-108	4.2	44
5	Nanofeature-Patterned Polymer Mold Fabrication toward Precisely Defined Nanostructure Replication. <i>Chemistry of Materials</i> , 2005 , 17, 5867-5870	9.6	49
4	Control-free air vent system for ultra-low volume sample injection on a microfabricated device. <i>Analytical Sciences</i> , 2005 , 21, 465-8	1.7	12
3	Development of a passive micromixer based on repeated fluid twisting and flattening, and its application to DNA purification. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 383, 776-82	4.4	40
2	Pressure-driven sample injection with quantitative liquid dispensing for on-chip electrophoresis. <i>Analytical Sciences</i> , 2004 , 20, 483-7	1.7	33
1	Universal Printing Technique of Polydopamine onto Versatile Surfaces for High-Resolution Cell Patterning Using Wet Elastomeric Stamp. <i>Advanced Materials Technologies</i> , 2200404	6.8	