

Jung-Yun Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1412293/publications.pdf>

Version: 2024-02-01

127
papers

2,227
citations

257101

24
h-index

315357

38
g-index

134
all docs

134
docs citations

134
times ranked

3268
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetes mellitus as an independent risk factor for lung cancer: A meta-analysis of observational studies. <i>European Journal of Cancer</i> , 2013, 49, 2411-2423.	1.3	111
2	Tumor evolution and intratumor heterogeneity of an epithelial ovarian cancer investigated using next-generation sequencing. <i>BMC Cancer</i> , 2015, 15, 85.	1.1	85
3	Changes in ovarian cancer survival during the 20 years before the era of targeted therapy. <i>BMC Cancer</i> , 2018, 18, 601.	1.1	80
4	Pathological chemotherapy response score is prognostic in tubo-ovarian high-grade serous carcinoma: A systematic review and meta-analysis of individual patient data. <i>Gynecologic Oncology</i> , 2019, 154, 441-448.	0.6	74
5	4-1BB Delineates Distinct Activation Status of Exhausted Tumor-Infiltrating CD8+ T Cells in Hepatocellular Carcinoma. <i>Hepatology</i> , 2020, 71, 955-971.	3.6	70
6	Trends in gynecologic cancer mortality in East Asian regions. <i>Journal of Gynecologic Oncology</i> , 2014, 25, 174.	1.0	69
7	Outcomes of ovarian preservation in a cohort of premenopausal women with early-stage endometrial cancer: A Korean Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2013, 131, 289-293.	0.6	62
8	External validation of chemotherapy response score system for histopathological assessment of tumor regression after neoadjuvant chemotherapy in tubo-ovarian high-grade serous carcinoma. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e73.	1.0	58
9	Comparative Effectiveness of Abdominal versus Laparoscopic Radical Hysterectomy for Cervical Cancer in the Postdissemination Era. <i>Cancer Research and Treatment</i> , 2019, 51, 788-796.	1.3	57
10	Mismatch repair status influences response to fertility-sparing treatment of endometrial cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 370.e1-370.e13.	0.7	51
11	Prognosis of Cervical Cancer in the Era of Concurrent Chemoradiation from National Database in Korea: A Comparison between Squamous Cell Carcinoma and Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0144887.	1.1	51
12	Preoperative prediction model of lymph node metastasis in endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 1350-5.	1.2	39
13	Preoperative assessment of lymph node metastasis in endometrial cancer: A Korean Gynecologic Oncology Group study. <i>Cancer</i> , 2017, 123, 263-272.	2.0	38
14	Practice guidelines for management of cervical cancer in Korea: a Korean Society of Gynecologic Oncology Consensus Statement. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e22.	1.0	38
15	Safety of Fertility-Sparing Surgery in Primary Mucinous Carcinoma of the Ovary. <i>Cancer Research and Treatment</i> , 2015, 47, 290-305.	1.3	37
16	Expression of programmed cell death ligand 1 and immune checkpoint markers in residual tumors after neoadjuvant chemotherapy for advanced high-grade serous ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 151, 414-421.	0.6	36
17	Detection of Germline Mutations in Patients with Epithelial Ovarian Cancer Using Multi-gene Panels: Beyond BRCA1/2. <i>Cancer Research and Treatment</i> , 2018, 50, 917-925.	1.3	35
18	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39 ⁺ CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, e001650.		35

#	ARTICLE	IF	CITATIONS
19	MicroRNA-630 inhibitor sensitizes chemoresistant ovarian cancer to chemotherapy by enhancing apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2018, 497, 513-520.	1.0	34
20	Prognosis of Adenosquamous Carcinoma Compared With Adenocarcinoma in Uterine Cervical Cancer: A Systematic Review and Meta-Analysis of Observational Studies. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 289-294.	1.2	32
21	Genetic characteristics of gastric-type mucinous carcinoma of the uterine cervix. <i>Modern Pathology</i> , 2021, 34, 637-646.	2.9	32
22	Impact of the time interval from completion of neoadjuvant chemotherapy to initiation of postoperative adjuvant chemotherapy on the survival of patients with advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 148, 62-67.	0.6	30
23	Two-step sentinel lymph node mapping strategy in endometrial cancer staging using fluorescent imaging: A novel sentinel lymph node tracer injection procedure. <i>Surgical Oncology</i> , 2018, 27, 514-519.	0.8	28
24	Identification of a Novel BRCA1 Pathogenic Mutation in Korean Patients Following Reclassification of BRCA1 and BRCA2 Variants According to the ACMG Standards and Guidelines Using Relevant Ethnic Controls. <i>Cancer Research and Treatment</i> , 2017, 49, 1012-1021.	1.3	28
25	Comparison of Clinical Outcomes of BRCA1/2 Pathologic Mutation, Variants of Unknown Significance, or Wild Type Epithelial Ovarian Cancer Patients. <i>Cancer Research and Treatment</i> , 2017, 49, 408-415.	1.3	27
26	Treatment of stage IB2, IIA bulky cervical cancer: a single-institution experience of neoadjuvant chemotherapy followed by radical hysterectomy and primary radical hysterectomy. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 477-482.	0.8	26
27	Real-world effectiveness of bevacizumab based on AURELIA in platinum-resistant recurrent ovarian cancer (REBECA): A Korean Gynecologic Oncology Group study (KGOG 3041). <i>Gynecologic Oncology</i> , 2019, 152, 61-67.	0.6	26
28	The Role of Omentectomy and Random Peritoneal Biopsies as Part of Comprehensive Surgical Staging in Apparent Early-Stage Epithelial Ovarian Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 2762-2766.	0.7	25
29	Incorporation of paclitaxel-based hyperthermic intraperitoneal chemotherapy in patients with advanced-stage ovarian cancer treated with neoadjuvant chemotherapy followed by interval debulking surgery: a protocol-based pilot study. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e3.	1.0	25
30	Mutation landscape of germline and somatic BRCA1/2 in patients with high-grade serous ovarian cancer. <i>BMC Cancer</i> , 2020, 20, 204.	1.1	25
31	Upregulation of homeobox gene is correlated with poor survival outcomes in cervical cancer. <i>Oncotarget</i> , 2017, 8, 84396-84402.	0.8	23
32	The institutional learning curve is associated with survival outcomes of robotic radical hysterectomy for early-stage cervical cancer-a retrospective study. <i>BMC Cancer</i> , 2020, 20, 152.	1.1	22
33	Preoperative MRI criteria for trials on less radical surgery in Stage IB1 cervical cancer. <i>Gynecologic Oncology</i> , 2014, 134, 47-51.	0.6	21
34	Pretreatment neutrophil-to-lymphocyte ratio and its dynamic change during neoadjuvant chemotherapy as poor prognostic factors in advanced ovarian cancer. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 227.	0.6	21
35	Biomarker-guided targeted therapy in platinum-resistant ovarian cancer (AMBITION; KGOG 3045): a multicentre, open-label, five-arm, uncontrolled, umbrella trial. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	1.0	21
36	Prognostic significance of supradiaphragmatic lymph node metastasis detected by 18F-FDG PET/CT in advanced epithelial ovarian cancer. <i>BMC Cancer</i> , 2018, 18, 1165.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Treatment preferences of advanced ovarian cancer patients for adding bevacizumab to first-line therapy. <i>Gynecologic Oncology</i> , 2016, 143, 622-627.	0.6	19
38	Comparison of Clinical Features and Outcomes in Epithelial Ovarian Cancer according to Tumorigenicity in Patient-Derived Xenograft Models. <i>Cancer Research and Treatment</i> , 2018, 50, 956-963.	1.3	19
39	Variants of cancer susceptibility genes in Korean BRCA1/2 mutation-negative patients with high risk for hereditary breast cancer. <i>BMC Cancer</i> , 2018, 18, 83.	1.1	19
40	Genomic profiling of the residual disease of advanced high-grade serous ovarian cancer after neoadjuvant chemotherapy. <i>International Journal of Cancer</i> , 2020, 146, 1851-1861.	2.3	19
41	Major clinical research advances in gynecologic cancer in 2021. <i>Journal of Gynecologic Oncology</i> , 2022, 33, e43.	1.0	19
42	PARP inhibitors in ovarian cancer: overcoming resistance with combination strategies. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	1.0	18
43	An umbrella study of biomarker-driven targeted therapy in patients with platinum-resistant recurrent ovarian cancer: a Korean Gynecologic Oncology Group study (KGOG 3045), AMBITION. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 789-792.	0.6	17
44	A single-arm phase II study of olaparib maintenance with pembrolizumab and bevacizumab in BRCA non-mutated patients with platinum-sensitive recurrent ovarian cancer (OPEB-01). <i>Journal of Gynecologic Oncology</i> , 2021, 32, e31.	1.0	17
45	Controversies in the management of endometrial cancer: a survey of the Korean Gynecologic Oncology Group. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 277.	1.0	16
46	The efficacy of systematic lymph node dissection in advanced epithelial ovarian cancer during interval debulking surgery performed after neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2017, 116, 329-336.	0.8	15
47	Germline BRCA, chemotherapy response scores, and survival in the neoadjuvant treatment of ovarian cancer. <i>BMC Cancer</i> , 2020, 20, 185.	1.1	15
48	Role of systematic lymphadenectomy as part of primary debulking surgery for optimally cytoreduced advanced ovarian cancer: Reappraisal in the era of radical surgery. <i>Oncotarget</i> , 2017, 8, 37807-37816.	0.8	15
49	A phase II study of neoadjuvant chemotherapy plus durvalumab and tremelimumab in advanced-stage ovarian cancer: a Korean Gynecologic Oncology Group Study (KGOG 3046), TRU-D. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e112.	1.0	15
50	Cost-effectiveness of para-aortic lymphadenectomy before chemoradiotherapy in locally advanced cervical cancer. <i>Journal of Gynecologic Oncology</i> , 2015, 26, 171.	1.0	14
51	Identifying a low-risk group for parametrial involvement in microscopic Stage IB1 cervical cancer using criteria from ongoing studies and a new MRI criterion. <i>BMC Cancer</i> , 2015, 15, 167.	1.1	14
52	Comparison of outcomes between the one-step and two-step sentinel lymph node mapping techniques in endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 318-324.	1.2	14
53	BRCA1 and BRCA2 mutation predictions using the BRCAPRO and Myriad models in Korean ovarian cancer patients. <i>Gynecologic Oncology</i> , 2017, 145, 137-141.	0.6	13
54	Outcomes of uterine sarcoma found incidentally after uterus-preserving surgery for presumed benign disease. <i>BMC Cancer</i> , 2016, 16, 675.	1.1	12

#	ARTICLE	IF	CITATIONS
55	Long-Term Survival Analysis of Intraperitoneal versus Intravenous Chemotherapy for Primary Ovarian Cancer and Comparison between Carboplatin- and Cisplatin-based Intraperitoneal Chemotherapy. <i>Journal of Korean Medical Science</i> , 2017, 32, 2021.	1.1	12
56	Impact of increased utilization of neoadjuvant chemotherapy on survival in patients with advanced ovarian cancer: experience from a comprehensive cancer center. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e63.	1.0	12
57	Aberrant uterine leiomyomas with extrauterine manifestation: intravenous leiomyomatosis and benign metastasizing leiomyomas. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 509.	0.6	12
58	Outcomes of non-high grade serous carcinoma after neoadjuvant chemotherapy for advanced-stage ovarian cancer: a Korean gynecologic oncology group study (OV 1708). <i>BMC Cancer</i> , 2019, 19, 341.	1.1	12
59	Concordance between CA-125 and RECIST progression in patients with germline BRCA-mutated platinum-sensitive relapsed ovarian cancer treated in the SOLO2 trial with olaparib as maintenance therapy after response to chemotherapy. <i>European Journal of Cancer</i> , 2020, 139, 59-67.	1.3	12
60	Comparative clinicopathological and cytomorphological analyses of peritoneal carcinomatosis associated with metastatic breast carcinoma and primary peritoneal/ovarian carcinoma in patients with a history of breast carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 165-175.	1.4	12
61	Dynamics of the Tumor Immune Microenvironment during Neoadjuvant Chemotherapy of High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2022, 14, 2308.	1.7	12
62	The cost-effectiveness of selective lymphadenectomy based on a preoperative prediction model in patients with endometrial cancer: Insights from the US and Korean healthcare systems. <i>Gynecologic Oncology</i> , 2014, 135, 518-524.	0.6	11
63	Genetic analysis of ovarian microcystic stromal tumor. <i>Obstetrics and Gynecology Science</i> , 2016, 59, 157.	0.6	11
64	Prediction of perioperative complications after robotic-assisted radical hysterectomy for cervical cancer using the modified surgical Apgar score. <i>BMC Cancer</i> , 2018, 18, 908.	1.1	11
65	Integrating a Next Generation Sequencing Panel into Clinical Practice in Ovarian Cancer. <i>Yonsei Medical Journal</i> , 2019, 60, 914.	0.9	11
66	A novel algorithm for the treatment strategy for advanced epithelial ovarian cancer: consecutive imaging, frailty assessment, and diagnostic laparoscopy. <i>BMC Cancer</i> , 2017, 17, 481.	1.1	10
67	Pretreatment lymphocytopenia is an adverse prognostic biomarker in advanced-stage ovarian cancer. <i>Cancer Medicine</i> , 2019, 8, 564-571.	1.3	10
68	Impact of neoadjuvant chemotherapy and postoperative adjuvant chemotherapy cycles on survival of patients with advanced-stage ovarian cancer. <i>PLoS ONE</i> , 2017, 12, e0183754.	1.1	10
69	Involved-field radiation therapy for selected cases of recurrent ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e67.	1.0	10
70	Major clinical research advances in gynecologic cancer in 2019. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e48.	1.0	10
71	A Comparison of Adenosquamous Carcinoma and Adenocarcinoma of the Cervix after Radical Hysterectomy. <i>Gynecologic and Obstetric Investigation</i> , 2015, 80, 15-20.	0.7	9
72	CT-Based Fagotti Scoring System for Non-Invasive Prediction of Cytoreduction Surgery Outcome in Patients with Advanced Ovarian Cancer. <i>Korean Journal of Radiology</i> , 2021, 22, 1481.	1.5	9

#	ARTICLE	IF	CITATIONS
73	How to use immune checkpoint inhibitor in ovarian cancer?. Journal of Gynecologic Oncology, 2019, 30, e105.	1.0	9
74	Treatment strategies for stage IB cervical cancer: A cost-effectiveness analysis from Korean, Canadian and US perspectives. Gynecologic Oncology, 2016, 140, 83-89.	0.6	8
75	Sentinel lymph node mapping with indocyanine green in vaginal cancer. Journal of Gynecologic Oncology, 2017, 28, e29.	1.0	8
76	Evaluation of various kinetic parameters of CA-125 in patients with advanced-stage ovarian cancer undergoing neoadjuvant chemotherapy. PLoS ONE, 2018, 13, e0203366.	1.1	8
77	Real-World Experience of Olaparib Maintenance in High-Grade Serous Recurrent Ovarian Cancer Patients with BRCA1/2 Mutation: A Korean Multicenter Study. Journal of Clinical Medicine, 2019, 8, 1888-1894.	1.0	8
78	Real-World Experience of Pembrolizumab Monotherapy in Patients with Recurrent or Persistent Cervical Cancer: A Korean Multi-Center Retrospective Study (KGOG1041). Cancers, 2020, 12, 3188.	1.7	8
79	Second-line olaparib maintenance therapy is associated with poor response to subsequent chemotherapy in BRCA1/2-mutated epithelial ovarian cancer: A multicentre retrospective study. Gynecologic Oncology, 2022, 165, 97-104.	0.6	8
80	Difference in Practice Patterns in the Management of Endometrial Cancer: A Survey of the Members of 4 East Asian Gynecologic Oncology Groups. International Journal of Gynecological Cancer, 2017, 27, 1888-1894.	1.2	7
81	Surgical technique for single-port laparoscopy in huge ovarian tumors: SW Kim's technique and comparison to laparotomy. Obstetrics and Gynecology Science, 2017, 60, 178.	0.6	7
82	Rethinking Radical Surgery in Interval Debulking Surgery for Advanced-Stage Ovarian Cancer Patients Undergoing Neoadjuvant Chemotherapy. Journal of Clinical Medicine, 2020, 9, 1235.	1.0	7
83	Comparison of single-port laparoscopy and laparotomy in early ovarian cancer surgical staging. Obstetrics and Gynecology Science, 2021, 64, 90-98.	0.6	7
84	Dysregulated expression of homeobox family genes may influence survival outcomes of patients with epithelial ovarian cancer: analysis of data from The Cancer Genome Atlas. Oncotarget, 2017, 8, 70579-70585.	0.8	7
85	Recommendations for gynecologic cancer care during the COVID-19 pandemic. Journal of Gynecologic Oncology, 2020, 31, e69.	1.0	7
86	Aberrant Transcript Usage Is Associated with Homologous Recombination Deficiency and Predicts Therapeutic Response. Cancer Research, 2022, 82, 142-154.	0.4	7
87	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39 CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, .		7
88	Outcomes of Non-High Grade Serous Carcinoma after Neoadjuvant Chemotherapy for Advanced-Stage Ovarian Cancer: Single-Institution Experience. Yonsei Medical Journal, 2018, 59, 930.	0.9	6
89	Effects of Korean Red Ginseng (Panax ginseng C.A. Meyer) on Menopausal Symptoms in Premenopausal Women After Gynecologic Cancer Surgery: A Double-Blind, Randomized Controlled Trial. Journal of Alternative and Complementary Medicine, 2021, 27, 66-72.	2.1	6
90	A Single-Center, Retrospective Study of Bevacizumab-Containing Neoadjuvant Chemotherapy followed by Interval Debulking Surgery for Ovarian Cancer. Yonsei Medical Journal, 2020, 61, 284.	0.9	6

#	ARTICLE	IF	CITATIONS
91	A single-arm, phase II study of niraparib and bevacizumab maintenance therapy in platinum-sensitive, recurrent ovarian cancer patients previously treated with a PARP inhibitor: Korean Gynecologic Oncology Group (KGOG 3056)/NIRVANA-R trial. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	1.0	6
92	Real-world experience of pembrolizumab and lenvatinib in recurrent endometrial cancer: A multicenter study in Korea. <i>Gynecologic Oncology</i> , 2022, 165, 369-375.	0.6	6
93	Detecting Asymptomatic Recurrence in Early-Stage Endometrial Cancer: The Value of Vaginal Cytology, Imaging Studies, and CA-125. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 1434-1439.	1.2	5
94	Distinct Clinical Courses of Epithelial Ovarian Cancer with Mutations in BRCA1 5â€™™ and 3â€™™ Exons. <i>Anticancer Research</i> , 2018, 38, 6947-6953.	0.5	5
95	Periumbilical infiltration of lidocaine with epinephrine for postoperative pain reduction in single-port laparoscopic adnexal surgery. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 1135-1139.	0.4	5
96	AdvanTIG-202: A phase 2 study investigating anti-TIGIT monoclonal antibody ociperlimab plus anti-PD-1 monoclonal antibody tislelizumab in patients with previously treated recurrent or metastatic cervical cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS5595-TPS5595.	0.8	5
97	ARL6IP5 reduces cisplatin-resistance by suppressing DNA repair and promoting apoptosis pathways in ovarian carcinoma. <i>Cell Death and Disease</i> , 2022, 13, 239.	2.7	5
98	Treatment Preferences for Routine Lymphadenectomy Versus No Lymphadenectomy in Early-Stage Endometrial Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1336-1342.	0.7	4
99	Transcatheter Arterial Embolization for Severe Secondary Hemorrhage after Hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 180-185.	0.3	4
100	Patterns of initially overlooked recurrence of peritoneal lesions in patients with advanced ovarian cancer on postoperative multi-detector row CT. <i>Acta Radiologica</i> , 2019, 60, 1713-1720.	0.5	4
101	Effectiveness of adjuvant treatment for morcellated, International Federation of Gynecology and Obstetrics stage I uterine leiomyosarcoma: A Korean multicenter study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 46, 337-346.	0.6	4
102	Time for enhancing government-led primary prevention of cervical cancer. <i>Journal of Gynecologic Oncology</i> , 2021, 32, e12.	1.0	4
103	Role of preoperative magnetic resonance imaging and histological assessment in identifying patients with a low risk of endometrial cancer: a Korean Gynecologic Oncology Group ancillary study. <i>Oncotarget</i> , 2017, 8, 106009-106016.	0.8	4
104	An Alternative Triage Strategy Based on Preoperative MRI for Avoiding Trimodality Therapy in Stage IB Cervical Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 259-265.	1.3	4
105	Early Assessment of Response to Neoadjuvant Chemotherapy with ¹⁸ F-FDG-PET/CT in Patients with Advanced-Stage Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2020, 52, 1211-1218.	1.3	4
106	Indocyanine green fluorescent image-guided inguinal sentinel lymph node biopsy in vulvar cancer. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 223-225.	0.6	4
107	Surgical manual of the Korean Gynecologic Oncology Group: ovarian, tubal, and peritoneal cancers. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e6.	1.0	3
108	Association between PD-L1 expression and ¹⁸ F-FDG uptake in ovarian cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 415-420.	1.2	3

#	ARTICLE	IF	CITATIONS
109	Incorporating patient centered benefits as endpoints in randomized trials of maintenance therapies in advanced ovarian cancer: A position paper from the GCIg symptom benefit committee. <i>Gynecologic Oncology</i> , 2021, 161, 502-507.	0.6	3
110	Comparison between weekly versus 3-weekly paclitaxel in combination with carboplatin as neoadjuvant chemotherapy in advanced ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e23.	1.0	3
111	Cancer Patient Tissueoid with Self-Homing Nano-Targeting of Metabolic Inhibitor. <i>Advanced Science</i> , 2021, 8, 2102640.	5.6	3
112	Effect of bupivacaine versus lidocaine local anesthesia on postoperative pain reduction in single-port access laparoscopic adnexal surgery using propensity score matching. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 363-369.	0.6	3
113	Prognostic value of complete metabolic response on 18F-FDG-PET/CT after three cycles of neoadjuvant chemotherapy in advanced high-grade serous ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	1.0	3
114	Management of cervical cancer patients with isolated para-aortic lymph node metastases. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 382.	1.0	2
115	Knowledge of HPV and Surgery among Women Who Underwent Cervical Conization: A Korean Multi-Center Study. <i>Yonsei Medical Journal</i> , 2016, 57, 1222.	0.9	2
116	Diagnostic Value of 18F-FDG PET/CT and MRI in the Preoperative Evaluation of Uterine Carcinosarcoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2018, 52, 445-452.	0.6	2
117	Survival outcomes of single-port access laparoscopic radical hysterectomy for early-stage cervical cancer. <i>Surgical Oncology</i> , 2020, 34, 140-145.	0.8	2

118

#	ARTICLE	IF	CITATIONS
127	A single-arm, phase II study of niraparib and bevacizumab maintenance therapy in patients with platinum-sensitive, recurrent ovarian cancer previously treated with a PARP inhibitor: Korean Gynecologic Oncology Group (GOG 3056)/NIRVANA-R trial.. Journal of Clinical Oncology, 2022, 40, TPS5610-TPS5610.	0.8	0