

Mauricio O Moura

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1412374/mauricio-o-moura-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

586
citations

14
h-index

21
g-index

64
ext. papers

719
ext. citations

2.6
avg, IF

3.96
L-index

#	Paper	IF	Citations
60	A preliminary analysis of insects of medico-legal importance in Curitiba, State of Paraná <i>Memorias Do Instituto Oswaldo Cruz</i> , 1997 , 92, 269-74	2.6	60
59	Barcoding without DNA? Species identification using near infrared spectroscopy. <i>Zootaxa</i> , 2011 , 2933, 46	0.5	34
58	Levantamento da fauna de Coleoptera que habita a carcaça de <i>Sus scrofa</i> L., em Curitiba, Paraná <i>Revista Brasileira De Entomologia</i> , 2007 , 51, 358-368	0.9	33
57	Chave para adultos de dípteros (Muscidae, Fanniidae, Anthomyiidae) associados ao ambiente humano no Brasil. <i>Revista Brasileira De Entomologia</i> , 2002 , 46, 107-144	0.9	28
56	An evaluation of sampling methods used to produce insect growth models for postmortem interval estimation. <i>International Journal of Legal Medicine</i> , 2015 , 129, 405-10	3.1	26
55	Allozyme relationships in hypostomines (Teleostei: Loricariidae) from the Itaipu Reservoir, Upper Rio Paraná basin, Brazil. <i>Genetica</i> , 2005 , 123, 271-83	1.5	26
54	Diversity of the <i>Astyanax scabripinnis</i> species complex (Teleostei: Characidae) in the Atlantic Forest, Brazil: species limits and evolutionary inferences. <i>Reviews in Fish Biology and Fisheries</i> , 2015 , 25, 231-244	6	21
53	Heterotrophic succession in carrion arthropod assemblages. <i>Brazilian Archives of Biology and Technology</i> , 2005 , 48, 477-486	1.8	18
52	Host characteristics do not affect community structure of ectoparasites on the fishing bat <i>Noctilio leporinus</i> (L., 1758) (Mammalia: Chiroptera). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003 , 98, 811-5	2.6	17
51	Wing shape is influenced by environmental variability in <i>Polietina orbitalis</i> (Stein) (Diptera: Muscidae). <i>Revista Brasileira De Entomologia</i> , 2016 , 60, 150-156	0.9	17
50	Heat stress in the heart and muscle of the Antarctic fishes <i>Notothenia rossii</i> and <i>Notothenia coriiceps</i> : Carbohydrate metabolism and antioxidant defence. <i>Biochimie</i> , 2018 , 146, 43-55	4.6	17
49	The effect of temperature on development of <i>Sarconesia chlorogaster</i> , a blowfly of forensic importance. <i>Forensic Science, Medicine, and Pathology</i> , 2015 , 11, 538-43	1.5	16
48	Effect of different diets on biology, reproductive variables and life and fertility tables of <i>Harmonia axyridis</i> (Pallas) (Coleoptera, Coccinellidae). <i>Revista Brasileira De Entomologia</i> , 2016 , 60, 260-266	0.9	15
47	Fruit removal of a wild tomato, <i>Solanum granulosoleprosum</i> Dunal (Solanaceae), by birds, bats and non-flying mammals in an urban Brazilian environment. <i>Revista Brasileira De Zoologia</i> , 2003 , 20, 519-522		15
46	Forensic use of a subtropical blowfly: the first case indicating minimum postmortem interval (mPMI) in southern Brazil and first record of <i>Sarconesia chlorogaster</i> from a human corpse. <i>Journal of Forensic Sciences</i> , 2015 , 60 Suppl 1, S257-60	1.8	14
45	Variação espacial como mecanismo promotor da coexistência em comunidades de insetos necrófagos. <i>Revista Brasileira De Zoologia</i> , 2004 , 21, 409-419		14
44	Constant fluctuating asymmetry but not directional asymmetry along the geographic distribution of <i>Drosophila antonietae</i> (Diptera, Drosophilidae). <i>Revista Brasileira De Entomologia</i> , 2015 , 59, 337-342	0.9	13

43	Diet and trophic niche of <i>Lithobates catesbeianus</i> (Amphibia: Anura). <i>Zoologia</i> , 2012 , 29, 405-412	2	11
42	Estrutura de comunidades necrfagas: efeito da partilha de recursos na diversidade. <i>Revista Brasileira De Zoologia</i> , 2005 , 22, 1134-1140		11
41	Relative influence of spatial over environmental and historical processes on the taxonomic and phylogenetic beta diversity of Neotropical phyllostomid bat assemblages. <i>Journal of Biogeography</i> , 2018 , 45, 617-627	4.1	10
40	Comparative morphology and identification key for females of nine Sarcophagidae species (Diptera) with forensic importance in Southern Brazil. <i>Revista Brasileira De Entomologia</i> , 2015 , 59, 177-187 ⁹	0.9	9
39	Intrapuparial Development of <i>Sarconesia Chlorogaster</i> (Diptera: Calliphoridae) for Postmortem Interval Estimation (PMI). <i>Journal of Medical Entomology</i> , 2018 , 55, 277-284	2.2	9
38	Coleoptera associated with buried carrion: potential forensic importance and seasonal composition. <i>Journal of Medical Entomology</i> , 2014 , 51, 1057-66	2.2	9
37	Can Sarcophagidae (Diptera) be the most important entomological evidence at a death scene? <i>Microcerella halli</i> as a forensic indicator. <i>Revista Brasileira De Entomologia</i> , 2017 , 61, 275-276	0.9	9
36	Evidence of incipient speciation in <i>Astyanax scabripinnis</i> species complex (Teleostei: Characidae). <i>Neotropical Ichthyology</i> , 2014 , 12, 429-438	1.3	8
35	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020 , 101, e03128	4.6	8
34	How do bat, rodent, and marsupial communities respond to spatial and environmental gradients? Insights from a deconstruction of mammal beta diversity from the Atlantic Forest of South America. <i>Oecologia</i> , 2019 , 189, 851-861	2.9	8
33	Estimating the Age of Forensically Useful Blowfly, <i>Sarconesia chlorogaster</i> (Diptera: Calliphoridae), Using Larval Length and Weight. <i>Journal of Medical Entomology</i> , 2019 , 56, 915-920	2.2	7
32	Sarcophagidae (Diptera) with forensic potential in Amazonas: a pictorial key. <i>Tropical Zoology</i> , 2014 , 27, 140-152	1	7
31	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020 , 101, e03115	4.6	7
30	Effects of short-term thermal stress on the plasma biochemical profiles of two Antarctic nototheniid species. <i>Reviews in Fish Biology and Fisheries</i> , 2018 , 28, 925-940	6	7
29	Local randomness, vegetation type and dispersal drive bird and mammal diversity in a tropical South American region. <i>Ecosphere</i> , 2014 , 5, art114	3.1	6
28	Abiotic correlates of temporal variation of <i>Hypsiboas leptolineatus</i> (Amphibia: Hylidae). <i>Zoologia</i> , 2010 , 27, 703-708	2	6
27	Análise de sobrevivência e estimativa de entropia para <i>Sarconesia chlorogaster</i> (Wiedemann) (Diptera, Calliphoridae). <i>Revista Brasileira De Zoologia</i> , 1999 , 16, 221-226		6
26	Adult sex ratio effects on male survivorship of <i>Drosophila melanogaster</i> Meigen (Diptera, Drosophilidae). <i>Revista Brasileira De Entomologia</i> , 2010 , 54, 446-449	0.9	5

25	Basilia quadrosae sp. nov. (Diptera: Nycteribiidae), member of the ferruginea group, from Southern Brazil. <i>Zootaxa</i> , 2005 , 1087, 33	0.5	5
24	Description of Larval Instars To Fill a Gap in Forensic Entomology: The Larvae of Paralucilia pseudolyrcea (Diptera: Calliphoridae). <i>Journal of Medical Entomology</i> , 2018 , 55, 575-586	2.2	4
23	Intrapuparial Development of Hemilucilia semidiaphana (Diptera: Calliphoridae) and Its Use in Forensic Entomology. <i>Journal of Medical Entomology</i> , 2019 , 56, 1623-1635	2.2	4
22	Constant breeding and low survival rates in the subtropical Striped Frog in southern Brazil. <i>Journal of Zoology</i> , 2012 , 288, 151-158	2	4
21	The Reproductive Biology of the Invasive Lithobates catesbeianus (Amphibia: Anura). <i>Journal of Herpetology</i> , 2012 , 46, 153-161	1.1	4
20	Avifauna from a campus of Universidade Estadual do Centro-Oeste, Guarapuava, Paraná State, Brazil. <i>Acta Scientiarum - Biological Sciences</i> , 2011 , 33,	0.3	4
19	Estrutura de assembléas de Muscidae (Diptera) no Paraná: uma análise por modelos nulos. <i>Revista Brasileira De Entomologia</i> , 2006 , 50, 93-100	0.9	4
18	Asymmetric intraguild predation of Harmonia axyridis (Pallas, 1773) (Coleoptera: Coccinellidae) on a native Coccinellidae guild. <i>Revista Brasileira De Entomologia</i> , 2020 , 64,	0.9	4
17	Conspecifics of the Striped Lava Lizard are able to distinguish sex and male colour morphs in apparently homogeneous dull dorsal colouration. <i>Amphibia - Reptilia</i> , 2019 , 40, 149-162	1.2	4
16	What have we learned from the dead? A compilation of three years of cooperation between entomologists and crime scene investigators in Southern Brazil. <i>Revista Brasileira De Entomologia</i> , 2019 , 63, 224-231	0.9	3
15	Ocorrência de Latrocimex spectans Lent (Hemiptera, Cimicidae, Latrocimicinae) no Paraná Brasil. <i>Revista Brasileira De Zoologia</i> , 1999 , 16, 913-913		3
14	Biomarkers of oxidative stress and cell damage in freshwater bivalves Diplodon parodizi exposed to landfill leachate. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 28384-28395	5.1	2
13	Shifts to multiple optima underlie climatic niche evolution in New World phyllostomid bats. <i>Biological Journal of the Linnean Society</i> , 2019 , 128, 1008-1020	1.9	2
12	Climate Shapes the Geographic Distribution of the Blowfly Sarconesia chlorogaster (Diptera: Calliphoridae): An Environmental Niche Modeling Approach. <i>Environmental Entomology</i> , 2017 , 46, 1051-1059	2.1	2
11	Dimorphism and allometry of Systaltocerus platyrhinus and Hypselotropis prasinata (Coleoptera: Anthribidae). <i>Zoologia</i> , 2014 , 31, 51-62	2	2
10	Contrasting patterns of within-species morphological variation in two cactophilic Drosophila species (Diptera: Drosophilidae). <i>Neotropical Entomology</i> , 2013 , 42, 384-92	1.2	2
9	Occupancy of different types of forest habitats by tyrant flycatchers (Passeriformes: Tyrannidae). <i>Biota Neotropica</i> , 2013 , 13, 190-197		2
8	Geographical patterns and current and short-term historical correlates of phylogenetic diversity and endemism for New World primates. <i>Journal of Biogeography</i> , 2020 , 47, 890-902	4.1	2

7	Strong but opposing effects of climatic niche breadth and dispersal ability shape bat geographical range sizes across phylogenetic scales. <i>Global Ecology and Biogeography</i> , 2020 , 29, 1929-1939	6.1	2
6	Small prey for small cats: the importance of prey-size in the diet of southern tiger cat <i>Leopardus guttulus</i> in a competitor-free environment. <i>Studies on Neotropical Fauna and Environment</i> , 1-12	0.6	0
5	Cytogenetic characterization and mapping of the repetitive DNAs in <i>Cycloramphus bolitoglossus</i> (Werner, 1897): More clues for the chromosome evolution in the genus <i>Cycloramphus</i> (Anura, Cycloramphidae). <i>PLoS ONE</i> , 2021 , 16, e0245128	3.7	0
4	Accumulation of nylon microplastics and polybrominated diphenyl ethers and effects on gut microbial community of <i>Chironomus sancticarloi</i> .. <i>Science of the Total Environment</i> , 2022 , 155089	10.2	0
3	The Behavior of <i>Acromyrmex crassispinus</i> (Hymenoptera: Formicidae) on Trail Bifurcations and the Influence of Ant Flow on Error Rates of Nestbound Laden Workers. <i>Journal of Insect Behavior</i> , 2018 , 31, 373-384	1.1	
2	Insect Seed Predators in <i>Erythrina falcata</i> (Fabaceae): Identification of Predatory Species and Ecological Consequences of Asynchronous Flowering. <i>Neotropical Entomology</i> , 2014 , 43, 193-200	1.2	
1	The effect of bottom trawling time on mortality, physical damage and oxidative stress in two Sciaenidae species. <i>Reviews in Fish Biology and Fisheries</i> , 2021 , 31, 957	6	