

# Smadar Gertel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1413078/publications.pdf>

Version: 2024-02-01

17  
papers

318  
citations

1162367

8  
h-index

940134

16  
g-index

18  
all docs

18  
docs citations

18  
times ranked

622  
citing authors

#	ARTICLE	IF	CITATIONS
1	T cell functions of psoriatic arthritis patients are regulated differently by TNF, IL-17A and IL-6 receptor blockades in vitro. <i>Clinical and Experimental Rheumatology</i> , 2022, 40, 120-128.	0.4	4
2	Lymphocyte activation gene-3 (LAG-3) regulatory T cells: An evolving biomarker for treatment response in autoimmune diseases. <i>Autoimmunity Reviews</i> , 2022, 21, 103085.	2.5	9
3	CD4+LAG-3+ T cells are decreased in active psoriatic arthritis patients and their restoration in vitro is mediated by TNF inhibitors. <i>Clinical and Experimental Immunology</i> , 2021, 206, 173-183.	1.1	5
4	T cell functions of psoriatic arthritis patients are regulated differently by TNF, IL-17A and IL-6 receptor blockades in vitro. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.4	1
5	Soluble ST2 and CXCL-10 may serve as biomarkers of subclinical diastolic dysfunction in SLE and correlate with disease activity and damage. <i>Lupus</i> , 2020, 29, 1430-1437.	0.8	10
6	Reduced levels of Coco in sera of multiple sclerosis patients: A potential role in neuro-regeneration failure. <i>Journal of Neuroimmunology</i> , 2019, 327, 36-40.	1.1	3
7	The role of synthetic manufactured peptides containing common citrullinated epitopes in rheumatoid arthritis diagnosis. <i>Clinical Immunology</i> , 2019, 199, 7-11.	1.4	2
8	THU0030â€¦THE DIFFERENTIAL EFFECT OF TNF-Î± AND IL-6R BLOCKERS ON THE EXPRESSION OF IL-17 AND ACTIVATED CD4+CD25+ T CELLS IN PATIENTS WITH PSORIATIC ARTHRITIS. , 2019, , .		0
9	Anticitrullinated Protein Antibodies Induce Inflammatory Gene Expression Profile in Peripheral Blood Cells from CCPâ€“positive Patients with RA. <i>Journal of Rheumatology</i> , 2018, 45, 310-319.	1.0	2
10	Tofacitinib attenuates arthritis manifestations and reduces the pathogenic CD4 T cells in adjuvant arthritis rats. <i>Clinical Immunology</i> , 2017, 184, 77-81.	1.4	17
11	Immunomodulation of RA Patientsâ€™ PBMC with a Multiepitope Peptide Derived from Citrullinated Autoantigens. <i>Mediators of Inflammation</i> , 2017, 2017, 1-9.	1.4	6
12	Smoke and autoimmunity: The fire behind the disease. <i>Autoimmunity Reviews</i> , 2016, 15, 354-374.	2.5	143
13	Hypothyroidism among SLE patients: Caseâ€“control study. <i>Autoimmunity Reviews</i> , 2016, 15, 484-486.	2.5	47
14	Tolerogenic citrullinated peptide for arthritis. <i>Oncotarget</i> , 2015, 6, 19344-19345.	0.8	4
15	Immune Tolerance Induction with Multiepitope Peptide Derived from Citrullinated Autoantigens Attenuates Arthritis Manifestations in Adjuvant Arthritis Rats. <i>Journal of Immunology</i> , 2015, 194, 5674-5680.	0.4	29
16	Tolerogenic dendritic cells specific for Î²2-glycoprotein-I Domain-I, attenuate experimental antiphospholipid syndrome. <i>Journal of Autoimmunity</i> , 2014, 54, 72-80.	3.0	25
17	Anti-citrullinated peptide antibodies is more than an accurate tool for diagnosis of rheumatoid arthritis. <i>Israel Medical Association Journal</i> , 2013, 15, 516-9.	0.1	11