

# Yao Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1413535/publications.pdf>

Version: 2024-02-01

171  
papers

3,815  
citations

156536

32  
h-index

232693

48  
g-index

176  
all docs

176  
docs citations

176  
times ranked

5472  
citing authors

#	ARTICLE	IF	CITATIONS
1	Constitutively Active AR-V7 Plays an Essential Role in the Development and Progression of Castration-Resistant Prostate Cancer. <i>Scientific Reports</i> , 2015, 5, 7654.	1.6	140
2	Whole-genome and Transcriptome Sequencing of Prostate Cancer Identify New Genetic Alterations Driving Disease Progression. <i>European Urology</i> , 2018, 73, 322-339.	0.9	130
3	Epidemiology and genomics of prostate cancer in Asian men. <i>Nature Reviews Urology</i> , 2021, 18, 282-301.	1.9	111
4	Prostate cancer in East Asia: evolving trend over the last decade. <i>Asian Journal of Andrology</i> , 2015, 17, 48.	0.8	90
5	Inactivation of the AMPK-GATA3-ECHS1 Pathway Induces Fatty Acid Synthesis That Promotes Clear Cell Renal Cell Carcinoma Growth. <i>Cancer Research</i> , 2020, 80, 319-333.	0.4	90
6	The prognostic significance of p53, Ki-67, epithelial cadherin and matrix metalloproteinase-9 in penile squamous cell carcinoma treated with surgery. <i>BJU International</i> , 2007, 100, 204-208.	1.3	87
7	Retinoic Acid-Related Orphan Receptor C Regulates Proliferation, Glycolysis, and Chemoresistance via the PD-L1/ITGB6/STAT3 Signaling Axis in Bladder Cancer. <i>Cancer Research</i> , 2019, 79, 2604-2618.	0.4	87
8	Single-cell transcriptomics identifies a distinct luminal progenitor cell type in distal prostate invagination tips. <i>Nature Genetics</i> , 2020, 52, 908-918.	9.4	77
9	Adjuvant chemotherapy is associated with improved overall survival in pelvic node-positive penile cancer after lymph node dissection: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 496.e17-496.e23.	0.8	76
10	Preoperative lymphocyte-monocyte and platelet-lymphocyte ratios as predictors of overall survival in patients with bladder cancer undergoing radical cystectomy. <i>Tumor Biology</i> , 2015, 36, 8537-8543.	0.8	71
11	Predicting Pelvic Lymph Node Metastases in Penile Cancer Patients: A Comparison of Computed Tomography, Cloquet's Node, and Disease Burden of Inguinal Lymph Nodes. <i>Onkologie</i> , 2008, 31, 37-41.	1.1	65
12	A Multicentre Evaluation of the Role of the Prostate Health Index (PHI) in Regions with Differing Prevalence of Prostate Cancer: Adjustment of PHI Reference Ranges is Needed for European and Asian Settings. <i>European Urology</i> , 2019, 75, 558-561.	0.9	64
13	Predicting postoperative complications of inguinal lymph node dissection for penile cancer in an international multicentre cohort. <i>BJU International</i> , 2015, 116, 196-201.	1.3	62
14	Nutritional screening is strongly associated with overall survival in patients treated with targeted agents for metastatic renal cell carcinoma. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 222-230.	2.9	61
15	Visceral Obesity and Risk of High Grade Disease in Clinical T1a Renal Cell Carcinoma. <i>Journal of Urology</i> , 2013, 189, 447-453.	0.2	58
16	MicroRNA-302a Suppresses Tumor Cell Proliferation by Inhibiting AKT in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0124410.	1.1	58
17	A Prospective Trial of 68Ga-PSMA and 18F-FDG PET/CT in Nonmetastatic Prostate Cancer Patients with an Early PSA Progression During Castration. <i>Clinical Cancer Research</i> , 2020, 26, 4551-4558.	3.2	49
18	Frozen section-guided wide local excision in the treatment of penoscrotal extramammary Paget's disease. <i>BJU International</i> , 2007, 100, 1282-1287.	1.3	47

#	ARTICLE	IF	CITATIONS
19	Development and Evaluation of a Nomogram to Predict Inguinal Lymph Node Metastasis in Patients With Penile Cancer and Clinically Negative Lymph Nodes. <i>Journal of Urology</i> , 2010, 184, 539-545.	0.2	46
20	Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. <i>Cancer Research</i> , 2016, 76, 3277-3284.	0.4	46
21	Surgical management of penile carcinoma <i>in situ</i> : results from an international collaborative study and review of the literature. <i>BJU International</i> , 2018, 121, 393-398.	1.3	45
22	SPOP promotes ATF2 ubiquitination and degradation to suppress prostate cancer progression. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 145.	3.5	43
23	GLUT1 is an AR target contributing to tumor growth and glycolysis in castration-resistant and enzalutamide-resistant prostate cancers. <i>Cancer Letters</i> , 2020, 485, 45-55.	3.2	42
24	Germline DNA Repair Gene Mutation Landscape in Chinese Prostate Cancer Patients. <i>European Urology</i> , 2019, 76, 280-283.	0.9	41
25	Feasibility and Activity of Sorafenib and Sunitinib in Advanced Penile Cancer: A Preliminary Report. <i>Urologia Internationalis</i> , 2010, 85, 334-340.	0.6	40
26	Low TIM3 expression indicates poor prognosis of metastatic prostate cancer and acts as an independent predictor of castration resistant status. <i>Scientific Reports</i> , 2017, 7, 8869.	1.6	40
27	Adjuvant pelvic radiation is associated with improved survival and decreased disease recurrence in pelvic node-positive penile cancer after lymph node dissection: A multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 605.e17-605.e23.	0.8	39
28	New N Staging System of Penile Cancer Provides a Better Reflection of Prognosis. <i>Journal of Urology</i> , 2011, 186, 518-523.	0.2	37
29	Establishing Criteria for Bilateral Pelvic Lymph Node Dissection in the Management of Penile Cancer: Lessons Learned from an International Multicenter Collaboration. <i>Journal of Urology</i> , 2015, 194, 696-702.	0.2	37
30	The Value of Squamous Cell Carcinoma Antigen in the Prognostic Evaluation, Treatment Monitoring and Followup of Patients With Penile Cancer. <i>Journal of Urology</i> , 2008, 180, 2019-2023.	0.2	36
31	Performance of serum prostate-specific antigen isoform [p2]proPSA (p2PSA) and the prostate health index (PHI) in a Chinese hospital-based biopsy population. <i>Prostate</i> , 2014, 74, 1569-1575.	1.2	36
32	Abnormal methylation status of FBXW10 and SMPD3, and associations with clinical characteristics in clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2015, 10, 3073-3080.	0.8	36
33	External validation of the Prostate Cancer Prevention Trial and the European Randomized Study of Screening for Prostate Cancer risk calculators in a Chinese cohort. <i>Asian Journal of Andrology</i> , 2012, 14, 738-744.	0.8	33
34	Evaluation of fine particles in surgical smoke from an urologist's operating room by time and by distance. <i>International Urology and Nephrology</i> , 2015, 47, 1671-1678.	0.6	33
35	A novel gene signature to predict immune infiltration and outcome in patients with prostate cancer. <i>Oncolmmunology</i> , 2020, 9, 1762473.	2.1	33
36	Age-Dependent Association between Sex and Renal Cell Carcinoma Mortality: a Population-Based Analysis. <i>Scientific Reports</i> , 2015, 5, 9160.	1.6	32

#	ARTICLE	IF	CITATIONS
37	Prognostic Value of Components of Body Composition in Patients Treated with Targeted Therapy for Advanced Renal Cell Carcinoma: A Retrospective Case Series. <i>PLoS ONE</i> , 2015, 10, e0118022.	1.1	32
38	Extent of pelvic lymph node dissection in penile cancer may impact survival. <i>World Journal of Urology</i> , 2016, 34, 353-359.	1.2	32
39	Targeting CPT1B as a potential therapeutic strategy in castration-resistant and enzalutamide-resistant prostate cancer. <i>Prostate</i> , 2020, 80, 950-961.	1.2	31
40	Prospectively Packaged Ilioinguinal Lymphadenectomy for Penile Cancer: The Disseminative Pattern of Lymph Node Metastasis. <i>Journal of Urology</i> , 2009, 181, 2103-2108.	0.2	30
41	Lymph node metastases and prognosis in penile cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2012, 24, 90-96.	0.7	30
42	Identification and validation of an eight-gene expression signature for predicting high Fuhrman grade renal cell carcinoma. <i>International Journal of Cancer</i> , 2017, 140, 1199-1208.	2.3	29
43	Evaluation of <sup>99m</sup> Tc-labeled PSMA-SPECT/CT imaging in prostate cancer patients who have undergone biochemical relapse. <i>Asian Journal of Andrology</i> , 2017, 19, 267.	0.8	29
44	Germline mutations of renal cancer predisposition genes and clinical relevance in Chinese patients with sporadic, early-onset disease. <i>Cancer</i> , 2019, 125, 1060-1069.	2.0	28
45	A global approach to improving penile cancer care. <i>Nature Reviews Urology</i> , 2022, 19, 231-239.	1.9	28
46	Phosphorylated 4EBP1 is associated with tumor progression and poor prognosis in Xp11.2 translocation renal cell carcinoma. <i>Scientific Reports</i> , 2016, 6, 23594.	1.6	27
47	A functional variant in <i>TP63</i> at 3q28 associated with bladder cancer risk by creating an miR-140 binding site. <i>International Journal of Cancer</i> , 2016, 139, 65-74.	2.3	27
48	Nomogram-based prediction of overall survival after regional lymph node dissection and the role of perioperative chemotherapy in penile squamous cell carcinoma: A retrospective multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 531.e7-531.e15.	0.8	27
49	Diagnosis of adults Xp11.2 translocation renal cell carcinoma by immunohistochemistry and FISH assays: clinicopathological data from ethnic Chinese population. <i>Scientific Reports</i> , 2016, 6, 21677.	1.6	26
50	Norcantharidin induces autophagy-related prostate cancer cell death through Beclin-1 upregulation by miR-129-5p suppression. <i>Tumor Biology</i> , 2016, 37, 15643-15648.	0.8	26
51	Laser ablation as monotherapy for penile squamous cell carcinoma: A multi-center cohort analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 147-152.	0.8	26
52	Upregulation of COL6A1 is predictive of poor prognosis in clear cell renal cell carcinoma patients. <i>Oncotarget</i> , 2015, 6, 27378-27387.	0.8	26
53	The Oncogenic Role of COL23A1 in Clear Cell Renal Cell Carcinoma. <i>Scientific Reports</i> , 2017, 7, 9846.	1.6	25
54	Primary Penile Cancer: The Role of Adjuvant Radiation Therapy in the Management of Extranodal Extension in Lymph Nodes. <i>European Urology Focus</i> , 2019, 5, 737-741.	1.6	25

#	ARTICLE	IF	CITATIONS
55	Renal cell carcinoma histological subtype distribution differs by age, gender, and tumor size in coastal Chinese patients. <i>Oncotarget</i> , 2017, 8, 71797-71804.	0.8	25
56	Predicting the failure of retrograde ureteral stent insertion for managing malignant ureteral obstruction in outpatients. <i>Oncology Letters</i> , 2016, 11, 879-883.	0.8	24
57	Prognosis of the 8th TNM Staging System for Penile Cancer and Refinement of Prognostication by Incorporating High Risk Human Papillomavirus Status. <i>Journal of Urology</i> , 2020, 203, 562-569.	0.2	24
58	Increased B4GALT1 expression associates with adverse outcome in patients with non-metastatic clear cell renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 32723-32730.	0.8	24
59	Pretreatment neutrophil-to-lymphocyte ratio predicts prognosis in patients with metastatic renal cell carcinoma receiving targeted therapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 373-378.	1.0	23
60	Elevated MRE11 expression associated with progression and poor outcome in prostate cancer. <i>Journal of Cancer</i> , 2019, 10, 4333-4340.	1.2	23
61	Phase II study of docetaxel, cisplatin, and fluorouracil in patients with distantly metastatic penile cancer as first-line chemotherapy. <i>Oncotarget</i> , 2015, 6, 32212-32219.	0.8	23
62	SOX2 and SOX12 are predictive of prognosis in patients with clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2018, 15, 4564-4570.	0.8	22
63	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021, 4, 802-810.	2.6	22
64	PD-L1 expression in Xp11.2 translocation renal cell carcinoma: Indicator of tumor aggressiveness. <i>Scientific Reports</i> , 2017, 7, 2074.	1.6	21
65	Modification of American Joint Committee on cancer prognostic groups for renal cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 5431-5438.	1.3	21
66	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371.	0.8	21
67	Causes of Death and Conditional Survival of Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 591.	1.3	20
68	Identifying an optimal lymph node yield for penile squamous cell carcinoma: prognostic impact of surgical dissection. <i>BJU International</i> , 2020, 125, 82-88.	1.3	20
69	Prevalence of comprehensive <scp>DNA</scp> damage repair gene germline mutations in Chinese prostate cancer patients. <i>International Journal of Cancer</i> , 2021, 148, 673-681.	2.3	20
70	Prognostic significance of the TREK-1 K2P potassium channels in prostate cancer. <i>Oncotarget</i> , 2015, 6, 18460-18468.	0.8	20
71	Expression of Dicer and Its Related MiRNAs in the Progression of Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0120159.	1.1	19
72	ADIPOQ polymorphism rs182052 is associated with clear cell renal cell carcinoma. <i>Cancer Science</i> , 2015, 106, 687-691.	1.7	18

#	ARTICLE	IF	CITATIONS
73	Serum Adiponectin Level May be an Independent Predictor of Clear Cell Renal Cell Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 1340-1346.	1.2	18
74	Pathological Features of Localized Prostate Cancer in China: A Contemporary Analysis of Radical Prostatectomy Specimens. <i>PLoS ONE</i> , 2015, 10, e0121076.	1.1	18
75	A single nucleotide polymorphism in <i>ADIPOQ</i> predicts biochemical recurrence after radical prostatectomy in localized prostate cancer. <i>Oncotarget</i> , 2015, 6, 32205-32211.	0.8	18
76	Comprehensive Analysis of <i>BAP1</i> Somatic Mutation in Clear Cell Renal Cell Carcinoma to Explore Potential Mechanisms <i>in Silico</i> . <i>Journal of Cancer</i> , 2018, 9, 4108-4116.	1.2	17
77	Prognostic Value of Germline DNA Repair Gene Mutations in De Novo Metastatic and Castration-Sensitive Prostate Cancer. <i>Oncologist</i> , 2020, 25, e1042-e1050.	1.9	17
78	Identification of seven long noncoding RNAs signature for prediction of biochemical recurrence in prostate cancer. <i>Asian Journal of Andrology</i> , 2019, 21, 618.	0.8	17
79	Forkhead box series expression network is associated with outcome of clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2018, 15, 8669-8680.	0.8	16
80	Development and External Validation of a Novel 12-Gene Signature for Prediction of Overall Survival in Muscle-Invasive Bladder Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 856.	1.3	16
81	The Rare Variant rs35356162 in UHRF1BP1 Increases Bladder Cancer Risk in Han Chinese Population. <i>Frontiers in Oncology</i> , 2020, 10, 134.	1.3	16
82	Visceral fat accumulation is associated with different pathological subtypes of renal cell carcinoma ( <i>RCC</i> ): a multicentre study in China. <i>BJU International</i> , 2014, 114, 496-502.	1.3	15
83	Development and external validation of a prostate health index-based nomogram for predicting prostate cancer. <i>Scientific Reports</i> , 2015, 5, 15341.	1.6	15
84	Assessment of survival of patients with metastatic clear cell renal cell carcinoma after radical cytoreductive nephrectomy versus no surgery: a SEER analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 288-295.	0.7	15
85	Early skeletal muscle loss during target therapy is a prognostic biomarker in metastatic renal cell carcinoma patients. <i>Scientific Reports</i> , 2017, 7, 7587.	1.6	15
86	Glansectomy as Primary Management of Penile Squamous Cell Carcinoma: An International Study Collaboration. <i>Urology</i> , 2017, 109, 140-144.	0.5	15
87	Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. <i>BJU International</i> , 2020, 125, 867-875.	1.3	15
88	Population-Based Assessment of the Number of Lymph Nodes Removed in the Treatment of Penile Squamous Cell Carcinoma. <i>Urologia Internationalis</i> , 2014, 92, 186-193.	0.6	14
89	Important Therapeutic Considerations in T1b Penile Cancer: Prognostic Significance and Adherence to Treatment Guidelines. <i>Annals of Surgical Oncology</i> , 2019, 26, 685-691.	0.7	14
90	The Value of <sup>99m</sup> Tc-PSMA SPECT/CT-Guided Surgery for Identifying and Locating Lymph Node Metastasis in Prostate Cancer Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 653-659.	0.7	14

#	ARTICLE	IF	CITATIONS
91	Expression of ARID1B Is Associated With Poor Outcomes and Predicts the Benefit from Adjuvant Chemotherapy in Bladder Urothelial Carcinoma. <i>Journal of Cancer</i> , 2017, 8, 3490-3497.	1.2	13
92	Inherited Mutations in Chinese Men With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 54-62.	2.3	13
93	Surgical treatment of primary disease for penile squamous cell carcinoma: A Surveillance, Epidemiology, and End Results database analysis. <i>Oncology Letters</i> , 2015, 10, 85-92.	0.8	12
94	Oligometastatic state predicts a favorable outcome for renal cell carcinoma patients with bone metastasis under the treatment of sunitinib. <i>Oncotarget</i> , 2016, 7, 26879-26887.	0.8	12
95	Functional variants of the 5-methyltetrahydrofolate-homocysteine methyltransferase gene significantly increase susceptibility to prostate cancer: Results from an ethnic Han Chinese population. <i>Scientific Reports</i> , 2016, 6, 36264.	1.6	12
96	Beyond chemotherapy for advanced disease—the role of EGFR and PD-1 inhibitors. <i>Translational Andrology and Urology</i> , 2017, 6, 848-854.	0.6	12
97	Low serum prostate-specific antigen level predicts poor outcomes in patients with primary neuroendocrine prostate cancer. <i>Prostate</i> , 2019, 79, 1563-1571.	1.2	12
98	Prostate Cancer and Prostatic Diseases Best of Asia, 2019: challenges and opportunities. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 197-198.	2.0	12
99	A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020, 126, 577-585.	1.3	12
100	&lt;p&gt;Chinese Expert Consensus on the Diagnosis and Treatment of Castration-Resistant Prostate Cancer (2019 Update)&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 2127-2140.	0.9	12
101	PBRM1 regulates proliferation and the cell cycle in renal cell carcinoma through a chemokine/chemokine receptor interaction pathway. <i>PLoS ONE</i> , 2017, 12, e0180862.	1.1	12
102	Stereotactic Radiotherapy for Lesions Detected via 68Ga-Prostate-specific Membrane Antigen and 18F-Fluorodexyglucose Positron Emission Tomography/Computed Tomography in Patients with Nonmetastatic Prostate Cancer with Early Prostate-specific Antigen Progression on Androgen Deprivation Therapy: A Prospective Single-center Study. <i>European Urology Oncology</i> , 2022, 5, 420-427.	2.6	12
103	Prostate cancer and prostatic diseases Best of China, 2018. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 1-2.	2.0	11
104	Surgical Volume, Safety, Drug Administration, and Clinical Trials During COVID-19: Single-center Experience in Shanghai, China. <i>European Urology</i> , 2020, 78, 120-122.	0.9	11
105	Validation of the prognostic value of lymph node ratio in patients with penile squamous cell carcinoma: a population-based study. <i>International Urology and Nephrology</i> , 2013, 45, 1263-1271.	0.6	10
106	Waist-hip Ratio (WHR), a Better Predictor for Prostate Cancer than Body Mass Index (BMI): Results from a Chinese Hospital-based Biopsy Cohort. <i>Scientific Reports</i> , 2017, 7, 43551.	1.6	10
107	Identification and validation of an 18-gene signature highly-predictive of bladder cancer metastasis. <i>Scientific Reports</i> , 2018, 8, 374.	1.6	10
108	Conditional survival among patients with adrenal cortical carcinoma determined using a national population-based surveillance, epidemiology, and end results registry. <i>Oncotarget</i> , 2015, 6, 44955-44962.	0.8	10



#	ARTICLE	IF	CITATIONS
109	Performance of the Prostate Health Index in predicting prostate biopsy outcomes among men with a negative digital rectal examination and transrectal ultrasonography. <i>Asian Journal of Andrology</i> , 2016, 18, 633.	0.8	10
110	Clinical outcome of advanced and metastatic renal cell carcinoma treated with targeted therapy: is there a difference between young and old patients?. <i>OncoTargets and Therapy</i> , 2014, 7, 2043.	1.0	9
111	Smoking increased the risk of prostate cancer with grade group 4 and intraductal carcinoma in a prospective biopsy cohort. <i>Prostate</i> , 2017, 77, 984-989.	1.2	9
112	National Comprehensive Cancer Network (NCCN) risk classification in predicting biochemical recurrence after radical prostatectomy: a retrospective cohort study in Chinese prostate cancer patients. <i>Asian Journal of Andrology</i> , 2018, 20, 551.	0.8	9
113	Relationship between PSA kinetics and Tc-99m HYNIC PSMA SPECT/CT detection rates of biochemical recurrence in patients with prostate cancer after radical prostatectomy. <i>Prostate</i> , 2018, 78, 1215-1221.	1.2	9
114	Importance of HPV in Chinese Penile Cancer: A Contemporary Multicenter Study. <i>Frontiers in Oncology</i> , 2020, 10, 1521.	1.3	9
115	Development and validation of a robust multigene signature as an aid to predict early relapse in stage III clear cell and papillary renal cell cancer. <i>Journal of Cancer</i> , 2020, 11, 997-1007.	1.2	9
116	Influence of age on predictiveness of genetic risk score for prostate cancer in a Chinese hospital-based biopsy cohort. <i>Oncotarget</i> , 2015, 6, 22978-22984.	0.8	9
117	External validation and newly development of a nomogram to predict overall survival of abiraterone-treated, castration-resistant patients with metastatic prostate cancer. <i>Asian Journal of Andrology</i> , 2018, 20, 184.	0.8	9
118	Genetic variants in insulin-like growth factor binding protein-3 are associated with prostate cancer susceptibility in Eastern Chinese Han men. <i>OncoTargets and Therapy</i> , 2016, 9, 61.	1.0	8
119	Prognosis of rare pathological primary urethral carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 6815-6822.	0.9	8
120	A single nucleotide polymorphism in CYP1B1 leads to differential prostate cancer risk and telomere length. <i>Journal of Cancer</i> , 2018, 9, 269-274.	1.2	8
121	Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. <i>Oncogene</i> , 2021, 40, 2382-2394.	2.6	8
122	Outcomes of perineal urethrostomy for penile cancer: A 20-year international multicenter experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 500.e9-500.e13.	0.8	8
123	Oral etoposide and oral prednisone for the treatment of castration resistant prostate cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 82-85.	0.8	7
124	Preneoplastic and Primary Scrotal Cancer. <i>Urologic Clinics of North America</i> , 2016, 43, 523-530.	0.8	7
125	MTHFR c.677C>T Inhibits Cell Proliferation and Decreases Prostate Cancer Susceptibility in the Han Chinese Population in Shanghai. <i>Scientific Reports</i> , 2016, 6, 36290.	1.6	7
126	Genetic variants in RTEL1 influencing telomere length are associated with prostate cancer risk. <i>Journal of Cancer</i> , 2019, 10, 6170-6174.	1.2	7



#	ARTICLE	IF	CITATIONS
127	Development and validation of a nomogram including lymphocyte-to-monocyte ratio for initial prostate biopsy: a double-center retrospective study. <i>Asian Journal of Andrology</i> , 2021, 23, 41.	0.8	7
128	Combination of body mass index and albumin predicts the survival in metastatic castration-resistant prostate cancer patients treated with abiraterone: A post hoc analysis of two randomized trials. <i>Cancer Medicine</i> , 2021, 10, 6697-6704.	1.3	7
129	Association of glutathione S-transferase T1 and M1 polymorphisms with prostate cancer susceptibility in populations of Asian descent: a meta-analysis. <i>Oncotarget</i> , 2015, 6, 35843-35850.	0.8	7
130	External validation of nomograms for predicting cancer-specific mortality in penile cancer patients treated with definitive surgery. <i>Chinese Journal of Cancer</i> , 2014, 33, 249-255.	4.9	7
131	Alkaline phosphatase velocity in nonmetastatic CRPC. <i>Nature Reviews Urology</i> , 2014, 11, 666-667.	1.9	6
132	Outcomes of patients with lymph node metastasis treated with radical prostatectomy and adjuvant androgen deprivation therapy in a Chinese population: results from a cohort study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 172.	0.8	6
133	Human epidermal growth factor receptor 2 amplification as a biomarker for treatment in patients with lymph node metastatic penoscrotal extramammary Paget's disease. <i>Oncology Letters</i> , 2019, 17, 2677-2686.	0.8	6
134	The Prognostic Value of Programmed Death-Ligand 1 in a Chinese Cohort With Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 879.	1.3	6
135	Comparison of different lymph node staging schemes in prostate cancer patients with lymph node metastasis. <i>International Urology and Nephrology</i> , 2020, 52, 87-95.	0.6	6
136	Prognostic Value of Local Treatment in Prostate Cancer Patients With Different Metastatic Sites: A Population Based Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 527952.	1.3	6
137	Eosinophil percentage elevation as a prognostic factor for overall survival in patients with metastatic renal cell carcinoma treated with tyrosine kinase inhibitor. <i>Oncotarget</i> , 2016, 7, 68943-68953.	0.8	6
138	Retrograde radical cystectomy and consequent peritoneal cavity reconstruction benefits localized male bladder cancer: results from a cohort study. <i>World Journal of Surgical Oncology</i> , 2015, 13, 132.	0.8	5
139	Effect of Body mass index on the performance characteristics of PSA-related markers to detect prostate cancer. <i>Scientific Reports</i> , 2016, 6, 19034.	1.6	5
140	Functional variants in the low-density lipoprotein receptor gene are associated with clear cell renal cell carcinoma susceptibility. <i>Carcinogenesis</i> , 2017, 38, 1241-1248.	1.3	5
141	Evaluation of the major changes in eighth edition of the American Joint Committee on Cancer pathological staging for prostate cancer treated with prostatectomy. <i>PLoS ONE</i> , 2017, 12, e0187887.	1.1	5
142	Evaluation of clinical staging of the American Joint Committee on Cancer (eighth edition) for prostate cancer. <i>World Journal of Urology</i> , 2018, 36, 769-774.	1.2	5
143	Preoperative prostate health index predicts poor pathologic outcomes of radical prostatectomy in patients with biopsy-detected low-risk patients prostate cancer: results from a Chinese prospective cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 64-70.	2.0	5
144	The U Shape of Prostate-specific Antigen and Prostate Cancer-specific Mortality in High-grade Metastatic Prostate Adenocarcinoma. <i>European Urology Focus</i> , 2020, 6, 53-62.	1.6	5

#	ARTICLE	IF	CITATIONS
145	<p>Metabolically Abnormal Obesity Increases the Risk of Advanced Prostate Cancer in Chinese Patients Undergoing Radical Prostatectomy</p>. Cancer Management and Research, 2020, Volume 12, 1779-1787.	0.9	5
146	Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. European Urology Oncology, 2021, 4, 121-123.	2.6	5
147	Clinical significance of TMPRSS4 in prostate cancer. International Journal of Clinical and Experimental Pathology, 2014, 7, 8053-8.	0.5	5
148	Clinical significance of urine prostatic exosomal protein in the diagnosis of prostate cancer. American Journal of Cancer Research, 2019, 9, 1074-1078.	1.4	5
149	Prognostic value of carbonic anhydrase IX expression in penile squamous cell carcinoma: A pilot study. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 706-711.	0.8	4
150	Two novel <i>PRKCI</i> polymorphisms and prostate cancer risk in an Eastern Chinese Han population. Molecular Carcinogenesis, 2015, 54, 632-641.	1.3	4
151	Conditional Survival in Patients with Advanced Renal Cell Carcinoma Treated with Nivolumab. Medical Science Monitor, 2019, 25, 6518-6522.	0.5	4
152	Development of a preliminary nomogram to predict progression of bone scan for castration-resistant prostate cancer. OncoTargets and Therapy, 2015, 8, 713.	1.0	3
153	PCA3 rs544190G<i>A</i> and prostate cancer risk in an eastern Chinese population. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2018, 44, 500-505.	0.7	3
154	Preliminary results of targeted prostate-specific membrane antigen imaging in evaluating the efficacy of a novel hormone agent in metastatic castration-resistant prostate cancer. Cancer Medicine, 2020, 9, 3278-3286.	1.3	3
155	Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 838.e7-838.e13.	0.8	3
156	Measurement of Metastasis in the Follow-Up of Localized Prostate Cancer. Journal of Clinical Oncology, 2018, 36, 514-514.	0.8	2
157	A Germline Variant at 8q24 Contributes to the Serum p2PSA Level in a Chinese Prostate Biopsy Cohort. Frontiers in Oncology, 2021, 11, 753920.	1.3	2
158	High expression of F2RL3 correlates with aggressive features and poor survival in clear cell renal cell carcinoma. Journal of Cancer, 2018, 9, 3400-3406.	1.2	1
159	Germline DNA-repair Gene Mutations and Efficacy of Abiraterone or Enzalutamide in Patients with Metastatic Castration-resistant Prostate Cancer. European Urology Focus, 2019, 5, 745-747.	1.6	1
160	Identification of a methylation panel aid in risk stratification in node-positive penile squamous cell carcinoma. International Journal of Cancer, 2021, 148, 1289-1298.	2.3	1
161	Impact of radiation therapy on perineal urethrostomy for penile cancer. Clinical and Translational Radiation Oncology, 2021, 30, 84-87.	0.9	1
162	Locoregional surgical treatment improves the prognosis in patients with primary metastatic testicular cancer with a single bone or brain metastasis. Molecular and Clinical Oncology, 2020, 13, 146-154.	0.4	1

#	ARTICLE	IF	CITATIONS
163	Genetic variants in telomere-maintenance genes and bladder cancer risk. Chinese-German Journal of Clinical Oncology, 2013, 12, 448-453.	0.1	0
164	Prognostic value of pathological features of primary lesion in metastatic renal cell carcinoma treated with sorafenib. Future Oncology, 2016, 12, 1783-1793.	1.1	0
165	Prognosis of the Metachronous and Synchronous Bilateral Renal Cancer and Second Primary Cancer After the Bilateral Renal Cancer: a Population-Based Analysis. SN Comprehensive Clinical Medicine, 2019, 1, 900-904.	0.3	0
166	ASO Author Reflections: T1b Penile Cancer: An Alarm to Improve Treatment. Annals of Surgical Oncology, 2019, 26, 692-693.	0.7	0
167	Germline DNA damage repair gene alterations in Chinese prostate patients: More than HRR and MMR.. Journal of Clinical Oncology, 2019, 37, e13041-e13041.	0.8	0
168	Development of a risk calculator of recurrence in inguinal lymph node metastatic (ILNM) patients with surgically resected penile squamous cell carcinoma (PSCC).. Journal of Clinical Oncology, 2020, 38, 1-1.	0.8	0
169	Regression tree analysis to identify the best candidates for neoadjuvant chemotherapy (NAC) in patients with clinically lymph node-positive penile squamous cell carcinoma (PSCC).. Journal of Clinical Oncology, 2020, 38, 2-2.	0.8	0
170	Re: Fabio Turco, Andrew Armstrong, Gerhardt Attard, et al. What Experts Think About Prostate Cancer Management During the COVID-19 Pandemic: Report from the Advanced Prostate Cancer Consensus Conference 2021. Eur Urol. In press. <a href="https://doi.org/10.1016/j.eururo.2022.02.010">https://doi.org/10.1016/j.eururo.2022.02.010</a> . European Urology, 2022, , , Dean Cem Tuller and Cem Onalac's Letter to the Editor re: Jian Pan, Yi Wang, Jingwei Zhang, et al.	0.9	0
171	Stereotactic Radiotherapy for Lesions Detected via 68Ga-Prostate-specific Membrane Antigen and 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Patients with Nonmetastatic Prostate Cancer with Early Prostate-specific Antigen Progression on Androgen Deprivation Therapy: A Prospective Single-center Study. Eur Urol Oncol. In press. <a href="https://doi.org/10.1016/j.euo.2022.04.005">https://doi.org/10.1016/j.euo.2022.04.005</a> . European Urology Oncology, 2022, , ,	2.6	0