Pia Svedberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1414324/publications.pdf

Version: 2024-02-01

257101 233125 2,484 99 24 45 citations g-index h-index papers 100 100 100 2992 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Psychosocial Working Conditions and Subsequent Sickness Absence—Effects of Pain and Common Mental Disorders in a Population-Based Swedish Twin Sample. Journal of Occupational and Environmental Medicine, 2022, 64, 451-457.	0.9	3
2	Work incapacity and psychiatric patient care following attempted suicide $\hat{a} \in \hat{a}$ a cohort study of 65 097 Swedish twins. Psychological Medicine, 2022, , 1-7.	2.7	O
3	Sick leave and disability pension in a cohort of TMD-patients – The Swedish National Registry Studies for Surgically Treated TMD (SWEREG-TMD). BMC Public Health, 2022, 22, 916.	1.2	8
4	Psychosocial working conditions, pain, mental disorders, and disability pension. Archives of Environmental and Occupational Health, 2021, 76, 233-240.	0.7	2
5	Sleep duration and mortality – Influence of age and occupational group in retired individuals. Sleep Medicine, 2021, 80, 199-203.	0.8	5
6	The predictive role of sickness absence spell durations in associations with inpatient- and specialized outpatient care among a population-based Swedish twin sample. BMC Health Services Research, 2021, 21, 315.	0.9	1
7	Effects of age on psychosocial working conditions and future labour market marginalisation: a cohort study of 56,867 Swedish twins. International Archives of Occupational and Environmental Health, 2021, , 1.	1.1	2
8	The role of sickness absence diagnosis for the risk of future inpatient- or specialized outpatient care in a Swedish population-based twin sample. BMC Public Health, 2021, 21, 957.	1.2	1
9	Sustainable Working Life in a Swedish Twin Cohortâ€"A Definition Paper with Sample Overview. International Journal of Environmental Research and Public Health, 2021, 18, 5817.	1.2	8
10	Diagnosis-Specific Work Disability before and after Lumbar Spine Decompression Surgery—A Register Study from Sweden. International Journal of Environmental Research and Public Health, 2021, 18, 8937.	1.2	0
11	The role of familial confounding in the associations of physical activity, smoking and alcohol consumption with early exit from the labour market. Preventive Medicine, 2021, 150, 106717.	1.6	2
12	Role of social benefits for future long-term sickness absence, disability pension and unemployment among individuals on sickness absence due to mental diagnoses: a competing risk approach. International Archives of Occupational and Environmental Health, 2021, , 1.	1.1	0
13	Associations of sitting time with leisureâ€time physical inactivity, education, and body mass index change. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 322-331.	1.3	7
14	Life events as predictors for disability pension due to musculoskeletal diagnoses: a cohort study of Finnish twins. International Archives of Occupational and Environmental Health, 2020, 93, 469-478.	1.1	1
15	A Life Course Study of Genetic and Environmental Influences on Work Incapacity. Twin Research and Human Genetics, 2020, 23, 16-22.	0.3	8
16	Health behaviours and psychosocial working conditions as predictors of disability pension due to different diagnoses: a population-based study. BMC Public Health, 2020, 20, 1507.	1.2	6
17	Adverse outcomes of chronic widespread pain and common mental disorders in individuals with sickness absence – a prospective study of Swedish twins. BMC Public Health, 2020, 20, 1301.	1.2	11
18	Sick leave due to back pain, common mental disorders and disability pension: Common genetic liability. European Journal of Pain, 2020, 24, 1892-1901.	1.4	7

#	Article	IF	Citations
19	Shared liability to pain, common mental disorders, and long-term work disability differs among women and men. Pain, 2020, 161, 1005-1011.	2.0	5
20	Sickness absence and disability pension in relation to first childbirth and in nulliparous women according to occupational groups: a cohort study of 492,504 women in Sweden. BMC Public Health, 2020, 20, 686.	1.2	5
21	Night work, mortality, and the link to occupational group and sex. Scandinavian Journal of Work, Environment and Health, 2020, 46, 508-515.	1.7	16
22	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. BMJ Open, 2020, 10, e037726.	0.8	0
23	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. BMJ Open, 2020, 10, e037726.	0.8	3
24	Determinants of work disability following lumbar spine decompression surgery. Scandinavian Journal of Public Health, 2019, 47, 281-292.	1.2	3
25	Associations between adolescent social phobia, sickness absence and unemployment: a prospective study of twins in Sweden. European Journal of Public Health, 2019, 29, 931-936.	0.1	5
26	The association between part-time and temporary employment and sickness absence: a prospective Swedish twin study. European Journal of Public Health, 2019, 29, 147-153.	0.1	9
27	The longitudinal integrated database for health insurance and labour market studies (LISA) and its use in medical research. European Journal of Epidemiology, 2019, 34, 423-437.	2.5	559
28	Changes in prescription of antidepressants and disability pension due to back pain, compared with other musculoskeletal and other somatic diagnoses: a cohort study in Sweden. BMJ Open, 2019, 9, e029836.	0.8	1
29	Sickness absence and disability pension before and after first childbirth and in nulliparous women: longitudinal analyses of three cohorts in Sweden. BMJ Open, 2019, 9, e031593.	0.8	8
30	Transitioning from sickness absence to disability pensionâ€"the impact of poor health behaviours: a prospective Swedish twin cohort study. BMJ Open, 2019, 9, e031889.	0.8	7
31	Health, work and demographic factors associated with a lower risk of work disability and unemployment in employees with lower back, neck and shoulder pain. BMC Musculoskeletal Disorders, 2019, 20, 622.	0.8	20
32	Sickness absence and disability pension before and after first childbirth and in nulliparous women by numerical gender segregation of occupations: A Swedish population-based longitudinal cohort study. PLoS ONE, 2019, 14, e0226198.	1.1	5
33	Number of Pain Locations as a Predictor of Cause-Specific Disability Pension in Sweden-Do Common Mental Disorders Play a Role?. Journal of Occupational and Environmental Medicine, 2019, 61, 646-652.	0.9	5
34	Work-disability in low back pain patients with or without surgery, and the role of social insurance regulation changes in Sweden. European Journal of Public Health, 2019, 29, 524-530.	0.1	3
35	Adverse outcomes of sick leave due to mental disorders: A prospective study of discordant twin pairs. Scandinavian Journal of Public Health, 2019, 47, 127-136.	1.2	14
36	Work-Home Interference, Perceived Total Workload, and the Risk of Future Sickness Absence Due to Stress-Related Mental Diagnoses Among Women and Men: a Prospective Twin Study. International Journal of Behavioral Medicine, 2018, 25, 103-111.	0.8	24

#	Article	IF	Citations
37	Night work as a risk factor for future cause-specific disability pension: A prospective twin cohort study in Sweden. Chronobiology International, 2018, 35, 249-260.	0.9	7
38	Time pressure and sleep problems due to thoughts about work as risk factors for future sickness absence. International Archives of Occupational and Environmental Health, 2018, 91, 1051-1059.	1.1	9
39	Course and characteristics of work disability 3 years before and after lumbar spine decompression surgery– a national population-based study. Scientific Reports, 2018, 8, 11811.	1.6	5
40	Leisure-time physical inactivity and association with body mass index: a Finnish Twin Study with a 35-year follow-up. International Journal of Epidemiology, 2017, 46, 116-127.	0.9	26
41	Association between long-term smoking and leisure-time physical inactivity: a cohort study among Finnish twins with a 35-year follow-up. International Journal of Public Health, 2017, 62, 819-829.	1.0	7
42	Night work as a risk factor of future disability pension due to musculoskeletal diagnoses: a prospective cohort study of Swedish twins. European Journal of Public Health, 2017, 27, 659-664.	0.1	8
43	Sleep Duration, Mortality, and Heredity—A Prospective Twin Study. Sleep, 2017, 40, .	0.6	13
44	Night work and prostate cancer in men: a Swedish prospective cohort study. BMJ Open, 2017, 7, e015751.	0.8	22
45	Internalizing and externalizing problems in childhood and adolescence as predictors of work incapacity in young adulthood. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1159-1168.	1.6	62
46	An Underlying Common Factor, Influenced by Genetics and Unique Environment, Explains the Covariation Between Major Depressive Disorder, Generalized Anxiety Disorder, and Burnout: A Swedish Twin Study. Twin Research and Human Genetics, 2016, 19, 619-627.	0.3	20
47	Sickness presence in the Swedish Police inÂ2007 and in 2010: Associations withÂdemographic factors, jobÂcharacteristics, and health. Work, 2016, 54, 379-387.	0.6	11
48	Association between education and future leisure-time physical inactivity: a study of Finnish twins over a 35-year follow-up. BMC Public Health, 2016, 16, 720.	1.2	17
49	Genetic and Environmental Influences on Disability Pension Due To Mental Diagnoses: Limited Importance of Major Depression, Generalized Anxiety, and Chronic Fatigue. Twin Research and Human Genetics, 2016, 19, 10-16.	0.3	9
50	Genetic and environmental influences on the association between performanceâ€based selfâ€esteem and exhaustion: A study of the selfâ€worth notion of burnout. Scandinavian Journal of Psychology, 2016, 57, 419-426.	0.8	5
51	Occurrence of sickness absence and disability pension in relation to childbirth: A 16-year follow-up study of 6323 Swedish twins. Scandinavian Journal of Public Health, 2016, 44, 98-105.	1.2	12
52	Stability and change of body mass index as a predictor of disability pension. Scandinavian Journal of Public Health, 2016, 44, 369-376.	1.2	10
53	High Job Demands, Job Strain, and Iso-Strain Are Risk Factors for Sick Leave due to Mental Disorders. Journal of Occupational and Environmental Medicine, 2015, 57, 858-865.	0.9	51
54	Childbirth, hospitalisation and sickness absence: a study of female twins. BMJ Open, 2015, 5, e006033-e006033.	0.8	12

#	Article	IF	Citations
55	Night work and breast cancer in women: a Swedish cohort study. BMJ Open, 2015, 5, e008127-e008127.	0.8	75
56	Heritability of endometriosis. Fertility and Sterility, 2015, 104, 947-952.	0.5	125
57	The actions of the social insurance agency regarding long-term sickness absentees before and after a medical assessment – a study of 384 case files. Disability and Rehabilitation, 2015, 37, 1683-1691.	0.9	5
58	Associations between Childbirth, Hospitalization and Disability Pension: A Cohort Study of Female Twins. PLoS ONE, 2014, 9, e101566.	1.1	12
59	Genetic and Environmental Influences on Performance-based Self-esteem in a Population-based Cohort of Swedish Twins. Self and Identity, 2014, 13, 243-256.	1.0	3
60	The Covariation Between Burnout and Sick Leave Due to Mental Disorders Is Explained by a Shared Genetic Liability: A Prospective Swedish Twin Study With a Five-Year Follow-up. Twin Research and Human Genetics, 2014, 17, 535-544.	0.3	12
61	The role of familial factors in the associations between sickness absence and disability pension or mortality. European Journal of Public Health, 2014, 24, 106-110.	0.1	8
62	Single and additive effects of health behaviours on the risk for disability pensions among Swedish twins. European Journal of Public Health, 2014, 24, 643-648.	0.1	20
63	Work–Home Interference and Burnout. Journal of Occupational and Environmental Medicine, 2014, 56, 361-366.	0.9	19
64	Physical work load and psychological stress of daily activities as predictors of disability pension due to musculoskeletal disorders. Scandinavian Journal of Public Health, 2014, 42, 370-376.	1.2	20
65	Part-time Work or Social Benefits as Predictors for Disability Pension: a Prospective Study of Swedish Twins. International Journal of Behavioral Medicine, 2014, 21, 329-336.	0.8	13
66	Stressful and Traumatic Life Events are Associated with Burnoutâ€"A Cross-Sectional Twin Study. International Journal of Behavioral Medicine, 2014, 21, 899-907.	0.8	27
67	Associations between prognosed future work capacity among long-term sickness absentees and their actual work incapacity two years later. Work, 2014, 49, 245-255.	0.6	1
68	A prospective twin cohort study of disability pensions due to musculoskeletal diagnoses in relation to stability and change in pain. Pain, 2013, 154, 1966-1972.	2.0	19
69	A prospective cohort study of disability pension due to mental diagnoses: the importance of health factors and behaviors. BMC Public Health, 2013, 13, 621.	1.2	17
70	Associations between scores of psychosomatic health symptoms and health-related quality of life in children and adolescents. Health and Quality of Life Outcomes, 2013, 11, 176.	1.0	33
71	Register-based data of psychosocial working conditions and occupational groups as predictors of disability pension due to musculoskeletal diagnoses: a prospective cohort study of 24 543 Swedish twins. BMC Musculoskeletal Disorders, 2013, 14, 268.	0.8	24
72	The Importance of Genetic and Shared Environmental Factors for the Associations between Job Demands, Control, Support and Burnout. PLoS ONE, 2013, 8, e75387.	1.1	8

#	Article	IF	Citations
73	Psychosocial working conditions, occupational groups, and risk of disability pension due to mental diagnoses: a cohort study of 43 000 Swedish twins. Scandinavian Journal of Work, Environment and Health, 2013, 39, 351-360.	1.7	49
74	Disability pension due to musculoskeletal diagnoses: importance of work-related factors in a prospective cohort study of Finnish twins. Scandinavian Journal of Work, Environment and Health, 2013, 39, 343-350.	1.7	26
75	Genetic Susceptibility to Sickness Absence is Similar Among Women and Men: Findings From a Swedish Twin Cohort. Twin Research and Human Genetics, 2012, 15, 642-648.	0.3	39
76	Disability Pension Among Swedish Twinsâ€"Prevalence Over 16 Years and Associations With Sociodemographic Factors in 1992. Journal of Occupational and Environmental Medicine, 2012, 54, 10-16.	0.9	20
77	Effects of Work and Lifestyle on Risk for Future Disability Pension Due to Low Back Diagnoses. Journal of Occupational and Environmental Medicine, 2012, 54, 1330-1336.	0.9	17
78	Sickness presenteeism is more than an alternative to sickness absence: results from the population-based SLOSH study. International Archives of Occupational and Environmental Health, 2012, 85, 905-914.	1.1	58
79	Associations between sickness absence and harassment, threats, violence, or discrimination: A cross-sectional study of the Swedish Police. Work, 2012, 42, 83-92.	0.6	28
80	Genetic susceptibility to burnout in a Swedish twin cohort. European Journal of Epidemiology, 2012, 27, 225-231.	2.5	31
81	Health-Related and Sociodemographic Risk Factors for Disability Pension due to Low Back Disorders. Journal of Occupational and Environmental Medicine, 2011, 53, 488-496.	0.9	23
82	Disability, sickness, and unemployment benefits among long-term sickness absentees five years before, during, and after a multidisciplinary medical assessment. Journal of Multidisciplinary Healthcare, 2011, 4, 25.	1.1	12
83	Sickness Presenteeism Among Swedish Police Officers. Journal of Occupational Rehabilitation, 2011, 21, 17-22.	1.2	77
84	Stability and change in health behaviours as predictors for disability pension: a prospective cohort study of Swedish twins. BMC Public Health, 2011, 11, 678.	1.2	36
85	Health-related risk factors for disability pensions due to musculoskeletal diagnoses: A 30-year Finnish twin cohort study. Scandinavian Journal of Public Health, 2011, 39, 839-848.	1.2	38
86	Genetic Liability to Disability Pension in Women and Men: A Prospective Population-Based Twin Study. PLoS ONE, 2011, 6, e23143.	1.1	63
87	Are self-report of disability pension and long-term sickness absence accurate? Comparisons of self-reported interview data with national register data in a Swedish twin cohort. BMC Public Health, 2010, 10, 763.	1.2	56
88	Does multidisciplinary assessment of long-term sickness absentees result in modification of sick-listing diagnoses?. Scandinavian Journal of Public Health, 2010, 38, 657-663.	1.2	8
89	Selfâ€reported Health among Employees in Relation to Sex Segregation at Work Sites. Journal of Occupational Health, 2009, 51, 223-231.	1.0	11
90	Genetic and Environmental Mediation of the Associations Between Self-rated Health and Cognitive Abilities. Experimental Aging Research, 2009, 35, 178-201.	0.6	12

#	Article	ΙF	CITATIONS
91	Multidisciplinary investigations recognize high prevalence of co-morbidity of psychiatric and somatic diagnoses in long-term sickness absentees. Scandinavian Journal of Public Health, 2009, 37, 35-42.	1.2	17
92	Sickness absence among women and men in the police: A systematic literature review. Scandinavian Journal of Public Health, 2009, 37, 310-319.	1.2	24
93	Outcome of multidisciplinary investigations of long-term sickness absentees. Disability and Rehabilitation, 2009, 31, 131-137.	0.9	10
94	No Evidence of Sex Differences in Heritability of Irritable Bowel Syndrome in Swedish Twins. Twin Research and Human Genetics, 2008, 11, 197-203.	0.3	14
95	A prospective study of health, life-style and psychosocial predictors of self-rated health. European Journal of Epidemiology, 2006, 21, 767-776.	2.5	96
96	Self-Rated Health in a Longitudinal Perspective: A 9-Year Follow-Up Twin Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2005, 60, S331-S340.	2.4	40
97	The Swedish Twin Registry in the Third Millennium. Twin Research and Human Genetics, 2002, 5, 427-432.	1.5	110
98	Age and Sex Differences in Genetic and Environmental Factors for Self-Rated Health. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2001, 56, S171-S178.	2.4	42
99	The Swedish Twin Registry in the Third Millennium. , 0, .		16