
Ulrich Mehnert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1419791/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Sacral Neuromodulation for Neurogenic Lower Urinary Tract Dysfunction. , 2022, 1, .		7
2	Optimizing clinical trial design using prospective cohort study data: a case study in neuro-urology. Spinal Cord, 2021, 59, 1003-1012.	0.9	1
3	Intravesical bacteriophages for treating urinary tract infections in patients undergoing transurethral resection of the prostate: a randomised, placebo-controlled, double-blind clinical trial. Lancet Infectious Diseases, The, 2021, 21, 427-436.	4.6	170
4	A systematic review and activation likelihood estimation meta-analysis of the central innervation of the lower urinary tract: Pelvic floor motor control and micturition. PLoS ONE, 2021, 16, e0246042.	1.1	8
5	Considering nonâ€bladder aetiologies of overactive bladder: a functional neuroimaging study. BJU International, 2021, 128, 586-597.	1.3	10
6	Lower urinary tract electrical sensory assessment: A systematic review and metaâ€analysis. BJU International, 2021, , .	1.3	2
7	Transcutaneous Tibial Nerve Stimulation for Treating Neurogenic Lower Urinary Tract Dysfunction: A Pilot Study for an International Multicenter Randomized Controlled Trial. European Urology Focus, 2020, 6, 909-915.	1.6	10
8	Update from TASCI, a Nationwide, Randomized, Sham-controlled, Double-blind Clinical Trial on Transcutaneous Tibial Nerve Stimulation in Patients with Acute Spinal Cord Injury to Prevent Neurogenic Detrusor Overactivity. European Urology Focus, 2020, 6, 877-879.	1.6	6
9	Quantitative electrical pain threshold assessment in the lower urinary tract. Neurourology and Urodynamics, 2020, 39, 420-431.	0.8	4
10	Scalp Topography of Lower Urinary Tract Sensory Evoked Potentials. Brain Topography, 2020, 33, 693-709.	0.8	1
11	TASCl—transcutaneous tibial nerve stimulation in patients with acute spinal cord injury to prevent neurogenic detrusor overactivity: protocol for a nationwide, randomised, sham-controlled, double-blind clinical trial. BMJ Open, 2020, 10, e039164.	0.8	18
12	Neuroimaging in Neuro-Urology. European Urology Focus, 2020, 6, 826-837.	1.6	11
13	The Challenge of Asymptomatic Bacteriuria and Symptomatic Urinary Tract Infections in Patients with Neurogenic Lower Urinary Tract Dysfunction. Journal of Urology, 2020, 203, 579-584.	0.2	21
14	Detrusor overactivity is missed by stopping urodynamic investigation at a bladder volume of 500Â <scp>mL</scp> . BJU International, 2019, 124, 870-875.	1.3	2
15	Bowel Outcome Prediction After Traumatic Spinal Cord Injury: Longitudinal Cohort Study. Neurorehabilitation and Neural Repair, 2019, 33, 902-910.	1.4	14
16	The Management of Urine Storage Dysfunction in the Neurological Patient. SN Comprehensive Clinical Medicine, 2019, 1, 160-182.	0.3	7
17	Does electrical stimulation in the lower urinary tract increase urine production? A randomised comparative proof-of-concept study in healthy volunteers. PLoS ONE, 2019, 14, e0217503.	1.1	4
18	Reliability of supraspinal correlates to lower urinary tract stimulation in healthy participants – A fMRI study. NeuroImage, 2019, 191, 481-492.	2.1	13

ULRICH MEHNERT

#	Article	IF	CITATIONS
19	Optimized Measurement Parameters of Sensory Evoked Cortical Potentials to Assess Human Bladder Afferents - A Randomized Study. Scientific Reports, 2019, 9, 19478.	1.6	4
20	Is the value of urodynamics undermined by poor technique?: IClâ€RS 2018. Neurourology and Urodynamics, 2019, 38, S35-S39.	0.8	5
21	Conservative treatment for leg oedema and the effect on nocturnal polyuria in patients with spinal cord injury. BJU International, 2019, 123, E43-E50.	1.3	10
22	Detrusor Acontractility after Acute Spinal Cord Injury—Myth or Reality?. Journal of Urology, 2018, 199, 1565-1570.	0.2	35
23	Is Detrusor Contraction during Rapid Bladder Filling Caused by Cold or Warm Water? A Randomized, Controlled, Double-Blind Trial. Journal of Urology, 2018, 199, 223-228.	0.2	4
24	Prediction of autonomic dysreflexia during urodynamics: a prospective cohort study. BMC Medicine, 2018, 16, 53.	2.3	38
25	Sensory evoked cortical potentials of the lower urinary tract in healthy men. Neurourology and Urodynamics, 2018, 37, 2614-2624.	0.8	7
26	Adapted Bacteriophages for Treating Urinary Tract Infections. Frontiers in Microbiology, 2018, 9, 1832.	1.5	110
27	Sensory function assessment of the human male lower urinary tract using current perception thresholds. Neurourology and Urodynamics, 2017, 36, 469-473.	0.8	10
28	Intradetrusor onabotulinumtoxinA injections for refractory neurogenic detrusor overactivity incontinence: do we need urodynamic investigation for outcome assessment?. BJU International, 2017, 120, 848-854.	1.3	12
29	A novel infusionâ€drainage device to assess lower urinary tract function in neuroâ€imaging. BJU International, 2017, 119, 305-316.	1.3	5
30	Bacteriophages for treating urinary tract infections in patients undergoing transurethral resection of the prostate: a randomized, placebo-controlled, double-blind clinical trial. BMC Urology, 2017, 17, 90.	0.6	114
31	Bacteriophages as Potential Treatment for Urinary Tract Infections. Frontiers in Microbiology, 2016, 7, 465.	1.5	76
32	Prediction of Bladder Outcomes after Traumatic Spinal Cord Injury: A Longitudinal Cohort Study. PLoS Medicine, 2016, 13, e1002041.	3.9	59
33	Urodynamic Investigation: A Valid Tool to Define Normal Lower Urinary Tract Function?. PLoS ONE, 2016, 11, e0163847.	1.1	29
34	Effects of onabotulinumtoxinA on cardiac function following intradetrusor injections. Experimental Neurology, 2016, 285, 167-172.	2.0	6
35	Antibiotic prophylaxis may not be necessary in patients with asymptomatic bacteriuria undergoing intradetrusor onabotulinumtoxinA injections for neurogenic detrusor overactivity. Scientific Reports, 2016, 6, 33197.	1.6	24
36	Protocol for a prospective, randomized study on neurophysiological assessment of lower urinary tract function in a healthy cohort. BMC Urology, 2016, 16, 69.	0.6	5

ULRICH MEHNERT

#	Article	IF	CITATIONS
37	Design and Application of a New Automated Fluidic Visceral Stimulation Device for Human fMRI Studies of Interoception. IEEE Journal of Translational Engineering in Health and Medicine, 2016, 4, 1-12.	2.2	7
38	More Than 15 Years of Experience with Intradetrusor OnabotulinumtoxinA Injections for Treating Refractory Neurogenic Detrusor Overactivity: Lessons to Be Learned. European Urology, 2016, 70, 522-528.	0.9	39
39	Autonomic dysreflexia and repeatability of cardiovascular changes during same session repeat urodynamic investigation in women with spinal cord injury. World Journal of Urology, 2016, 34, 391-397.	1.2	19
40	Supraspinal Control of Urine Storage and Micturition in Men—An fMRI Study. Cerebral Cortex, 2015, 25, 3369-3380.	1.6	52
41	Differential functional brain network connectivity during visceral interoception as revealed by independent component analysis of fMRI timeâ€series. Human Brain Mapping, 2015, 36, 4438-4468.	1.9	55
42	Exploring influence of subliminal interoception on whole-brain functional network connectivity dynamics. , 2015, 2015, 670-4.		9
43	Sensory evoked potentials of the bladder and urethra in middleâ€aged women: the effect of age. BJU International, 2015, 115, 18-25.	1.3	13
44	The <scp>S</scp> wiss <scp>C</scp> ontinence <scp>F</scp> oundation <scp>A</scp> ward: promoting the next generation in neuroâ€urology and functional urology. BJU International, 2015, 115, 26-27.	1.3	1
45	Neurogenic lower urinary tract dysfunction (<scp>NLUTD</scp>) in patients with spinal cord injury: longâ€ŧerm urodynamic findings. BJU International, 2015, 115, 33-38.	1.3	46
46	Urodynamic investigations in patients with spinal cord injury: should the ice water test follow or precede the standard filling cystometry?. Spinal Cord, 2015, 53, 800-802.	0.9	7
47	Management of bladder, bowel, and sexual dysfunction. , 2015, , 281-313.		3
48	Do We Need Surveillance Urethro-Cystoscopy in Patients with Neurogenic Lower Urinary Tract Dysfunction?. PLoS ONE, 2015, 10, e0140970.	1.1	30
49	Protocol for a prospective neuroimaging study investigating the supraspinal control of lower urinary tract function in healthy controls and patients with non-neurogenic lower urinary tract symptoms. BMJ Open, 2014, 4, e004357.	0.8	5
50	The management of urinary incontinence in the male neurological patient. Current Opinion in Urology, 2014, 24, 586-592.	0.9	4
51	Urologists' referral attitude for sacral neuromodulation for treating refractory idiopathic overactive bladder syndrome: Discrete choice experiment. Neurourology and Urodynamics, 2014, 33, 1240-1246.	0.8	5
52	Protocol for a prospective magnetic resonance imaging study on supraspinal lower urinary tract control in healthy subjects and spinal cord injury patients undergoing intradetrusor onabotulinumtoxinA injections for treating neurogenic detrusor overactivity. BMC Urology, 2014, 14, 68.	0.6	11
53	Sensory Evoked Potentials of the Human Lower Urinary Tract. Journal of Urology, 2013, 189, 2179-2185.	0.2	12
54	Acute Spinal Cord Injury—Do Ambulatory Patients Need Urodynamic Investigations?. Journal of Urology, 2013, 189, 1369-1373.	0.2	26

4

ULRICH MEHNERT

#	Article	IF	CITATIONS
55	An fMRI-compatible multi-configurable handheld response system using an intensity-modulated fiber-optic sensor. , 2013, 2013, 6349-52.		10
56	Is there a direct antimicrobial effect of botulinum neurotoxin type A?. BJU International, 2012, 110, E886-90.	1.3	8
57	Neurogenic Lower Urinary Tract Dysfunction—Do We Need Same Session Repeat Urodynamic Investigations?. Journal of Urology, 2012, 187, 1318-1323.	0.2	26
58	Treatment of Neurogenic Stress Urinary Incontinence Using an Adjustable Continence Device: 4-Year Followup. Journal of Urology, 2012, 188, 2274-2280.	0.2	35
59	External Urethral Sphincter Pressure Measurement: An Accurate Method for the Diagnosis of Detrusor External Sphincter Dyssynergia?. PLoS ONE, 2012, 7, e37996.	1.1	15
60	Botulinum neurotoxin A for male lower urinary tract symptoms. Current Opinion in Urology, 2011, 21, 13-21.	0.9	12
61	The supraspinal neural correlate of bladder cold sensation—An fMRI study. Human Brain Mapping, 2011, 32, 835-845.	1.9	21
62	Proof of principle: The effect of antimuscarinics on bladder filling sensations in healthy subjects—A placebo controlled double blind investigation using 4 and 8 mg tolterodine extended release. Neurourology and Urodynamics, 2010, 29, 464-469.	0.8	4
63	The effect of tolterodine 4 and 8Âmg on the heart rate variability in healthy subjects. World Journal of Urology, 2010, 28, 651-656.	1.2	24
64	The Effect of Botulinum Toxin Type A on Overactive Bladder Symptoms in Patients With Multiple Sclerosis: A Pilot Study. Journal of Urology, 2010, 184, 1011-1016.	0.2	63
65	The somatosensory representation of the human clitoris: An fMRI study. NeuroImage, 2010, 49, 177-184.	2.1	46
66	Cortical substrate of bladder control in SCI and the effect of peripheral pudendal stimulation. NeuroImage, 2010, 49, 2983-2994.	2.1	24
67	Heart rate variability: An objective measure of autonomic activity and bladder sensations during urodynamics. Neurourology and Urodynamics, 2009, 28, 313-319.	0.8	25
68	The facilitatory effect of duloxetine combined with pelvic floor muscle training on the excitability of urethral sphincter motor neurons. International Urogynecology Journal, 2009, 20, 659-666.	0.7	4
69	A morphological evaluation of botulinum neurotoxin A injections into the detrusor muscle using magnetic resonance imaging. World Journal of Urology, 2009, 27, 397-403.	1.2	58
70	Brain activation in response to bladder filling and simultaneous stimulation of the dorsal clitoral nerve—An fMRI study in healthy women. NeuroImage, 2008, 41, 682-689.	2.1	90
71	Does Tolterodine Extended Release Affect the Bladder Electrical Perception Threshold? A Placebo Controlled, Double-Blind Study With 4 and 8 mg in Healthy Volunteers. Journal of Urology, 2007, 178, 2495-2500.	0.2	12
72	The effects of tolterodine on bladder-filling sensations and perception thresholds to intravesical electrical stimulation: method and initial results. BJU International, 2007, 100, 574-578.	1.3	24

#	Article	IF	CITATIONS
73	Biomechanical Evaluation of Vertebroplasty and Kyphoplasty With Polymethyl Methacrylate or Calcium Phosphate Cement Under Cyclic Loading. Spine, 2006, 31, 2934-2941.	1.0	104