

Mathea Sophia Galanski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1420694/mathea-sophia-galanski-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

4,286
citations

34
h-index

63
g-index

103
ext. papers

4,619
ext. citations

4
avg, IF

5.28
L-index

#	Paper	IF	Citations
102	Nano-scale imaging of dual stable isotope labeled oxaliplatin in human colon cancer cells reveals the nucleolus as a putative node for therapeutic effect. <i>Nanoscale Advances</i> , 2021 , 3, 249-262	5.1	2
101	Wells-Dawson phosphotungstates as mushroom tyrosinase inhibitors: a speciation study. <i>Scientific Reports</i> , 2021 , 11, 19354	4.9	0
100	Synthesis, Characterization, Cytotoxicity, and Time-Dependent NMR Spectroscopic Studies of (SP-4-3)-Oxalato[(1R,2R,4R/1S,2S,4S)-(4-trifluoromethyl-cyclohexane-1,2-diamine)]platinum(II). <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 856-864	2.3	2
99	Keggin-type polyoxotungstates as mushroom tyrosinase inhibitors - A speciation study. <i>Scientific Reports</i> , 2019 , 9, 5183	4.9	9
98	Synthesis, characterization, lipophilicity and cytotoxic properties of novel bis(carboxylato)oxalato bis(1-propylamine)platinum(IV) complexes. <i>Inorganica Chimica Acta</i> , 2019 , 491, 76-83	2.7	1
97	Synthesis, characterization, cytotoxic activity, and ¹⁹ F NMR spectroscopic investigations of (OC-6-33)-diacetato(ethane-1,2-diamine)bis(3,3,3-trifluoropropanoato)platinum(IV) and its platinum(II) counterpart. <i>Inorganica Chimica Acta</i> , 2019 , 490, 190-199	2.7	2
96	The impact of whole human blood on the kinetic inertness of platinum(IV) prodrugs - an HPLC-ICP-MS study. <i>Dalton Transactions</i> , 2018 , 47, 5252-5258	4.3	18
95	Biological activity of Pt prodrugs triggered by riboflavin-mediated bioorthogonal photocatalysis. <i>Scientific Reports</i> , 2018 , 8, 17198	4.9	16
94	Development and Validation of Liquid Chromatography-Based Methods to Assess the Lipophilicity of Cytotoxic Platinum(IV) Complexes. <i>Inorganics</i> , 2018 , 6, 130	2.9	12
93	Synthesis, Characterization, and Time-Dependent NMR Spectroscopy Studies of (SP-4-2)-[(trans-1R,2R/1S,2S-15N ₂)-Cyclohexane-1,2-diamine][(13C ₂)oxalato]platinum(II). <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 2347-2354	2.3	6
92	Impact of the equatorial coordination sphere on the rate of reduction, lipophilicity and cytotoxic activity of platinum(IV) complexes. <i>Journal of Inorganic Biochemistry</i> , 2017 , 174, 119-129	4.2	22
91	Platinum(IV) Complexes Featuring Axial Michael Acceptor Ligands: Synthesis, Characterization, and Cytotoxicity. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 4049-4054	2.3	11
90	Antiproliferative Copper(II) and Platinum(II) Complexes with Bidentate N,N-Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3115-3124	2.3	11
89	A fluorescent oxaliplatin derivative for investigation of oxaliplatin resistance using imaging techniques. <i>Journal of Biological Inorganic Chemistry</i> , 2017 , 22, 1295-1304	3.7	4
88	Oxaliplatin reacts with DMSO only in the presence of water. <i>Dalton Transactions</i> , 2017 , 46, 8929-8932	4.3	17
87	Low-Generation Polyamidoamine Dendrimers as Drug Carriers for Platinum(IV) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 1713-1720	2.3	15
86	Enhancing the Cytotoxic Activity of Anticancer Pt(IV) Complexes by Introduction of Lonidamine as an Axial Ligand. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 1785-1791	2.3	18

85	Influence of the Number of Axial Bexarotene Ligands on the Cytotoxicity of Pt(IV) Analogs of Oxaliplatin. <i>Bioinorganic Chemistry and Applications</i> , 2017 , 2017, 4736321	4.2	2
84	Vanadium(V) Complexes with Substituted 1,5-bis(2-hydroxybenzaldehyde)carbohydrazones and Their Use As Catalyst Precursors in Oxidation of Cyclohexane. <i>Inorganic Chemistry</i> , 2016 , 55, 9187-203	5.1	38
83	Turbulent flow chromatography in combination with HPLC-ICP-MS for high-throughput analysis of free, intact metal based drugs in biomedical samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1811-1817	3.7	5
82	The role of the equatorial ligands for the redox behavior, mode of cellular accumulation and cytotoxicity of platinum(IV) prodrugs. <i>Journal of Inorganic Biochemistry</i> , 2016 , 160, 264-74	4.2	36
81	Prediction of logP for Pt(II) and Pt(IV) complexes: Comparison of statistical and quantum-chemistry based approaches. <i>Journal of Inorganic Biochemistry</i> , 2016 , 156, 1-13	4.2	36
80	Synthesis, characterisation and cytotoxicity of [(1,10-phenanthroline)(1R,2R,4R/1S,2S,4S)-4-methyl-1,2-cyclohexanediamine]platinum(II)] ²⁺ (PHEN-4-MeDACH). <i>Inorganica Chimica Acta</i> , 2016 , 441, 152-156	2.7	2
79	Influence of reducing agents on the cytotoxic activity of platinum(IV) complexes: induction of G2/M arrest, apoptosis and oxidative stress in A2780 and cisplatin resistant A2780cis cell lines. <i>Metallomics</i> , 2015 , 7, 1078-90	4.5	31
78	Tumor microenvironment in focus: LA-ICP-MS bioimaging of a preclinical tumor model upon treatment with platinum(IV)-based anticancer agents. <i>Metallomics</i> , 2015 , 7, 1256-64	4.5	38
77	Bis- and Tris(carboxylato)platinum(IV) Complexes with Mixed Am(m)ine Ligands in the trans Position Exhibiting Exceptionally High Cytotoxicity. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 1700-1708	2.3	4
76	Tetracarboxylatoplatinum(IV) complexes featuring monodentate leaving groups - A rational approach toward exploiting the platinum(IV) prodrug strategy. <i>Journal of Inorganic Biochemistry</i> , 2015 , 153, 259-271	4.2	19
75	Bis- and Tetrakis(carboxylato)platinum(IV) complexes with mixed axial ligands - synthesis, characterization, and cytotoxicity. <i>Chemistry and Biodiversity</i> , 2015 , 12, 559-74	2.5	6
74	Comparative in vitro and in vivo pharmacological investigation of platinum(IV) complexes as novel anticancer drug candidates for oral application. <i>Journal of Biological Inorganic Chemistry</i> , 2015 , 20, 89-99	3.7	42
73	NanoSIMS combined with fluorescence microscopy as a tool for subcellular imaging of isotopically labeled platinum-based anticancer drugs. <i>Chemical Science</i> , 2014 , 5, 3135	9.4	71
72	A novel class of bis- and tris-chelate diam(m)inebis(dicarboxylato)platinum(IV) complexes as potential anticancer prodrugs. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 6751-64	8.3	39
71	Can neutral analytes be concentrated by transient isotachopheresis in micellar electrokinetic chromatography and how much?. <i>Journal of Chromatography A</i> , 2014 , 1345, 212-8	4.5	8
70	Inductively coupled plasma mass spectrometry for metallodrug development: albumin binding and serum distribution of cytotoxic cis- and trans-isomeric platinum(II) complexes. <i>Journal of Inorganic Biochemistry</i> , 2014 , 137, 40-5	4.2	25
69	Platinum(IV) Complexes Featuring One or Two Axial Ferrocene Bearing Ligands [Synthesis, Characterization, and Cytotoxicity. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 484-492	2.3	19
68	Platinum(IV) Complexes Featuring Axial (1,4- η^3 C ₂)Succinato Ligands [Synthesis, Characterization, and Preliminary Investigations in Cancer Cell Lysates. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013 , 639, 1613-1620	1.3	5

67	Influence of extracellular pH on the cytotoxicity, cellular accumulation, and DNA interaction of novel pH-sensitive 2-aminoalcoholatoplatinum(II) complexes. <i>Journal of Biological Inorganic Chemistry</i> , 2013 , 18, 249-60	3.7	14
66	Theoretical investigations and density functional theory based quantitative structure-activity relationships model for novel cytotoxic platinum(IV) complexes. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 330-44	8.3	69
65	Bulky N,(N)-(di)alkylethane-1,2-diamineplatinum(II) compounds as precursors for generating unsymmetrically substituted platinum(IV) complexes. <i>Inorganic Chemistry</i> , 2013 , 52, 8151-62	5.1	28
64	Cellular accumulation and DNA interaction studies of cytotoxic trans-platinum anticancer compounds. <i>Journal of Biological Inorganic Chemistry</i> , 2012 , 17, 465-74	3.7	49
63	Novel oximate-bridged platinum(II) di- and trimer(s): synthetic, structural, and in vitro anticancer activity studies. <i>Inorganic Chemistry</i> , 2012 , 51, 7153-63	5.1	17
62	Capillary zone electrophoresis and capillary zone electrophoresis-electrospray ionization mass spectrometry studies on the behavior of anticancer cis- and trans-[dihalidobis(2-propanone oxime)platinum(II)] complexes in aqueous solutions. <i>Journal of Chromatography A</i> , 2012 , 1267, 156-61	4.5	15
61	Solid-phase synthesis of oxaliplatin-TAT peptide bioconjugates. <i>Dalton Transactions</i> , 2012 , 41, 3001-5	4.3	57
60	Diamminetetakis(carboxylato)platinum(IV) complexes--synthesis, characterization, and cytotoxicity. <i>Chemistry and Biodiversity</i> , 2012 , 9, 1840-8	2.5	10
59	Unsymmetric mono- and dinuclear platinum(IV) complexes featuring an ethylene glycol moiety: synthesis, characterization, and biological activity. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 11052-61	8.3	32
58	Novel tetracarboxylatoplatinum(IV) complexes as carboplatin prodrugs. <i>Dalton Transactions</i> , 2012 , 41, 14404-15	4.3	68
57	Anticancer activity of methyl-substituted oxaliplatin analogs. <i>Molecular Pharmacology</i> , 2012 , 81, 719-28	4.3	39
56	Effect of reactivity on cellular accumulation and cytotoxicity of oxaliplatin analogues. <i>Journal of Biological Inorganic Chemistry</i> , 2012 , 17, 699-708	3.7	10
55	Synthesis, characterization, and cytotoxic activity of novel potentially pH-sensitive nonclassical platinum(II) complexes featuring 1,3-dihydroxyacetone oxime ligands. <i>Inorganic Chemistry</i> , 2011 , 50, 10673-81	5.1	30
54	Mono-carboxylated diaminedichloridoplatinum(IV) complexes--selective synthesis, characterization, and cytotoxicity. <i>Dalton Transactions</i> , 2011 , 40, 8187-92	4.3	31
53	Synthesis and characterization of novel bis(carboxylato)dichloridobis(ethylamine)platinum(IV) complexes with higher cytotoxicity than cisplatin. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 5456-64	6.8	59
52	Lectin conjugates as biospecific contrast agents for MRI. Coupling of <i>Lycopersicon esculentum</i> agglutinin to linear water-soluble DTPA-loaded oligomers. <i>Molecular Imaging and Biology</i> , 2011 , 13, 432-442	3.8	10
51	Tuning of lipophilicity and cytotoxic potency by structural variation of anticancer platinum(IV) complexes. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 46-51	4.2	94
50	Enhancing lipophilicity as a strategy to overcome resistance against platinum complexes?. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 709-17	4.2	30

49	{{(1R,2R,4R)-4-methyl-1,2-cyclohexanediamine}oxalatoplatinum(II): a novel enantiomerically pure oxaliplatin derivative showing improved anticancer activity in vivo. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 7356-64	8.3	43
48	Novel cis- and trans-configured bis(oxime)platinum(II) complexes: synthesis, characterization, and cytotoxic activity. <i>Inorganic Chemistry</i> , 2010 , 49, 5669-78	5.1	46
47	Synthesis and structures of novel 1-methylcytosinato-bridged (ethylenediamine)platinum(II) and platinum(III) dinuclear complexes. <i>Dalton Transactions</i> , 2010 , 39, 3633-43	4.3	17
46	The first example of MEEKC-ICP-MS coupling and its application for the analysis of anticancer platinum complexes. <i>Electrophoresis</i> , 2010 , 31, 1144-50	3.6	44
45	Antitumour metal compounds: more than theme and variations. <i>Dalton Transactions</i> , 2008 , 183-94	4.3	702
44	Resistance against novel anticancer metal compounds: differences and similarities. <i>Drug Resistance Updates</i> , 2008 , 11, 1-16	23.2	183
43	Unprecedented twofold intramolecular hydroamination in diam(m)ine-dicarboxylatodichloridoplatinum(IV) complexes - ethane-1,2-diamine vs. ammine ligands. <i>Chemical Communications</i> , 2008 , 1091-3	5.8	4
42	Novel endothall-containing platinum(IV) complexes: synthesis, characterization, and cytotoxic activity. <i>Chemistry and Biodiversity</i> , 2008 , 5, 2160-70	2.5	34
41	Novel and Mild Route to Phthalocyanines and 3-Iminoisoindolin-1-ones via N,N-Diethylhydroxylamine-Promoted Conversion of Phthalonitriles and a Dramatic Solvent-Dependence of the Reaction. <i>Advanced Synthesis and Catalysis</i> , 2008 , 350, 135-142	5.6	33
40	Novel bis(carboxylato)dichlorido(ethane-1,2-diamine)platinum(IV) complexes with exceptionally high cytotoxicity. <i>Journal of Inorganic Biochemistry</i> , 2008 , 102, 2072-7	4.2	39
39	Methyl-substituted trans-1,2-cyclohexanediamines as new ligands for oxaliplatin-type complexes. <i>Tetrahedron</i> , 2008 , 64, 137-146	2.4	7
38	Synthesis and structural peculiarities of gallium Complexes with novel paullone derivatives. <i>Open Chemistry</i> , 2008 , 6, 340-346	1.6	5
37	Novel di- and tetracarboxylatoplatinum(IV) complexes. Synthesis, characterization, cytotoxic activity, and DNA platination. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 6692-9	8.3	79
36	Searching for the magic bullet: anticancer platinum drugs which can be accumulated or activated in the tumor tissue. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2007 , 7, 55-73	2.2	117
35	An Entry to Novel Platinum Complexes: Carboxylation of Dihydroxoplatinum(IV) Complexes with Succinic Anhydride and Subsequent Derivatization. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2612-2617	2.3	74
34	Bis(2-amino alcohol- κ)dicarboxylatoplatinum(II) Complexes [Elegant Synthesis via Ring-Opening of Bis(2-amino alcoholato- κ N,O)platinum(II) Species with Dicarboxylic Acids. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2476-2483	2.3	13
33	Synthesis and Characterization of [(1R,2R)-trans-Diaminocyclohexane]platinum(II) Coordinated to Sulfur and Selenium Amino Acids. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 3746-3752	2.3	26
32	DNA interactions of pH-sensitive, antitumor bis(aminoalcohol)dichloroplatinum(II) complexes. <i>Biochemistry</i> , 2006 , 45, 14817-25	3.2	25

31	Recent developments in the field of anticancer platinum complexes. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2006 , 1, 285-95	2.6	151
30	Signal separation and determination of the enantiomeric purity of primary amines with (-)-myrtenal—a ¹³ C NMR study. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006 , 65, 869-73	4.4	10
29	Tumour-inhibiting platinum(II) complexes with aminoalcohol ligands: biologically important transformations studied by micellar electrokinetic chromatography, nuclear magnetic resonance spectroscopy and mass spectrometry. <i>Analyst, The</i> , 2005 , 130, 1383-9	5	21
28	Synthesis and structure-activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives. <i>European Journal of Medicinal Chemistry</i> , 2005 , 40, 1149-55	6.8	40
27	1,1RBis(oxazolin-2-yl)ferrocenes: An Investigation of Their Complexation Behavior toward [Pd(β -allyl)Cl] ₂ . <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 1589-1600	2.3	13
26	Analysis of anticancer platinum(II)-complexes by microemulsion electrokinetic chromatography: separation of diastereomers and estimation of octanol-water partition coefficients. <i>Electrophoresis</i> , 2005 , 26, 878-84	3.6	52
25	Synthesis, Cytotoxicity, and Structure-Activity Relationships of New Oxaliplatin Derivatives. <i>Monatshefte Für Chemie</i> , 2005 , 136, 693-700	1.4	14
24	Synthesis and in vitro antitumor potency of (cyclohexane-1,2-diamine)platinum(II) complexes with aminotris(methylenephosphonic acid) as bone-seeking ligand. <i>Bioinorganic Chemistry and Applications</i> , 2005 , 3, 179-90	4.2	6
23	Update of the preclinical situation of anticancer platinum complexes: novel design strategies and innovative analytical approaches. <i>Current Medicinal Chemistry</i> , 2005 , 12, 2075-94	4.3	565
22	Platinum metallodrug-protein binding studies by capillary electrophoresis-inductively coupled plasma-mass spectrometry: characterization of interactions between Pt(II) complexes and human serum albumin. <i>Electrophoresis</i> , 2004 , 25, 1988-95	3.6	120
21	Synthesis, crystal structure and pH dependent cytotoxicity of (SP-4-2)-bis(2-aminoethanolato- λ N,O)platinum(II) as representative of novel pH sensitive anticancer platinum complexes. <i>Inorganica Chimica Acta</i> , 2004 , 357, 3237-3244	2.7	45
20	Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible. <i>European Journal of Medicinal Chemistry</i> , 2004 , 39, 707-14	6.8	46
19	Bis(2-aminobutanol)dichloroplatinum(II) Complexes and Their Singly and Doubly Ring-Closed Butanolato Species [Novel Prodrugs for Platinum-Based Antitumour Chemotherapy?]. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2619-2625	2.3	18
18	Tumor-inhibiting platinum(II) complexes with aminoalcohol ligands: comparison of the mode of action by capillary electrophoresis and electrospray ionization-mass spectrometry. <i>Electrophoresis</i> , 2003 , 24, 2038-44	3.6	36
17	Synthesis, characterization, and in vitro antitumor activity of osteotropic diam(m)ineplatinum(II) complexes bearing a N,N-bis(phosphonomethyl)glycine ligand. <i>Journal of Medicinal Chemistry</i> , 2003 , 46, 4946-51	8.3	51
16	Synthesis, crystal structures, and electrospray ionisation mass spectrometry investigations of ether- and thioether-substituted ferrocenes. <i>Dalton Transactions</i> , 2003 , 3098	4.3	7
15	Carboxylation of 2-Hydroxyethyl-Substituted Tetrachloro(ethane-1,2-diamine)platinum(IV) Complexes [A New Synthetic Approach to Anticancer Platinum Compounds. <i>European Journal of Inorganic Chemistry</i> , 2002 , 2002, 417-421	2.3	7
14	Studies on the chemistry of thienoannelated O,N- and S,N-containing heterocycles. 25. Synthesis of new imidazolyl and pyrazolyl derivatives of thiophene as inhibitors of nitric oxide synthase. <i>Journal of Heterocyclic Chemistry</i> , 2002 , 39, 857-861	1.9	4

13	Reaction of (SP-4-2)-dichlorobis(2-hydroxyethylamine)platinum(II) with 5?-GMP under simulated physiological conditions, a CZE-ESI-MS study. <i>Inorganica Chimica Acta</i> , 2002 , 339, 9-13	2.7	20
12	Novel glucose-ferrocenyl derivatives: synthesis and properties. <i>New Journal of Chemistry</i> , 2002 , 26, 671-673		28
11	Platinum(IV)-mediated coupling of dione monoximes and nitriles: a novel reactivity pattern of the classic oxime-based chelating ligands. <i>New Journal of Chemistry</i> , 2002 , 26, 1085-1091	3.6	33
10	Comparison of the binding behavior of oxaliplatin, cisplatin and analogues to 5RGMP in the presence of sulfur-containing molecules by means of capillary electrophoresis and electrospray mass spectrometry. <i>Journal of Inorganic Biochemistry</i> , 2001 , 86, 691-8	4.2	67
9	Reaction monitoring of platinum(II) complex--5Rguanosine monophosphate adduct formation by ion exchange liquid chromatography/electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2001 , 36, 742-53	2.2	12
8	The Intramolecular Ligand-Exchange Reaction of (SP-4-2)-Dichlorobis(2-hydroxyethylamine)platinum(II) and (OC-6-22)-Tetrachlorobis(2-hydroxyethylamine)platinum(IV), a 1H and 15N, 1H-HMQC NMR Study. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2001 , 327, 1415-1418	2.3	15
7	[RuCl3ind3] and [RuCl2ind4]: Two New Ruthenium Complexes derived from the Tumor-inhibiting RuIII Compound HInd (OC-6-11)-[RuCl4ind2] (ind = indazole). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2001 , 627, 261-265	1.3	10
6	Kinetics of binding properties of 5RGMP with cisplatin under simulated physiological conditions by capillary electrophoresis. <i>Biomedical Applications</i> , 2000 , 745, 211-9		31
5	Is reduction required for antitumour activity of platinum(IV) compounds? Characterisation of a platinum(IV) nucleotide adduct [enPt(OCOCH3)3(5?-GMP)] by NMR spectroscopy and ESI-MS. <i>Inorganica Chimica Acta</i> , 2000 , 300-302, 783-789	2.7	39
4	Capillary electrophoretic study of cisplatin interaction with nucleoside monophosphates, di- and trinucleotides. <i>Journal of Chromatography A</i> , 1999 , 852, 337-46	4.5	34
3	Carboxylation of dihydroxoplatinum(IV) complexes with acyl chlorides. Crystal structures of the trans-R,R- and trans-S,S-isomer of (OC-6-33)-bis(1-adamantanecarboxylato)-(cyclohexane-1,2-diamine)dichloroplatinum(IV). <i>Inorganica Chimica Acta</i> , 1997 , 265, 271-274	2.7	29
2	First Isolation of an Enol of a Carboxylic Acid by Complexation to an (Ethane-1,2-diamine)-platinum(II) Fragment. <i>Angewandte Chemie International Edition in English</i> , 1995 , 34, 1103-1104		11
1	Tumor-Targeting Strategies with Anticancer Platinum Complexes	1605-1629	