Bruno C Lemaîre

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1422819/bruno-c-lemaitre-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182	24,012	72	154
papers	citations	h-index	g-index
209	28,069 ext. citations	10.6	7.13
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
182	Steroid-dependent switch of OvoL/Shavenbaby controls self-renewal versus differentiation of intestinal stem cells. <i>EMBO Journal</i> , 2021 , 40, e104347	13	2
181	Cecropins contribute to Drosophila host defense against a subset of fungal and Gram-negative bacterial infection. <i>Genetics</i> , 2021 ,	4	4
180	Dual proteomics of Drosophila melanogaster hemolymph infected with the heritable endosymbiont Spiroplasma poulsonii. <i>PLoS ONE</i> , 2021 , 16, e0250524	3.7	2
179	Rapid molecular evolution of symbionts of. <i>Microbial Genomics</i> , 2021 , 7,	4.4	8
178	The Drosophila Baramicin polypeptide gene protects against fungal infection. <i>PLoS Pathogens</i> , 2021 , 17, e1009846	7.6	7
177	Antimicrobial Peptides and Lysozymes Regulate Gut Microbiota Composition and Abundance. <i>MBio</i> , 2021 , 12, e0082421	7.8	8
176	A secreted factor NimrodB4 promotes the elimination of apoptotic corpses by phagocytes in Drosophila. <i>EMBO Reports</i> , 2021 , 22, e52262	6.5	2
175	Autophagy as a Gatekeeper of Intestinal Homeostasis. <i>Developmental Cell</i> , 2021 , 56, 5-6	10.2	1
174	The iron transporter Transferrin 1 mediates homeostasis of the endosymbiotic relationship between Drosophila melanogaster and Spiroplasma poulsonii. <i>MicroLife</i> , 2021 , 2,	5	1
173	The wall-less bacterium builds a polymeric cytoskeleton composed of interacting MreB isoforms. <i>IScience</i> , 2021 , 24, 103458	6.1	4
172	Iron sequestration by transferrin 1 mediates nutritional immunity in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 7317-7325	11.5	27
171	Comparative RNA-Seq analyses of Drosophila plasmatocytes reveal gene specific signatures in response to clean injury and septic injury. <i>PLoS ONE</i> , 2020 , 15, e0235294	3.7	11
170	Renal Purge of Hemolymphatic Lipids Prevents the Accumulation of ROS-Induced Inflammatory Oxidized Lipids and Protects Drosophila from Tissue Damage. <i>Immunity</i> , 2020 , 52, 374-387.e6	32.3	22
169	Transformation of the Sex-Manipulative Endosymbiont Spiroplasma poulsonii and Persisting Hurdles for Functional Genetic Studies. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	6
168	Blind killing of both male and female Drosophila embryos by a natural variant of the endosymbiotic bacterium Spiroplasma poulsonii. <i>Cellular Microbiology</i> , 2020 , 22, e13156	3.9	8
167	New insights on Drosophila antimicrobial peptide function in host defense and beyond. <i>Current Opinion in Immunology</i> , 2020 , 62, 22-30	7.8	54
166	The adipokine NimrodB5 regulates peripheral hematopoiesis in Drosophila. <i>FEBS Journal</i> , 2020 , 287, 3399-3426	5.7	10

(2018-2020)

165	Growing Ungrowable Bacteria: Overview and Perspectives on Insect Symbiont Culturability. <i>Microbiology and Molecular Biology Reviews</i> , 2020 , 84,	13.2	7
164	Comparative RNA-Seq analyses of Drosophila plasmatocytes reveal gene specific signatures in response to clean injury and septic injury 2020 , 15, e0235294		
163	Comparative RNA-Seq analyses of Drosophila plasmatocytes reveal gene specific signatures in response to clean injury and septic injury 2020 , 15, e0235294		
162	Comparative RNA-Seq analyses of Drosophila plasmatocytes reveal gene specific signatures in response to clean injury and septic injury 2020 , 15, e0235294		
161	Comparative RNA-Seq analyses of Drosophila plasmatocytes reveal gene specific signatures in response to clean injury and septic injury 2020 , 15, e0235294		
160	More Than Black or White: Melanization and Toll Share Regulatory Serine Proteases in Drosophila. <i>Cell Reports</i> , 2019 , 27, 1050-1061.e3	10.6	44
159	The Exchangeable Apolipoprotein Nplp2 Sustains Lipid Flow and Heat Acclimation in Drosophila. <i>Cell Reports</i> , 2019 , 27, 886-899.e6	10.6	10
158	Two Nimrod receptors, NimC1 and Eater, synergistically contribute to bacterial phagocytosis in Drosophila melanogaster. <i>FEBS Journal</i> , 2019 , 286, 2670-2691	5.7	17
157	Functional analysis of RIP toxins from the Drosophila endosymbiont Spiroplasma poulsonii. <i>BMC Microbiology</i> , 2019 , 19, 46	4.5	8
156	Synergy and remarkable specificity of antimicrobial peptides in vivo using a systematic knockout approach. <i>ELife</i> , 2019 , 8,	8.9	74
155	Author response: Synergy and remarkable specificity of antimicrobial peptides in vivo using a systematic knockout approach 2019 ,		3
154	The antimicrobial peptide defensin cooperates with tumour necrosis factor to drive tumour cell death in. <i>ELife</i> , 2019 , 8,	8.9	29
153	Adult Drosophila Lack Hematopoiesis but Rely on a Blood Cell Reservoir at the Respiratory Epithelia to Relay Infection Signals to Surrounding Tissues. <i>Developmental Cell</i> , 2019 , 51, 787-803.e5	10.2	32
152	Dynamic Evolution of Antimicrobial Peptides Underscores Trade-Offs Between Immunity and Ecological Fitness. <i>Frontiers in Immunology</i> , 2019 , 10, 2620	8.4	21
151	Male-killing toxin in a bacterial symbiont of Drosophila. <i>Nature</i> , 2018 , 557, 252-255	50.4	69
150	Culture of the Insect Endosymbiont Highlights Bacterial Genes Involved in Host-Symbiont Interaction. <i>MBio</i> , 2018 , 9,	7.8	35
149	Common and unique strategies of male killing evolved in two distinct symbionts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018 , 285,	4.4	16
148	Cell-Specific Imd-NF- B Responses Enable Simultaneous Antibacterial Immunity and Intestinal Epithelial Cell Shedding upon Bacterial Infection. <i>Immunity</i> , 2018 , 48, 897-910.e7	32.3	40

147	Microbiota-Derived Lactate Activates Production of Reactive Oxygen Species by the Intestinal NADPH Oxidase Nox and Shortens Drosophila Lifespan. <i>Immunity</i> , 2018 , 49, 929-942.e5	32.3	92
146	Evolution of longevity improves immunity in. <i>Evolution Letters</i> , 2018 , 2, 567-579	5.3	30
145	Anatomy and Physiology of the Digestive Tract of. <i>Genetics</i> , 2018 , 210, 357-396	4	164
144	Science, narcissism and the quest for visibility. <i>FEBS Journal</i> , 2017 , 284, 875-882	5.7	15
143	Physiological Adaptations to Sugar Intake: New Paradigms from Drosophila melanogaster. <i>Trends in Endocrinology and Metabolism</i> , 2017 , 28, 131-142	8.8	26
142	The gram-negative sensing receptor PGRP-LC contributes to grooming induction in Drosophila. <i>PLoS ONE</i> , 2017 , 12, e0185370	3.7	9
141	Transforming Growth Factor Activin signaling in neurons increases susceptibility to starvation. <i>PLoS ONE</i> , 2017 , 12, e0187054	3.7	3
140	La monte du narcissisme?. <i>Commentaire</i> , 2017 , NumEo158, 359	0.4	
139	Thioester-containing proteins regulate the Toll pathway and play a role in Drosophila defence against microbial pathogens and parasitoid wasps. <i>BMC Biology</i> , 2017 , 15, 79	7.3	46
138	A genetic framework controlling the differentiation of intestinal stem cells during regeneration in Drosophila. <i>PLoS Genetics</i> , 2017 , 13, e1006854	6	36
137	Protection from within. ELife, 2017, 6,	8.9	4
136	The regulatory isoform rPGRP-LC induces immune resolution via endosomal degradation of receptors. <i>Nature Immunology</i> , 2016 , 17, 1150-8	19.1	38
135	Connecting the obesity and the narcissism epidemics. <i>Medical Hypotheses</i> , 2016 , 95, 10-19	3.8	4
134	Cell Division by Longitudinal Scission in the Insect Endosymbiont Spiroplasma poulsonii. <i>MBio</i> , 2016 , 7,	7.8	8
133	The Role of Lipid Competition for Endosymbiont-Mediated Protection against Parasitoid Wasps in Drosophila. <i>MBio</i> , 2016 , 7,	7.8	55
132	PGRP-SD, an Extracellular Pattern-Recognition Receptor, Enhances Peptidoglycan-Mediated Activation of the Drosophila Imd Pathway. <i>Immunity</i> , 2016 , 45, 1013-1023	32.3	54
131	Male-killing symbiont damages host\$ dosage-compensated sex chromosome to induce embryonic apoptosis. <i>Nature Communications</i> , 2016 , 7, 12781	17.4	27
130	Sensing Gram-negative bacteria: a phylogenetic perspective. <i>Current Opinion in Immunology</i> , 2016 , 38, 8-17	7.8	42

(2014-2016)

129	The dual oxidase gene BdDuox regulates the intestinal bacterial community homeostasis of Bactrocera dorsalis. <i>ISME Journal</i> , 2016 , 10, 1037-50	11.9	50
128	Remote Control of Intestinal Stem Cell Activity by Haemocytes in Drosophila. <i>PLoS Genetics</i> , 2016 , 12, e1006089	6	78
127	Chemometric Analysis of Bacterial Peptidoglycan Reveals Atypical Modifications That Empower the Cell Wall against Predatory Enzymes and Fly Innate Immunity. <i>Journal of the American Chemical Society</i> , 2016 , 138, 9193-204	16.4	39
126	Genetic, molecular and physiological basis of variation in Drosophila gut immunocompetence. <i>Nature Communications</i> , 2015 , 6, 7829	17.4	42
125	Different flavors of Toll guide olfaction. <i>Trends in Immunology</i> , 2015 , 36, 439-41	14.4	2
124	Genome sequence of the Drosophila melanogaster male-killing Spiroplasma strain MSRO endosymbiont. <i>MBio</i> , 2015 , 6,	7.8	45
123	The Black cells phenotype is caused by a point mutation in the Drosophila pro-phenoloxidase 1 gene that triggers melanization and hematopoietic defects. <i>Developmental and Comparative Immunology</i> , 2015 , 50, 166-74	3.2	16
122	Determination of the structure of the O-antigen and the lipid A from the entomopathogenic bacterium Pseudomonas entomophila lipopolysaccharide along with its immunological properties. <i>Carbohydrate Research</i> , 2015 , 412, 20-7	2.9	5
121	Infection Dynamics and Immune Response in a Newly Described Drosophila-Trypanosomatid Association. <i>MBio</i> , 2015 , 6, e01356-15	7.8	25
120	Gut physiology mediates a trade-off between adaptation to malnutrition and susceptibility to food-borne pathogens. <i>Ecology Letters</i> , 2015 , 18, 1078-86	10	21
119	Drosophila innate immunity: regional and functional specialization of prophenoloxidases. <i>BMC Biology</i> , 2015 , 13, 81	7.3	93
118	X-ray and Cryo-electron Microscopy Structures of Monalysin Pore-forming Toxin Reveal Multimerization of the Pro-form. <i>Journal of Biological Chemistry</i> , 2015 , 290, 13191-201	5.4	15
117	From Embryo to Adult: Hematopoiesis along the Drosophila Life Cycle. <i>Developmental Cell</i> , 2015 , 33, 367-8	10.2	8
116	The Nimrod transmembrane receptor Eater is required for hemocyte attachment to the sessile compartment in Drosophila melanogaster. <i>Biology Open</i> , 2015 , 4, 355-63	2.2	53
115	Accumulation of differentiating intestinal stem cell progenies drives tumorigenesis. <i>Nature Communications</i> , 2015 , 6, 10219	17.4	45
114	Pseudomonas entomophila: A Versatile Bacterium with Entomopathogenic Properties 2015 , 25-49		2
113	Methods to study Drosophila immunity. <i>Methods</i> , 2014 , 68, 116-28	4.6	90
112	Microbiota-induced changes in drosophila melanogaster host gene expression and gut morphology. <i>MBio</i> , 2014 , 5, e01117-14	7.8	243

111	The Drosophila MAPK p38c regulates oxidative stress and lipid homeostasis in the intestine. <i>PLoS Genetics</i> , 2014 , 10, e1004659	6	56
110	Prophenoloxidase activation is required for survival to microbial infections in Drosophila. <i>PLoS Pathogens</i> , 2014 , 10, e1004067	7.6	184
109	Transforming growth factor Pactivin signaling functions as a sugar-sensing feedback loop to regulate digestive enzyme expression. <i>Cell Reports</i> , 2014 , 9, 336-348	10.6	70
108	Insect endosymbiont proliferation is limited by lipid availability. ELife, 2014, 3, e02964	8.9	55
107	Gut homeostasis in a microbial world: insights from Drosophila melanogaster. <i>Nature Reviews Microbiology</i> , 2013 , 11, 615-26	22.2	303
106	Morphological and molecular characterization of adult midgut compartmentalization in Drosophila. <i>Cell Reports</i> , 2013 , 3, 1725-38	10.6	308
105	The digestive tract of Drosophila melanogaster. Annual Review of Genetics, 2013, 47, 377-404	14.5	267
104	Morphological and Molecular Characterization of Adult Midgut Compartmentalization in Drosophila. <i>Cell Reports</i> , 2013 , 3, 1755	10.6	3
103	Translation inhibition and metabolic stress pathways in the host response to bacterial pathogens. <i>Nature Reviews Microbiology</i> , 2013 , 11, 365-9	22.2	47
102	Vertical transmission of a Drosophila endosymbiont via cooption of the yolk transport and internalization machinery. <i>MBio</i> , 2013 , 4,	7.8	69
101	Crystallization and preliminary X-ray analysis of monalysin, a novel Epore-forming toxin from the entomopathogen Pseudomonas entomophila. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013 , 69, 930-3		3
100	Functional analysis of PGRP-LA in Drosophila immunity. <i>PLoS ONE</i> , 2013 , 8, e69742	3.7	43
99	dRYBP contributes to the negative regulation of the Drosophila Imd pathway. PLoS ONE, 2013 , 8, e6205	5 3 .7	21
98	Taxonomic characterisation of Pseudomonas strain L48 and formal proposal of Pseudomonas entomophila sp. nov. <i>Systematic and Applied Microbiology</i> , 2012 , 35, 145-9	4.2	60
97	Infection-induced host translational blockage inhibits immune responses and epithelial renewal in the Drosophila gut. <i>Cell Host and Microbe</i> , 2012 , 12, 60-70	23.4	128
96	Tissue- and ligand-specific sensing of gram-negative infection in drosophila by PGRP-LC isoforms and PGRP-LE. <i>Journal of Immunology</i> , 2012 , 189, 1886-97	5.3	100
95	Autocrine and paracrine unpaired signaling regulate intestinal stem cell maintenance and division. <i>Journal of Cell Science</i> , 2012 , 125, 5944-9	5.3	101
94	Gut-associated microbes of Drosophila melanogaster. <i>Gut Microbes</i> , 2012 , 3, 307-21	8.8	313

(2009-2011)

93	Negative regulation by amidase PGRPs shapes the Drosophila antibacterial response and protects the fly from innocuous infection. <i>Immunity</i> , 2011 , 35, 770-9	32.3	186
92	Drosophila immunity: analysis of PGRP-SB1 expression, enzymatic activity and function. <i>PLoS ONE</i> , 2011 , 6, e17231	3.7	67
91	Spiroplasma and host immunity: activation of humoral immune responses increases endosymbiont load and susceptibility to certain Gram-negative bacterial pathogens in Drosophila melanogaster. <i>Cellular Microbiology</i> , 2011 , 13, 1385-96	3.9	72
90	Mercury is a direct and potent Elecretase inhibitor affecting Notch processing and development in Drosophila. <i>FASEB Journal</i> , 2011 , 25, 2287-95	0.9	24
89	Genetic evidence for a protective role of the peritrophic matrix against intestinal bacterial infection in Drosophila melanogaster. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 15966-71	11.5	195
88	Monalysin, a novel Epore-forming toxin from the Drosophila pathogen Pseudomonas entomophila, contributes to host intestinal damage and lethality. <i>PLoS Pathogens</i> , 2011 , 7, e1002259	7.6	75
87	A secondary metabolite acting as a signalling molecule controls Pseudomonas entomophila virulence. <i>Cellular Microbiology</i> , 2010 , 12, 1666-79	3.9	42
86	Association of hemolytic activity of Pseudomonas entomophila, a versatile soil bacterium, with cyclic lipopeptide production. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 910-21	4.8	93
85	Drosophila EGFR pathway coordinates stem cell proliferation and gut remodeling following infection. <i>BMC Biology</i> , 2010 , 8, 152	7.3	247
84	A non-redundant role for Drosophila Mkk4 and hemipterous/Mkk7 in TAK1-mediated activation of JNK. <i>PLoS ONE</i> , 2009 , 4, e7709	3.7	45
83	Invasive and indigenous microbiota impact intestinal stem cell activity through multiple pathways in Drosophila. <i>Genes and Development</i> , 2009 , 23, 2333-44	12.6	499
82	Genetic ablation of Drosophila phagocytes reveals their contribution to both development and resistance to bacterial infection. <i>Journal of Innate Immunity</i> , 2009 , 1, 322-34	6.9	91
81	Proteolytic cascade for the activation of the insect toll pathway induced by the fungal cell wall component. <i>Journal of Biological Chemistry</i> , 2009 , 284, 19474-81	5.4	111
80	Evf, a virulence factor produced by the Drosophila pathogen Erwinia carotovora, is an S-palmitoylated protein with a new fold that binds to lipid vesicles. <i>Journal of Biological Chemistry</i> , 2009 , 284, 3552-62	5.4	25
79	Long-range activation of systemic immunity through peptidoglycan diffusion in Drosophila. <i>PLoS Pathogens</i> , 2009 , 5, e1000694	7.6	63
78	A single modular serine protease integrates signals from pattern-recognition receptors upstream of the Drosophila Toll pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12442-7	11.5	129
77	Drosophila intestinal response to bacterial infection: activation of host defense and stem cell proliferation. <i>Cell Host and Microbe</i> , 2009 , 5, 200-11	23.4	580
76	Recognition and response to microbial infection in Drosophila 2009 , 13-33		16

75	Toll-like receptorstaking an evolutionary approach. <i>Nature Reviews Genetics</i> , 2008 , 9, 165-78	30.1	380
74	Bacterial strategies to overcome insect defences. <i>Nature Reviews Microbiology</i> , 2008 , 6, 302-13	22.2	218
73	Drosophila Serpin-28D regulates hemolymph phenoloxidase activity and adult pigmentation. <i>Developmental Biology</i> , 2008 , 323, 189-96	3.1	87
72	A serpin that regulates immune melanization in the respiratory system of Drosophila. <i>Developmental Cell</i> , 2008 , 15, 617-26	10.2	97
71	PIMS modulates immune tolerance by negatively regulating Drosophila innate immune signaling. <i>Cell Host and Microbe</i> , 2008 , 4, 147-58	23.4	174
70	Drosophila immunity: methods for monitoring the activity of Toll and Imd signaling pathways. <i>Methods in Molecular Biology</i> , 2008 , 415, 379-94	1.4	40
69	The host defense of Drosophila melanogaster. Annual Review of Immunology, 2007, 25, 697-743	34.7	2232
68	Erwinia carotovora Evf antagonizes the elimination of bacteria in the gut of Drosophila larvae. <i>Cellular Microbiology</i> , 2007 , 9, 106-19	3.9	38
67	Drosophila immunity: a large-scale in vivo RNAi screen identifies five serine proteases required for Toll activation. <i>Current Biology</i> , 2006 , 16, 808-13	6.3	158
66	Prevalence of local immune response against oral infection in a Drosophila/Pseudomonas infection model. <i>PLoS Pathogens</i> , 2006 , 2, e56	7.6	189
65	The Drosophila inhibitor of apoptosis protein DIAP2 functions in innate immunity and is essential to resist gram-negative bacterial infection. <i>Molecular and Cellular Biology</i> , 2006 , 26, 7821-31	4.8	109
64	Two proteases defining a melanization cascade in the immune system of Drosophila. <i>Journal of Biological Chemistry</i> , 2006 , 281, 28097-104	5.4	144
63	A Sptzle-processing enzyme required for toll signaling activation in Drosophila innate immunity. <i>Developmental Cell</i> , 2006 , 10, 45-55	10.2	207
62	The Drosophila amidase PGRP-LB modulates the immune response to bacterial infection. <i>Immunity</i> , 2006 , 24, 463-73	32.3	343
61	The Toll immune-regulated Drosophila protein Fondue is involved in hemolymph clotting and puparium formation. <i>Developmental Biology</i> , 2006 , 295, 156-63	3.1	48
60	The MAPKKK Mekk1 regulates the expression of Turandot stress genes in response to septic injury in Drosophila. <i>Genes To Cells</i> , 2006 , 11, 397-407	2.3	67
59	Complete genome sequence of the entomopathogenic and metabolically versatile soil bacterium Pseudomonas entomophila. <i>Nature Biotechnology</i> , 2006 , 24, 673-9	44.5	205
58	Inhibitor of apoptosis 2 and TAK1-binding protein are components of the Drosophila Imd pathway. <i>EMBO Journal</i> , 2005 , 24, 3423-34	13	169

(2002-2005)

Structure and metabolism of peptidoglycan and molecular requirements allowing its detection by the Drosophila innate immune system. <i>Journal of Endotoxin Research</i> , 2005 , 11, 105-11		41
Drosophila host defense after oral infection by an entomopathogenic Pseudomonas species. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11414-9	11.5	307
In vivo RNA interference analysis reveals an unexpected role for GNBP1 in the defense against Gram-positive bacterial infection in Drosophila adults. <i>Journal of Biological Chemistry</i> , 2004 , 279, 12848	-53 ⁴	121
Peptidoglycan molecular requirements allowing detection by the Drosophila immune deficiency pathway. <i>Journal of Immunology</i> , 2004 , 173, 7339-48	5.3	120
The road to Toll. <i>Nature Reviews Immunology</i> , 2004 , 4, 521-7	36.5	158
Drosophila: a polyvalent model to decipher host-pathogen interactions. <i>Trends in Microbiology</i> , 2004 , 12, 235-42	12.4	65
A Drosophila pattern recognition receptor contains a peptidoglycan docking groove and unusual L,D-carboxypeptidase activity. <i>PLoS Biology</i> , 2004 , 2, E277	9.7	77
A single gene that promotes interaction of a phytopathogenic bacterium with its insect vector, Drosophila melanogaster. <i>EMBO Reports</i> , 2003 , 4, 205-9	6.5	70
Directed expression of the HIV-1 accessory protein Vpu in Drosophila fat-body cells inhibits Toll-dependent immune responses. <i>EMBO Reports</i> , 2003 , 4, 976-81	6.5	47
Sensing microbes by diverse hosts. Workshop on pattern recognition proteins and receptors. <i>EMBO Reports</i> , 2003 , 4, 932-6	6.5	16
The Drosophila immune system detects bacteria through specific peptidoglycan recognition. <i>Nature Immunology</i> , 2003 , 4, 478-84	19.1	430
Inducible expression of double-stranded RNA reveals a role for dFADD in the regulation of the antibacterial response in Drosophila adults. <i>Current Biology</i> , 2002 , 12, 996-1000	6.3	157
A ubiquitin-proteasome pathway represses the Drosophila immune deficiency signaling cascade. <i>Current Biology</i> , 2002 , 12, 1728-37	6.3	80
The Toll and Imd pathways are the major regulators of the immune response in Drosophila. <i>EMBO Journal</i> , 2002 , 21, 2568-79	13	592
Constitutive expression of a single antimicrobial peptide can restore wild-type resistance to infection in immunodeficient Drosophila mutants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2152-7	11.5	154
27 Methods for studying infection and immunity in Drosophila. <i>Methods in Microbiology</i> , 2002 , 31, 507-5	5 29 8	30
An immune-responsive Serpin regulates the melanization cascade in Drosophila. <i>Developmental Cell</i> , 2002 , 3, 581-92	10.2	266
How Drosophila combats microbial infection: a model to study innate immunity and host-pathogen interactions. <i>Current Opinion in Microbiology</i> , 2002 , 5, 102-10	7.9	282
	the Drosophila innate immune system. Journal of Endotoxin Research, 2005, 11, 105-11 Drosophila host defense after oral infection by an entomopathogenic Pseudomonas species. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11414-9 In vivo RNA interference analysis reveals an unexpected role for GNBP1 in the defense against Gram-positive bacterial infection in Drosophila adults. Journal of Biological Chemistry, 2004, 279, 12848. Peptidoglycan molecular requirements allowing detection by the Drosophila immune deficiency pathway. Journal of Immunology, 2004, 173, 7339-48 The road to Toll. Nature Reviews Immunology, 2004, 4, 521-7 Drosophila: a polyvalent model to decipher host-pathogen interactions. Trends in Microbiology, 2004, 12, 235-42 A Drosophila pattern recognition receptor contains a peptidoglycan docking groove and unusual L,D-carboxypeptidase activity. PLoS Biology, 2004, 2, E277 A single gene that promotes interaction of a phytopathogenic bacterium with its insect vector, Drosophila melanogaster. EMBO Reports, 2003, 4, 205-9 Directed expression of the HIV-1 accessory protein Vpu in Drosophila fat-body cells inhibits Toll-dependent immune responses. EMBO Reports, 2003, 4, 976-81 Sensing microbes by diverse hosts. Workshop on pattern recognition proteins and receptors. EMBO Reports, 2003, 4, 932-6 The Drosophila immune system detects bacteria through specific peptidoglycan recognition. Nature Immunology, 2003, 4, 478-84 Inducible expression of double-stranded RNA reveals a role for dFADO in the regulation of the antibacterial response in Drosophila adults. Current Biology, 2002, 12, 996-1000 A ubiquitin-proteasome pathway represses the Drosophila immune deficiency signaling cascade. Current Biology, 2002, 12, 1728-37 The Toll and Imd pathways are the major regulators of the immune response in Drosophila. EMBO Journal, 2002, 21, 2568-79 Constitutive expression of a single antimicrobial peptide can restore wild-type resistance to infection in immunod	the Drosophila innate immune system. Journal of Endotoxin Research, 2005, 11, 105-11 Drosophila host defense after oral infection by an entomopathogenic Pseudomonas species. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11414-9 In vivo RNA interference analysis reveals an unexpected role for GNBP1 in the defense against Gram-positive bacterial infection in Drosophila adults. Journal of Biological Chemistry, 2004, 279, 12848-53 Peptidoglycan molecular requirements allowing detection by the Drosophila immune deficiency pathway. Journal of Immunology, 2004, 173, 7339-48 Peptidoglycan molecular requirements allowing detection by the Drosophila immune deficiency pathway. Journal of Immunology, 2004, 173, 7339-48 The road to Toll. Nature Reviews Immunology, 2004, 4, 521-7 A single apolyvalent model to decipher host-pathogen interactions. Trends in Microbiology, 2004, 12, 235-42 A Drosophila pattern recognition receptor contains a peptidoglycan docking groove and unusual L,D-carboxypeptidase activity. PLoS Biology, 2004, 2, E277 A single gene that promotes interaction of a phytopathogenic bacterium with its insect vector, Drosophila melanogaster. EMBO Reports, 2003, 4, 205-9 Directed expression of the HIV-1 accessory protein Vpu in Drosophila fat-body cells inhibits Toll-dependent immune responses. EMBO Reports, 2003, 4, 976-81 Sensing microbes by diverse hosts. Workshop on pattern recognition proteins and receptors. EMBO Reports, 2003, 4, 932-6 The Drosophila immune system detects bacteria through specific peptidoglycan recognition. Nature Immunology, 2003, 4, 478-84 Inducible expression of double-stranded RNA reveals a role for dFADD in the regulation of the antibacterial response in Drosophila adults. Current Biology, 2002, 12, 996-1000 A ubiquitin-proteasome pathway represses the Drosophila immune deficiency signaling cascade. Current Biology, 2002, 12, 1726-87 Constitutive expression of a single antimicrobial peptide can restore wild-type resistance to i

39	Immunology. Pathogen surveillancethe flies have it. <i>Science</i> , 2002 , 296, 273-5	33.3	35
38	Mutations in the Drosophila dTAK1 gene reveal a conserved function for MAPKKKs in the control of rel/NF-kappaB-dependent innate immune responses. <i>Genes and Development</i> , 2001 , 15, 1900-12	12.6	237
37	Genome-wide analysis of the Drosophila immune response by using oligonucleotide microarrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 12590-5	11.5	579
36	Drosophila immunity: two paths to NF-kappaB. <i>Trends in Immunology</i> , 2001 , 22, 260-4	14.4	132
35	Genes that fight infection: what the Drosophila genome says about animal immunity. <i>Trends in Genetics</i> , 2000 , 16, 442-9	8.5	132
34	Stop press: genes that fight infections: what the drosophila genome says about animal immunity. <i>Trends in Genetics</i> , 2000 , 16, 468	8.5	O
33	The Drosophila caspase Dredd is required to resist gram-negative bacterial infection. <i>EMBO Reports</i> , 2000 , 1, 353-8	6.5	322
32	Comparative genomics of the eukaryotes. <i>Science</i> , 2000 , 287, 2204-15	33.3	1364
31	Gram-negative bacteria-binding protein, a pattern recognition receptor for lipopolysaccharide and beta-1,3-glucan that mediates the signaling for the induction of innate immune genes in Drosophila melanogaster cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 32721-7	5.4	220
30	The phytopathogenic bacteria Erwinia carotovora infects Drosophila and activates an immune response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 33	76 ⁻³ 38	1 ²⁷⁰
29	Tissue-specific inducible expression of antimicrobial peptide genes in Drosophila surface epithelia. <i>Immunity</i> , 2000 , 13, 737-48	32.3	434
28	A mosaic analysis in Drosophila fat body cells of the control of antimicrobial peptide genes by the Rel proteins Dorsal and DIF. <i>EMBO Journal</i> , 1999 , 18, 3380-91	13	159
27	La drosophile : un modle pour l £ lude de la rponse immunitaire inne. <i>Medecine/Sciences</i> , 1999 , 15, 15		3
26	A drosomycin-GFP reporter transgene reveals a local immune response in Drosophila that is not dependent on the Toll pathway. <i>EMBO Journal</i> , 1998 , 17, 1217-27	13	279
25	Two distinct pathways can control expression of the gene encoding the Drosophila antimicrobial peptide metchnikowin. <i>Journal of Molecular Biology</i> , 1998 , 278, 515-27	6.5	106
24	In vivo regulation of the IkappaB homologue cactus during the immune response of Drosophila. <i>Journal of Biological Chemistry</i> , 1998 , 273, 10463-9	5.4	79
23	Drosophila host defense: differential induction of antimicrobial peptide genes after infection by various classes of microorganisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 14614-9	11.5	770
22	Antimicrobial peptide defense in Drosophila. <i>BioEssays</i> , 1997 , 19, 1019-26	4.1	151

21	Drosophila immunity: analysis of larval hemocytes by P-element-mediated enhancer trap. <i>Genetics</i> , 1997 , 147, 623-34	4	73
20	Expression of antimicrobial peptide genes after infection by parasitoid wasps in Drosophila. <i>Developmental and Comparative Immunology</i> , 1996 , 20, 175-81	3.2	28
19	The dorsoventral regulatory gene cassette splzle/Toll/cactus controls the potent antifungal response in Drosophila adults. <i>Cell</i> , 1996 , 86, 973-83	56.2	2896
18	Functional analysis and regulation of nuclear import of dorsal during the immune response in Drosophila <i>EMBO Journal</i> , 1995 , 14, 536-545	13	179
17	A recessive mutation, immune deficiency (imd), defines two distinct control pathways in the Drosophila host defense. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 9465-9	11.5	463
16	Drosophila P element: transposition, regulation and evolution. <i>Genetica</i> , 1994 , 93, 61-78	1.5	23
15	Insect immunity: the diptericin promoter contains multiple functional regulatory sequences homologous to mammalian acute-phase response elements. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 197, 508-17	3.4	53
14	Maternal inheritance of P cytotype in Drosophila melanogaster: a "pre-P cytotype" is strictly extra-chromosomally transmitted. <i>Molecular Genetics and Genomics</i> , 1993 , 241, 115-23		44
13	Maternal repression of the P element promoter in the germline of Drosophila melanogaster: a model for the P cytotype. <i>Genetics</i> , 1993 , 135, 149-60	4	73
12	P regulatory products repress in vivo the P promoter activity in P-lacZ fusion genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 4419-23	11.5	55
11	Blood Cells of Adult Drosophila Do Not Expand, But Control Survival after Bacterial Infection by Induction of Drosocin Around Their Reservoir at the Respiratory Epithelia. <i>SSRN Electronic Journal</i> ,	1	1
10	Rapid molecular evolution of Spiroplasma symbionts of Drosophila		1
9	The Drosophila Baramicin polypeptide gene protects against fungal infection		5
8	The antimicrobial peptide Defensin cooperates with Tumour Necrosis Factor to drive tumour cell death in Drosophila		2
7	Blood cells of adult Drosophila do not expand, but control survival after bacterial infection by induction of Drosocin around their reservoir at the respiratory epithelia		1
6	Shavenbaby protein isoforms orchestrate the self-renewalversusdifferentiation of Drosophilaintestinal stem cells		2
5	Metabolic adjustment of Drosophila hemocyte number and sessility by an adipokine		1
4	Drosophila antimicrobial peptides and lysozymes regulate gut microbiota composition and abundance		1

Cecropins contribute to Drosophila host defence against fungal and Gram-negative bacterial infection

The wall-less bacterium Spiroplasma poulsonii builds a polymeric cytoskeleton composed of interacting MreB isoforms

Extensive duplication and convergent evolution of an antimicrobial polypeptide gene

3