

Maria Garcia-Gil

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1423014/publications.pdf>

Version: 2024-02-01

150
papers

21,356
citations

71004

43
h-index

12272

138
g-index

175
all docs

175
docs citations

175
times ranked

41617
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of residential greenness on myocardial infarction in the population with diabetes: A sex-dependent association?. <i>Environmental Research</i> , 2022, 205, 112449.	3.7	9
2	Individuals With SARS-CoV-2 Infection During the First and Second Waves in Catalonia, Spain: Retrospective Observational Study Using Daily Updated Data. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e30006.	1.2	6
3	The Association of Dietary Intake with Arterial Stiffness and Vascular Ageing in a Population with Intermediate Cardiovascular Risk—A MARK Study. <i>Nutrients</i> , 2022, 14, 244.	1.7	8
4	The effect of external stimulation on functional networks in the aging healthy human brain. <i>Cerebral Cortex</i> , 2022, 33, 235-245.	1.6	8
5	Microbiota alterations in proline metabolism impact depression. <i>Cell Metabolism</i> , 2022, 34, 681-701.e10.	7.2	77
6	Extreme diurnal temperature range and cardiovascular emergency hospitalisations in a Mediterranean region. <i>Occupational and Environmental Medicine</i> , 2021, 78, 62-68.	1.3	20
7	Changes in lifestyle resulting from confinement due to COVID-19 and depressive symptomatology: A cross-sectional a population-based study. <i>Comprehensive Psychiatry</i> , 2021, 104, 152214.	1.5	38
8	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. <i>Hypertension</i> , 2021, 77, 650-661.	1.3	34
9	Whole-Brain Dynamics in Aging: Disruptions in Functional Connectivity and the Role of the Rich Club. <i>Cerebral Cortex</i> , 2021, 31, 2466-2481.	1.6	29
10	Efficacy of tailored recommendations to promote healthy lifestyles: a post hoc analysis of a randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2021, 11, 1548-1557.	1.2	3
11	Do individuals with autoimmune disease have increased risk of subclinical carotid atherosclerosis and stiffness?. <i>Hypertension Research</i> , 2021, 44, 978-987.	1.5	3
12	Analysis of the dose-response relationship of leisure-time physical activity to cardiovascular disease and all-cause mortality: the REGICOR study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 414-420.	0.4	2
13	Resting heart rate, cardiovascular events, and all-cause mortality: the REGICOR study. <i>European Journal of Preventive Cardiology</i> , 2021, , .	0.8	2
14	Obesity-associated deficits in inhibitory control are phenocopied to mice through gut microbiota changes in one-carbon and aromatic amino acids metabolic pathways. <i>Gut</i> , 2021, 70, 2283-2296.	6.1	31
15	Ankle-brachial index and the risk of hemorrhagic stroke. <i>European Journal of Internal Medicine</i> , 2021, 94, 112-114.	1.0	1
16	Blood Hemoglobin Substantially Modulates the Impact of Gender, Morbid Obesity, and Hyperglycemia on COVID-19 Death Risk: A Multicenter Study in Italy and Spain. <i>Frontiers in Endocrinology</i> , 2021, 12, 741248.	1.5	5
17	Multiple health behaviour change primary care intervention for smoking cessation, physical activity and healthy diet in adults 45 to 75 years old (EIRA study): a hybrid effectiveness-implementation cluster randomised trial. <i>BMC Public Health</i> , 2021, 21, 2208.	1.2	9
18	Cardiovascular risk in mild to moderately decreased glomerular filtration rate, diabetes and coronary heart disease in a southern European region. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 212-218.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Three-year events and mortality in cardiovascular disease patients without lipid-lowering treatment. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2102-2104.	0.8	1
20	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	0.9	44
21	Derivation and validation of SIDIAP-FHP score: A new risk model predicting cardiovascular disease in familial hypercholesterolemia phenotype. <i>Atherosclerosis</i> , 2020, 292, 42-51.	0.4	9
22	Control of cardiovascular risk factors with tailored recommendations: A randomized controlled trial. <i>Preventive Medicine</i> , 2020, 141, 106302.	1.6	4
23	Is it time to use real-world data from primary care in Alzheimer's disease?. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 60.	3.0	7
24	The Aging Imageomics Study: rationale, design and baseline characteristics of the study population. <i>Mechanisms of Ageing and Development</i> , 2020, 189, 111257.	2.2	18
25	Levels of ankle-brachial index and the risk of diabetes mellitus complications. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000977.	1.2	18
26	Incidence of Cardiovascular Disease in Patients with Familial Hypercholesterolemia Phenotype: Analysis of 5 Years Follow-Up of Real-World Data from More than 1.5 Million Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1080.	1.0	33
27	<p>How well can electronic health records from primary care identify Alzheimer's disease cases?</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 509-518.	1.5	28
28	Effectiveness of Statins as Primary Prevention in People With Gout: A Population-Based Cohort Study. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 542-550.	1.0	4
29	Salutogenic health promotion program for migrant women at risk of social exclusion. <i>International Journal for Equity in Health</i> , 2019, 18, 139.	1.5	11
30	Capacity adiposity indices to identify metabolic syndrome in subjects with intermediate cardiovascular risk (MARK study). <i>PLoS ONE</i> , 2019, 14, e0209992.	1.1	18
31	Role of Low Ankle-Brachial Index in Cardiovascular and Mortality Risk Compared with Major Risk Conditions. <i>Journal of Clinical Medicine</i> , 2019, 8, 870.	1.0	15
32	Early smoking-onset age and risk of cardiovascular disease and mortality. <i>Preventive Medicine</i> , 2019, 124, 17-22.	1.6	13
33	<p>Epidemiology of dementia: prevalence and incidence estimates using validated electronic health records from primary care</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 217-228.	1.5	78
34	Estimated Percentage of Patients With Stable Coronary Heart Disease Candidates for PCSK9 Inhibitors. Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 519-520.	0.4	1
35	Estimaci3n del porcentaje de pacientes con enfermedad coronaria estable candidatos a recibir inhibidores de PCSK9. Respuesta. <i>Revista Espanola De Cardiologia</i> , 2019, 72, 519-520.	0.6	3
36	Hypertension and high ankle brachial index. <i>Journal of Hypertension</i> , 2019, 37, 92-98.	0.3	7

#	ARTICLE	IF	CITATIONS
37	Reclassification by applying the Framingham equation 30 years to subjects with intermediate cardiovascular risk. MARK study. Medicina Clínica (English Edition), 2019, 153, 351-356.	0.1	0
38	Reclassification by applying the Framingham equation 30 years to subjects with intermediate cardiovascular risk. MARK study. Medicina Clínica, 2019, 153, 351-356.	0.3	1
39	Number of Patients Eligible for PCSK9 Inhibitors Based on Real-world Data From 2.5 Million Patients. Revista Espanola De Cardiologia (English Ed), 2018, 71, 1010-1017.	0.4	10
40	Número de pacientes candidatos a recibir inhibidores de la PCSK9 según datos de 2,5 millones de participantes de la práctica clínica real. Revista Espanola De Cardiologia, 2018, 71, 1010-1017.	0.6	23
41	The Girona Territori Cardioprotegit Project: Performance Evaluation of Public Defibrillators. Revista Espanola De Cardiologia (English Ed), 2018, 71, 79-85.	0.4	5
42	Validity Assessment of Low-risk SCORE Function and SCORE Function Calibrated to the Spanish Population in the FRESCO Cohorts. Revista Espanola De Cardiologia (English Ed), 2018, 71, 274-282.	0.4	3
43	Estimated Glomerular Filtration Rate, Cardiovascular Events and Mortality Across Age Groups Among Individuals Older Than 60 Years in Southern Europe. Revista Espanola De Cardiologia (English Ed), 2018, 71, 450-457.	0.4	2
44	Association between chronic immune-mediated inflammatory diseases and cardiovascular risk. Heart, 2018, 104, 119-126.	1.2	63
45	Association of Classic Cardiovascular Risk Factors and Lifestyles With the Cardio-ankle Vascular Index in a General Mediterranean Population. Revista Espanola De Cardiologia (English Ed), 2018, 71, 458-465.	0.4	6
46	Interaction between cardiovascular risk factors and body mass index and 10-year incidence of cardiovascular disease, cancer death, and overall mortality. Preventive Medicine, 2018, 107, 81-89.	1.6	25
47	Acute Myocardial Infarction Population Incidence and Mortality Rates, and 28-day Case-fatality in Older Adults. The REGICOR Study. Revista Espanola De Cardiologia (English Ed), 2018, 71, 718-725.	0.4	11
48	Effectiveness of Statins as Primary Prevention in People With Different Cardiovascular Risk: A Population-Based Cohort Study. Clinical Pharmacology and Therapeutics, 2018, 104, 719-732.	2.3	12
49	A body shape index and vascular structure and function in Spanish adults (MARK study). Medicine (United States), 2018, 97, e13299.	0.4	10
50	Analysis of Plasma Albumin, Vitamin D, and Apolipoproteins A and B as Predictive Coronary Risk Biomarkers in the REGICOR Study. Revista Espanola De Cardiologia (English Ed), 2018, 71, 910-916.	0.4	6
51	Air Pollution, Noise, Blue Space, and Green Space and Premature Mortality in Barcelona: A Mega Cohort. International Journal of Environmental Research and Public Health, 2018, 15, 2405.	1.2	72
52	Statins for primary prevention of cardiovascular events and mortality in old and very old adults with and without type 2 diabetes: retrospective cohort study. BMJ: British Medical Journal, 2018, 362, k3359.	2.4	135
53	Validity of a method for the self-screening of cardiovascular risk. Clinical Epidemiology, 2018, Volume 10, 549-560.	1.5	5
54	Tasas de incidencia y mortalidad, y letalidad poblacional a 28 días del infarto agudo de miocardio en adultos mayores. Estudio REGICOR. Revista Espanola De Cardiologia, 2018, 71, 718-725.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Familial hypercholesterolemia in a European Mediterranean population—Prevalence and clinical data from 2.5 million primary care patients. <i>Journal of Clinical Lipidology</i> , 2017, 11, 1013-1022.	0.6	61
56	The association between education and cardiovascular disease incidence is mediated by hypertension, diabetes, and body mass index. <i>Scientific Reports</i> , 2017, 7, 12370.	1.6	70
57	Adiposity measures and arterial stiffness in primary care: the MARK prospective observational study. <i>BMJ Open</i> , 2017, 7, e016422.	0.8	15
58	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
59	Differences in cardio-ankle vascular index in a general Mediterranean population depending on the presence or absence of metabolic cardiovascular risk factors. <i>Atherosclerosis</i> , 2017, 264, 29-35.	0.4	3
60	Abnormally High Ankle-Brachial Index is Associated with All-cause and Cardiovascular Mortality: The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 370-377.	0.8	27
61	Serum Lipid Levels and Risk Of Hand Osteoarthritis: The Chingford Prospective Cohort Study. <i>Scientific Reports</i> , 2017, 7, 3147.	1.6	42
62	Effects of extreme temperatures on cardiovascular emergency hospitalizations in a Mediterranean region: a self-controlled case series study. <i>Environmental Health</i> , 2017, 16, 32.	1.7	44
63	Diet quality and carotid atherosclerosis in intermediate cardiovascular risk individuals. <i>Nutrition Journal</i> , 2017, 16, 40.	1.5	2
64	Glycemic markers and relation with arterial stiffness in Caucasian subjects of the MARK study. <i>PLoS ONE</i> , 2017, 12, e0175982.	1.1	24
65	Statins and new-onset atrial fibrillation in a cohort of patients with hypertension. Analysis of electronic health records, 2006–2015. <i>PLoS ONE</i> , 2017, 12, e0186972.	1.1	9
66	Reply. <i>Journal of the American College of Cardiology</i> , 2016, 68, 238.	1.2	0
67	Spatiotemporal Characteristics of QRS Complexes Enable the Diagnosis of Brugada Syndrome Regardless of the Appearance of a Type 1 ECG. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 563-570.	0.8	4
68	Diet and physical activity in people with intermediate cardiovascular risk and their relationship with the health-related quality of life: results from the MARK study. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 169.	1.0	18
69	Diabetes and new-onset atrial fibrillation in a hypertensive population. <i>Annals of Medicine</i> , 2016, 48, 119-127.	1.5	14
70	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016, 387, 1513-1530.	6.3	2,842
71	Prevalence and incidence of Q-wave unrecognized myocardial infarction in general population: Diagnostic value of the electrocardiogram. The REGICOR study. <i>International Journal of Cardiology</i> , 2016, 225, 300-305.	0.8	10
72	Role of renal function in cardiovascular risk assessment: A retrospective cohort study in a population with low incidence of coronary heart disease. <i>Preventive Medicine</i> , 2016, 89, 200-206.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Risk of Cause-Specific Death in Individuals With Diabetes: A Competing Risks Analysis. <i>Diabetes Care</i> , 2016, 39, 1987-1995.	4.3	259
74	Association of metabolic syndrome and its components with arterial stiffness in Caucasian subjects of the MARK study: a cross-sectional trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 148.	2.7	61
75	Association between markers of glycemia and carotid intima-media thickness: the MARK study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 203.	0.7	14
76	Vascular structure and function and their relationship with health-related quality of life in the MARK study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 95.	0.7	9
77	The descriptive epidemiology of rheumatoid arthritis in Catalonia: a retrospective study using routinely collected data. <i>Clinical Rheumatology</i> , 2016, 35, 751-757.	1.0	25
78	Statins for Prevention of Cardiovascular Events in a Low-Risk Population With Low Ankle Brachial Index. <i>Journal of the American College of Cardiology</i> , 2016, 67, 630-640.	1.2	92
79	Peripheral Arterial Disease Incidence and Associated Risk Factors in a Mediterranean Population-based Cohort. The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 51, 696-705.	0.8	26
80	Patterns of statin use and cholesterol goal attainment in a high-risk cardiovascular population: A retrospective study of primary care electronic medical records. <i>Journal of Clinical Lipidology</i> , 2016, 10, 134-142.	0.6	31
81	The Association Between the Cardio-ankle Vascular Index and Other Parameters of Vascular Structure and Function in Caucasian Adults: MARK Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 901-911.	0.9	37
82	Socioeconomic status and its association with the risk of developing hip fractures: A region-wide ecological study. <i>Bone</i> , 2015, 73, 127-131.	1.4	27
83	Building interventions in primary health care for long-term effectiveness in health promotion and disease prevention. A focus on complex and multi-risk interventions. <i>Preventive Medicine</i> , 2015, 76, S1-S4.	1.6	26
84	New myocardial infarction definition affects incidence, mortality, hospitalization rates and prognosis. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1272-1280.	0.8	15
85	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
86	Prevalence of lower extremity peripheral arterial disease in individuals with chronic immune mediated inflammatory disorders. <i>Atherosclerosis</i> , 2015, 242, 1-7.	0.4	12
87	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 624-637.	5.5	139
88	Adding low ankle brachial index to classical risk factors improves the prediction of major cardiovascular events. The REGICOR study. <i>Atherosclerosis</i> , 2015, 241, 357-363.	0.4	35
89	Asociación entre variantes genéticas de enfermedad coronaria y aterosclerosis subclónica: estudio de asociación y metanálisis. <i>Revista Española De Cardiología</i> , 2015, 68, 869-877.	0.6	12
90	The ARTICO study: identification of patients at high risk of vascular recurrence after a first non-cardioembolic stroke. <i>BMC Neurology</i> , 2015, 15, 28.	0.8	21

#	ARTICLE	IF	CITATIONS
91	Incident Atrial Fibrillation Hazard in Hypertensive Population. <i>Hypertension</i> , 2015, 65, 1180-1186.	1.3	8
92	Socio-economic status and the risk of developing hand, hip or knee osteoarthritis: a region-wide ecological study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1323-1329.	0.6	59
93	Association Between Coronary Artery Disease Genetic Variants and Subclinical Atherosclerosis: An Association Study and Meta-analysis. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015, 68, 869-877.	0.4	11
94	Effectiveness of multifactorial interventions in primary health care settings for primary prevention of cardiovascular disease: A systematic review of systematic reviews. <i>Preventive Medicine</i> , 2015, 76, S68-S75.	1.6	34
95	Leukocyte Subtype Counts and Its Association with Vascular Structure and Function in Adults with Intermediate Cardiovascular Risk. MARK Study. <i>PLoS ONE</i> , 2015, 10, e0119963.	1.1	10
96	Linking of Primary Care Records to Census Data to Study the Association between Socioeconomic Status and Cancer Incidence in Southern Europe: A Nation-Wide Ecological Study. <i>PLoS ONE</i> , 2014, 9, e109706.	1.1	49
97	The Association between Air Pollution and Subclinical Atherosclerosis: Rivera et al. Respond. <i>Environmental Health Perspectives</i> , 2014, 122, A8-9.	2.8	1
98	Association of Long-Term Exposure to Traffic-Related Air Pollution with Blood Pressure and Hypertension in an Adult Population-Based Cohort in Spain (the REGICOR Study). <i>Environmental Health Perspectives</i> , 2014, 122, 404-411.	2.8	72
99	High Blood Pressure and Long-Term Exposure to Indoor Noise and Air Pollution from Road Traffic. <i>Environmental Health Perspectives</i> , 2014, 122, 1193-1200.	2.8	100
100	Validation of a population coronary disease predictive system: the CASSANDRA model. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 1012-1019.	2.0	4
101	Derivation and validation of BOREAS, a risk score identifying candidates to develop cold-induced hypertension. <i>Environmental Research</i> , 2014, 132, 190-196.	3.7	12
102	Determinants of the transition from a cardiometabolic normal to abnormal overweight/obese phenotype in a Spanish population. <i>European Journal of Nutrition</i> , 2014, 53, 1345-1353.	1.8	70
103	Derivation and validation of a set of 10-year cardiovascular risk predictive functions in Spain: The FRESCO Study. <i>Preventive Medicine</i> , 2014, 61, 66-74.	1.6	61
104	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
105	Seasonality of cardiovascular risk factors: an analysis including over 230,000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	1.2	113
106	Estimating the risk of peripheral artery disease using different population strategies. <i>Preventive Medicine</i> , 2013, 57, 328-333.	1.6	7
107	Association between Long-Term Exposure to Traffic-Related Air Pollution and Subclinical Atherosclerosis: The REGICOR Study. <i>Environmental Health Perspectives</i> , 2013, 121, 223-230.	2.8	53
108	Impact of a Partial Smoke-Free Legislation on Myocardial Infarction Incidence, Mortality and Case-Fatality in a Population-Based Registry: The REGICOR Study. <i>PLoS ONE</i> , 2013, 8, e53722.	1.1	61

#	ARTICLE	IF	CITATIONS
109	Carotid Intima-media Thickness in the Spanish Population: Reference Ranges and Association With Cardiovascular Risk Factors. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 1086-1093.	0.4	3
110	Assessment of the value of a genetic risk score in improving the estimation of coronary risk. <i>Atherosclerosis</i> , 2012, 222, 456-463.	0.4	50
111	Validity for Use in Research on Vascular Diseases of the SIDIAP (Information System for the) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.4	49
112	Grosor Āntima-media carotĀdeo en poblaciĀn espaĀola: valores de referencia y asociaciĀn con los factores de riesgo cardiovascular. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 1086-1093.	0.6	56
113	Sex-related differences in prognosis after myocardial infarction: changes from 1978 to 2007. <i>European Journal of Epidemiology</i> , 2012, 27, 847-855.	2.5	9
114	Bayesian inference analyses of the polygenic architecture of rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 483-489.	9.4	402
115	Validez del Sistema de InformaciĀn para el Desarrollo de la InvestigaciĀn en AtenciĀn Primaria (SIDIAP) en el estudio de enfermedades vasculares: estudio EMMA. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 29-37.	0.6	125
116	Measuring the payback of research activities: A feasible ex-post evaluation methodology in epidemiology and public health. <i>Social Science and Medicine</i> , 2012, 75, 505-510.	1.8	14
117	Hypothesis-Based Analysis of Gene-Gene Interactions and Risk of Myocardial Infarction. <i>PLoS ONE</i> , 2012, 7, e41730.	1.1	17
118	Trends in Q-wave acute myocardial infarction case fatality from 1978 to 2007 and analysis of the effectiveness of different treatments. <i>American Heart Journal</i> , 2011, 162, 444-450.	1.2	12
119	Trends in the Prevalence, Awareness, Treatment, and Control of Cardiovascular Risk Factors across Educational Level in the 1995Ā2005 Period. <i>Annals of Epidemiology</i> , 2011, 21, 555-563.	0.9	49
120	Utility of a short quality of life questionnaire to predict cardiovascular events. <i>International Journal of Cardiology</i> , 2011, 151, 392-394.	0.8	8
121	Effect of Opening a New Catheterization Laboratory on 30-Day and 2-Year Survival Rates in Myocardial Infarction Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 96-104.	0.4	2
122	Relative Validity of the 10-Year Cardiovascular Risk Estimate in a Population Cohort of the REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 385-394.	0.4	46
123	Analyzing the Coronary Heart Disease Mortality Decline in a Mediterranean Population: Spain 1988-2005. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 988-996.	0.4	61
124	Trends in Leisure Time Physical Activity Practice in the 1995-2005 Period in Girona. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 997-1004.	0.4	11
125	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. <i>Atherosclerosis</i> , 2011, 214, 474-479.	0.4	32
126	Identification of ADAMTS7 as a novel locus for coronary atherosclerosis and association of ABO with myocardial infarction in the presence of coronary atherosclerosis: two genome-wide association studies. <i>Lancet, The</i> , 2011, 377, 383-392.	6.3	466

#	ARTICLE	IF	CITATIONS
127	Effectiveness of a stepped primary care smoking cessation intervention: cluster randomized clinical trial (ISTAPS study). <i>Addiction</i> , 2011, 106, 1696-1706.	1.7	39
128	Monitoring of heavy metal concentrations in home outdoor air using moss bags. <i>Environmental Pollution</i> , 2011, 159, 954-962.	3.7	31
129	Population-based incidence and survival of central nervous system (CNS) malignancies in Girona (Spain) 1994-2005. <i>Journal of Neuro-Oncology</i> , 2011, 101, 117-123.	1.4	22
130	Improving interMediate Risk management. MARK study. <i>BMC Cardiovascular Disorders</i> , 2011, 11, 61.	0.7	25
131	The role of gender in a smoking cessation intervention: a cluster randomized clinical trial. <i>BMC Public Health</i> , 2011, 11, 369.	1.2	12
132	Association of Atherosclerosis With Expression of the LILRB1 Receptor By Human NK and T-Cells Supports the Infectious Burden Hypothesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2314-2321.	1.1	33
133	Construction and validation of a scoring system for the selection of high-quality data in a Spanish population primary care database (SIDiAP). <i>Journal of Innovation in Health Informatics</i> , 2011, 19, 135-145.	0.9	125
134	Lack of Association Between the Trp719Arg Polymorphism in Kinesin-Like Protein-6 and Coronary Artery Disease in 19 Case-Control Studies. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1552-1563.	1.2	84
135	Why should population attributable fractions be periodically recalculated?. <i>Preventive Medicine</i> , 2010, 51, 78-84.	1.6	24
136	Posición socioeconómica e infarto agudo de miocardio. Estudio caso-control de base poblacional. <i>Revista Española De Cardiología</i> , 2010, 63, 1045-1053.	0.6	23
137	Referral from primary care to a physical activity programme: establishing long-term adherence? A randomized controlled trial. Rationale and study design. <i>BMC Public Health</i> , 2009, 9, 31.	1.2	20
138	Effectiveness of a stepped primary care smoking cessation intervention (ISTAPS study): design of a cluster randomised trial. <i>BMC Public Health</i> , 2009, 9, 48.	1.2	18
139	Prevalence of Symptomatic and Asymptomatic Peripheral Arterial Disease and the Value of the Ankle-brachial Index to Stratify Cardiovascular Risk. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 305-311.	0.8	148
140	Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. <i>Nature Genetics</i> , 2009, 41, 334-341.	9.4	990
141	Respuesta. <i>Revista Española De Cardiología</i> , 2009, 62, 229-230.	0.6	0
142	Association Between Paraoxonase-1 and Paraoxonase-2 Polymorphisms and the Risk of Acute Myocardial Infarction. <i>Revista Española De Cardiología (English Ed)</i> , 2008, 61, 269-275.	0.4	5
143	High plasma glutamate concentrations are associated with infarct growth in acute ischemic stroke. <i>Neurology</i> , 2008, 71, 1862-1868.	1.5	81
144	Trends in cardiovascular risk factor prevalence (1995-2000-2005) in northeastern Spain. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 653-659.	3.1	154

#	ARTICLE	IF	CITATIONS
145	Validity of an adaptation of the Framingham cardiovascular risk function: the VERIFICA study. Journal of Epidemiology and Community Health, 2007, 61, 40-47.	2.0	258
146	Statin treatment withdrawal in ischemic stroke. Neurology, 2007, 69, 904-910.	1.5	305
147	Estimating Cardiovascular Risk in Spain Using Different Algorithms. Revista Espanola De Cardiologia (English Ed), 2007, 60, 693-702.	0.4	10
148	The Role of Age in Cardiovascular Risk Factor Clustering in Non-Diabetic Population Free of Coronary Heart Disease. European Journal of Epidemiology, 2003, 19, 299-304.	2.5	17
149	An adaptation of the Framingham coronary heart disease risk function to European Mediterranean areas. Journal of Epidemiology and Community Health, 2003, 57, 634-638.	2.0	309
150	Polyvascular Subclinical Atherosclerosis: Correlation Between Ankle Brachial Index and Carotid Atherosclerosis in a Population-Based Sample. Angiology, 0, , 000331972211107.	0.8	2